


Nama : Irfananda Irsyad A
NIM : L200180096
Kleas : C

Modul 5

Kegiatan 1



PC0

Physical Config Desktop Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.123.20
Invalid Command.

C:\>ping 192.168.123.20

Pinging 192.168.123.20 with 32 bytes of data:

Reply from 192.168.123.20: bytes=32 time=11ms TTL=128
Reply from 192.168.123.20: bytes=32 time=6ms TTL=128
Reply from 192.168.123.20: bytes=32 time<1ms TTL=128
Reply from 192.168.123.20: bytes=32 time=3ms TTL=128

Ping statistics for 192.168.123.20:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 11ms, Average = 4ms

C:\>ping 192.168.123.21

Pinging 192.168.123.21 with 32 bytes of data:

Reply from 192.168.123.21: bytes=32 time<1ms TTL=128
Reply from 192.168.123.21: bytes=32 time<1ms TTL=128
Reply from 192.168.123.21: bytes=32 time<1ms TTL=128
Reply from 192.168.123.21: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.123.21:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms



C:\>ping 192.168.123.22

Pinging 192.168.123.22 with 32 bytes of data:


Reply from 192.168.123.22: bytes=32 time<1ms TTL=128
Reply from 192.168.123.22: bytes=32 time<1ms TTL=128
Reply from 192.168.123.22: bytes=32 time<1ms TTL=128
Reply from 192.168.123.22: bytes=32 time<1ms TTL=128
```

☐ Top

Kegiatan 2




Atau



Tugas

1. Membuat DHCP server dengan packet tracer dengan client terdiri dari 20 pc



2. Tampilan web

