

Nama : Brian Aditya Hermansyah

NIM : L200180116

Kelas : E

Latihan

Tabel : Nasabah

```
Console - brianadit24@brianadit24-X550ZE: ~
File Edit View Terminal Tabs Help
brianadit24@brianadit24-X550ZE:~$ mysql -u root -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 69
Server version: 10.0.38-MariaDB-0ubuntu0.16.04.1 Ubuntu 16.04

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> use perbankan;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A

Database changed
MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(1, 'Sutopo', 'Jl. Jendral Sudirman 12');
Query OK, 1 row affected (0.28 sec)

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(2, 'Maryati', 'Jl. MT. Haryono 31');
Query OK, 1 row affected (0.29 sec)

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(3, 'Superman', 'Jl. Hasanudin 81');
Query OK, 1 row affected (0.04 sec)

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(4, 'Kartika Padmasari', 'Jl. Manggis 15');
Query OK, 1 row affected (0.31 sec)

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(5, 'Budi Eko Prayogo', 'Jl. Kantil 30');
Query OK, 1 row affected (0.32 sec)

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(6, 'Satria Eka Jaya', 'Jl. Slamet Riyadi 45');
Query OK, 1 row affected (0.04 sec)

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(7, 'Indri Hapsari', 'Jl. Sutoyo 5');
Query OK, 1 row affected (0.30 sec)

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(8, 'Sari Murti', 'Jl. Pangandaran 11');
Query OK, 1 row affected (0.30 sec)

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(9, 'Canka Lokananta', 'Jl. Tidar 86');
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(10, 'Budi Murtono', 'Jl. Merak 22');
Query OK, 1 row affected (0.04 sec)
```

Tabel : cabang_bank

```
Console - brianadit24@brianadit24-X550ZE: ~
File Edit View Terminal Tabs Help

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(9, 'Canka Lokananta', 'Jl. Tidar 86');
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> insert into nasabah(id_nasabah, nama_nasabah, alamat_nasabah)
-> values(10, 'Budi Murtono', 'Jl. Merak 22');
Query OK, 1 row affected (0.04 sec)

MariaDB [perbankan]> insert into cabang_bank(kode_cabang, nama_cabang, alamat_cabang)
-> values('BRUS', 'Bank Rut Unit Surakarta', 'Jl. Slamet Riyadi 18');
Query OK, 1 row affected (0.10 sec)

MariaDB [perbankan]> insert into cabang_bank(kode_cabang, nama_cabang, alamat_cabang)
-> values('BRUM', 'Bank Rut Unit Magelang', 'Jl. P.Tendean 63');
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into cabang_bank(kode_cabang, nama_cabang, alamat_cabang)
-> values('BRUB', 'Bank Rut Unit Boyolali', 'Jl. Ahmad Yani 45');
Query OK, 1 row affected (0.30 sec)

MariaDB [perbankan]> insert into cabang_bank(kode_cabang, nama_cabang, alamat_cabang)
-> values('BRUK', 'Bank Rut Unit Klaten', 'Jl. Suparman 23');
Query OK, 1 row affected (0.31 sec)

MariaDB [perbankan]> insert into cabang_bank(kode_cabang, nama_cabang, alamat_cabang)
-> values('BRUY', 'Bank Rut Unit Yogyakarta', 'Jl. Anggrek 21');
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into cabang_bank(kode_cabang, nama_cabang, alamat_cabang)
-> values('BRUW', 'Bank Rut Unit Wonogiri', 'Jl. Untung Suropati 12');
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]>
```

Tabel : rekening

```
Console - brianadit24@brianadit24-X550ZE: ~
File Edit View Terminal Tabs Help

MariaDB [perbankan]> insert into rekening(no_rekening, kode_cabangFK, pin, saldo)
-> values(101, 'BRUS', '1111', 500000);
Query OK, 1 row affected (0.36 sec)

MariaDB [perbankan]> insert into rekening(no_rekening, kode_cabangFK, pin, saldo)
-> values(102, 'BRUS', '2222', 350000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into rekening(no_rekening, kode_cabangFK, pin, saldo)
-> values(103, 'BRUS', '3333', 750000);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> insert into rekening(no_rekening, kode_cabangFK, pin, saldo)
-> values(104, 'BRUM', '4444', 900000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into rekening(no_rekening, kode_cabangFK, pin, saldo)
-> values(105, 'BRUM', '5555', 2000000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into rekening(no_rekening, kode_cabangFK, pin, saldo)
-> values(106, 'BRUS', '6666', 3000000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into rekening(no_rekening, kode_cabangFK, pin, saldo)
-> values(107, 'BRUS', '7777', 1000000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into rekening(no_rekening, kode_cabangFK, pin, saldo)
-> values(108, 'BRUB', '0000', 5000000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into rekening(no_rekening, kode_cabangFK, pin, saldo)
-> values(109, 'BRUB', '9999', 0);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into rekening(no_rekening, kode_cabangFK, pin, saldo)
-> values(110, 'BRUY', '1234', 550000);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> insert into rekening(no_rekening, kode_cabangFK, pin, saldo)
-> values(111, 'BRUK', '4321', 150000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into rekening(no_rekening, kode_cabangFK, pin, saldo)
-> values(112, 'BRUK', '0123', 300000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into rekening(no_rekening, kode_cabangFK, pin, saldo)
-> values(113, 'BRUY', '8888', 255000);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]>
```

Tabel : nasabah_has_rekening

```
Console - brianadit24@brianadit24-X550ZE: ~
File Edit View Terminal Tabs Help

MariaDB [perbankan]> insert into nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
-> values(1, 104);
Query OK, 1 row affected (0.08 sec)

MariaDB [perbankan]> insert into nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
-> values(2, 103);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> insert into nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
-> values(3, 105);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
-> values(3, 106);
Query OK, 1 row affected (0.04 sec)

MariaDB [perbankan]> insert into nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
-> values(4, 101);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
-> values(4, 107);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
-> values(5, 102);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
-> values(5, 107);
Query OK, 1 row affected (0.04 sec)

MariaDB [perbankan]> insert into nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
-> values(6, 109);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
-> values(7, 109);
-> ;
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
-> values(8, 111);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> insert into nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
-> values(9, 110);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> insert into nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
-> values(10, 113);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
-> values(8, 112);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> insert into nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
-> values(10, 108);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]>
```


Tabel : Transaksi

```
Console - brianadit24@brianadit24-X550ZE: ~
File Edit View Terminal Tabs Help
MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
values(1, 105, 3, 'debit', '2009-11-10', 50000);
Query OK, 1 row affected (0.19 sec)
MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(2, 103, 2, 'debit', '2009-11-10', 40000);
Query OK, 1 row affected (0.31 sec)
MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(3, 101, 4, 'kredit', '2009-11-12', 20000);
Query OK, 1 row affected (0.31 sec)
MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(4, 106, 3, 'debit', '2009-11-13', 50000);
Query OK, 1 row affected (0.05 sec)
MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(5, 107, 5, 'kredit', '2009-11-13', 30000);
Query OK, 1 row affected (0.05 sec)
MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(6, 104, 1, 'kredit', '2009-11-15', 200000);
Query OK, 1 row affected (0.06 sec)
MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(7, 110, 9, 'kredit', '2009-11-15', 150000);
Query OK, 1 row affected (0.04 sec)
MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(8, 102, 5, 'debit', '2009-11-16', 20000);
Query OK, 1 row affected (0.05 sec)
MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(9, 105, 3, 'kredit', '2009-11-18', 50000);
Query OK, 1 row affected (0.06 sec)
MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(10, 107, 4, 'debit', '2009-11-19', 100000);
Query OK, 1 row affected (0.04 sec)
MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(11, 103, 2, 'debit', '2009-11-19', 100000);
Query OK, 1 row affected (0.06 sec)
MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(12, 104, 1, 'debit', '2009-11-19', 50000);
Query OK, 1 row affected (0.06 sec)
MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(13, 107, 4, 'kredit', '2009-11-20', 200000);
Query OK, 1 row affected (0.06 sec)
MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(14, 105, 3, 'debit', '2009-11-20', 50000);
Query OK, 1 row affected (0.06 sec)
```

```

Console - brianadit24@brianadit24-X550ZE: ~
File Edit View Terminal Tabs Help
MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(18, 102, 5, 'debit', '2009-11-25', 50000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(19, 108, 10, 'debit', '2009-11-26', 100000);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(20, 106, 3, 'kredit', '2009-11-27', 50000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(21, 103, 2, 'kredit', '2009-11-28', 200000);
Query OK, 1 row affected (0.04 sec)

MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(22, 105, 3, 'kredit', '2009-11-28', 100000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(23, 102, 5, 'debit', '2009-11-30', 20000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(24, 104, 1, 'debit', '2009-12-1', 50000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(25, 103, 2, 'debit', '2009-12-2', 40000);
Query OK, 1 row affected (0.04 sec)

MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(26, 101, 4, 'debit', '2009-12-4', 50000);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(27, 103, 2, 'kredit', '2009-12-5', 100000);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(28, 102, 5, 'kredit', '2009-12-5', 200000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(29, 109, 7, 'debit', '2009-12-5', 100000);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> insert into transaksi(no_transaksi, no_rekeningFK, id_nasabahFK, jenis_transaksi, tanggal, jumlah)
-> values(30, 110, 9, 'debit', '2009-12-6', 20000);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]>

```

UPDATE AND DELETE DATA

```

Console - brianadit24@brianadit24-X550ZE: ~
File Edit View Terminal Tabs Help
MariaDB [perbankan]> UPDATE nasabah
-> SET alamat_nasabah = 'Jalan Slamet Riyadi No.34'
-> WHERE nama_nasabah = 'Indri Hapsari';
Query OK, 1 row affected (0.30 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [perbankan]> UPDATE cabang_bank
-> SET alamat_cabang = 'Jalan A. Yani No.23'
-> WHERE nama_cabang = 'BRUW';
-> ;
Query OK, 0 rows affected (0.00 sec)
Rows matched: 0 Changed: 0 Warnings: 0

MariaDB [perbankan]> DELETE FROM nasabah
-> WHERE id_nasabah = 7;
Query OK, 1 row affected (0.30 sec)

MariaDB [perbankan]> DELETE FROM cabang_bank
-> WHERE nama_cabang = 'Bank Rut Unit Magelang';
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]>

```


Tugas

```
Console - brianadit24@brianadit24-X550ZE: ~
File Edit View Terminal Tabs Help
brianadit24@brianadit24-X550ZE:~$ mysql -u root -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 168
Server version: 10.0.38-MariaDB-0ubuntu0.16.04.1 Ubuntu 16.04

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> use perbankan;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A

Database changed
MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(11,'Andi','Jl Hasanudin 25');
Query OK, 1 row affected (0.07 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(12,'Udin','Jl Honggowongso 21');
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(13,'Syamsudin','Jl Ahmad Yani 10');
Query OK, 1 row affected (0.31 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(14,'Ahmad Zaki','Jl Tendean 5');
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(15,'Burhan','Jl Suramadu 102');
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(16,'Izul','Jl Kemangi 32');
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(17,'Sari','Jl Bandung 1');
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(18,'Budi Kariadi','Jl Kariadi 9');
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(19,'Zaki Izudin','Jl Merak 43');
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(20,'Candra','Jl Marwan 63');
Query OK, 1 row affected (0.04 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAS','Bank Amal Surakarta','Jl Apel 3');
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAY','Bank Amal Yogyakarta','Jl Ahmad Yani 17');
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAM','Bank Amal Magelang','Jl Suramadu 82');
Query OK, 1 row affected (0.05 sec)
```

```
Console - brianadit24@brianadit24-X550ZE: ~
File Edit View Terminal Tabs Help

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAB','Bank Amal Boyolali','Jl Jambu 2');
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAW','Bank Amal Wonogiri','Jl Madurasa 125');
Query OK, 1 row affected (0.32 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAD','Bank Amal Bandung','Jl Mega jaya 101');
Query OK, 1 row affected (0.07 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAJ','Bank Amal Jakarta','Jl MT. Thamrin 21');
Query OK, 1 row affected (0.30 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAP','Bank Amal Pati','Jl Kepatihan 77');
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAA','Bank Amal Aceh','Jl Abdul Hamid 37');
Query OK, 1 row affected (0.04 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(114,'BAB','1234', 100000);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(115,'BAY','4321', 150000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(116,'BAM','1111', 200000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(117,'BAK','2222', 300000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(118,'BAB','3333', 250000);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(119,'BAW','4444', 50000);
Query OK, 1 row affected (0.08 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(120,'BAD','5555', 20000);
Query OK, 1 row affected (0.04 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(121,'BAJ','6666', 500000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(122,'BAP','7777', 400000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(123,'BAA','8888', 450000);
Query OK, 1 row affected (0.04 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(11,114)
```



```
Console - brianadit24@brianadit24-X550ZE: ~
File Edit View Terminal Tabs Help
MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(121,'BAJ', '6666', 500000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(122,'BAP', '7777', 400000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo) VALUES(123,'BAA', '8888', 450000);
Query OK, 1 row affected (0.04 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(11,114);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(12,115);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(13,116);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(14,117);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(15,118);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(16,119);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(17,120);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(18,121);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(19,122);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(20,123);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(31, 18, 118, 'debit', '2020-3-1', 50000);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(32, 23, 123, 'debit', '2020-3-1', 100000);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(33, 22, 122, 'kredit', '2020-3-2', 50000);
Query OK, 1 row affected (0.05 sec)
```



```
Console - brianadit24@brianadit24-X550ZE: ~
File Edit View Terminal Tabs Help
al, jumlah) VALUES(34, 15, 115, 'kredit', '2020-3-2', 200000);
Query OK, 1 row affected (0.32 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFk, no_rekeningFk, jenis_transaksi, tanggal, jumlah) VALUES(35, 21, 121, 'kredit', '2020-3-3', 100000);
Query OK, 1 row affected (0.31 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFk, no_rekeningFk, jenis_transaksi, tanggal, jumlah) VALUES(36, 16, 116, 'debit', '2020-3-3', 100000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFk, no_rekeningFk, jenis_transaksi, tanggal, jumlah) VALUES(37, 20, 120, 'kredit', '2020-3-4', 75000);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFk, no_rekeningFk, jenis_transaksi, tanggal, jumlah) VALUES(38, 17, 117, 'debit', '2020-3-4', 175000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFk, no_rekeningFk, jenis_transaksi, tanggal, jumlah) VALUES(39, 19, 119, 'kredit', '2020-3-5', 250000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFk, no_rekeningFk, jenis_transaksi, tanggal, jumlah) VALUES(40, 14, 114, 'kredit', '2020-3-5', 150000);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFk, no_rekeningFk, jenis_transaksi, tanggal, jumlah) VALUES(41, 23, 123, 'debit', '2020-3-6', 150000);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFk, no_rekeningFk, jenis_transaksi, tanggal, jumlah) VALUES(42, 14, 114, 'debit', '2020-3-6', 350000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFk, no_rekeningFk, jenis_transaksi, tanggal, jumlah) VALUES(43, 22, 122, 'debit', '2020-3-7', 250000);
Query OK, 1 row affected (0.31 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFk, no_rekeningFk, jenis_transaksi, tanggal, jumlah) VALUES(44, 15, 115, 'debit', '2020-3-7', 50000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFk, no_rekeningFk, jenis_transaksi, tanggal, jumlah) VALUES(45, 21, 121, 'debit', '2020-3-8', 200000);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFk, no_rekeningFk, jenis_transaksi, tanggal, jumlah) VALUES(46, 16, 116, 'kredit', '2020-3-8', 50000);
Query OK, 1 row affected (0.04 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFk, no_rekeningFk, jenis_transaksi, tanggal, jumlah) VALUES(47, 20, 120, 'debit', '2020-3-9', 100000);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFk, no_rekeningFk, jenis_transaksi, tanggal, jumlah) VALUES(48, 17, 117, 'kredit', '2020-3-9', 200000);
Query OK, 1 row affected (0.05 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFk, no_rekeningFk, jenis_transaksi, tanggal, jumlah) VALUES(49, 19, 119, 'debit', '2020-3-10', 300000);
Query OK, 1 row affected (0.06 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFk, no_rekeningFk, jenis_transaksi, tanggal, jumlah) VALUES(50, 18, 118, 'kredit', '2020-3-10', 250000);
Query OK, 1 row affected (0.05 sec)
```