

Nama : Fandhitya Giovani

NIM : L200180118

Kelas : E

MODUL 4

Kegiatan

Membuat tabel nasabah

```
C:\Windows\system32\cmd.exe - mysql -u root -p
Microsoft Windows [Version 6.3.9600]
(c) 2013 Microsoft Corporation. All rights reserved.

C:\Users\ASUS-DESKTOP>cd..
C:\Users>cd..
C:\>cd C:\xampp\mysql\bin
C:\xampp\mysql\bin>mysql -u root -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 26
Server version: 10.4.11-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> create database perbankan;
ERROR 1007 (HY000): Can't create database 'perbankan'; database exists
MariaDB [(none)]> use perbankan;
Database changed
MariaDB [perbankan]> CREATE TABLE nasabah(
  -> id_nasabah INTEGER PRIMARY KEY,
  -> nama_nasabah VARCHAR(45) NOT NULL,
  -> alamat_nasabah VARCHAR(45) NOT NULL);
Query OK, 0 rows affected (1.070 sec)

MariaDB [perbankan]> show tables;
+-----+
| Tables_in_perbankan |
+-----+
| nasabah             |
+-----+
1 row in set (0.001 sec)

MariaDB [perbankan]> describe nasabah;
+-----+-----+-----+-----+-----+-----+
| Field      | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| id_nasabah | int(11)   | NO   | PRI | NULL    |       |
| nama_nasabah | varchar(45) | NO   |     | NULL    |       |
| alamat_nasabah | varchar(45) | NO   |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.009 sec)
```

Membuat tabel cabang_bank

```
C:\Windows\system32\cmd.exe - mysql -u root -p
MariaDB [perbankan]>
MariaDB [perbankan]> CREATE TABLE cabang_bank(
  -> kode_cabang VARCHAR(20) PRIMARY KEY,
  -> nama_cabang VARCHAR(45) UNIQUE NOT NULL,
  -> alamat_cabang VARCHAR(255) NOT NULL);
Query OK, 0 rows affected (0.219 sec)

MariaDB [perbankan]> describe cabang_bank;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| kode_cabang | varchar(20)   | NO   | PRI | NULL    |       |
| nama_cabang | varchar(45)   | NO   | UNI | NULL    |       |
| alamat_cabang | varchar(255) | NO   |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.009 sec)
```

Membuat Tabel rekening

```
C:\Windows\system32\cmd.exe - mysql -u root -p
MariaDB [perbankan]>
MariaDB [perbankan]> CREATE TABLE rekening(
  -> no_rekening INTEGER PRIMARY KEY,
  -> kode_cabangFK VARCHAR(20) REFERENCES cabang_bank(kode_cabang)
  -> ON DELETE CASCADE ON UPDATE CASCADE,
  -> pin VARCHAR(20) DEFAULT '1234' NOT NULL,
  -> saldo INTEGER DEFAULT 0 NOT NULL);
Query OK, 0 rows affected (0.947 sec)

MariaDB [perbankan]> describe rekening
-> ();
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MariaDB server version for the right syntax to use near '()'
at line 2
MariaDB [perbankan]> describe rekening;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| no_rekening | int(11)       | NO   | PRI | NULL    |       |
| kode_cabangFK | varchar(20)   | YES  |     | NULL    |       |
| pin         | varchar(20)   | NO   |     | 1234    |       |
| saldo       | int(11)       | NO   |     | 0       |       |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.009 sec)
```

Membuat tabel transaksi

```
C:\Windows\system32\cmd.exe - mysql -u root -p

MariaDB [perbankan]>
MariaDB [perbankan]> CREATE TABLE transaksi(
  -> no_transaksi SERIAL PRIMARY KEY,
  -> id_nasabahFK INTEGER REFERENCES nasabah(id_nasabah)
  -> ON DELETE SET NULL ON UPDATE CASCADE,
  -> no_rekeningFK INTEGER REFERENCES rekening(no_rekening)
  -> ON DELETE SET NULL ON UPDATE CASCADE,
  -> jenis_transaksi VARCHAR(20) DEFAULT 'debit' NOT NULL,
  -> tanggal DATETIME NOT NULL DEFAULT CURRENT_TIMESTAMP,
  -> jumlah INTEGER NOT NULL CHECK(jumlah>=20000));
Query OK, 0 rows affected (0.918 sec)

MariaDB [perbankan]> describe transaksi;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| no_transaksi | bigint(20) unsigned | NO | PRI | NULL | auto_increment |
| id_nasabahFK | int(11) | YES | | NULL | |
| no_rekeningFK | int(11) | YES | | NULL | |
| jenis_transaksi | varchar(20) | NO | | debit | |
| tanggal | datetime | NO | | current_timestamp() | |
| jumlah | int(11) | NO | | NULL | |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.735 sec)
```

Membuat tabel nasabah_has_rekening

```
C:\Windows\system32\cmd.exe - mysql -u root -p

MariaDB [perbankan]> CREATE TABLE nasabah_has_rekening(
  -> id_nasabahFK INTEGER REFERENCES nasabah(id_nasabah)
  -> ON DELETE CASCADE ON UPDATE CASCADE,
  -> no_rekeningFK INTEGER REFERENCES rekening(no_rekening)
  -> ON DELETE CASCADE ON UPDATE CASCADE,
  -> PRIMARY KEY(id_nasabahFK, no_rekeningFK));
Query OK, 0 rows affected (0.187 sec)

MariaDB [perbankan]> describe nasabah_has_rekening;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| id_nasabahFK | int(11) | NO | PRI | NULL | |
| no_rekeningFK | int(11) | NO | PRI | NULL | |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.741 sec)

MariaDB [perbankan]> show tables;
+-----+
| Tables_in_perbankan |
+-----+
| cabang_bank |
| nasabah |
| nasabah_has_rekening |
| rekening |
| transaksi |
+-----+
5 rows in set (0.001 sec)
```

TUGAS

Membuat database Universitas

```
Command Prompt - mysql -u root -p

MariaDB [(none)]> create database Universitas;
Query OK, 1 row affected (0.074 sec)

MariaDB [(none)]> use Universitas;
Database changed
```

Membuat tabel Mahasiswa

```
Command Prompt - mysql -u root -p

MariaDB [Universitas]> CREATE TABLE Mahasiswa(
  -> id_mhs INTEGER PRIMARY KEY,
  -> nama_mhs VARCHAR(45) NOT NULL,
  -> alamat_mhs VARCHAR(255) NOT NULL);
Query OK, 0 rows affected (0.640 sec)
```

Membuat tabel Dosen,

MataKuliah,

Ruang Kelas

```
Command Prompt - mysql -u root -p

MariaDB [Universitas]> CREATE TABLE Dosen(
  -> id_dsn INTEGER PRIMARY KEY,
  -> nama_dsn VARCHAR(45) NOT NULL);
Query OK, 0 rows affected (0.236 sec)

MariaDB [Universitas]> CREATE TABLE MataKuliah(
  -> kode_mk VARCHAR(10) PRIMARY KEY,
  -> nama_mk VARCHAR(45) NOT NULL,
  -> semester_mk INTEGER NOT NULL);
Query OK, 0 rows affected (1.043 sec)

MariaDB [Universitas]> CREATE TABLE RuangKelas(
  -> kode_ruang VARCHAR(10) PRIMARY KEY,
  -> nama_ruang VARCHAR(45) NOT NULL);
Query OK, 0 rows affected (0.206 sec)
```

Membuat tabel Mahasiswa_has_Dosen,

Mahasiswa_has_MataKuliah,

Dosen_has_MataKuliah,

MataKuliah_has_RuangKelas

```
Command Prompt - mysql -u root -p

MariaDB [Universitas]> CREATE TABLE Mahasiswa_has_Dosen(
  -> id_mhsFK INTEGER REFERENCES Mahasiswa(id_mhs)
  -> ON DELETE CASCADE ON UPDATE CASCADE,
  -> id_dsnFK INTEGER REFERENCES Dosen(id_dsn)
  -> ON DELETE CASCADE ON UPDATE CASCADE,
  -> PRIMARY KEY(id_mhsFK, id_dsnFK));
Query OK, 0 rows affected (1.025 sec)

MariaDB [Universitas]> CREATE TABLE Mahasiswa_has_MataKuliah(
  -> id_mhsFK INTEGER REFERENCES Mahasiswa(id_mhs)
  -> ON DELETE CASCADE ON UPDATE CASCADE,
  -> kode_mkFK VARCHAR(10) REFERENCES MataKuliah(kode_mk)
  -> ON DELETE CASCADE ON UPDATE CASCADE,
  -> PRIMARY KEY(id_mhsFK, kode_mkFK));
Query OK, 0 rows affected (0.397 sec)

MariaDB [Universitas]> CREATE TABLE Dosen_has_MataKuliah(
  -> id_dsnFK INTEGER REFERENCES Dosen(id_dsn)
  -> ON DELETE CASCADE ON UPDATE CASCADE,
  -> kode_mkFK VARCHAR(10) REFERENCES MataKuliah(kode_mk)
  -> ON DELETE CASCADE ON UPDATE CASCADE,
  -> PRIMARY KEY(id_dsnFK, kode_mkFK));
Query OK, 0 rows affected (0.898 sec)

MariaDB [Universitas]> CREATE TABLE MataKuliah_has_RuangKelas(
  -> kode_mkFK VARCHAR(10) REFERENCES MataKuliah(kode_mk)
  -> ON DELETE CASCADE ON UPDATE CASCADE,
  -> kode_ruangFK VARCHAR(10) REFERENCES RuangKelas(kode_ruang)
  -> ON DELETE CASCADE ON UPDATE CASCADE,
  -> PRIMARY KEY(kode_mkFK, kode_ruangFK));
Query OK, 0 rows affected (0.332 sec)
```

Hasil :

```
Command Prompt - mysql -u root -p

MariaDB [Universitas]> show tables;
+-----+
| Tables_in_universitas |
+-----+
| dosen                  |
| dosen_has_matakuliah   |
| mahasiswa              |
| mahasiswa_has_dosen    |
| mahasiswa_has_matakuliah |
| matakuliah             |
| matakuliah_has_ruangkelas |
| ruangkelas             |
+-----+
8 rows in set (0.002 sec)

MariaDB [Universitas]> describe Dosen;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| id_dsn     | int(11)       | NO   | PRI | NULL    |       |
| nama_dsn   | varchar(45)   | NO   |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.178 sec)

MariaDB [Universitas]> describe Dosen_has_MataKuliah;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| id_dsnFK   | int(11)       | NO   | PRI | NULL    |       |
| kode_mkFK  | varchar(10)   | NO   | PRI | NULL    |       |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.050 sec)

MariaDB [Universitas]> describe Mahasiswa;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| id_mhs     | int(11)       | NO   | PRI | NULL    |       |
| nama_mhs   | varchar(45)   | NO   |     | NULL    |       |
| alamat_mhs | varchar(255)  | NO   |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.010 sec)

MariaDB [Universitas]> describe Mahasiswa_has_Dosen;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| id_mhsFK   | int(11)       | NO   | PRI | NULL    |       |
| id_dsnFK   | int(11)       | NO   | PRI | NULL    |       |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.734 sec)

MariaDB [Universitas]> describe Mahasiswa_has_MataKuliah;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| id_mhsFK   | int(11)       | NO   | PRI | NULL    |       |
| kode_mkFK  | varchar(10)   | NO   | PRI | NULL    |       |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.730 sec)
```

```
Command Prompt - mysql -u root -p

MariaDB [Universitas]> describe Matakuliah;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| kode_mk | varchar(10) | NO | PRI | NULL | |
| nama_mk | varchar(45) | NO | | NULL | |
| semester_mk | int(11) | NO | | NULL | |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.008 sec)

MariaDB [Universitas]> describe Matakuliah_has_RuangKelas;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| kode_mkFK | varchar(10) | NO | PRI | NULL | |
| kode_ruangFK | varchar(10) | NO | PRI | NULL | |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.009 sec)

MariaDB [Universitas]> describe RuangKelas;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| kode_ruang | varchar(10) | NO | PRI | NULL | |
| nama_ruang | varchar(45) | NO | | NULL | |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.009 sec)
```