
Nama : Pasha Bhimasty


NIM : L200180123

Kelas : C


MODUL 2


```
CONSTABLABAZED TO CONSTABLABZED TO CONSTABLABZ
```





\OS\LAB\LAB2>





```
CLOSTABLEAD make fp disk

CLOSTABLEAD make fp disk

disk bed bear bin f bin

distribution of floppys imp

remarked different by John Newbigin Cingit.swin.edu.au>

written by John Newbigin Cingit.swin.edu.au
```

C:\OS\LAB\LAB2>.\..\bochs=2.3.5\bochs=2.3.

Bochs for Windows - Display Bochs is exiting with the following message: [WGUI] POWER button turned off. USER SPP POME TRANSMIT TA RESET MADERIA POME Plex86/Bochs UGABios 0.6a 19 Aug 2006
This UGA/UBE Bios is released under the GNU LGPL :\OS\LAB\LAB2>notepad boot.asm :\OS\LAB\LAB2>boot.asm Please visit : . http://bochs.sourceforge.net . http://www.nongnu.org/vyabios C:\OS\LAB\LAB2>make fp.disk
nasm boot.asm -o boot.bin -f bin
boot.asm:318: warning: unterminated string
boot.asm:318: error: expression syntax error
boot.asm:319: warning: unterminated string
boot.asm:319: error: parser: instruction expected
make: *** [boot] Error 1 Bochs UBE Display Adapter enabled Bochs BIOS - build: 09/10/07 \$Revision: 1.183 \$ \$Date: 2007/09/10 20:00:29 \$ Options: apmbios pcibios eltorito rombios32 C:\OS\LAB\LAB2>make fp.disk
nasm boot.asm -o boot.bin -f bin
dd if-boot.bin of-floppya.img
rawwrite dd for windows version 0.5.
Written by John Newbigin <jn@it.swin.edu.au>
This program is covered by the GPL. See copying.txt for details
1+0 records in
1+0 records out Booting from Floppy... Belajar membuat BOOTSTAP-LOADER Ulang Ulang!_ :\OS\LAB\LAB2>..\..\bochs-2.3.5\bochs -q -f boo CTRL + 3rd button enables mouse -f bochsrc.bxrc Bochs x86 Emulator 2.3.5 Build from CVS snapshot, on September 16, 2007 reading configuration from bochsrc.bxrc installing win32 module as the Bochs GUI using log file bochs.log



