Nama : Muhammad Riza Radyaka Susanto

NIM : L200180136

Kelas : E

Praktikum


```
Administrator: Command MRRS - mysql  -u root -p

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo
) VALUES(107, 'BRUS', '7777', 1000000);
Query OK, 1 row affected (0.004 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo
) VALUES(108, 'BRUB', '0000', 5000000);
Query OK, 1 row affected (0.034 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo
) VALUES(109, 'BRUB', '9999', 0);
Query OK, 1 row affected (0.102 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo
) VALUES(110, 'BRUY', '1234', 550000);
Query OK, 1 row affected (0.004 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo
) VALUES(111, 'BRUK', '4321', 150000);
Query OK, 1 row affected (0.098 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo
) VALUES(112, 'BRUK', '0123', 300000);
Query OK, 1 row affected (0.104 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo
) VALUES(113, 'BRUY', '8888', 255000);
Query OK, 1 row affected (0.053 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningF
K) VALUES(1, 104);
Query OK, 1 row affected (0.035 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningF
K) VALUES(2, 103);
Query OK, 1 row affected (0.003 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningF
K) VALUES(3, 105);
Query OK, 1 row affected (0.096 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningF
K) VALUES(3, 106);
Query OK, 1 row affected (0.097 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningF
K) VALUES(4, 101);
Query OK, 1 row affected (0.003 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningF
K) VALUES(4, 107);
Query OK, 1 row affected (0.123 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningF
K) VALUES(5, 102);
Query OK, 1 row affected (0.102 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningF
```

```
MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningF
K) VALUES(9, 110);
Query OK, 1 row affected (0.098 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningF
K) VALUES(10, 113);
Query OK, 1 row affected (0.003 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningF
K) VALUES(8, 112);
Query OK, 1 row affected (0.103 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningF
K) VALUES(10, 108);
Query OK, 1 row affected (0.094 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFK, jenis_transaksi, tanggal, jumlah) VALUES(1, 3, 105, 'debit', 2009-11-10, 5
0000);
Query OK, 1 row affected, 1 warning (0.252 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFK, jenis_transaksi, tanggal, jumlah) VALUES(2, 2, 103, 'debit', 2009-11-10, 4
0000);
Query OK, 1 row affected, 1 warning (0.099 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFK, jenis_transaksi, tanggal, jumlah) VALUES(3, 4, 101, 'kredit', 2009-11-12,
20000);
Query OK, 1 row affected, 1 warning (0.029 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFK, jenis_transaksi, tanggal, jumlah) VALUES(4, 3, 106, 'debit', 2009-11-13, 5
0000);
Query OK, 1 row affected, 1 warning (0.099 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFK, jenis_transaksi, tanggal, jumlah) VALUES(5, 5, 107, 'kredit', 2009-11-13,
30000);
Query OK, 1 row affected, 1 warning (0.102 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFK, jenis_transaksi, tanggal, jumlah) VALUES(6, 1, 104, 'kredit', 2009-11-15,
200000);
Query OK, 1 row affected, 1 warning (0.104 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFK, jenis_transaksi, tanggal, jumlah) VALUES(7, 9, 110, 'kredit', 2009-11-15,
150000);
Query OK, 1 row affected, 1 warning (0.103 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFK, jenis_transaksi, tanggal, jumlah) VALUES(8, 5, 102, 'debit', 2009-11-16, 1
20000);
Query OK, 1 row affected, 1 warning (0.005 sec)
```

```
MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFK, jenis_transaksi, tanggal, jumlah) VALUES(26, 4, 101, 'debit', 2009-12-4, 5
0000);
Query OK, 1 row affected, 1 warning (0.004 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFK, jenis_transaksi, tanggal, jumlah) VALUES(27, 2, 103, 'kredit', 2009-12-5,
100000);
Query OK, 1 row affected, 1 warning (0.004 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFK, jenis_transaksi, tanggal, jumlah) VALUES(28, 5, 102, 'kredit', 2009-12-5,
200000);
Query OK, 1 row affected, 1 warning (0.094 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFK, jenis_transaksi, tanggal, jumlah) VALUES(29, 7, 109, 'debit', 2009-12-5, 2
00000);
Query OK, 1 row affected, 1 warning (0.094 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFK, jenis_transaksi, tanggal, jumlah) VALUES(30, 9, 110, 'debit', 2009-12-6, 2
0000);
Query OK, 1 row affected, 1 warning (0.098 sec)

MariaDB [perbankan]> UPDATE nasabah
    -> SET alamat_nasabah = " Jl. Slamet Riyadi 34"
    -> WHERE nama_nasabah = 'Indri Hapsari';
Query OK, 1 row affected (0.084 sec)
Rows matched: 1  Changed: 1  Warnings: 0

MariaDB [perbankan]> UPDATE rekening
    -> ;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MariaDB server version for the right syntax to use near '' a
t line 1
MariaDB [perbankan]> UPDATE cabang_bank
    -> SET alamat_cabang = ' Jalan A. Yani 23'
    -> WHERE kode_cabang = "BRUW";
Query OK, 1 row affected (0.099 sec)
Rows matched: 1  Changed: 1  Warnings: 0

MariaDB [perbankan]> DELETE FROM nasabah_has_rekening
    -> WHERE id_nasabah = 7
    -> ;
ERROR 1054 (42S22): Unknown column 'id_nasabah' in 'where clause'
MariaDB [perbankan]> DELETE FROM nasabah_has_rekening
    -> WHERE id_nasabahFK = 7
    -> ;
Query OK, 1 row affected (0.088 sec)

MariaDB [perbankan]> DELETE FROM cabang_bank
    -> WHERE nama_cabang = 'Bank Rut Unit Magelang'
    -> ;
Query OK, 1 row affected (0.090 sec)
```

Tugas

```
Administrator: Command MRRS - mysql -u root -p

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasaba
h) VALUES(11,'Andi','Jl Hasanudin 25');
Query OK, 1 row affected (0.085 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasaba
h) VALUES(12,'Udin','Jl Honggowongso 21');
Query OK, 1 row affected (0.097 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasaba
h) VALUES(13,'Syamsudin','Jl Ahmad Yani 10');
Query OK, 1 row affected (0.107 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasaba
h) VALUES(14,'Ahmad Zaki','Jl Tendean 5');
Query OK, 1 row affected (0.100 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasaba
h) VALUES(15,'Burhan','Jl Suramadu 102');
Query OK, 1 row affected (0.030 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasaba
h) VALUES(16,'Izul','Jl Kemangi 32');
Query OK, 1 row affected (0.039 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasaba
h) VALUES(17,'Sari','Jl Bandung 1');
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasaba
h) VALUES(18,'Budi Kariadi','Jl Kariadi 9');
Query OK, 1 row affected (0.009 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasaba
h) VALUES(19,'Zaki Izudin','Jl Merak 43');
Query OK, 1 row affected (0.149 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasaba
h) VALUES(20,'Candra','Jl Marwan 63');
Query OK, 1 row affected (0.006 sec)
```

```
MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_ca
bang> VALUES(BAS,'Bank Amal Surakarta','Jl Apel 3');
ERROR 1054 (42S22): Unknown column 'BAS' in 'field list'
MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_ca
bang> VALUES('BAS','Bank Amal Surakarta','Jl Apel 3');
Query OK, 1 row affected (0.099 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_ca
bang> VALUES('BAY','Bank Amal Yogyakarta','Jl Ahmad Yani 17');
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_ca
bang> VALUES('BAM','Bank Amal Magelang','Jl Suramadu 82');
Query OK, 1 row affected (0.001 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_ca
bang> VALUES('BAK','Bank Amal Kartasura','Jl Colomadu 22');
Query OK, 1 row affected (0.005 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_ca
bang> VALUES('BAB','Bank Amal Boyolali','Jl Jambu 2');
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_ca
bang>
    -> VALUES('BAW','Bank Amal Wonogiri','Jl Madurasa 125');
Query OK, 1 row affected (0.005 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_ca
bang> VALUES('BAD','Bank Amal Bandung','Jl Mega jaya 101');
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_ca
bang> VALUES('BAJ','Bank Amal Jakarta','Jl MT. Thamrin 21');
Query OK, 1 row affected (0.001 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_ca
bang> VALUES('BAP','Bank Amal Pati','Jl Kepatihan 77');
Query OK, 1 row affected (0.005 sec)

MariaDB [perbankan]> INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_ca
bang> VALUES('BAA','Bank Amal Aceh','Jl Abdul Hamid 37');
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo
> VALUES(111,'BAS','1234', 100000);
ERROR 1062 (23000): Duplicate entry '111' for key 'PRIMARY'
MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo
> VALUES(201,'BAS','1234', 100000);
```

```
Administrator: Command MRRS - mysql  -u root -p

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo
) VALUES(115,'BAY','4321', 150000);
Query OK, 1 row affected (0.123 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo
) VALUES(116,'BAM','1111', 200000);
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo
) VALUES(117,'BAK','2222', 300000);
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo
) VALUES(118,'BAB','3333', 250000);
Query OK, 1 row affected (0.058 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo
) VALUES(119,'BAW','4444', 50000);
Query OK, 1 row affected (0.093 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo
) VALUES(120,'BAD','5555', 20000);
Query OK, 1 row affected (0.015 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo
) VALUES(121,'BAJ','6666', 500000);
Query OK, 1 row affected (0.127 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo
) VALUES(122,'BAP','7777', 400000);
Query OK, 1 row affected (0.040 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo
) VALUES(123,'BAA','8888', 450000);
Query OK, 1 row affected (0.042 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningF
k) VALUES(11,114);
Query OK, 1 row affected (0.038 sec)
```

```
Administrator: Command MRRS - mysql -u root -p                              _ □ x

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasaba
h> VALUES(11,'Andi','Jl Hasanudin 25');
Query OK, 1 row affected (0.085 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasaba
h> VALUES(12,'Udin','Jl Honggowongso 21');
Query OK, 1 row affected (0.097 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasaba
h> VALUES(13,'Syamsudin','Jl Ahmad Yani 10');
Query OK, 1 row affected (0.107 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasaba
h> VALUES(14,'Ahmad Zaki','Jl Tendean 5');
Query OK, 1 row affected (0.100 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasaba
h> VALUES(15,'Burhan','Jl Suramadu 102');
Query OK, 1 row affected (0.030 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasaba
h> VALUES(16,'Izul','Jl Kemangi 32');
Query OK, 1 row affected (0.039 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasaba
h> VALUES(17,'Sari','Jl Bandung 1');
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasaba
h> VALUES(18,'Budi Kariadi','Jl Kariadi 9');
Query OK, 1 row affected (0.009 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasaba
h> VALUES(19,'Zaki Izudin','Jl Merak 43');
Query OK, 1 row affected (0.149 sec)

MariaDB [perbankan]> INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasaba
h> VALUES(20,'Candra','Jl Marwan 63');
Query OK, 1 row affected (0.006 sec)
```

```
MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(31, 18, 118, 'debit', '2020-3-1',
 50000);
Query OK, 1 row affected (0.027 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(32, 23, 123, 'debit', '2020-3-1',
 100000);
Query OK, 1 row affected (0.096 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(33, 22, 122, 'kredit', '2020-3-2'
, 50000);
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(34, 15, 115, 'kredit', '2020-3-2'
, 200000);
ERROR 1062 (23000): Duplicate entry '34' for key 'PRIMARY'
MariaDB [perbankan]> describe no_transaksi;
ERROR 1146 (42S02): Table 'perbankan.no_transaksi' doesn't exist
MariaDB [perbankan]> select*from transaksi;
```

```
Administrator: Command MRRS - mysql  -u root -p

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(34, 15, 115, 'kredit', '2020-3-2'
, 200000);
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(35, 21, 121, 'kredit', '2020-3-3'
, 100000);
Query OK, 1 row affected (0.005 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(36, 16, 116, 'debit', '2020-3-3',
 100000);
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(37, 20, 120, 'kredit', '2020-3-4'
, 75000);
Query OK, 1 row affected (0.029 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(38, 17, 117, 'debit', '2020-3-4',
 175000);
Query OK, 1 row affected (0.040 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(39, 19, 119, 'kredit', '2020-3-5'
, 250000);
Query OK, 1 row affected (0.012 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(40, 14, 114, 'kredit', '2020-3-5'
, 150000);
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(41, 23, 123, 'debit', '2020-3-6',
 150000);
Query OK, 1 row affected (0.002 sec)
```

```
Administrator: Command MRRS - mysql  -u root -p

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(42, 14, 114, 'debit', '2020-3-6',
 350000);
Query OK, 1 row affected (0.001 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(43, 22, 122, 'debit', '2020-3-7',
 250000);
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(44, 15, 115, 'debit', '2020-3-7',
 50000);
Query OK, 1 row affected (0.002 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(45, 21, 121, 'debit', '2020-3-8',
 200000);
Query OK, 1 row affected (0.005 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(46, 16, 116, 'kredit', '2020-3-8'
, 50000);
Query OK, 1 row affected (0.001 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(47, 20, 120, 'debit', '2020-3-9',
 100000);
Query OK, 1 row affected (0.001 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(48, 17, 117, 'kredit', '2020-3-9'
, 200000);
Query OK, 1 row affected (0.091 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(49, 19, 119, 'debit', '2020-3-10'
, 300000);
Query OK, 1 row affected (0.071 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeni
ngFk, jenis_transaksi, tanggal, jumlah) VALUES(50, 18, 118, 'kredit', '2020-3-10
', 250000);
Query OK, 1 row affected (0.030 sec)
```