

Nama : Muhammad Riza Radyaka Susanto

NIM : L200180136

Kelas : E

Praktikum

```
Administrator: Command MRRS - mysql -u root -p
MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo)
VALUES(107, 'BRUS', '7777', 1000000);
Query OK, 1 row affected (0.004 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo)
VALUES(108, 'BRUB', '0000', 5000000);
Query OK, 1 row affected (0.034 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo)
VALUES(109, 'BRUB', '9999', 0);
Query OK, 1 row affected (0.102 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo)
VALUES(110, 'BRUY', '1234', 550000);
Query OK, 1 row affected (0.004 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo)
VALUES(111, 'BRUK', '4321', 150000);
Query OK, 1 row affected (0.098 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo)
VALUES(112, 'BRUK', '0123', 300000);
Query OK, 1 row affected (0.104 sec)

MariaDB [perbankan]> INSERT INTO rekening(no_rekening, kode_cabangFK, pin, saldo)
VALUES(113, 'BRUY', '8888', 255000);
Query OK, 1 row affected (0.053 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
VALUES(1, 104);
Query OK, 1 row affected (0.035 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
VALUES(2, 103);
Query OK, 1 row affected (0.003 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
VALUES(3, 105);
Query OK, 1 row affected (0.096 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
VALUES(3, 106);
Query OK, 1 row affected (0.097 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
VALUES(4, 101);
Query OK, 1 row affected (0.003 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
VALUES(4, 107);
Query OK, 1 row affected (0.123 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
VALUES(5, 102);
Query OK, 1 row affected (0.102 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK)
```

```
Administrator: Command MRRS - mysql -u root -p

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(9, 110);
Query OK, 1 row affected (0.098 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(10, 113);
Query OK, 1 row affected (0.003 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(8, 112);
Query OK, 1 row affected (0.103 sec)

MariaDB [perbankan]> INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekeningFK) VALUES(10, 108);
Query OK, 1 row affected (0.094 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(1, 3, 105, 'debit', 2009-11-10, 50000);
Query OK, 1 row affected, 1 warning (0.252 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(2, 2, 103, 'debit', 2009-11-10, 40000);
Query OK, 1 row affected, 1 warning (0.099 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(3, 4, 101, 'kredit', 2009-11-12, 20000);
Query OK, 1 row affected, 1 warning (0.029 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(4, 3, 106, 'debit', 2009-11-13, 50000);
Query OK, 1 row affected, 1 warning (0.099 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(5, 5, 107, 'kredit', 2009-11-13, 30000);
Query OK, 1 row affected, 1 warning (0.102 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(6, 1, 104, 'kredit', 2009-11-15, 200000);
Query OK, 1 row affected, 1 warning (0.104 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(7, 9, 110, 'kredit', 2009-11-15, 150000);
Query OK, 1 row affected, 1 warning (0.103 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(8, 5, 102, 'debit', 2009-11-16, 120000);
Query OK, 1 row affected, 1 warning (0.005 sec)
```

```
Administrator: Command MRRS - mysql -u root -p

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(26, 4, 101, 'debit', 2009-12-4, 500000);
Query OK, 1 row affected, 1 warning (0.004 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(27, 2, 103, 'kredit', 2009-12-5, 100000);
Query OK, 1 row affected, 1 warning (0.004 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(28, 5, 102, 'kredit', 2009-12-5, 200000);
Query OK, 1 row affected, 1 warning (0.094 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(29, 7, 109, 'debit', 2009-12-5, 200000);
Query OK, 1 row affected, 1 warning (0.094 sec)

MariaDB [perbankan]> INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(30, 9, 110, 'debit', 2009-12-6, 200000);
Query OK, 1 row affected, 1 warning (0.098 sec)

MariaDB [perbankan]> UPDATE nasabah
  -> SET alamat_nasabah = "Jl. Slamet Riyadi 34"
  -> WHERE nama_nasabah = 'Indri Hapsari';
Query OK, 1 row affected (0.084 sec)
Rows matched: 1  Changed: 1  Warnings: 0

MariaDB [perbankan]> UPDATE rekening
  -> ;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near '' at line 1
MariaDB [perbankan]> UPDATE cabang_bank
  -> SET alamat_cabang = 'Jalan A. Yani 23'
  -> WHERE kode_cabang = "BRUW";
Query OK, 1 row affected (0.099 sec)
Rows matched: 1  Changed: 1  Warnings: 0

MariaDB [perbankan]> DELETE FROM nasabah_has_rekening
  -> WHERE id_nasabah = 7
  -> ;
ERROR 1054 (42S22): Unknown column 'id_nasabah' in 'where clause'
MariaDB [perbankan]> DELETE FROM nasabah_has_rekening
  -> WHERE id_nasabahFK = 7
  -> ;
Query OK, 1 row affected (0.088 sec)

MariaDB [perbankan]> DELETE FROM cabang_bank
  -> WHERE nama_cabang = 'Bank Rut Unit Magelang'
  -> ;
Query OK, 1 row affected (0.090 sec)
```

Tugas

Administrator: Command MRRS - mysql -u root -p

corresponds to your MariaDB server version for the right syntax to use near 'TO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(1, "Andi", "Jl. Hasa' a t line 1

MariaDB [perbankan1] > INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(1, "Andi", "Jl. Hasanudin 25");
Query OK, 1 row affected (0.135 sec)

MariaDB [perbankan1] > INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(2, "Udin", "Jl. Honggowongso 21");
Query OK, 1 row affected (0.098 sec)

MariaDB [perbankan1] > INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(3, "Syamsudin", "Jl. A. Yani 10");
Query OK, 1 row affected (0.116 sec)

MariaDB [perbankan1] > INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(4, "Ahmad Zaki", "Jl. Tendean 5");
Query OK, 1 row affected (0.379 sec)

MariaDB [perbankan1] > INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(5, "Burhan", "Jl. Suramadu 102");
Query OK, 1 row affected (0.094 sec)

MariaDB [perbankan1] > INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(6, "Izul", "Jl. Kemanggi 32");
Query OK, 1 row affected (0.372 sec)

MariaDB [perbankan1] > INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(7, "Sari", "Jl. Bandung 1");
Query OK, 1 row affected (0.340 sec)

MariaDB [perbankan1] > INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(8, "Budi Kariadi", "Jl. Kariadi 99");
Query OK, 1 row affected (0.116 sec)

MariaDB [perbankan1] > INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(9, "Zaki Izudin", "Jl. Merak 43");
Query OK, 1 row affected (0.338 sec)

MariaDB [perbankan1] > INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(10, "Candra", "Jl. Marwan 63");
Query OK, 1 row affected (0.333 sec)

Administrator: Command MRRS - mysql -u root -p

```
MariaDB [perbankan1] INSERT INTO nasabah(id_nasabah, nama_nasabah, alamat_nasabah) VALUES(10, "Candra", "Jl. Marwan 63");
Query OK, 1 row affected (0.333 sec)
```

```
MariaDB [perbankan1] INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAS', 'Bank Amal Surakarta', 'Jl. Apel 33');
Query OK, 1 row affected (1.019 sec)
```

```
MariaDB [perbankan1] INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAY', 'Bank Amal Yogyakarta', 'Jl. Ahmad Yani 17');
Query OK, 1 row affected (0.066 sec)
```

```
MariaDB [perbankan1] INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAM', 'Bank Amal Magelang', 'Jl. Suramadu 82');
Query OK, 1 row affected (0.064 sec)
```

```
MariaDB [perbankan1] INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAK', 'Bank Amal Kartasura', 'Jl. Colomadu 22');
Query OK, 1 row affected (0.102 sec)
```

```
MariaDB [perbankan1] INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAB', 'Bank Amal Boyolali', 'Jl. Jambu 2');
Query OK, 1 row affected (0.084 sec)
```

```
MariaDB [perbankan1] INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAK', 'Bank Amal Klaten', 'Jl. Hasanudin 91 ');
ERROR 1062 (23000): Duplicate entry 'BAK' for key 'PRIMARY'
MariaDB [perbankan1] INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAK', 'Bank Amal Klaten', 'Jl. Hasanudin 91');
ERROR 1062 (23000): Duplicate entry 'BAK' for key 'PRIMARY'
MariaDB [perbankan1] INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAL', 'Bank Amal Klaten', 'Jl. Hasanudin 91');
Query OK, 1 row affected (0.105 sec)
```

```
MariaDB [perbankan1] INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAW', 'Bank Amal Wonogiri', 'Jl. Madurasa 125');
Query OK, 1 row affected (0.092 sec)
```

```
MariaDB [perbankan1] INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAD', 'Bank Amal Bandung', 'Jl. Mega Jaya 101');
Query OK, 1 row affected (0.138 sec)
```

```
MariaDB [perbankan1] INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAJ', 'Bank Amal Jakarta', 'Jl. Thamrin 21');
Query OK, 1 row affected (0.084 sec)
```

```
MariaDB [perbankan1] INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAP', 'Bank Amal Pati', 'Jl. Kepatihan 77');
Query OK, 1 row affected (0.358 sec)
```

```
MariaDB [perbankan1] INSERT INTO cabang_bank(kode_cabang, nama_cabang, alamat_cabang) VALUES('BAA', 'Bank Amal Aceh', 'Jl. Abdul Hamid 37');
Query OK, 1 row affected (0.112 sec)
```

Administrator: Command MRRS - mysql -u root -p

```
MariaDB [perbankan1] > INSERT INTO rekening(no_rekening, kode_cabangFK, pin, sald  
o) VALUES(101, 'BAS', '1234', 100000);  
Query OK, 1 row affected (0.146 sec)
```

```
MariaDB [perbankan1] > INSERT INTO rekening(no_rekening, kode_cabangFK, pin, sald  
o) VALUES(102, 'BAY', '4321', 150000);  
Query OK, 1 row affected (0.091 sec)
```

```
MariaDB [perbankan1] > INSERT INTO rekening(no_rekening, kode_cabangFK, pin, sald  
o) VALUES(103, 'BAM', '1111', 200000);  
Query OK, 1 row affected (0.086 sec)
```

```
MariaDB [perbankan1] > INSERT INTO rekening(no_rekening, kode_cabangFK, pin, sald  
o) VALUES(104, 'BAK', '2222', 300000);  
Query OK, 1 row affected (0.103 sec)
```

```
MariaDB [perbankan1] > INSERT INTO rekening(no_rekening, kode_cabangFK, pin, sald  
o) VALUES(105, 'BAB', '3333', 250000);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [perbankan1] > INSERT INTO rekening(no_rekening, kode_cabangFK, pin, sald  
o) VALUES(106, 'BAW', '4444', 50000);  
Query OK, 1 row affected (0.097 sec)
```

```
MariaDB [perbankan1] > INSERT INTO rekening(no_rekening, kode_cabangFK, pin, sald  
o) VALUES(107, 'BAD', '5555', 20000);  
Query OK, 1 row affected (0.102 sec)
```

```
MariaDB [perbankan1] > INSERT INTO rekening(no_rekening, kode_cabangFK, pin, sald  
o) VALUES(108, 'BAJ', '6666', 500000);  
Query OK, 1 row affected (0.098 sec)
```

```
MariaDB [perbankan1] > INSERT INTO rekening(no_rekening, kode_cabangFK, pin, sald  
o) VALUES(109, 'BAP', '7777', 400000);  
Query OK, 1 row affected (0.070 sec)
```

```
MariaDB [perbankan1] > INSERT INTO rekening(no_rekening, kode_cabangFK, pin, sald  
o) VALUES(110, 'BAA', '8888', 450000);  
Query OK, 1 row affected (0.094 sec)
```

```
Administrator: Command MRRS - mysql -u root -p
MariaDB [perbankan1] > INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekening
FK) VALUES(1, 101);
Query OK, 1 row affected (0.117 sec)

MariaDB [perbankan1] > INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekening
FK) VALUES(2, 102);
Query OK, 1 row affected (0.094 sec)

MariaDB [perbankan1] > INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekening
FK) VALUES(3, 103);
Query OK, 1 row affected (0.131 sec)

MariaDB [perbankan1] > INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekening
FK) VALUES(4, 104);
Query OK, 1 row affected (0.096 sec)

MariaDB [perbankan1] > INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekening
FK) VALUES(5, 105);
Query OK, 1 row affected (0.004 sec)

MariaDB [perbankan1] > INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekening
FK) VALUES(6, 106);
Query OK, 1 row affected (0.093 sec)

MariaDB [perbankan1] > INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekening
FK) VALUES(7, 107);
Query OK, 1 row affected (0.101 sec)

MariaDB [perbankan1] > INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekening
FK) VALUES(8, 108);
Query OK, 1 row affected (0.004 sec)

MariaDB [perbankan1] > INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekening
FK) VALUES(9, 109);
Query OK, 1 row affected (0.028 sec)

MariaDB [perbankan1] > INSERT INTO nasabah_has_rekening(id_nasabahFK, no_rekening
FK) VALUES(10, 110);
Query OK, 1 row affected (0.005 sec)
```


Administrator: Command MRRS - mysql -u root -p

```
MariaDB [perbankan1] > INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(1, 5, 105, 'debit', 2020-3-1, 50000);
```

```
Query OK, 1 row affected, 1 warning (0.104 sec)
```

```
MariaDB [perbankan1] > INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(2, 10, 110, 'debit', 2020-3-1, 100000);
```

```
Query OK, 1 row affected, 1 warning (0.087 sec)
```

```
MariaDB [perbankan1] > INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(3, 9, 109, 'kredit', 2020-3-2, 50000);
```

```
Query OK, 1 row affected, 1 warning (0.090 sec)
```

```
MariaDB [perbankan1] > INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(4, 2, 102, 'kredit', 2020-3-2, 200000);
```

```
Query OK, 1 row affected, 1 warning (0.092 sec)
```

```
MariaDB [perbankan1] > INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(5, 8, 108, 'kredit', 2020-3-3, 100000);
```

```
Query OK, 1 row affected, 1 warning (0.030 sec)
```

```
MariaDB [perbankan1] > INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(6, 3, 103, 'debit', 2020-3-3, 100000);
```

```
Query OK, 1 row affected, 1 warning (0.048 sec)
```

```
MariaDB [perbankan1] > INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(7, 7, 107, 'kredit', 2020-3-4, 75000);
```

```
Query OK, 1 row affected, 1 warning (0.103 sec)
```

```
MariaDB [perbankan1] > INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(8, 4, 104, 'debit', 2020-3-4, 175000);
```

```
Query OK, 1 row affected, 1 warning (0.096 sec)
```

```
MariaDB [perbankan1] > INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(9, 6, 106, 'kredit', 2020-3-5, 250000);
```

```
Query OK, 1 row affected, 1 warning (0.087 sec)
```

```
MariaDB [perbankan1] > INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(10, 1, 101, 'kredit', 2020-3-5, 150000);
```

```
Query OK, 1 row affected, 1 warning (0.090 sec)
```

```
MariaDB [perbankan1] > INSERT INTO transaksi(no_transaksi, id_nasabahFK, no_rekeningFK, jenis_transaksi, tanggal, jumlah) VALUES(11, 10, 110, 'debit', 2020-3-6, 150000);
```

```
Query OK, 1 row affected, 1 warning (0.078 sec)
```