



Nama : Aviza Ayuni Wulan

NIM : L200180187

Kelas : E

## Praktikum JarKom Modul 5



Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x: 1103, y: 443

PC21 Configuration:

- Interface: FastEthernet0
- IP Configuration:
  - ☒ DHCP ☐ Static DHCP request successful.
  - IP Address: 192.168.123.3
  - Subnet Mask: 255.255.255.0
  - Default Gateway: 0.0.0.0
  - DNS Server: 0.0.0.0
- IPv6 Configuration:
  - ☐ DHCP ☐ Auto Config ☒ Static
  - IPv6 Address: [ ] / [ ]
  - Link Local Address: FE80::2D0:FFFF:FE05:EE3D
  - IPv6 Gateway: [ ]
  - IPv6 DNS Server: [ ]
- 802.1X: ☐ Use 802.1X Security
- ☐ Top

Time: 00:32:21 Realtime Simulation

Automatically Choose Connection Type

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x: 1341, y: 448


Server1 Configuration:

- Services:
  - ☒ HTTP
  - ☐ DHCP
  - ☐ DHCPv6
  - ☐ TFTP
  - ☐ DNS
  - ☐ SYSLOG
  - ☐ AAA
  - ☐ NTP
  - ☐ EMAIL
  - ☐ FTP
  - ☐ IoT
  - ☐ VM Management
  - ☐ Radius EAP
- File Name: index.html
- Content:


```
<html>
<h1><b>WELCOME TO PARADISE</b></h1>
<br><a>Create By : Aviza</a>
</html>
```
- File Manager Save
- ☐ Top

Time: 00:35:11 Realtime Simulation

Automatically Choose Connection Type



## Tugas:



Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x: 579, y: 438

Server-PT  
Server0

PC-PT  
PC0  
PC-PT  
PC1  
PC-PT  
PC2  
PC-PT  
PC3  
PC-PT  
PC4  
PC-PT  
PC5  
PC-PT  
PC6  
PC-PT  
PC7  
PC-PT  
PC8  
PC-PT  
PC9  
PC-PT  
PC10  
PC-PT  
PC11  
PC-PT  
PC12  
PC-PT  
PC13  
PC-PT  
PC14  
PC-PT  
PC15  
PC-PT  
PC16  
PC-PT  
PC17  
PC-PT  
PC18  
PC-PT  
PC19  
PC-PT  
PC20

Services

Physical Config Services Desktop Programming Attributes

File Name: index.html

```
<html>
<a>Nama : Aviza Ayuni Wulan</a>
<br><a>NIM : L200180187</a>
<br><a>Alamat : Madiun</a>
<br><a>Jurusan : Informatika</a>
<br><a>Jenis Kelamin : Perempuan</a>
</html>
```

Time: 00:07:45

Realtime Simulation

Automatically Choose Connection Type