

Nama : Ulin Nuha Trisiana

Nim : L200180190

Kelas : E

Praktikum Jaringan & Komputer Modul 5 Praktikum

The image displays two screenshots of the Cisco Packet Tracer 7.3.0 interface, showing a network configuration for a server named 'Server0'.


Top Screenshot: The 'Config' tab is selected for 'Server0'. The 'FastEthernet0' interface is configured with the following settings:



- GLOBAL:** Port Status: On, Duplex: Full Duplex, Auto.
- INTERFACE:** FastEthernet0.
- IP Configuration:** Static, IP Address: 192.168.123.1, Subnet Mask: 255.255.255.0.
- IPv6 Configuration:** Static, IPv6 Address: (empty), Link Local Address: FE80::230:F2FF:FE06:A288.

Bottom Screenshot: The 'Services' tab is selected for 'Server0'. The 'DHCP' service is configured with the following settings:

- SERVICES:** DHCP.
- Interface:** FastEthernet0, Service: On.
- Pool Name:** senerPool.
- Default Gateway:** 0.0.0.0.
- DNS Server:** 0.0.0.0.
- Start IP Address:** 192.168.123.19.
- Subnet Mask:** 255.255.255.0.
- Maximum Number of Users:** 5.
- TFTP Server:** 0.0.0.0.
- WLC Address:** 0.0.0.0.

The network diagram shows a central 'Server0' connected to three PCs (PC0, PC1, PC2) via a switch. The interface 'FastEthernet0' is highlighted in the configuration windows.





Tugas

Cisco Packet Tracer - C:\Users\asus-k011b\Cisco Packet Tracer 7.3.0\aves\Modul5.pkt

File Edit Options View Tools Extensions Help

Logical Physical x:1047 y:40

Server1

Physical Config Services Desktop Programming Attributes

SERVICES

HTTP

DHCP

DHCPv6

TFTP

DNS

SYSLOG

AAA

NTP

EMAIL

FTP

IoT

VM Management

Radius EAP

DHCP

Interface: FastEthernet0/24 Service: On

Pool Name: serverPool

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

Start IP Address: 192.168.1.1

Subnet Mask: 255.255.255.0

Maximum Number of Users: 20

TFTP Server: 0.0.0.0

WLC Address: 0.0.0.0

Add		Save		Remove			
Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP Server	WLC Address
serverPool	0.0.0.0	0.0.0.0	192.168.1.2	255.255.255.0	20	0.0.0.0	0.0.0.0

Time: 00:12:36

Activate Windows
Go to Settings to activate Windows.

Copper Straight-Through

Type here to search

Cisco Packet Tracer - C:\Users\asus-k011b\Cisco Packet Tracer 7.3.0\aves\Modul5.pkt

File Edit Options View Tools Extensions Help

Logical Physical x:918 y:65

Cisco Packet Tracer - C:\Users\asus-k011b\Cisco Packet Tracer 7.3.0\aves\Modul5.pkt

File Edit Options View Tools Extensions Help

Logical Physical x:918 y:65

Server1

Physical Config Services Desktop Programming Attributes

SERVICES

HTTP

DHCP

DHCPv6

TFTP

DNS

SYSLOG

AAA

NTP

EMAIL

FTP

IoT

VM Management

Radius EAP

File Name: index.html

```
<html>
<body>
  <p>Name : Ulin Nuhla Trisiana</p>
  <p>NIM : L200180190</p>
  <p>Mata Kuliah : Matematika</p>
  <p>Jurusan : Informatika</p>
  <p>Jenis Kelamin : Perempuan</p>
</body>
</html>
```

File Manager Save

Time: 00:23:53

Activate Windows
Go to Settings to activate Windows.

Copper Straight-Through

Type here to search

Cisco Packet Tracer - C:\Users\asus-k011b\Cisco Packet Tracer 7.3.0\aves\Modul5.pkt

File Edit Options View Tools Extensions Help

Logical Physical x:918 y:65

