


Nama : Reza Aristo Rifandi

NIM : L200180206

Kelas : E

Kegiatan Praktikum Modul 3 Jaringan Komunikasi



Setting Konfigurasi PC

PC0

Physical Config **Desktop** Programming Attributes

IP Configuration

Interface: FastEthernet0

IP Configuration

☐ DHCP ☒ Static

IP Address: 201.222.5.1

Subnet Mask: 255.255.255.248

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address: /

Link Local Address: FE80::202:16FF:FE47:7571

IPv6 Gateway:

IPv6 DNS Server:

802.1X

☐ Use 802.1X Security

☐ Top

Physical Config **Desktop** Programming Attributes

IP Configuration ×

Interface: FastEthernet0

IP Configuration

☐ DHCP ☒ Static

IP Address: 201.222.5.2

Subnet Mask: 255.255.255.248

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address: /

Link Local Address: FE80::201:C9FF:FE75:ABCA

IPv6 Gateway:

IPv6 DNS Server:

802.1X

☐ Use 802.1X Security

☐ Top

Physical Config **Desktop** Programming Attributes

IP Configuration ×

Interface: FastEthernet0

IP Configuration

☐ DHCP ☒ Static

IP Address: 201.222.5.9

Subnet Mask: 255.255.255.248

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address: /

Link Local Address: FE80::20C:85FF:FE16:1593

IPv6 Gateway:

IPv6 DNS Server:

802.1X

☐ Use 802.1X Security

☐ Top

Physical Config **Desktop** Programming Attributes

IP Configuration [X]

Interface: FastEthernet0

IP Configuration

☐ DHCP ☒ Static

IP Address: 201.222.5.10

Subnet Mask: 255.255.255.248

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address: /

Link Local Address: FE80::250:FFF:FE22:AB10

IPv6 Gateway:


IPv6 DNS Server:

802.1X

☐ Use 802.1X Security

☐ Top

Percobaan ping terhadap PC



The screenshot shows a Packet Tracer interface with a PC0 icon and a window titled "PC0". The window has tabs for "Physical", "Config", "Desktop", "Programming", and "Attributes". The "Desktop" tab is active, displaying a "Command Prompt" window. The Command Prompt shows the execution of two ping commands from the C:\> directory. The first command is "ping 201.222.5.2", which successfully pings the destination with 32 bytes of data. The results show four replies from 201.222.5.2 with varying times (40ms, 4ms, <1ms, 3ms) and a TTL of 128. The ping statistics for 201.222.5.2 show 4 packets sent, 4 received, 0 lost (0% loss), and approximate round trip times of 0ms (minimum), 40ms (maximum), and 11ms (average). The second command is "ping 201.222.5.9", which results in four "Request timed out." messages. The ping statistics for 201.222.5.9 show 4 packets sent, 0 received, 4 lost (100% loss). The Command Prompt window has a scrollbar on the right side. Below the Command Prompt window, there is a "Top" button.

```
C:\>ping 201.222.5.2

Pinging 201.222.5.2 with 32 bytes of data:

Reply from 201.222.5.2: bytes=32 time=40ms TTL=128
Reply from 201.222.5.2: bytes=32 time=4ms TTL=128
Reply from 201.222.5.2: bytes=32 time<1ms TTL=128
Reply from 201.222.5.2: bytes=32 time=3ms TTL=128

Ping statistics for 201.222.5.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 40ms, Average = 11ms

C:\>ping 201.222.5.9

Pinging 201.222.5.9 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 201.222.5.9:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>
```

☐ Top

Physical Config **Desktop** Programming Attributes

Command Prompt

X

```
Packet Tracer PC Command Line 1.0
C:\>ping 201.222.5.10

Pinging 201.222.5.10 with 32 bytes of data:

Reply from 201.222.5.10: bytes=32 time=1ms TTL=128
Reply from 201.222.5.10: bytes=32 time=3ms TTL=128
Reply from 201.222.5.10: bytes=32 time<1ms TTL=128
Reply from 201.222.5.10: bytes=32 time<1ms TTL=128

Ping statistics for 201.222.5.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 3ms, Average = 1ms

C:\>|
```

☐ Top