

```
calvinalvito : bash — Konsole
File Edit View Bookmarks Settings Help
calvinalvito@calvinalvito:~$ sudo su
[sudo] password for calvinalvito:
root@calvinalvito:/home/calvinalvito# adduser baity211
Adding user 'baity211' ...
Adding new group 'baity211' (1005) ...
Adding new user 'baity211' (1005) with group 'baity211' ...
Creating home directory '/home/baity211' ...
Copying files from '/etc/skel' ...
Enter new UNIX password:
Retype new UNIX password:
passwd: password updated successfully
Changing the user information for baity211
Enter the new value, or press ENTER for the default
Full Name []: baity
Room Number []:
Work Phone []:
Home Phone []:
Other []:
Is the information correct? [Y/n] y
root@calvinalvito:/home/calvinalvito# usermod -sG sudo baity211
root@calvinalvito:/home/calvinalvito# su baity211
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

baity211@calvinalvito:/home/calvinalvito$ cd /bin
baity211@calvinalvito:/bin$ sudo su
[sudo] password for baity211:
root@calvinalvito:/bin# nano infobaity211.sh
root@calvinalvito:/bin# infobaity211.sh
bash: /bin/infobaity211.sh: Permission denied
root@calvinalvito:/bin# chmod 777 infobaity211.sh
root@calvinalvito:/bin# infobaity211.sh
Tanggal dan jam saat ini: Rab Nov 20 00:39:02 WIB 2019
Jumlah user: 4
Status personal: root
root@calvinalvito:/bin#
```

```
calvinalvito : nano — Konsole
File Edit View Bookmarks Settings Help
GNU nano 2.9.3 infobaity211.sh Modified
1-1 /bin/sh
WAKTU="Tanggal dan jam saat ini: \c"
JMLUSER="Jumlah user: \c"
AKU="Status personal: \c"
echo -e "$WAKTU"
date
echo -e "$JMLUSER"
who | wc -l
echo -e "$AKU"
whoami
exit 0

[ Unknown sequence ]
^G Get Help ^O Write Out ^W Where Is ^K Cut Text ^J Justify ^C Cur Pos ^M-U Undo ^M-A Mark Text
^X Exit ^R Read File ^_ Replace ^U Uncut Text ^T To Linter ^_ Go To Line ^M-E Redo ^M-G Copy Text
calvinalvito : nano
```