


NAMA : M ROSYAD ADI PRATAMA

NIM : L200184044


KELAS : E / JARINGAN KOMPUTER

## MODUL 2


### RANGKAIAN 5 SWITCH YANG SALING TERHUBUNG SATU SAMA LAIN




## MEMASUKKAN IP ADDRESS PADA OC YANG PERTAMA




## MEMASUKKAN IP ADDRESS PADA OC YANG KEDUA




## MEMASUKKAN IP ADDRESS PADA OC YANG KETIGA



## MEMASUKKAN IP ADDRESS PADA OC YANG KEEMPAT



## MEMASUKKAN IP ADDRESS PADA OC YANG KELIMA



## MENGECEK KONEKSI DENGAN CARA MENGEPING PC 1 KE PC 2

```
Pinging 192.168.10.21 with 32 bytes of data:

Reply from 192.168.10.21: bytes=32 time<1ms TTL=128
Reply from 192.168.10.21: bytes=32 time<1ms TTL=128
Reply from 192.168.10.21: bytes=32 time<1ms TTL=128
Reply from 192.168.10.21: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.21:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

## MENGECEK KONEKSI DENGAN CARA MENGEPING PC 2 KE PC 3

```
Pinging 192.168.10.31 with 32 bytes of data:

Reply from 192.168.10.31: bytes=32 time=1ms TTL=128
Reply from 192.168.10.31: bytes=32 time<1ms TTL=128
Reply from 192.168.10.31: bytes=32 time<1ms TTL=128
Reply from 192.168.10.31: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.31:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>
```

## MENGECEK KONEKSI DENGAN CARA MENGEPING PC 3 KE PC 4

```
Pinging 192.168.10.41 with 32 bytes of data:

Reply from 192.168.10.41: bytes=32 time<1ms TTL=128
Reply from 192.168.10.41: bytes=32 time<1ms TTL=128
Reply from 192.168.10.41: bytes=32 time<1ms TTL=128
Reply from 192.168.10.41: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.41:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>|
```

## MENGECEK KONEKSI DENGAN CARA MENGEPING PC 4 KE PC 5

```
Pinging 192.168.10.51 with 32 bytes of data:

Reply from 192.168.10.51: bytes=32 time=1ms TTL=128
Reply from 192.168.10.51: bytes=32 time<1ms TTL=128
Reply from 192.168.10.51: bytes=32 time<1ms TTL=128
Reply from 192.168.10.51: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.51:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>|
```

## MENGECEK KONEKSI DENGAN CARA MENGEPING PC 5

```
Pinging 192.168.10.11 with 32 bytes of data:

Reply from 192.168.10.11: bytes=32 time<1ms TTL=128
Reply from 192.168.10.11: bytes=32 time<1ms TTL=128
Reply from 192.168.10.11: bytes=32 time<1ms TTL=128
Reply from 192.168.10.11: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.11:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>|
```