DATABASE SYSTEMS PRACTICUM 4



By:

GANNO TRIBUANA KURNIAJI

NIM: L200184092

INFORMATION TECHNOLOGY FACULTY OF COMMUNICATION AND INFORMATICS UNIVERSITY OF MUHAMMADIYAH SURAKARTA 2020

1. Activity 1

```
Command Prompt - mysgl -u root
:\xampp\mysql\bin>mysql -u root -p
Inter password: *****
ERROR 1045 (28000): Access denied for user 'root'@'localhost' (using password: YES)
:\xampp\mysql\bin>mysql -u root
Welcome to the MariaDB monitor. Commands end with ; or \g.
our MariaDB connection id is 23
Server version: 10.4.11-MariaDB mariadb.org binary distribution
Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
MariaDB [(none)]> show databases;
 Database
 information schema
 mysql
 performance_schema
 phpmyadmin
 test
 rows in set (0.002 sec)
MariaDB [(none)]> create database perbankan;
uery OK, 1 row affected (0.036 sec)
MariaDB [(none)]> use perbankan
Database changed
MariaDB [perbankan]> CREATE TABLE nasabah (
   -> id nasabah INTEGER PRIMARY KEY,
   -> nama nasabah VARCHAR(45) NOT NULL,
   -> alamat nasabah VARCHAR(255) NOT NULL);
Query OK, 0 rows affected (0.333 sec)
MariaDB [perbankan]> CREATE TABLE cabang_bank (
   -> kode_cabang VARCHAR(45) UNIQUE NOT NULL,
   -> nama_cabang VARCHAR(45) UNIQUE NOT NULL,
   -> alamat_cabang VARCHAR(255) NOT NULL);
Query OK, 0 rows affected (0.246 sec)
MariaDB [perbankan]> CREATE TABLE rekening (
   -> no_rekening INTEGER PRIMARY KEY,
   -> kode cabangFK VARCHAR(20) REFERENCES cabang bank(kode cabang)
   -> ON DELETE CASCADE ON UPDATE CASCADE.
   -> pin VARCHAR(20) DEFAULT '1234' NOT NULL,
   -> saldo INTEGER DEFAULT 0 NOT NULL);
Query OK, 0 rows affected (0.373 sec)
```

Picture 1.1. Creating new database and create the table

```
| Companies | Content | Co
```

Picture 1.2. Creating the table and show the result of all table

Select Command F							
MariaDB [perbanka -> ;	n]> describe na		.+	.+			
Field	Type			Default			
nama_nasabah	int(11) varchar(45) varchar(255)	NO NO		NULL NULL NULL		 	
3 rows in set (0. MariaDB [perbanka -> ;		bang_ba	ink				
Field	Туре	Null	Key	Default	Extra		
kode_cabang nama_cabang alamat_cabang	varchar(45) varchar(255)	NO NO	PRI UNI				
3 rows in set (0.							

Picture 1.3. Show data inside of a table

2. Assignment 1

```
Select Command Prompt - mysql -u root
MariaDB [perbankan]> CREATE TABLE dosen (
   -> nip VARCHAR(20) PRIMARY KEY,
   -> nama_dosen VARCHAR(45) NOT NULL,
   -> alamat_dosen VARCHAR(45) NOT NULL);
Query OK, 0 rows affected (0.195 sec)
MariaDB [perbankan]> CREATE TABLE mahasiswa (
   -> nim VARCHAR(20) PRIMARY KEY,
   -> dosen_nipFK VARCHAR(20) REFERENCES dosen(dosen_nip) ON DELETE CASCADE ON UPDATE CASCADE,
   -> nama_mhs VARCHAR(45) NOT NULL,
   -> alamat_mhs VARCHAR(45) NOT NULL);
uery OK, 0 rows affected (0.270 sec)
MariaDB [perbankan]> CREATE TABLE mata_kuliah (
   -> kode_mk VARCHAR(20) PRIMARY KEY,
   -> nama_mk VARCHAR(45) NOT NULL,
   -> deskripsi_mk VARCHAR(255) NOT NULL);
Query OK, 0 rows affected (0.259 sec)
MariaDB [perbankan]> CREATE TABLE ruang (
   -> kode_ruang VARCHAR(20) PRIMARY KEY);
uery OK, 0 rows affected (0.223 sec)
MariaDB [perbankan]> CREATE TABLE mata_kuliah_has_ruang (
   -> kode_mkFK VARCHAR(20) REFERENCES mata_kuliah(kode_mk) ON DELETE CASCADE ON UPDATE CASCADE,
   -> kode_ruangFK VARCHAR(20) REFERENCES ruang(kode_ruang) ON DELETE CASCADE ON UPDATE CASCADE);
uery OK, 0 rows affected (0.281 sec)
MariaDB [perbankan]> CREATE TABLE mahasiswa_has_mata_kuliah (
   -> nimFK VARCHAR(20) REFERENCES mahasiswa(nim) ON DELETE CASCADE ON UPDATE CASCADE,
   -> kode_mkFK VARCHAR(20) REFERENCES mata_kuliah(kode_mk) ON DELETE CASCADE ON UPDATE CASCADE);
Query OK, 0 rows affected (0.216 sec)
MariaDB [perbankan]> CREATE TABLE dosen_has_mata_kuliah (
   -> nipFK VARCHAR(20) REFERENCES dosen(nip) ON DELETE CASCADE ON UPDATE CASCADE,
-> kode_mkFK VARCHAR(20) REFERENCES mata_kuliah(kode_mk) ON DELETE CASCADE ON UPDATE CASCADE);
Query OK, 0 rows affected (0.239 sec)
```

Picture 2.1. Creating the Table

```
Command Prompt - mysgl -u root
MariaDB [perbankan]> show tables;
 Tables in perbankan
 cabang bank
 dosen
 dosen has mata kuliah
 mahasiswa
 mahasiswa has mata kuliah
 mata_kuliah
 mata_kuliah_has_ruang
 nasabah
 nasabah has rekening
 rekening
 ruang
 transaksi
12 rows in set (0.001 sec)
MariaDB [perbankan]> describe cabang_bank;
 Field
                Type
                               | Null | Key | Default | Extra
                 varchar(20)
 kode_cabang
                                 NO
                                        PRI
                                              NULL
 nama_cabang
                 varchar(45)
                                 NO
                                        UNI
                                              NULL
 alamat_cabang | varchar(255)
                                NO
                                              NULL
3 rows in set (0.016 sec)
MariaDB [perbankan]> describe dosen;
 Field
               Type
                             | Null | Key | Default | Extra
                varchar(20)
                               NO
                                      PRI
                                            NULL
                varchar(45)
                                            NULL
 nama dosen
                               NO
 alamat_dosen | varchar(45) | NO
                                            NULL
3 rows in set (0.017 sec)
MariaDB [perbankan]> describe dosen_has_mata_kuliah;
 Field
            Type
                          | Null | Key | Default | Extra
 nipFK
             varchar(20)
                                         NULL
 kode mkFK | varchar(20)
                                         NULL
                           YES
 rows in set (0.017 sec)
```

Picture 2.2. Showing the Tables and data inside of a Table