

COMPUTER NETWORKS

PRACTICUM 4



By:

MAHARDHIKA BATHIARTO DIM

ZARITA

NIM: L200184134


INFORMATION TECHNOLOGY

FACULTY OF COMMUNICATION AND INFORMATICS


UNIVERSITY OF MUHAMMADIYAH SURAKARTA

2020


1. Activity 1




Picture 1.1. Set of computer network



Picture 1.2. Configuration information of VLAN 10



Picture 1.3. Configuration information of VLAN 20



Picture 1.4. Configuration information of VLAN 30


Question:

Briefly explain the results obtained!


Answer:

- a. In VLAN number 10 (zodiak1) there are 2 ports that have been configured, namely Fa0/1 and Fa0/4
- b. In VLAN number 20 (zodiak2) there are 2 ports that have been configured, namely Fa0/2 and Fa0/5
- c. In VLAN number 30 (zodiak3) there are 2 ports that have been configured, namely Fa0/3 and Fa0/6

2. Activity 2



Picture 2.1. Set of computer network




Picture 2.2. Result of show vlan command

a. Question 1:

Briefly explain the results obtained!

Answer 1:

- 1) In VLAN number 10 (zodiak1) there are 2 ports that have been configured, namely Fa0/1 and Fa0/4
- 2) In VLAN number 20 (zodiak2) there are 2 ports that have been configured, namely Fa0/2 and Fa0/5
- 3) In VLAN number 30 (zodiak3) there are 2 ports that have been configured, namely Fa0/3 and Fa0/6
- 4) Fa0/24 is configured in VLAN Trunking




Picture 2.5. Result of Show vlan command

c. Question 3:


Briefly explain the results obtained!

Answer 3:


Fa0/24 is configured in VLAN Trunking




Picture 2.6. Port switch configuration into the VLAN




Picture 2.7. Pinging from PC Leo to PC Aries




Picture 2.8. Pinging from PC Leo to PC Aquarius



Picture 2.9. Ping from PC Leo to PC Pisces



Picture 2.10. Ping from PC Libra to PC Cancer



Picture 2.11. Pingin from PC Libra to PC Leo

d. Question 4:

Briefly explain the results obtained!

Answer 4:

All results pinged to several PCs generate status request time out due to differences in IP address and switch differences