

COMPUTER NETWORKS
PRACTICUM 2



By:


Motwkel.M.M.A

NIM: L200184220

INFORMATION TECHNOLOGY
FACULTY OF COMMUNICATION AND INFORMATICS
UNIVERSITY OF MUHAMMADIYAH SURAKARTA

2020

1. Activities 1





Question

Observe the indicator lights at each point. then explain!


Answer:

- In Router 1 with Router 2 a cable error or cable cable was not connected.
- Between the Router and the Switch cable error also occurs or the cable is not connected.
- Whereas the Switch with Server, PC, and Laptop (End Device) shows that the cable has successfully connected devices to one another.

2. Activities 2



3. Activities 3



```
192.168.1.1

Physical  Config  Desktop  Programming  Attributes

Command Prompt

Packet Tracer PC Command Line 1.0
C:\>ping 192.168.1.2

Pinging 192.168.1.2 with 32 bytes of data:

Reply from 192.168.1.2: bytes=32 time=1ms TTL=128
Reply from 192.168.1.2: bytes=32 time=1ms TTL=128
Reply from 192.168.1.2: bytes=32 time<1ms TTL=128
Reply from 192.168.1.2: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.1.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>
```

```
192.168.1.3

Physical  Config  Desktop  Programming  Attributes

Command Prompt

Packet Tracer PC Command Line 1.0
C:\>ping 192.168.2.5

Pinging 192.168.2.5 with 32 bytes of data:

Request timed out.
Request timed out.
Request timed out.
Request timed out.

Ping statistics for 192.168.2.5:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>
```

Question



Ping between:

- PC1 to PC2
- PC3 to PC5


Answer:

- At the time of pinging between PC1 to PC2 what happens is PC1 plays back what is in PC2.
- When pinging PC3 to PC5 what happens is that PC3 can't play PC5 but times out.

4. Activities 4



5. Assignment



```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.10.11

Pinging 192.168.10.11 with 32 bytes of data:
Reply from 192.168.10.11: bytes=32 time=1ms TTL=128
Reply from 192.168.10.11: bytes=32 time=1ms TTL=128
Reply from 192.168.10.11: bytes=32 time=1ms TTL=128
Reply from 192.168.10.11: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.10.11:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 3ms

C:\>
```

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.10.20

Pinging 192.168.10.20 with 32 bytes of data:
Reply from 192.168.10.20: bytes=32 time<1ms TTL=128
Reply from 192.168.10.20: bytes=32 time<1ms TTL=128
Reply from 192.168.10.20: bytes=32 time=3ms TTL=128
Reply from 192.168.10.20: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.10.20:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 3ms, Average = 1ms

C:\>
```

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.10.30

Pinging 192.168.10.30 with 32 bytes of data:
Reply from 192.168.10.30: bytes=32 time=10ms TTL=128
Reply from 192.168.10.30: bytes=32 time<1ms TTL=128
Reply from 192.168.10.30: bytes=32 time<1ms TTL=128
Reply from 192.168.10.30: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.30:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 10ms, Average = 2ms

C:\>
```

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.10.40

Pinging 192.168.10.40 with 32 bytes of data:
Reply from 192.168.10.40: bytes=32 time=14ms TTL=128
Reply from 192.168.10.40: bytes=32 time<1ms TTL=128
Reply from 192.168.10.40: bytes=32 time<1ms TTL=128
Reply from 192.168.10.40: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.40:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 14ms, Average = 3ms

C:\>
```

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.10.50

Pinging 192.168.10.50 with 32 bytes of data:
Reply from 192.168.10.50: bytes=32 time=11ms TTL=128
Reply from 192.168.10.50: bytes=32 time=11ms TTL=128
Reply from 192.168.10.50: bytes=32 time<1ms TTL=128
Reply from 192.168.10.50: bytes=32 time=11ms TTL=128

Ping statistics for 192.168.10.50:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 11ms, Average = 8ms

C:\>
```