Notes 6

mkdir

Definition

- Is used for creating a single directory or multiple

Usage

- A directory is created by typing mkdir + the name of the directory.

Formula

- mkdir + name of directory
    - creates a directory

Examples

- mkdir cis106/NOTES
    - A directory made inside of the cis106 directory called NOTES
- mkdir leo/classes/assignments
    - Theres a directory called assignments thats created inside the directory classes

touch

Definition

- used for creating files

Usage

- A file is created by typing touch + the name of the file to be created.

Formula

- touch + name of file
    - creates a file

Examples

- touch list
    - create a file called list
- touch list_of_cars.txt script.py names.csv
    - created a few files
- touch Downloads/games2.txt
    - creating a file using relative path assuming

rm

Definition

- removes files

Usage

- Type rm + the name of the file to be deleted.

Formula rm

- rm + file name
    - removes file

Examples

- rm -i list
    - removes a file and prompt confirmation before removal
- rm -I Downloads/games/*
    - removes all the files inside a directory and ask before removing more than 3 files.

cp

Definition

- copies files/directories from a source to a destination

Usage

- type cp + the name of the file/directory to copy

Formula

- cp + file to copy

Examples

- cp Downloads/wallpapers.zip Pictures/
    - copies a file
- cp Downloads/wallpapers/* ~/Pictures/
    - to cpy the content of a directory to another directory

mv

Definition

- moves and renames directories

Usage

- type the name of the file/directory to move and the name of the file or directory to be moved to.

Formula

- mv + source + destination

Examples

- mv Downloads/homework.pdf Documents/
  - to move a file from a directory to another using relative path
- mv games/ wallpapers/ rockmusic/ /media/student/flashdrive/
  - move multiple directories/files to a different directory