Desarrollando el laboratorio 8 de WEB

POST ⌄   http://localhost:5000/signin   **Send**

Params   Authorization   Headers (8)   **Body** ●   Scripts   Settings   Cooki

○ none   ○ form-data   ○ x-www-form-urlencoded   ◉ raw   ○ binary   ○ GraphQL   JSON ⌄   Beaut

```
1  {
2    "email": "jerry@example.com",
3    "password": "123"
4  }
```

Body   Cookies   Headers (8)   Test Results   ⟳   200 OK • 724 ms • 539 B • ⊕

{ } JSON ⌄   ▷ Preview   ⊠ Visualize ⌄

```
1  {
2    "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.
         eyJpZCI6MTA5LCJuYW1lIjoiSmVycnkiLCJlbWFpbCI6ImplcnJ5QGV4YW1wbGUuY29tIiwiaWF0IjoxNzYyMDM1NzU3LCJleHAiOjE3NjIwMzkzNTd9.
         SuF7R0mpb6V8ljQQfGtr5ey3wGCSVYO85AlWp1ZUuaM",
3    "user": {
4      "id": 109,
5      "name": "Jerry",
6      "email": "jerry@example.com"
7    }
8  }
```

GET ⌄   http://localhost:5000/protected

Params   **Authorization** ●   Headers (9)   Body ●   Scripts   Settings

Auth Type

Bearer Token ⌄

The authorization header will be
automatically generated when you send
the request. Learn more about
Bearer Token authorization

Token   ●●●●●●●●●●●●●●●●●●●●●●●●● 👁 🔒⚠

Body   Cookies   Headers (8)   Test Results   ⟳   200 OK • 13 ms

{ } JSON ⌄   ▷ Preview   ⊠ Visualize ⌄

```
1  {
2    "message": "Protected data accessed",
3    "user": {
4      "id": 109,
5      "name": "Jerry",
6      "email": "jerry@example.com",
7      "iat": 1762035757,
8      "exp": 1762039357
9    }
10 }
```

```
1   [
2       {
3           "id": 95,
4           "name": "Kathrin",
5           "email": "kthMrtZ@gmail.com",
6           "password": "$2b$10$XOHI0W58.de6d546b8c327716b342a21f86d9c9dd02"
7       },
8       {
9           "id": 115,
10          "name": "Pablo Prueba Actualizado",
11          "email": "pablo@example.com",
12          "password": "1234"
13      },
14      {
15          "id": 69,
16          "name": "messi",
17          "email": "andres@gmail.com",
18          "password": "$2b$10$obF9fhon7VI8JrnSpC8MdOc2yeOmkEUrNfXlwQgZ.pBZGIKUBQ6ly"
19      },
```

Collections

Search collections

∨ Labo8

GET New Request
GET New Request
GET New Request

Environments

Flows

History

Labo8 / **New Request**

GET   http://localhost:5000/users/32

Params   Authorization ●   Headers (7)   Body   Scripts   Settings

Auth Type

Bearer Token

The authorization header will be automatically generated when you send the request. Learn more about **Bearer Token** authorization.

Token

••••••••••••••••

Body   Cookies   Headers (8)   Test Results   ⟳   **200 OK** • 5

{ } JSON ∨   ▷ Preview   ⊠ Visualize   ∨

```
1  {
2      "id": 32,
3      "name": "messi",
4      "email": "andres@gmail.com",
5      "password": "$2b$10$obF9fhon7VI8JrnSpC8MdOc2yeOmkEUrNfXlwQgZ.pBZGIKUBQ6ly"
6  }
```

Collections

Search collections

∨ Labo8

GET New Request
GET New Request
GET New Request
GET New Request

Environments

Flows

History

Labo8 / **New Request**

POST   http://localhost:5000/users

Params   Authorization ●   Headers (9)   Body ●   Scripts   Settings

○ none   ○ form-data   ○ x-www-form-urlencoded   ● raw   ○ binary   ○ GraphQL   JSON ∨

```
1  {
2    "name": "Leonel Cañiasss",
3    "email": "LM10000@gmail.com",
4    "password": "SSSIIIUUU"
5  }
```

Body   Cookies   Headers (8)   Test Results   ⟳   **201 Created** •

{ } JSON ∨   ▷ Preview   ⊠ Visualize   ∨

```
1  {
2      "id": 137,
3      "name": "Leonel Cañiasss",
4      "email": "LM10000@gmail.com",
5      "password": "SSSIIIUUU"
6  }
```

New   Import

Overview   GET http://loc ●   Labo8   GET New Req ●   GET New Req ●   GET New Req ●   POST New Re ●   PUT New Req ●

Collections

Labo8 / **New Request**

Labo8

GET New Request
GET New Request
GET New Request
GET New Request
GET New Request

PUT   http://localhost:5000/users/137

Params   Authorization ●   Headers (9)   **Body** ●   Scripts   Settings

○ none   ○ form-data   ○ x-www-form-urlencoded   ● raw   ○ binary   ○ GraphQL   JSON ⌄

```
1   {
2       "name": "Im back",
3       "email": "ImBackA@gmail.com"
4   }
```

Body   Cookies   Headers (8)   Test Results   ⟳   200 OK ● 92 ms

{} JSON ⌄   ▷ Preview   Visualize   ⌄

```
1   {
2       "id": 137,
3       "name": "Im back",
4       "email": "ImBackA@gmail.com",
5       "password": "SSSIIIUUU"
6   }
```

New   Import

Overvie   GET http://l ●   Labo8   GET New R ●   GET New R ●   GET New R ●   POST New [●   PUT New R ●   DE

Collections

Labo8 / **New Request**

Labo8

GET New Request
GET New Request
GET New Request
GET New Request
GET New Request
GET New Request

DELETE   http://localhost:5000/users/138

Params   Authorization ●   Headers (7)   **Body**   Scripts   Settings

○ none   ○ form-data   ○ x-www-form-urlencoded   ● raw   ○ binary   ○ GraphQL   JSON ⌄

```
1   Ctrl+Alt+P to Ask AI
```

Body   Cookies   Headers (8)   Test Results   ⟳   200 OK ●

{} JSON ⌄   ▷ Preview   Visualize   ⌄

```
1   {
2       "message": "Usuario eliminado"
3   }
```