



L4l3y3nd4 / devops-prueba-tecnica-erick



<> Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insig

[← CI-CD Pipeline](#)

✓ Update README with architecture diagrams and documentation #21



✓ deploy ▾

deploy



succeeded 10 minutes ago in 30s

✓ Set up job

1s

```
1 Current runner version: '2.331.0'
2 ▶ Runner Image Provisioner
9 ▶ Operating System
13 ▶ Runner Image
18 ▶ GITHUB_TOKEN Permissions
22 Secret source: Actions
23 Prepare workflow directory
24 Prepare all required actions
25 Getting action download info
26 Download action repository 'actions/checkout@v3' (SHA:f43a0e5ff2bd294095638e18286ca9a3d1956744)
27 Complete job name: deploy
```

✓ Checkout code

0s

```
1 ▶ Run actions/checkout@v3
14 Syncing repository: L4l3y3nd4/devops-prueba-tecnica-erick
15 ▶ Getting Git version info
19 Temporarily overriding HOME='/home/runner/work/_temp/889273d6-e0c2-4f0d-8169-6d693076fa59' before
    making global git config changes
20 Adding repository directory to the temporary git global config as a safe directory
21 /usr/bin/git config --global --add safe.directory /home/runner/work/devops-prueba-tecnica-
    erick/devops-prueba-tecnica-erick
22 Deleting the contents of '/home/runner/work/devops-prueba-tecnica-erick/devops-prueba-tecnica-
    erick'
23 ▶ Initializing the repository
40 ▶ Disabling automatic garbage collection
42 ▶ Setting up auth
48 ▶ Fetching the repository
121 ▶ Determining the checkout info
122 ▶ Checking out the ref
```

```
126 /usr/bin/git log -1 --format='%H'
127 '6ca8063be9ff530c28acad8d4888b4c3e1c780a7'
```

✓ Install kind

0s

```
1 ▶ Run curl -Lo ./kind https://kind.sigs.k8s.io/dl/latest/kind-linux-amd64
6  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
7                      Dload  Upload  Total  Spent    Left  Speed
8
9   0      0   0      0   0      0      0      0  --:--:-- --:--:-- --:--:--    0
10 100    86 100    86   0      0   865      0  --:--:-- --:--:-- --:--:--   868
11
12   1 10.5M   1  175k   0      0   903k      0  0:00:12 --:--:-- 0:00:12  903k
13 100 10.5M 100 10.5M   0      0  43.1M      0  --:--:-- --:--:-- --:--:--  208M
```

✓ Create kind cluster

25s

```
1 ▶ Run kind create cluster --name devsu-cluster
4 Creating cluster "devsu-cluster" ...
5   • Ensuring node image (gcr.io/k8s-staging-kind/node:v1.35.0) 🗄 ...
6   ✓ Ensuring node image (gcr.io/k8s-staging-kind/node:v1.35.0) 🗄
7   • Preparing nodes 📦 ...
8   ✓ Preparing nodes 📦
9   • Writing configuration 📄 ...
10  ✓ Writing configuration 📄
11  • Starting control-plane 🚦 ...
12  ✓ Starting control-plane 🚦
13  • Installing CNI 🛠 ...
14  ✓ Installing CNI 🛠
15  • Installing StorageClass 🗄 ...
16  ✓ Installing StorageClass 🗄
17 Set kubectl context to "kind-devsu-cluster"
18 You can now use your cluster with:
19
20 kubectl cluster-info --context kind-devsu-cluster
21
22 Have a nice day! 🍀
```

✓ Install kubectl

0s

✓ Set image tag in deployment

0s

✓ Deploy manifests 0s

✓ Verify deployment 1s

▼

✔

Post Checkout code

0s

▼

✔

Complete job

0s