

AD-A131 572 RISING BUBBLES(U) STANFORD UNIV CA DEPT OF MATHEMATICS 1/1
J B KELLER DEC 82 AFOSR-TR-83-0676 AFOSR-79-0134


UNCLASSIFIED

F/G 20/4

NL



END
DATE
FILMED
DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS - 1963 - A

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFOSR-TR- 83-0676	2. GOVT ACCESSION NO. ADA131572	3. RECIPIENT'S CAT. LOG
4. TITLE (and Subtitle) "RISING BUBBLES"	5. TYPE OF REPORT & PERIOD COVERED INTERIM	
7. AUTHOR(s) Joseph B. Keller	6. PERFORMING ORG. REPORT NUMBER	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Stanford University Stanford, CA 94305	8. CONTRACT OR GRANT NUMBER(s) AFOSR-79-0134	
11. CONTROLLING OFFICE NAME AND ADDRESS AFOSR/NM Bldg. 410 Bolling AFB DC 20332	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS PF61102F; 2304/A4	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	12. REPORT DATE Dec 1982	
	13. NUMBER OF PAGES 16	
	15. SECURITY CLASS. (of this report) UNCLASSIFIED	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This is a progress report of the Applied Mathematics Group in the Mathematics Department, Stanford University. This report lists publications supported by AFOSR through March 16, 1982 - December 31, 1982.		

ADA131572

DTIC FILE COPY

DTIC
ELECTE
AUG 19 1983
D

DD FORM 1 JAN 73 1473

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

AFOSR-TR. 83-0676

Rising Bubbles

PROGRESS REPORT

March 16, 1982 - December 31, 1982

Applied Mathematics Group
Department of Mathematics
Stanford University

Principal Investigator: Joseph B. Keller

Accession For	
NTIS GRA&I	<input checked="checked" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/ _____	
Availability Codes	
Dist	Avail and/or Special
A	

I. Introduction

This is a progress report of the Applied Mathematics Group in the Mathematics Department, Stanford University. This group began functioning officially on September 1, 1979, and is supported by:

1. Office of Naval Research;
2. National Science Foundation;
3. Army Research Office;
4. Air Force Office of Scientific Research;
5. Stanford University.

The personnel comprising this group during all or part of the reporting period are:

1. Joseph B. Keller, Professor of Mathematics, Stanford University;
2. Russel E. Caflisch, Assistant Professor, Stanford University;
3. John C. Neu, Assistant Professor, Stanford University;
4. Victor Twersky, Professor of Mathematics, University of Illinois, Chicago Circle;
5. John G. Watson, Assistant Professor, University of Miami;
6. Bernard A. Lippmann, Professor of Physics, Emeritus, New York University;
7. Si-Xiong Chen, Head, Applied Mathematics Group, Institute of Mechanics, Beijing, People's Republic of China;
8. Meira Falkovitz, Postdoctoral Fellow, Stanford University;

Approved for public release;
distribution unlimited.

9. John H. Maddocks, Postdoctoral Fellow, Stanford University;
10. Allan D. Jepson, Postdoctoral Fellow, Stanford University;
11. Kevin C. Nunan, Graduate Student;
12. Michael I. Weinstein, Postdoctoral Fellow, Stanford University;
13. Stephanos Venakides, Assistant Professor, Stanford University;
14. Margaret Cheney, Research Associate, Stanford University;
15. Graham Eatwell, Postdoctoral Fellow, Stanford University;
16. Luis Bonilla, Research Associate, Stanford University;
17. James Geer, Professor of Mathematics, School of Advanced Studies, SUNY, Binghamton, New York.

The various research activities of the members of this group are indicated by the list of publications contained in Section II. Abstracts or introductions from the papers produced during the report period are contained in Section III.

In addition to the manuscripts already submitted, a number of projects are nearing completion. Thus Professor Keller, while at the Woods Hole Oceanographic Institute during the summer of 1982, studied the turbulent diffusion of a chemically reacting substance. Professor Keller and Dr. Falkovitz are completing a paper on Liesegang rings to account for the recent results of John Ross and his co-worker in the Chemistry Department at Stanford. Their theory uses the fourth order Cahn-Hilliard equation to describe diffusion. Dr. Eatwell is studying the propagation of an acoustic wave through a bubbly fluid, or through a medium containing resonant scatterers. Dr. Bonilla is studying the effective behavior of an elastic solid composed of randomly oriented crystallites. Mr. Nunan is calculating the effective viscosity of a suspension of rigid spherical particles in a viscous fluid. Professors Geer and Keller are studying scattering of waves by thin bodies.

In December, Professor Keller was invited to deliver the Weizmann Lectures at the Weizmann Institute of Science in Rehovot, Israel.

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFSC)
NOTICE OF CONFIDENTIALITY TO PTIC
This technical document has been reviewed and is
approved for release under E.O. 12812-12.
Distribution is unlimited.
MATTHEW J. KENNER
Chief, Technical Information Division

II. PUBLICATIONS OF APPLIED MATHEMATICS GROUP

1. J. B. Keller Training in applied mathematics
Pub: Proc. of the Conf. on Graduate
Training in Math., T. L. Sherman, ed.,
Rocky Mountain Mathematics Consortium,
Tempe, Arizona, 1979, pp. 110-113.

2. J.-M. Vanden-Broeck Numerical computation of steep gravity
L. W. Schwartz waves in shallow water
Pub: Phys. Fluids, 22, 1868-1871, 1979.

3. H. McMaken Diffraction of ultrasonic waves by penny-
J. D. Achenbach shaped cracks in metals: Theory and experiment
L. Adler Pub: J. Acoust. Soc. Am., 66, 1848-1856, 1979.
D. K. Lewis

4. J.-M. Vanden-Broeck A new family of capillary waves
J. B. Keller Pub: J. Fluid Mech., 98, 161-169, 1980.

5. J.-M. Vanden-Broeck Nonlinear stern waves
Pub: J. Fluid Mech., 93, 603-611, 1980.

6. J. B. Keller Plate failure under pressure
Pub: SIAM Rev., 22, 227-228, 1980.

7. J.-M. Vanden-Broeck Advances in the numerical computation of
 capillary-gravity waves
Pub: Nonlinear Partial Differential Equations
in Engineering and Applied Science,
R. L. Sternberg, A. J. Kalinowski and
J. S. Papadakis, eds., Marcel Dekker,
New York, 1980, pp. 299-310.

- 8.* S. Childress Lichen growth
J. B. Keller Pub: J. Theor. Biol., 82, 157-163, 1980.

9. J. B. Keller Liesegang rings and a theory of fast reaction
 and slow diffusion
Pub: Dynamics and Modelling of Reactive
Systems, W. Stewart, ed., Academic,
New York, 1980, pp. 211-224.

*Not supported by AFOSR or ONR.

10. J. B. Keller Darcy's law for flow in porous media and the two-space method
Pub: Nonlinear Partial Differential Equations in Engineering and Applied Science, R. L. Sternberg, A. J. Kalinowski and J. S. Papadakis, eds., Marcel Dekker, New York, 1980, pp.429-443.
11. R. E. Caflisch The Boltzmann equation with a soft potential, Part I: Linear, spatially-homogeneous
Pub: Comm. Math. Phys., 74, 71-95, 1980.
12. R. E. Caflisch The Boltzmann equation with a soft potential, Part II: Nonlinear, spatially-periodic
Pub: Comm. Math. Phys., 74, 97-109, 1980.
13. J. C. Neu The method of near identity transformations and applications
Pub: SIAM J. Appl. Math., 38, 189-208, 1980.
14. J. C. Neu Large populations of chemical oscillators
Pub: SIAM J. Appl. Math., 38, 305-316, 1980.
15. J. B. Keller Bubble oscillations of large amplitude
M. Miksis
Pub: J. Acoust. Soc. Am., 68, 628-633, 1980.
16. J.-M. Vanden-Broeck Bubble or drop distortion in a straining flow
J. B. Keller
Pub: Phys. Fluids, 23, 1491-1495, 1980.
17. J. B. Keller Some bubble and contact problems
Pub: SIAM Rev., 22, 442-458, 1980.
18. J.-M. Vanden-Broeck Deformation of a bubble or drop in a uniform flow
J. B. Keller
Pub: J. Fluid Mech., 101, 673-686, 1980.
19. J.-M. Vanden-Broeck Nonlinear gravity-capillary stern waves
Pub: Phys. Fluids, 23, 1949-1953, 1980.

20. R. E. Caflisch An inverse problem for Toeplitz matrices and the synthesis of discrete transmission lines
Pub: J. Linear Algebra and Its Applications, 38, 255-272, 1980.
21. R. E. Caflisch The fluid dynamic limit of the nonlinear Boltzmann equation
Pub: Comm. Pure Appl. Math., 33, 651-666, 1980.
- 22.* J. B. Keller Tendril shape and lichen growth
Pub: Some Mathematical Questions in Biology, Lectures on Math. in the Life Sciences, Vol. 13, Am. Math. Soc., Providence, 1980, pp. 257-274.
- 23.* R. E. Caflisch Distortion of the arterial pulse
C. Peskin
G. Majda
G. Strumolo
Pub: Math. Bio. Sci., 51, 229-260, 1980.
- 24.* P. S. Hagan Spatial structures in predator-prey communities with hereditary effects and diffusion
H. Simpson
D. S. Cohen
Pub: Math. Biosci., 44, 167-177, 1979.
25. J.-M. Vanden-Broeck Numerical calculation of gravity-capillary interfacial waves of finite amplitude
Pub: Phys. Fluids, 23, 1723-1726, 1980.
26. J.-M. Vanden-Broeck Two-dimensional drops in slow viscous flow
Pub: Phys. Fluids, 24, 175-176, 1981.
27. P. S. Hagan The instability of non-monotonic wave solutions of parabolic equations
Pub: Stud. Appl. Math., 64, 57-88, 1981.
28. J. B. Keller Shape of a sail in a flow
J.-M. Vanden-Broeck
Pub: Phys. Fluids, 24, 552-553, 1981.

*Not supported by AFOSR or ONR.

29. J. B. Keller Temperley's model of gas condensation
 Pub: J. Chem. Phys., 74, 4203-4204, 1981.
30. J. B. Keller Kelvin wave production
 J. G. Watson Pub: J. Phys. Ocean., 11, 284-285, 1981.
31. J. B. Keller Recurrent precipitation and Liesegang rings
 S. I. Rubinow Pub: J. Chem. Phys., 74, 5000-5007, 1981.
32. J. B. Keller Axisymmetric bubble or drop in a uniform flow
 M. J. Miksis Pub: J. Fluid Mech., 108, 89-100, 1981.
 J.-M. Vanden-Broeck
33. J.-M. Vanden-Broeck Numerical calculation of standing waves in
 water of arbitrary uniform depth
 Pub: Phys. Fluids, 24, 812-815, 1981.
34. R. E. Caflisch Evaluation of a function at infinity from
 K. C. Nunan its power series
 Pub: Phys. Rev. Letters, 46, 1255-1256, 1981.
35. J. B. Keller Internal and surface wave production in a
 D. M. Levy stratified fluid
 D. S. Ahluwalia Pub: Wave Motion, 3, 215-229, 1981.
36. R. E. Caflisch Quench front propagation
 J. B. Keller Pub: Nuc. Eng. Design, 65, 97-102, 1981.
37. M. J. Miksis A bubble in an axially symmetric shear flow
 Pub: Phys. Fluids, 24, 1229-1231, 1981.
38. J.-M. Vanden-Broeck Deformation of a liquid surface by an impinging
 gas jet
 Pub: SIAM J. Appl. Math., 41, 306-309, 1981.
39. J. B. Keller Oblique derivative boundary conditions and
 the image method
 Pub: SIAM J. Appl. Math., 41, 294-300, 1981.

50. J. B. Keller Optimum inspection policies
Pub: Management Sci., 28, 447-450, 1982.
51. P. S. Hagan Travelling and stacked travelling wave solutions of parabolic equations
Pub: SIAM J. Math. Anal., 13, 717-738, 1982.
52. J.-M. Vanden-Broeck Contact problems involving the flow past an inflated aerofoil
Pub: J. Appl. Mech., 49, 263-265, 1982.
53. J.-M. Vanden-Broeck Nonlinear two-dimensional sail theory
Pub: Phys. Fluids, 25, 420-423, 1982.
55. P. S. Hagan Spiral waves in reaction diffusion equations
Pub: SIAM J. Appl. Math., 42, 762-786, 1982.
56. J.-M. Vanden-Broeck
J. B. Keller Parabolic approximations for ship waves and wave resistance
Pub: Proceedings of the Third International Conference on Numerical Ship Hydrodynamics, Paris, France, June 16-19, 1981.
57. A. Jeffrey
T. Kawahara Asymptotic Methods in Nonlinear Wave Problems
Pub: Pitman Publishing, Ltd., London, 1982.
58. M. J. Miksis
J.-M. Vanden-Broeck
J. B. Keller Rising Bubbles
Pub: J. Fluid Mech., 123, 31-42, 1982.
59. J. C. Neu Resonantly interacting waves
Acc: SIAM J. Appl. Math., in press.
60. J. B. Keller
M. J. Miksis Surface tension driven flows
Acc: SIAM J. Appl. Math., in press.
61. A. Jepson
A. Spence Folds in solutions of two parameter systems and their calculation: Part I
Pub: Stanford Univ. Numer. Anal. Report, 82-02.

62. J. B. Keller Time-dependent queues
Pub: SIAM Rev., 24, 401-412, 1982.
63. R. E. Caflisch Shock profile solutions of the Boltzmann equation
B. Nicolaenko
Sub: Comm. Math. Phys.
64. P. S. Hagan Arrow's model of optimal pricing, use and
R. E. Caflisch exploration of undertain natural resources
J. B. Keller
Sub: Econometrica
65. R. E. Caflisch Radiation transport in a hot plasma
Acc: SIAM J. Appl. Math., in press.
66. J. B. Keller Jets rising and falling under gravity
J.-M. Vanden-Broeck
Acc: J. Fluid Mech., in press.
67. R. E. Caflisch Fluid dynamics and the Boltzmann equation
Acc: Stud. Stat. Mech., in press.
- 68.* M. S. Falkovitz Theory of periodic structures in lipid
M Seul bilayer membranes
H. L. Frisch
H. M. McConnell
Pub: Proc. Nat. Acad. Sci., 79, 3918, 1982.
69. R. E. Caflisch The fluid-dynamic limit of a model Boltzmann
equation in the presence of a shock
Pub: Institute National de Recherche en
Informatique et en Automatique, INRIA
No. 81, June 1981, 1-34.
70. P. F. Rhodes-Robinson On the short surface waves due to half-immersed
circular cylinder oscillating on water of
infinite depth
Sub:
71. P. F. Rhodes-Robinson Note on the reflexion of water waves at a
wall in the presence of surface tension
Sub:

*Not supported by AFOSR or ONR.

72. P. F. Rhodes-Robinson On the generation of surface waves at an inertial boundary
Sub:
73. R. E. Caflisch Dynamic theory of suspensions with Brownian effects
G. C. Papanicolaou
Acc: SIAM J. Appl. Math., in press.
74. R. E. Caflisch Instability in settling of suspensions due to Brownian effects
G. C. Papanicolaou
Acc: Proceedings of conference Two-Phase Flow.
75. R. E. Caflisch Shock waves and the Boltzmann equation
B. Nicolaenko
Acc: Proceedings of conference non-linear PDE.
76. J. H. Maddocks Restricted quadratic forms and their application to bifurcation and stability in constrained variational principles
Sub: SIAM J. Appl. Math.
77. M. S. Falkovitz Spatially inhomogeneous polymerization in unstirred bulk
L. A. Segel
Acc: SIAM J. Appl. Math., in press.
78. M. S. Falkovitz The scale of non-homogeneity as defined by diffusion measurements
J. L. Frisch
Pub: Journal of Membrane Science, 10, 61, 1982.
79. M. S. Falkovitz Optimal catalyst distribution in a membrane
H. L. Frisch
J. B. Keller
Sub: Chem. Eng. Sci.
- 80.* M. S. Falkovitz Crawling of Worms
J. B. Keller
Sub: J. Theor. Biol.
81. A. Jeffrey The random choice method and the free-surface water profile after the collapse of a dam wall
J. Mvungi
Pub: Wave Motion, 4, 381-389, 1982.

*Not supported by AFOSR or ONR.

82. J. G. Watson
E. L. Reiss
A statistical theory for imperfect bifurcation
Pub: SIAM J. Appl. Math., 42, 135-148, 1982.
83. J. G. Watson
J. B. Keller
Acoustical scattering from rough surfaces
To be submitted.
84. M. I. Weinstein
Global existence for a generalized Korteweg -
de Vries equation
Sub: SIAM J. Math. Anal.
85. M. I. Weinstein
Nonlinear Schrödinger equations and sharp
interpolation estimates
Acc: Comm. Math. Phys.
86. M. Cheney
Two-dimensional scattering: the number of
bound states from scattering data (a
Sub: J. of Math. Phys.

III. ABSTRACTS OF MANUSCRIPTS SUBMITTED SINCE MARCH 15, 1982.

- ✓ 1. Dynamic theory of suspensions with Brownian effects, by R. E. Caflisch and G. C. Papanicolaou.

We consider a suspension of particles in a fluid settling under the influence of gravity and dispersing by Brownian motion. A mathematical description is provided by the Stokes equations and a Fokker-Planck equation for the one-particle phase space density. This is a nonlinear system that depends on a number of parametric functions of the spatial concentration of the particles. These functions are known only empirically or for dilute suspensions. We analyze the system, its stability, its asymptotic behavior under different scalings and its validity from a more microscopic description.

2. Two-dimensional scattering: the number of bound states from scattering data, (a), by M. Cheney.

Relations are found between scattering data and the spectrum for the two-dimensional Schrödinger operator $\Delta + V(x)$, where V is a local noncentral potential. In particular a two-dimensional version of the Levinson theorem is obtained; this theorem gives the number of bound states in terms of the change in phase of the determinant of the scattering operator.

- ✓ 3. Shock profile solutions of the Boltzmann equation, by R. E. Caflisch and B. Nicolaenko.

Shock waves in gas dynamics can be described by the Euler Navier-Stokes, or Boltzmann equations. We prove the existence of shock profile solutions of the Boltzmann equation for shocks which are weak. The shock is written as a truncated expansion in powers of the shock strength, the first two terms of which come exactly from the Taylor $\tanh(x)$ profile for the Navier-Stokes solution. The full solution is found by a projection method like the Lyapunov-Schmidt method as a bifurcation from the constant state in which the bifurcation parameter is the difference between the speed of sound c_0 and the shock speed s .

- ✓ 4. Restricted quadratic forms and their application to bifurcation and stability in constrained variational principles, by J. H. Maddocks.

The subjects of this investigation are the abstract properties and applications of *restricted quadratic forms*. The first part of the presentation resolves the following question: if L is a self-adjoint linear operator mapping a Hilbert space H into itself, and S is a subspace of H , when is the quadratic form $\langle u, Lu \rangle$ positive for any non-zero $u \in S$? In the second part of the presentation, restricted quadratic forms are further examined in the specific context of constrained variational principles; and the general theory is applied to obtain information on stability and bifurcation. Two examples are then solved: one is finite-dimensional and of an illustrative nature; the other is a longstanding problem in elasticity concerning the stability of a buckled rod. In addition to being a valuable analytical tool for isoperimetric problems in the calculus of variations, the tests described are amenable to numerical treatment. A theorem concerning the variational characterization of eigenvalues is also obtained.

5. Spatially inhomogeneous polymerization in unstirred bulk, by M. S. Falkovitz and L. A. Segel.

A new experimental method for the formation of large polymers of very

narrow molecular weight distribution is examined theoretically. The problem belongs to the general class of transport-reaction problems in multi-component media. A comprehensive mathematical model of the phenomenon is presented. Noteworthy is the fact that diffusive fluxes are decomposed into two parts, pure diffusion and back-bulk-flow. It is shown that the full problem, which consists of an infinite number of coupled nonlinear differential equations, can be reduced to two such equations. Heat production is also considered in an auxiliary investigation. The appropriate differential equations are solved numerically and the physical significance of the results is discussed.

6. The scale of non-homogeneity as defined by diffusion measurements, by M. S. Falkovitz and H. L. Frisch.

The asymptotic behaviour of the permeation rate in non-homogeneous laminar slabs of increasing width ℓ is studied. We show rigorously that for a wide class of slabs with non-homogeneities distributed in a statistically homogeneous manner, the permeation rate approaches that of a homogeneous slab as $1/\ell^2$. The result is compared with previous studies of this subject.

7. Crawling of worms, by J. B. Keller and M. S. Falkovitz.

The mechanics of a worm crawling along a flat surface is analyzed. The external forces of friction and gravity, and the internal pressure and tension, are taken into account. An equation of motion is formulated, and solutions are sought in which both the tension and the linear density are required to lie between prescribed bounds. Pulse and periodic travelling wave solutions are constructed. The maximum crawling velocity is determined, as well as the wave form which achieves it. Comparison of the results with experimental observations shows that the theory yields a maximum crawling velocity which is much larger than the observed velocity. Therefore the theory was changed to require that the time rate of change of tension be less than a prescribed bound, rather than

that the tension be bounded. With this modification, the theory agrees fairly well with the observations.

8. The random choice method and the free-surface water profile after the collapse of a dam wall, by A. Jeffrey and J. Mvungi.

The random choice (RC) method due to Glimm [1], subsequently modified by Chorin [2] and Sod [3], is applied to the shallow water equations of Stoker [4], in order to determine the free-surface profile of water, as a function of position and time, when a dam wall suddenly collapses. The numerical results obtained by this method are compared with the analytical results due to Stoker for this classical problem [5], and with numerical results obtained by a further modification of the Glimm-Chorin scheme involving a smoothing operation. The improvement brought about by the smoothing, and the generally close agreement with the exact result that is then obtained, is a feature of this modified approach.

9. A statistical theory for imperfect bifurcation, by J. G. Watson and E. L. Reiss.

An "honest" statistical method is presented to analyze the effects of imperfections, and other disturbances on the bifurcation of solutions of non-linear problems. First, uniformly valid asymptotic approximations of the solutions are obtained for any realization of the imperfections. The approximations are valid as the magnitude of the imperfections approaches zero. The statistical properties of the solutions are then deduced directly from these approximations, for specified statistics of the imperfections. For simplicity of presentation, the imperfections are taken as zero-mean, wide-sense stationary, Gaussian random processes. The statistical analysis is elementary. It provides easily analyzed results for the expected values and variances of the solutions. Confidence limits are also given.

10. Global existence for a generalized Korteweg - de Vries equation, by
M. Weinstein.

A sufficient condition for global existence is obtained for the generalized Korteweg - de Vries Equation (GKdV) $u_t + u^4 u_x + u_{xxx} = 0$, $x \in \mathbb{R}^1$, $t \in \mathbb{R}^+$. This condition is expressed in terms of the solitary (traveling) wave solution of GKdV.

11. Nonlinear Schrödinger equations and sharp interpolation estimates, by
M. I. Weinstein.

A sharp sufficient condition for global existence is obtained for the nonlinear Schrödinger equation

$$(NLS) \quad 2i\phi_t + \Delta\phi + |\phi|^{2\sigma}\phi = 0 , \quad x \in \mathbb{R}^N , \quad t \in \mathbb{R}^+ ,$$

in the case $\sigma = 2/N$. This condition is in terms of an exact stationary solution (nonlinear ground state) of (NLS). It is derived by solving a variational problem to obtain the "best constant" for classical interpolation estimates of Nirenberg and Gagliardo.

END

DATE
FILMED

9 — 83

DTIC