

# public intelligence

[About](#)[Contact](#)[Contribute](#)

<https://publicintelligence.net/dhs-facilities-guidelines-emp/>

DEPARTMENT OF HOMELAND SECURITY

## DHS Electromagnetic Pulse (EMP) Protection and Restoration Guidelines for Equipment and Facilities

August 13, 2017

The following guidelines were obtained from the website of the [Infragard EMP Resource Center](#).

### Electromagnetic Pulse (EMP) Protection and Restoration Guidelines for Equipment and Facilities With Appendices A - D

**Page Count:** 96 pages

**Date:** December 22, 2016

**Restriction:** None

**Originating Organization:**

Department of Homeland Security,  
National Cybersecurity and  
Communications Integration Center

**File Type:** pdf


**File Size:** 9,976,690 bytes

**File Hash (SHA-256):**

03E91F9B3F25E403B674B5B5C52B  
03A632870E8EDDE53CBD748A5816  
A9B3E9A8

[Download File](#)

This document provides recommendations for protecting and restoring critical electronic equipment, facilities and communications/data centers from:



Follow Us



ADVERTISEMENT

### Categories

[Documents](#)

[Afghanistan](#)

[Africa](#)

[African Development Bank](#)

[African Union](#)

[Botswana](#)

[Côte d'Ivoire](#)

[Djibouti](#)

[Egypt](#)

[Ethiopia](#)

[Gabon](#)

[Guinea](#)

[Kenya](#)

[Liberia](#)

[Libya](#)

[Mali](#)

- (1) High Altitude EMP (HEMP)
- (2) Surface-burst Source Region EMP (SREMP) fields propagating outside of the radiation region
- (3) Currents induced on undersea cables and long lines by solar storm generated geomagnetic disturbances (GMDs)
- (4) Intentional Electromagnetic Interference (IEMI) from nearby sources such as Electromagnetic (EM) weapons (also known as Radio Frequency (RF) weapons).

Collectively, these will be called by a general term in this document: “EMP”. However, it should be recognized that nearly all of the protection recommended in this document is for the frequency range above 10 kHz, which is the frequency range for E1 HEMP, SREMP and IEMI. A presentation describing the background, characteristics and effects of EMP is included in the Appendices to this document.

There are four DHS EMP Protection Levels defined herein, as outlined in Table 1. These levels were initially developed for use by the federal continuity community, such as for the Continuity Communications Managers Group, but are also applicable to any organization that desires to protect its equipment, facilities, and services against EMP threats.

In addition to making recommendations on how to physically protect electronic equipment from EMP, this guide provides guidance on how to help ensure communications and information systems (and their supported missions) can continue to function (or be rapidly restored) after one or more EMP events. Hence, Appendix C contains information on priority service programs (like GETS, WPS, and TSP) as well as on the SHARES alternate communications service that can be used to support critical missions and to facilitate and coordinate restoration activities.

...



Table 1. Four DHS EMP Protection Levels for equipment and facilities

Level 1: Low \$s	Level 2: Hours	Level 3: Minutes	Level 4: Seconds
Use procedures & “low cost” best practices to mitigate EMP effects. Unplug power & data lines into spare/backup equipment. Turn off equipment that cannot be unplugged & that is not immediately needed for mission support. Store one week of food, water, & critical supplies for personnel. Wrap spare electronics with aluminum foil or put in Faraday containers. Have backup power that is not connected to the grid (generators, solar panels, etc.) with 1 week of on-site fuel (like propane/diesel). Use GETS, WPS, & TSP services; join SHARES if applicable (see Appendix C for more information).	In addition to Level 1, use EMP rated surge protection devices (SPDs) on power cables, antenna & data cables & have EMP protected back-up power. Use SPDs (1 nanosecond or better response time) to protect critical equipment. Use true on-line/double-conversion uninterruptible power supplies (UPS). Use fiber optic cables (with no metal); otherwise use shielded cables and ferrites/SPDs. Shielded racks/rooms &/or facilities may be more cost-effective than hardening numerous cables. Use EMP protected HF radio voice/email if need long-haul nets. Suppress EMP fires.	In addition to Level 2, use civil EMP protection standards (like IEC SC 77C). Use EMP shielded racks/rooms and/or facilities to protect critical computers, data centers, phone switches, industrial & substation controls & other electronics. Shielding should be 30-80 dB of protection thru 10 GHz. Use SPDs to protect equipment outside of shielded areas. Can use single-door EMP-safe entryways. Use ITU & IEC EMP standards for design guidance and testing. Have 30 days of back-up power with on-site fuel (or via assured service agreement with EMP resilient refuelers). Use EMP protected HF radio & satellite voice/data nets if need long-range links to support missions.	Use Military EMP Standards (MIL-STD-188-125-1 & MIL-HDBK-423), and 80+ dB hardening thru 10 GHz. Use EMP/RFW shielding in rooms, racks, and/or buildings to protect critical equipment. Use EMP SPDs to protect equipment outside of shielded areas. Use EMP protected double-door entryways. Have 30+ days of supplies & EMP protected back-up power (to include on-site fuel) for critical systems. Don’t rely on commercial Internet, telephone, satellite, or radio nets that are not EMP protected for communications. Use EMP protected fiber, satellite, & radio links & Appendix B services

- Mauritania
- Morocco
- Mozambique
- Senegal
- Sierra Leone
- Somalia
- Sudan
- Tanzania
- Tunisia
- Uganda
- Andean Community of Nations
- Australia
- Bahrain
- Bank of International Settlements
- Belarus
- Belgium
- Bermuda
- Bilderberg
  - Bilderberg Archive
  - Bilderberg Participant Lists
- Bolivia
- Bosnia and Herzegovina
- Brazil
- Burma
- Cambodia
- Canada
- Chile
- China
- Colombia
- Corporate
- Council of Europe
- Cuba
- Cyprus
- Czech Republic
- Denmark
- Dominican Republic
- El Salvador
- European Union
  - European Central Bank
  - Europol
  - Eurosystem
- Finland
- France
- G8
- Georgia
- Germany
- Greece
- Guatemala
- Honduras
- Hungary
- India
- Indonesia
- International Criminal Police Organization
- International Monetary Fund
- Iran
- Iraq
- Israel
  - Israel Defense Forces
  - Israel Military Industries
- Italy




...




Japan  
Jordan  
Kosovo  
Kuwait  
Kyrgyzstan  
Laos  
Latvia  
Lebanon  
Liechtenstein  
Lithuania  
Macedonia  
Malawi  
Malaysia  
Mexico  
Michigan  
Moldova  
Netherlands  
New Zealand  
Nicaragua  
North Atlantic Treaty Organization  
North Korea  
Norway  
Oman  
Organisation for Economic Co-operation and Development  
Pakistan  
Palestine  
Panama  
Paraguay  
Peru  
Philippines  
Poland  
Portugal  
Puerto Rico  
Qatar  
Republic of Iceland  
Romania  
Russia  
Saudi Arabia  
Scholarly  
Singapore  
Solomon Islands  
South Africa  
South Korea  
Spain  
Sweden  
Switzerland  
Syria  
Thailand  
Threats and Takedown Notices  
Trinidad and Tobago  
Turkey  
Ukraine  
United Arab Emirates  
United Kingdom  
Her Majesty's Treasury  
Home Office  
United Nations  
International Atomic Energy Agency  
International Council of






## High-Altitude Electromagnetic Pulse Effects on Electronics

- There are no similar natural effects that routinely would be as strong – but HEMP is somewhat like:
  - Electrostatic Discharge (ESD) fields have some similarities to early part of HEMP – E1
  - Solar magnetic storms are similar to late part of HEMP – E3
- HEMP is of concern for electronic equipment – upset or damage



Network interface “blowing up”  
– here from a SCADA unit



Damaged part from pulsing of a  
timing port in a SCADA unit

(SCADA = “supervisory control and data acquisition”, electric power grid controls.)

UNCLASSIFIED



## More Damage Examples, NIC Cards

**NIC = Network Interface Cards (Ethernet card for PCs)**



In-line capacitor  
completely blown off a  
NIC.



A ceramic capacitor  
with a piece blown off;  
from a NIC.



The main IC of  
a NIC – with  
the lid scorched  
and deformed.

UNCLASSIFIED

Share this:



Related Material From the Archive:

- (U//FOUO) DHS Infrastructure Protection Note: Most Significant Tactics Against the Electricity Subsector**
- (U//FOUO) DHS-FBI-NCTC Bulletin: ISIL Supporters Targeting Uniformed Personnel for Weapons and Equipment**
- UN Guidelines for the Use of Force by Military Components in Peacekeeping Operations**
- (U//FOUO) DHS-FBI-NCTC Bulletin: Terrorists Call for Attacks on Hospitals, Healthcare Facilities**
- U.S. Army Worldwide Equipment Guide 2015 Update**

Chemical Associations  
International Fund for  
Agricultural Development  
World Health Organization  
United States

Alabama  
Alaska  
Arizona  
Arkansas  
Bureau of Alcohol Tobacco  
Firearms and Explosives  
Business Executives for  
National Security  
California  
Center for Strategic and  
International Studies  
Centers for Disease Control  
Central Intelligence Agency  
Foreign Broadcast  
Information Service

Colorado  
Congressional Budget Office  
Congressional Research  
Service  
Connecticut  
Delaware  
Department of Agriculture  
U.S. Forest Service  
Department of Commerce  
Department of Defense

Defense Advanced  
Research Projects Agency  
Defense Contract  
Management Agency  
Defense Intelligence  
Agency  
Defense Logistics Agency  
Defense Security Service  
Defense Threat Reduction  
Agency  
Department of Veterans  
Affairs  
Joint Chiefs of Staff  
Joint Improvised Explosive  
Device Defeat Organization  
Multi-National Corps Iraq  
National Defense