PRESENTATION-II

Database Management System for Pharmacy Prescription and Medicine Stock Management System

Presented by • Sayyed Alsaboor Khalil

B.Tech CSE – AIML | AIML Whales

ACADEMIC PROJECT / DBMS

Database Overview

pharmacy_management

A focused relational database organised around medicines, patients and their prescription records.

medicines

Medicine master & stock

patients

Patient information


prescriptions

Clinical transaction link


ER Diagram and Relational Schema

Database Management System for Pharmacy Prescription and Medicine Stock Management System

ER Diagram



Relational Schema



Foreign Key Relationships:

PRESCRIPTIONS.patient_id → PATIENTS.patient_id | PRESCRIPTIONS.medicine_id → MEDICINES.medicine_id

Database & Table Creation

```
CREATE DATABASE pharmacy_management;
USE pharmacy_management;

CREATE TABLE medicines (
 medicine_id INT PRIMARY KEY AUTO_INCREMENT,
 medicine_name VARCHAR(100) NOT NULL,
 category VARCHAR(50), manufacturer VARCHAR(100),
 batch_number VARCHAR(50), expiry_date DATE,
 quantity INT, unit_price DECIMAL(10,2)
);

CREATE TABLE patients (
 patient_id INT PRIMARY KEY AUTO_INCREMENT,
 patient_name VARCHAR(100) NOT NULL,
 age INT, gender VARCHAR(20), phone VARCHAR(20)
);

CREATE TABLE prescriptions (
 prescription_id INT PRIMARY KEY AUTO_INCREMENT,
 patient_id INT, medicine_id INT, prescription_date DATE,
 dosage VARCHAR(100), quantity INT, doctor_name VARCHAR(100),
 FOREIGN KEY (patient_id) REFERENCES patients(patient_id),
 FOREIGN KEY (medicine_id) REFERENCES medicines(medicine_id)
);
```

Data Insertion

MEDICINES

```
INSERT INTO medicines
(medicine_name, category, manufacturer, batch_number,
expiry_date, quantity, unit_price)
VALUES
('Paracetamol 500mg', 'Analgesic', 'Cipla', 'PCM001', '2028-
12-31', 100, 25.00),
('Amoxicillin 500mg', 'Antibiotic', 'Sun Pharma', 'AMX001',
'2027-10-30', 50, 80.00),
('Cetirizine 10mg', 'Antihistamine', 'Dr Reddy''s', 'CTZ001',
'2028-06-15', 75, 35.00);
```

PATIENTS

```
INSERT INTO patients
(patient_name, age, gender, phone)
VALUES
('Rahul Sharma', 21, 'Male', '9876543210'),
('Aisha Khan', 22, 'Female', '9876543211'),
('Arjun Reddy', 20, 'Male', '9876543212');
```

No prescription records inserted because the approved dataset contains none.

SELECT Statements

```
USE pharmacy_management;

SELECT * FROM medicines;

SELECT * FROM patients;

SELECT * FROM prescriptions;
```

Retrieve all available rows from each table

The prescriptions query is valid and returns the current table state, even when no rows exist.

Presentation-II Query

```
SELECT *
FROM medicines
WHERE quantity = 0;
```

Purpose

Select every medicine record where the available quantity is exactly zero.

Filter condition → quantity = 0

Query Output

0

rows returned

The query successfully checks for medicines with zero available quantity. None of the current records has quantity = 0.

Medicine	Quantity
Paracetamol 500mg	100
Amoxicillin 500mg	50
Cetirizine 10mg	75

Presentation-II Summary

01

Database created in MySQL

02

Three related tables created

03

Approved dataset inserted

04

SELECT statements executed

05

Presentation-II query executed

06

0 rows: no stock is at zero

Thank You

Sayyed Alsaboor Khalil

B.Tech CSE – AIML | AIML Whales