```
    typedef double XFLOAT;
    typedef double OTA_FLOAT;

    typedef double OTA_FLOAT;
    typedef MAT_DCplx OTA_CPLX;

namespace POLQAV2
{

typedef struct
{
    float FrameWeightWeight;
    bool  UseRelDistance;
    float ViterbiDistanceWeightFactor;
} VITERBI_PARA;

typedef struct
{
    long Samplerate;
    int mSRDetectFineAlignCorrlen;
    int mDelayFineAlignCorrlen;
    int WindowSize[8];
    int CoarseAlignCorrlen[8];
    float pViterbiDistanceWeightFactor[8];
} SPEECH_WINDOW_PARA;

typedef struct
{
    SPEECH_WINDOW_PARA Win[3];
    float LowEnergyThresholdFactor;
    float LowCorrelThreshold;

    float FineAlignLowEnergyThresh;
    float FineAlignLowEnergyCorrel;
    float FineAlignShortDropOfCorrelR;
    float FineAlignShortDropOfCorrelRLastBest;
    float ViterbiDistanceWeightFactorDist;
    float ViterbiDistanceWeightFactor;
} SPEECH_TA_PARA;

typedef struct
{
    SPEECH_WINDOW_PARA Win[3];
    float LowEnergyThresholdFactor;
    float LowCorrelThreshold;

    float FineAlignLowEnergyThresh;
    float FineAlignLowEnergyCorrel;
    float FineAlignShortDropOfCorrelR;
    float FineAlignShortDropOfCorrelRLastBest;
    float ViterbiDistanceWeightFactorDist;
    float ViterbiDistanceWeightFactor;
} AUDIO_TA_PARA;

typedef struct
{
    float mCorrForSkippingInitialDelaySearch;
    int CoarseAlignSegmentLengthInMs;
} GENERAL_TA_PARA;

typedef struct
{
    void Init(long Samplerate)
    {
        if (Samplerate==16000)      MaxWin=4;
        else if (Samplerate==8000)  MaxWin=4;
        else                        MaxWin=4;

        LowPeakEliminationThreshold= 0.2000000029802322;

        if (Samplerate==16000)      PercentageRequired = 0.05F;
        else if (Samplerate==8000)  PercentageRequired = 0.1F;
        else                        PercentageRequired = 0.02F;
```

```
        MaxDistance = 14;

        MinReliability = 7;

        PercentageRequired = 0.7;
        OTA_FLOAT MaxGradient = 1.1;
        OTA_FLOAT MaxTimescaling = 0.1;

        if (Samplerate==48000)      MaxStepPerFrame = MaxGradient * 1024.0;
        else if (Samplerate==8000)  MaxStepPerFrame = MaxGradient * 128.0;
        MaxBins = ((int)(MaxStepPerFrame*2.0*0.9));
        MaxStepPerFrame *= 4;

    }

    float LowEnergyThresholdFactor;
    float LowCorrelThreshold;

    int     MaxStepPerFrame;
    int     MaxBins;
    int     MaxWin;
    int     MinHistogramData;

    float   MinReliability;

    double  LowPeakEliminationThreshold;
    float   MinFrequencyOfOccurrence;
    float   LargeStepLimit;

    float   MaxDistanceToLast;
    float   MaxDistance;
    float   MaxLargeStep;

    float   ReliabilityThreshold;
    float   PercentageRequired;

    float   AllowedDistancePara2;
    float   AllowedDistancePara3;
} SR_ESTIMATION_PARA;

class CParameters
{
    public:
        CParameters()
        {
            int i;
            mTAPara.mCorrForSkippingInitialDelaySearch = 0.6F;
            mTAPara.CoarseAlignSegmentLengthInMs = 600;

            SPEECH_WINDOW_PARA      SpeechWinPara[] =
            {
                    {8000,   32, 32,
                        {128,  256, 128,  64,  32,  0, 0},
                        {-1,    -1,  -1,  85,  35,  0,  0},
                        {-1,    -1,  -1,  16,  12,  0,  0}},
                    {16000,  64, 64,
                        {256,  512, 256, 128,  64,  0},
                        {-1,    -1,  -1,  64,  34,  0},
                        {-1,    -1,  -1,  12,  10,  0}},
                    {48000, 256, 256,
                        {512, 1024, 512, 512, 128,  0},
                        {-1,    -1,  -1, 116,  62,  0},
                        {-1,    -1,  -1,  18,  16,  0}}
            };

            for (i=0; i<3; i++)
            {
                mSpeechTAPara.Win[i].Samplerate = SpeechWinPara[i].Samplerate;
                mSpeechTAPara.Win[i].mDelayFineAlignCorrlen =
SpeechWinPara[i].mDelayFineAlignCorrlen;
                mSpeechTAPara.Win[i].mSRDetectFineAlignCorrlen =
SpeechWinPara[i].mSRDetectFineAlignCorrlen;
                for (int k=0; k<8; k++)
                {
                    mSpeechTAPara.Win[i].CoarseAlignCorrlen[k] =
SpeechWinPara[i].CoarseAlignCorrlen[k];
```

```
                    mSpeechTAPara.Win[i].WindowSize[k]         =
SpeechWinPara[i].WindowSize[k];
                    mSpeechTAPara.Win[i].pViterbiDistanceWeightFactor[k] =
SpeechWinPara[i].pViterbiDistanceWeightFactor[k];
                }
            }
            mSpeechTAPara.LowEnergyThresholdFactor = 15.0F;
            mSpeechTAPara.LowCorrelThreshold = 0.4F;
            mSpeechTAPara.FineAlignLowEnergyThresh = 2.0;
            mSpeechTAPara.FineAlignLowEnergyCorrel = 0.6F;
            mSpeechTAPara.FineAlignShortDropOfCorrelR = -1;
            mSpeechTAPara.FineAlignShortDropOfCorrelRLastBest = 0.65F;

            mSpeechTAPara.ViterbiDistanceWeightFactorDist = 5;

            SPEECH_WINDOW_PARA      AudioWinPara[] =
            {
                    {8000,   32, 32,
                        {64,   128,  64,  64,  16,  0, 0},
                        {-1,    -1,  -1, 128,  32,  0, 0},
                        {-1,    -1,  -1,   6,   6,  0, 0}},
                    {16000,  64, 64,
                        {128,  256, 128, 128,  32,  0},
                        {-1,    -1,  -1,  64,  32,  0},
                        {-1,    -1,  -1,  12,  12,  0}},
                    {48000, 256, 2048,
                        {512, 1024, 512, 512, 256,  128,   0},
                        {-1,    -1,  -1, 512, 1024, 2048,  0},
                        {-1,    -1,  -1,  16,  16,  32,    0}}
            };

            for (i=0; i<3; i++)
            {
                mAudioTAPara.Win[i].Samplerate = AudioWinPara[i].Samplerate;
                mAudioTAPara.Win[i].mDelayFineAlignCorrlen    =
AudioWinPara[i].mDelayFineAlignCorrlen;
                mAudioTAPara.Win[i].mSRDetectFineAlignCorrlen =
AudioWinPara[i].mSRDetectFineAlignCorrlen;
                for (int k=0; k<8; k++)
                {
                    mAudioTAPara.Win[i].CoarseAlignCorrlen[k] =
AudioWinPara[i].CoarseAlignCorrlen[k];
                    mAudioTAPara.Win[i].WindowSize[k]         =
AudioWinPara[i].WindowSize[k];
                    mAudioTAPara.Win[i].pViterbiDistanceWeightFactor[k] =
AudioWinPara[i].pViterbiDistanceWeightFactor[k];
                }
            }
            mAudioTAPara.LowEnergyThresholdFactor = 1;
            mAudioTAPara.LowCorrelThreshold = 0.85F;
            mAudioTAPara.FineAlignLowEnergyThresh = 32.0;
            mAudioTAPara.FineAlignLowEnergyCorrel = 0.8F;
            mAudioTAPara.FineAlignShortDropOfCorrelR = -1;
            mAudioTAPara.FineAlignShortDropOfCorrelRLastBest = 0.8F;
            mAudioTAPara.ViterbiDistanceWeightFactorDist = 6;

            mSREPara.LowEnergyThresholdFactor = 15.0F;
            mSREPara.LowCorrelThreshold = 0.4F;

            mSREPara.MaxStepPerFrame = 160;
            mSREPara.MaxBins = ((int)(mSREPara.MaxStepPerFrame*2.0*0.9));

            mSREPara.MaxWin=4;
            mSREPara.LowPeakEliminationThreshold=0.2000000029802322F;
            mSREPara.PercentageRequired = 0.04F;

            mSREPara.LargeStepLimit = 0.08F;
            mSREPara.MaxDistanceToLast = 7;
            mSREPara.MaxLargeStep = 5;
            mSREPara.MaxDistance = 14;

            mSREPara.MinReliability = 7;
            mSREPara.MinFrequencyOfOccurrence = 3;

            mSREPara.AllowedDistancePara2 = 0.85F;
            mSREPara.AllowedDistancePara3 = 1.5F;
```

```
            mSREPara.ReliabilityThreshold = 0.3F;
            mSREPara.MinHistogramData = 8;

            mViterbi.UseRelDistance = false;
            mViterbi.FrameWeightWeight = 1.0F;
        };

        void Init(long Samplerate)
        {
            mSREPara.Init(Samplerate);
        }

        VITERBI_PARA        mViterbi;
        GENERAL_TA_PARA     mTAPara;
        SPEECH_TA_PARA      mSpeechTAPara;
        AUDIO_TA_PARA       mAudioTAPara;
        SR_ESTIMATION_PARA  mSREPara;
};
}

namespace POLQAV2
{

class CProcessData
{
    public:
        CProcessData()
        {
            int i;

            mCurrentIteration = -1;
            mStartPlotIteration=10;
            mLastPlotIteration =10;
            mEnablePlotting=false;
            mpLogFile = 0;

            mWindowSize = 2048;
            mSRDetectFineAlignCorrlen = 1024;
            mDelayFineAlignCorrlen = 1024;
            mOverlap    = 1024;
            mSamplerate = 48000;
            mNumSignals = 0;
            mpMathlibHandle = 0;
            mMinLowVarDelay = -99999999;
            mMaxHighVarDelay = 99999999;

            mMinStaticDelayInMs = -2500;
            mMaxStaticDelayInMs = 2500;

            mMaxToleratedRelativeSamplerateDifference = 1.0;

            for (i=0; i<8; i++)
                mpViterbiDistanceWeightFactor[i] = 0.0001F;
        }

        int mMinStaticDelayInMs;
        int mMaxStaticDelayInMs;

        int mMinLowVarDelayInSamples;
        int mMaxHighVarDelayInSamples;

        int mStartPlotIteration;
        int mLastPlotIteration;
        bool mEnablePlotting;
        long mSamplerate;

        FILE* mpLogFile;

        int mCurrentIteration;

        int mpWindowSize[8];

        int mpOverlap[8];

        int mpCoarseAlignCorrlen[8];
```

```
        float mpViterbiDistanceWeightFactor[8];

        int mDelayFineAlignCorrlen;
        int mSRDetectFineAlignCorrlen;
        float mMaxToleratedRelativeSamplerateDifference;
        int mWindowSize;

        int mOverlap;

        int mCoarseAlignCorrlen;

        int mNumSignals;
        void* mpMathlibHandle;

        int mMinLowVarDelay;
        int mMaxHighVarDelay;
        int mStepSize;

        bool Init(int Iteration, float MoreDownsampling)
        {
            assert(MoreDownsampling);

            mCurrentIteration = Iteration;
            mP.Init(mSamplerate);

            mWindowSize = (int)((float)mpWindowSize[Iteration]*MoreDownsampling);
            mOverlap = (int)((float)mpOverlap[Iteration]*MoreDownsampling);
            mCoarseAlignCorrlen = mpCoarseAlignCorrlen[Iteration];
            mStepSize = mWindowSize - mOverlap;
            mMinLowVarDelay = mMinLowVarDelayInSamples / mStepSize;
            mMaxHighVarDelay = mMaxHighVarDelayInSamples / mStepSize;

            float D = mpViterbiDistanceWeightFactor[Iteration];
            D = D * mSamplerate / mStepSize / 1000;
            float F = ((float)log(1+0.5)) / (D*D);
            mP.mViterbi.ViterbiDistanceWeightFactor = F;

            D = mP.mSpeechTAPara.ViterbiDistanceWeightFactorDist;
            D = D * mSamplerate / 1000;
            F =((float) log(1+0.5) / (D*D));
            mP.mSpeechTAPara.ViterbiDistanceWeightFactor = F;

            return true;
        }

        CParameters   mP;
};

class SECTION
{
    public:
        int Start;
        int End;
        int Len() {return End-Start;};
        void CopyFrom(const SECTION &src)
        {
            this->Start = src.Start;
            this->End   = src.End;
        }
};

typedef struct OTA_RESULT
{
    void CopyFrom(const OTA_RESULT* src)
    {
        mNumFrames           = src->mNumFrames;
        mStepsize            = src->mStepsize;
        mResolutionInSamples = src->mResolutionInSamples;
        if (src->mpDelay != NULL && mNumFrames > 0)
        {
            matFree(mpDelay);
            mpDelay = (long*)matMalloc(mNumFrames * sizeof(long));
            for (int i = 0; i < mNumFrames; i++)
                mpDelay[i] = src->mpDelay[i];
        }
```

```
else
{
    matFree(mpDelay);
    mpDelay = NULL;
}

if (src->mpReliability != NULL && mNumFrames > 0)
{
    matFree(mpReliability);
    mpReliability = (OTA_FLOAT*)matMalloc(mNumFrames * sizeof(OTA_FLOAT));
    for (int i = 0; i < mNumFrames; i++)
        mpReliability[i] = src->mpReliability[i];
}
else
{
    matFree(mpReliability);
    mpReliability = NULL;
}
mAvgReliability   = src->mAvgReliability;
mRelSamplerateDev = src->mRelSamplerateDev;

mNumUtterances = src->mNumUtterances;
if (src->mpStartSampleUtterance != NULL && mNumUtterances > 0)
{
    matFree(mpStartSampleUtterance);
    mpStartSampleUtterance = (int*)matMalloc(mNumUtterances * sizeof(int));
    for (int i = 0; i < mNumUtterances; i++)
        mpStartSampleUtterance[i] = src->mpStartSampleUtterance[i];
}
else
{
    matFree(mpStartSampleUtterance);
    mpStartSampleUtterance = NULL;
}
if (src->mpStopSampleUtterance != NULL && mNumUtterances > 0)
{
    matFree(mpStopSampleUtterance);
    mpStopSampleUtterance = (int*)matMalloc(mNumUtterances * sizeof(int));
    for (int i = 0; i < mNumUtterances; i++)
        mpStopSampleUtterance[i] = src->mpStopSampleUtterance[i];
}
else
{
    matFree(mpStopSampleUtterance);
    mpStopSampleUtterance = NULL;
}
if (src->mpDelayUtterance != NULL && mNumUtterances > 0)
{
    matFree(mpDelayUtterance);
    mpDelayUtterance = (int*)matMalloc(mNumUtterances * sizeof(int));
    for (int i = 0; i < mNumUtterances; i++)
        mpDelayUtterance[i] = src->mpDelayUtterance[i];
}
else
{
    matFree(mpDelayUtterance);
    mpDelayUtterance = NULL;
}

mNumSections = src->mNumSections;
if (src->mpRefSections != NULL && mNumSections > 0)
{
    delete[] mpRefSections;
    mpRefSections = new SECTION[mNumSections];
    for (int i = 0; i < mNumSections; i++)
        mpRefSections[i].CopyFrom(src->mpRefSections[i]);
}
else
{
    delete[] mpRefSections;
    mpRefSections = NULL;
}
if (src->mpDegSections != NULL && mNumSections > 0)
{
    delete[] mpDegSections;
    mpDegSections = new SECTION[mNumSections];
```

```
            for (int i = 0; i < mNumSections; i++)
                mpDegSections[i].CopyFrom(src->mpDegSections[i]);
        }
        else
        {
            delete[] mpDegSections;
            mpDegSections = NULL;
        }

        mSNRRefdB = src->mSNRRefdB;
        mSNRDegdB = src->mSNRDegdB;
        mNoiseLevelRef = src->mNoiseLevelRef;
        mNoiseLevelDeg = src->mNoiseLevelDeg;
        mSignalLevelRef = src->mSignalLevelRef;
        mSignalLevelDeg = src->mSignalLevelDeg;
        mNoiseThresholdRef = src->mNoiseThresholdRef;
        mNoiseThresholdDeg = src->mNoiseThresholdDeg;

        if (src->mpActiveFrameFlags != NULL && mNumFrames > 0)
        {
            matFree(mpActiveFrameFlags);
            mpActiveFrameFlags = (int*)matMalloc(mNumFrames * sizeof(int));
            for (int i = 0; i < mNumFrames; i++)
                mpActiveFrameFlags[i] = src->mpActiveFrameFlags[i];
        }
        else
        {
            matFree(mpActiveFrameFlags);
            mpActiveFrameFlags = NULL;
        }

        if (src->mpIgnoreFlags != NULL && mNumFrames > 0)
        {
            matFree(mpIgnoreFlags);
            mpIgnoreFlags = (int*)matMalloc(mNumFrames * sizeof(int));
            for (int i = 0; i < mNumFrames; i++)
                mpIgnoreFlags[i] = src->mpIgnoreFlags[i];
        }
        else
        {
            matFree(mpIgnoreFlags);
            mpIgnoreFlags = NULL;
        }

        for (int i = 0; i < 5; i++)
            mTimeDiffs[i] = src->mTimeDiffs[i];

        mAslFrames = src->mAslFrames;
        mAslFramelength = src->mAslFramelength;
        if (src->mpAslActiveFrameFlags != NULL && mAslFrames > 0)
        {
            matFree(mpAslActiveFrameFlags);
            mpAslActiveFrameFlags = (int*)matMalloc(mAslFrames * sizeof(int));
            for (int i = 0; i < mAslFrames; i++)
                mpAslActiveFrameFlags[i] = src->mpAslActiveFrameFlags[i];
        }
        else
        {
            matFree(mpAslActiveFrameFlags);
            mpAslActiveFrameFlags = NULL;
        }

        FirstRefSample = src->FirstRefSample;
        FirstDegSample = src->FirstDegSample;
    }

    OTA_RESULT()
    {
        mNumFrames = 0;
        mpDelay = NULL;

        mpReliability = NULL;

        mNumUtterances = 0;
        mpStartSampleUtterance = NULL;
        mpStopSampleUtterance  = NULL;
```

```
        mpDelayUtterance       = NULL;

        mNumSections = 0;
        mpRefSections = NULL;
        mpDegSections = NULL;

        mpActiveFrameFlags = NULL;
        mpIgnoreFlags = NULL;

        mAslFrames = 0;
        mAslFramelength = 0;
        mpAslActiveFrameFlags = NULL;

        FirstRefSample = FirstDegSample = 0;
    }

    ~OTA_RESULT()
    {
        matFree(mpDelay);
        mpDelay = NULL;

        matFree(mpReliability);
        mpReliability = NULL;

        matFree(mpStartSampleUtterance);
        mpStartSampleUtterance = NULL;

        matFree(mpStopSampleUtterance);
        mpStopSampleUtterance  = NULL;

        matFree(mpDelayUtterance);
        mpDelayUtterance       = NULL;

        delete[] mpRefSections;
        mpRefSections = NULL;
        delete[] mpDegSections;
        mpDegSections = NULL;

        matFree(mpActiveFrameFlags);
        mpActiveFrameFlags = NULL;

        matFree(mpIgnoreFlags);
        mpIgnoreFlags = NULL;

        matFree(mpAslActiveFrameFlags);
        mpAslActiveFrameFlags = NULL;
    }

    long mNumFrames;
    int mStepsize;
    int mResolutionInSamples;
    int mPitchFrameSize;
    long *mpDelay;
    OTA_FLOAT *mpReliability;
    OTA_FLOAT mAvgReliability;
    OTA_FLOAT mRelSamplerateDev;

    int  mNumUtterances;
    int* mpStartSampleUtterance;
    int* mpStopSampleUtterance;
    int* mpDelayUtterance;
    int FirstRefSample;
    int FirstDegSample;

    int         mNumSections;
    SECTION     *mpRefSections;
    SECTION     *mpDegSections;

    double mSNRRefdB, mSNRDegdB;
    double mNoiseLevelRef, mNoiseLevelDeg;
    double mSignalLevelRef, mSignalLevelDeg;
    double mNoiseThresholdRef, mNoiseThresholdDeg;

    int *mpActiveFrameFlags;

    int *mpIgnoreFlags;
```

```
    int mAslFrames;
    int mAslFramelength;
    int *mpAslActiveFrameFlags;

    double mTimeDiffs[5];

}OTA_RESULT;

struct FilteringParameters
{
    int pListeningCondition;
    double cutOffFrequencyLow;
    double cutOffFrequencyHigh;
    double disturbedEnergyQuotient;
};

class ITempAlignment
{
    public:

        virtual bool Init(CProcessData* pProcessData)=0;
        virtual void Free()=0;
        virtual void Destroy()=0;

        virtual bool SetSignal(int Index, unsigned long SampleRate, unsigned long
NumSamples, int NumChannels, OTA_FLOAT** pSignal)=0;

        virtual void GetFilterCharacteristics(FilteringParameters *FilterParams)=0;

        virtual bool FilterSignal(int Index, FilteringParameters *FilterParams)=0;

        virtual bool Run(unsigned long Control, OTA_RESULT* pResult, int TArunIndex)=0;

        virtual void GetNoiseSwitching(OTA_FLOAT* pBGNSwitchingLevel, OTA_FLOAT*
pNoiseLevelSpeechDeg, OTA_FLOAT* pNoiseLevelSilenceDeg)=0;

        virtual OTA_FLOAT GetPitchFreq(int Signal, int Channel)=0;

        virtual OTA_FLOAT GetPitchVector(int Signal, int Channel, OTA_FLOAT* pVector,
int NumFrames, int SamplesPerFrame)=0;
        virtual int GetPitchFrameSize()=0;
};

enum AlignmentType
{
    TA_FOR_SPEECH=0,

};

ITempAlignment* CreateAlignment(AlignmentType Type);

}

namespace POLQAV2
{

class CEnergyFeature : public CFeature
{
    public:
        CEnergyFeature()
        {
            for (int i=0; i<2*2*2; i++)
                mpFeatureVectors[i] = 0;
            mNumFVectors = 0;
        };

        virtual ~CEnergyFeature() {Free();};
        void Free();
        virtual bool CalcVector(CTASignal** pSignals, CProcessData* pProcessData,
SEGMENT* pSegments, int* pActiveFrameFlags);
        virtual CFeatureVector* GetFVector(int IndexOfVector);
        virtual int GetNumSets() {return 2;};

    private:
        OTA_FLOAT AverageEnergy(OTA_FLOAT* data, unsigned long length);
```

```
        OTA_FLOAT AverageEnergyHannWindowed(OTA_FLOAT* data, unsigned long length);
        bool CalcFeatureForOneChannel(int FVecIndex, CAudioSignal* Sig, int Channel,
SEGMENT* pSegment, int* pActiveFrameFlags);
        CFeatureVector  *mpFeatureVectors[2*2*2];
        CProcessData    mProcessData;

        unsigned int    mStepSize;
        unsigned long   mpFLength[2*2*2];
        int             mNumFVectors;
};

void CEnergyFeature::Free()
{
    for (int i = 0; i < 2*2*2; i++)
    {
        delete mpFeatureVectors[i];
        mpFeatureVectors[i] = NULL;
        mpFLength       [i] = 0;
    }
    mNumFVectors = 0;
    mChannels = 0;
}

CFeature* CreateEnergyFeature()
{
    return (CFeature*) new CEnergyFeature;
}

OTA_FLOAT CEnergyFeature::AverageEnergyHannWindowed(OTA_FLOAT* Data, unsigned long
Length)
{
    OTA_FLOAT Energy;
    OTA_FLOAT *pf = matxMalloc(Length);
    matWinHann(Data, pf, Length);
    Energy = matDotProd(pf, pf, Length) / Length;
    matFree(pf);
    return Energy;
}

OTA_FLOAT CEnergyFeature::AverageEnergy(OTA_FLOAT* Data, unsigned long Length)
{
    OTA_FLOAT Energy;

    Energy = matDotProd(Data, Data, Length) / Length;
    return Energy;
}

void HighpassFilter(OTA_FLOAT* pData, int NumSamples, OTA_FLOAT NormalizedCutOffFreq,
MAT_HANDLE mh)
{

    OTA_FLOAT pTaps[128];

    matGenHighPassCoefficients(NormalizedCutOffFreq, pTaps, 128, MAT_WinHann);
    OTA_FLOAT* pSig = (OTA_FLOAT*)matMalloc(NumSamples * sizeof(OTA_FLOAT));

    int i;
    matRunFIRFilter(mh, pData, pSig, NumSamples, pTaps, 128, MAT_FIRNoDelayComp);
    matbCopy(pSig+128, pData, NumSamples-128);
    for (i=NumSamples-128; i<NumSamples; i++)
        pData[i] = 0;

    matFree(pSig);

}

bool CEnergyFeature::CalcFeatureForOneChannel(int FVecIndex, CAudioSignal* Sig, int
Channel, SEGMENT* pSegment, int* pActiveFrameFlags)
{
    bool rc = true;

    unsigned long StartSample=pSegment->Start;
    unsigned long FrameCount=0;

    OTA_FLOAT* pSamples = Sig->mpData[Channel];
```

```
    int Framesize = mProcessData.mStepSize;
    int Overlap   = 0;
    unsigned long LastStart=((pSegment->End-StartSample-Framesize+1) / mStepSize) *
mStepSize+StartSample;

    OPTTRY
    {

        mpFLength[FVecIndex] = (pSegment->End-StartSample-Framesize+1) / mStepSize;
        mpFeatureVectors[FVecIndex] = new CFeatureVector(mpFLength[FVecIndex]);
        mpFeatureVectors[FVecIndex+2*2] = new CFeatureVector(mpFLength[FVecIndex]);
        mpFLength[FVecIndex+2*2] = mpFLength[FVecIndex];

    }
    OPTCATCH((...))
    {
        int x=1;
        DebugBreak();
    }

    OPTTRY
    {
        if(pActiveFrameFlags)
        {
            FrameCount=0;
            while (StartSample<LastStart)
            {
                if (pActiveFrameFlags[FrameCount])
                    mpFeatureVectors[FVecIndex]->mpVector[FrameCount] =
AverageEnergy(&pSamples[StartSample], Framesize);
                else
                    mpFeatureVectors[FVecIndex]->mpVector[FrameCount] = 0;
                StartSample += mStepSize;
                FrameCount++;
            }
        }
        else
        {
            FrameCount=0;
            while (StartSample<LastStart)
            {
                mpFeatureVectors[FVecIndex]->mpVector[FrameCount] =
AverageEnergy(&pSamples[StartSample], Framesize);
                StartSample += mStepSize;
                FrameCount++;
            }
        }
    }
    OPTCATCH((...))
    {
        int x=1;
        DebugBreak();
    }
    OPTTRY
    {
        OTA_FLOAT* pDest = mpFeatureVectors[FVecIndex+2*2]->mpVector;
        matbCopy(mpFeatureVectors[FVecIndex]->mpVector, pDest, FrameCount);
        matbAdd1(1, pDest, FrameCount);

        for (unsigned int i=0; i<FrameCount; i++)
            pDest[i] = pow(pDest[i], 0.25);

    }
    OPTCATCH((...))
    {
        int x=1;
        DebugBreak();
    }

    mNumFVectors++;

    return rc;
}

bool CEnergyFeature::CalcVector(CTASignal** pSignalsIn, CProcessData* pProcessData,
SEGMENT* pSegments, int* pActiveFrameFlags)
```

```
{
    bool rc = true;

    CAudioSignal *pSignals[2];
    pSignals[0] = (CAudioSignal*)(pSignalsIn[0]);
    pSignals[1] = (CAudioSignal*)(pSignalsIn[1]);

    Free();

    mProcessData = *pProcessData;
    mChannels = min(pSignals[0]->mNumChannels, pSignals[1]->mNumChannels);
    mStepSize = mProcessData.mWindowSize - mProcessData.mOverlap;

    if (rc)
    {
        int s, c;
        OPTTRY
        {
            for (s=0; rc && s<mProcessData.mNumSignals; s++)
            {
                if (pSegments[s].Start<0) rc=false;
                if (pSegments[s].End<0)   rc=false;
                if (pSegments[s].End>pSignals[s]->mSignalLength) rc=false;
                if (pSegments[s].Start>pSignals[s]->mSignalLength-1) rc=false;
                if (pSegments[s].End-pSegments[s].Start<mProcessData.mWindowSize) rc
=false;
                for (c=0; rc && c<mChannels; c++)
                {
                    rc = CalcFeatureForOneChannel(VecIndexFromChannel(s, c),
pSignals[s], c, &pSegments[s], s == 1 ? pActiveFrameFlags : 0);
                }

            }
        }
        OPTCATCH((...))
        {
            if (mProcessData.mpLogFile)
                fprintf(mProcessData.mpLogFile, "\n*\n*\n******* ERROR ******* Caught
unhandled exception in CEnergyFeature::CalcVector(), signal=%d,
channel=%d\n*\n*\n", s, c);
            DebugBreak();
        }
    }
    else Free();

    return rc;
}

CFeatureVector* CEnergyFeature::GetFVector(int IndexOfVector)
{
    return (mpFeatureVectors[IndexOfVector]);
}

}
```