-qiankun

gitlab5

git init git remote add origin http://10.16.254.60/gia5gu/qiankun-vue1.git

git add .

git commit -m "init"

git push -u origin master

.gitignore package.json package-lock.json

:

git init

git submodule add http://10.16.254.60/gia5gu/qiankun-vue1.git(git clone)

.gitmodules

`qiankun-demo`git

git remote add origin http://10.16.254.60/gia5gu/qiankun-demo.git

git add .

git commit -m ""

git push -u origin master

qiankun-demo

---

git clone --recurse-submodule <git url>

git clone --recurse-submodule http://10.16.254.60/gia5gu/qiankun-demo.git

git clone <git clone url>

git clone <url>

 push

git submodule update --remote

git submodule update --remote <>

git submodule update --remote qiankun-vue1

 git add . git commit git push

M1,M2ABAM1M2BM1M2B

11.121.2

nginx

(

Nginx

entry activeRule entry

```
const apps = [
  {
    name: 'vueApp1', //
    entry: '/app1/', //nginx,/
    container: '#vueBox',//
    activeRule: '/vue1', // container
  },
  {
    name: 'vueApp2',
    entry: '/app2/',
    container: '#vueBox',
    activeRule: '/vue2',
    props: { msg: 'vue2' }
  },
```

 webpack webpack publicPath /app1/ index.html index.html js/css /app1/We're sorry but ** doesn't work properly without JavaScript enabled. Please enable it to continue.

vue.config.js

```
module.exports={
    publicPath: '/app1/'
}
```

Nginx

qinakun-base.conf

```
server {
        listen       8080;
        server_name  localhost;
        add_header Cache-Control no-store;
        location / {
           root /home/qiankun/qiankun-base;
            try_files $uri $uri/ /index.html;
            index index.html;
        }
        location /app1/ {
            proxy_pass http://192.168.199.130:10000/;
            proxy_set_header Cookie $http_cookie;
        }
        location /app2/ {
            proxy_pass http://192.168.199.130:20000/;
            proxy_set_header Cookie $http_cookie;
        }
        location /app3/ {
            proxy_pass http://192.168.199.130:30000/;
            proxy_set_header Cookie $http_cookie;
        }
        error_page 404 /404.html;
            location = /40x.html {
        }

        error_page 500 502 503 504 /50x.html;
            location = /50x.html {
        }
    }
```

vue1-10000.conf

```
server {
        listen       10000;
        server_name  localhost;
        root         /home/qiankun/vue1-10000;
        add_header Cache-Control no-store;
        location / {
            try_files $uri $uri/ /index.html;
            index index.html;
        }

        error_page 404 /404.html;
            location = /40x.html {
        }

        error_page 500 502 503 504 /50x.html;
            location = /50x.html {
        }
    }
```

vue2-20000.conf

```
server {
        listen       20000;
        server_name  localhost;
        root         /home/qiankun/vue2-20000;
        add_header Cache-Control no-store;
        location / {
            try_files $uri $uri/ /index.html;
            index index.html;
        }
        location /app3/ {
            proxy_pass http://192.168.199.130:30000/;
            proxy_set_header Cookie $http_cookie;
        }
        error_page 404 /404.html;
            location = /40x.html {
        }

        error_page 500 502 503 504 /50x.html;
            location = /50x.html {
        }
    }
```

vue3-30000.conf

```
server {
        listen       30000;
        server_name  localhost;
        root         /home/qiankun/vue3-30000;
        add_header Cache-Control no-store;
        location / {
            try_files $uri $uri/ /index.html;
            index index.html;
        }

        error_page 404 /404.html;
            location = /40x.html {
        }

        error_page 500 502 503 504 /50x.html;
            location = /50x.html {
        }
    }
```

We're sorry but qiankun-vue1 doesn't work properly without JavaScript enabled. Please enable it to continue.

vue1publicPath

:

publicPath /app1/ /app1

app1nginx

```
$ ll vue1-10000/
total 0
drwxr-xr-x. 4 root root 64 Sep  8 23:00 app1
```

vue1-10000.conf

```
server {
        listen          10000;
        server_name  localhost;
        root            /home/qiankun/vue1-10000;
        add_header Cache-Control no-store;
        location / {
            try_files $uri $uri/ /index.html;
            index index.html;
        }

        error_page 404 /404.html;
            location = /40x.html {
        }

        error_page 500 502 503 504 /50x.html;
            location = /50x.html {
        }
    }
```

qiankun-base.conf

```
server {
        listen          8080;
        server_name  localhost;
        add_header Cache-Control no-store;
        location / {
            root /home/qiankun/qiankun-base;
            try_files $uri $uri/ /index.html;
            index index.html;
        }
        location /app1/ {
            proxy_pass http://192.168.199.137:10000/app1/;
            proxy_set_header Cookie $http_cookie;
        }
        location /app2/ {
            proxy_pass http://192.168.199.137:20000/app2/;
            proxy_set_header Cookie $http_cookie;
        }
        location /app3/ {
            proxy_pass http://192.168.199.137:30000/app3/;
            proxy_set_header Cookie $http_cookie;
        }
        error_page 404 /404.html;
            location = /40x.html {
        }

        error_page 500 502 503 504 /50x.html;
            location = /50x.html {
        }
    }
```

192.168.199.137:8080

ip:port/appname

192.168.199.137:10000/app1 500

192.168.199.137:20000/app2

192.168.199.137:30000/app3

nginx

nginx:

vue1-10000.conf

```
server {
        listen      10000;
        server_name localhost;
        root        /home/qiankun/vue1-10000;
        add_header Cache-Control no-store;
        location / {
            try_files $uri $uri/ /app1/index.html;  #index.htmlapp1
            index index.html;
        }

        error_page 404 /404.html;
            location = /40x.html {
        }

        error_page 500 502 503 504 /50x.html;
            location = /50x.html {
        }
    }
```

qiankun-base.conf

```
server {
        listen        8080;
        server_name  localhost;
        add_header Cache-Control no-store;
        location / {
            root /home/qiankun/qiankun-base;
            try_files $uri $uri/ /index.html;
            index index.html;
        }
        location /app1/ {
            proxy_pass http://192.168.199.137:10000/app1/;
            proxy_set_header Cookie $http_cookie;
        }
        location /app2/ {
            proxy_pass http://192.168.199.137:20000/app2/;
            proxy_set_header Cookie $http_cookie;
        }
        location /app3/ {
            proxy_pass http://192.168.199.137:30000/app3/;
            proxy_set_header Cookie $http_cookie;
        }
        error_page 404 /404.html;
            location = /40x.html {
        }

        error_page 500 502 503 504 /50x.html;
            location = /50x.html {
        }
    }
```

vue1-10000.conf

```
server {
        listen       10000;
        server_name  localhost;
        root         /home/qiankun/vue1-10000;
        add_header Cache-Control no-store;
        location / {
            try_files $uri $uri/ /app1/index.html;
            index index.html;
        }

        error_page 404 /404.html;
            location = /40x.html {
        }

        error_page 500 502 503 504 /50x.html;
            location = /50x.html {
        }
    }
```

vue2-20000.conf

```
server {
        listen       20000;
        server_name  localhost;
        root         /home/qiankun/vue2-20000;
        add_header Cache-Control no-store;
        location / {
            try_files $uri $uri/ /app2/index.html;
            index index.html;
        }
        location /app3/ {
            proxy_pass http://192.168.199.137:30000/app3/;
            proxy_set_header Cookie $http_cookie;
        }
        error_page 404 /404.html;
            location = /40x.html {
        }

        error_page 500 502 503 504 /50x.html;
            location = /50x.html {
        }
    }
```

vue3-30000.conf

```
server {
        listen          30000;
        server_name  localhost;
        root            /home/qiankun/vue3-30000;
        add_header Cache-Control no-store;
        location / {
            try_files $uri $uri/ /app3/index.html;
            index index.html;
        }

        error_page 404 /404.html;
            location = /40x.html {
        }

        error_page 500 502 503 504 /50x.html;
            location = /50x.html {
        }
    }
```

nginxip:port

ip

```
const apps = [
  {
    name: 'vueApp1', //
    entry: 'http://10.16.254.74:10000', //html js
    container: '#vueBox',//
    activeRule: '/vue1', // container
  },
  {
    name: 'vueApp2',
    entry: '//10.16.254.74:20000',
    container: '#vueBox',
    activeRule: '/vue2',
    props: { msg: 'vue2' }

  }
```

Nginx

qiankun-base.conf

```
server {
        listen       8080;
        server_name  localhost;
        add_header Cache-Control no-store;
        location / {
                root /home/qiankun/qiankun-base;
            try_files $uri $uri/ /index.html;
            index index.html;
        }
        location ^~ /app1/ {
                proxy_pass http://192.168.199.130:10000;
                proxy_set_header Cookie $http_cookie;
            }
        error_page 404 /404.html;
            location = /40x.html {
        }

        error_page 500 502 503 504 /50x.html;
            location = /50x.html {
        }
    }
```

vue1-10000.conf

```
server {
        listen       10000;
        server_name  localhost;
        root         /home/qiankun/vue1-10000;
        add_header Cache-Control no-store;
        add_header Access-Control-Allow-Origin * ;
        add_header Access-Control-Allow-Methods 'GET,POST,PUT,DELETE' ;

        location / {
            try_files $uri $uri/ /index.html;
            index index.html;
        }

        error_page 404 /404.html;
            location = /40x.html {
        }

        error_page 500 502 503 504 /50x.html;
            location = /50x.html {
        }
    }
```

vue2-20000.conf

```
server {
        listen        20000;
        server_name  localhost;
        root          /home/qiankun/vue2-20000;
        add_header Cache-Control no-store;
        add_header Access-Control-Allow-Origin * ;
        add_header Access-Control-Allow-Methods 'GET,POST,PUT,DELETE' ;

        location / {
            try_files $uri $uri/ /index.html;
            index index.html;
        }

        error_page 404 /404.html;
            location = /40x.html {
        }

        error_page 500 502 503 504 /50x.html;
            location = /50x.html {
        }
    }
```

vue3-30000.conf

```
server {
        listen        30000;
        server_name  localhost;
        root          /home/qiankun/vue3-30000;
        add_header Cache-Control no-store;
        add_header Access-Control-Allow-Origin * ;
        add_header Access-Control-Allow-Methods 'GET,POST,PUT,DELETE' ;

        location / {
            try_files $uri $uri/ /index.html;
            index index.html;
        }

        error_page 404 /404.html;
            location = /40x.html {
        }

        error_page 500 502 503 504 /50x.html;
            location = /50x.html {
        }
    }
```