

PDF Demo

```
library(tidyverse)
```

```
-- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
v dplyr      1.2.1      v readr      2.2.0
v forcats    1.0.1      v stringr    1.6.0
v ggplot2    4.0.3      v tibble     3.3.1
v lubridate  1.9.5      v tidyr      1.3.2
v purrr      1.2.2
-- Conflicts ----- tidyverse_conflicts() --
x dplyr::filter() masks stats::filter()
x dplyr::lag()     masks stats::lag()
i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to become
```

```
library(flextable)
```

Attaching package: 'flextable'

The following object is masked from 'package:purrr':

compose

Analysis

Here we find the maximum theophylline concentration for each subject.

```
Theoph |>
  group_by(Subject) |>
  summarize(cmax = max(conc)) |>
  arrange(as.numeric(as.character(Subject))) |>
  flextable()
```

Subject	cmax
1	10.50
2	8.33
3	8.20
4	8.60
5	11.40
6	6.44
7	7.09
8	7.56
9	9.03
10	10.21
11	8.00
12	9.75

Plots

Plot

```
Theoph |>
  ggplot(aes(x = Time, y = conc, group = Subject)) +
  geom_line()
```

