```
 MINGW64:/c/Users/DANIELA/Desktop/ejemplodeproyecto-main

DANIELA@DESKTOP-UF4UBNK MINGW64 ~/Desktop/ejemplodeproyecto-main
$ git init
Initialized empty Git repository in C:/Users/DANIELA/Desktop/ejemplodeproyecto-m
ain/.git/

DANIELA@DESKTOP-UF4UBNK MINGW64 ~/Desktop/ejemplodeproyecto-main (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        css/
        imagenes/
        index.html

nothing added to commit but untracked files present (use "git add" to track)

DANIELA@DESKTOP-UF4UBNK MINGW64 ~/Desktop/ejemplodeproyecto-main (master)
$ git add .
warning: LF will be replaced by CRLF in css/estilos.css.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in index.html.
The file will have its original line endings in your working directory

DANIELA@DESKTOP-UF4UBNK MINGW64 ~/Desktop/ejemplodeproyecto-main (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   css/estilos.css
        new file:   imagenes/Foto.jpg
        new file:   imagenes/fondo.jpg
        new file:   imagenes/fondob.jpg
        new file:   imagenes/fondofinal.jpg
        new file:   imagenes/fondow.jpeg
        new file:   index.html


DANIELA@DESKTOP-UF4UBNK MINGW64 ~/Desktop/ejemplodeproyecto-main (master)
$ git commit -m "Documentos nuevos"
Author identity unknown

*** Please tell me who you are.

Run

  git config --global user.email "you@example.com"
  git config --global user.name "Your Name"

to set your account's default identity.
Omit --global to set the identity only in this repository.
```

```
MINGW64:/c/Users/DANIELA/Desktop/ejemplodeproyecto-main

fatal: unable to auto-detect email address (got 'DANIELA@DESKTOP-UF4UBNK.(none)'
)

DANIELA@DESKTOP-UF4UBNK MINGW64 ~/Desktop/ejemplodeproyecto-main (master)
$ ^C

DANIELA@DESKTOP-UF4UBNK MINGW64 ~/Desktop/ejemplodeproyecto-main (master)
$ git config --global user.email"danta2000live@gmail.com"

DANIELA@DESKTOP-UF4UBNK MINGW64 ~/Desktop/ejemplodeproyecto-main (master)
$ git config --global user.name "danielatl1"

DANIELA@DESKTOP-UF4UBNK MINGW64 ~/Desktop/ejemplodeproyecto-main (master)
$ git commit -m "Documentos nuevos"
Author identity unknown

*** Please tell me who you are.

Run

  git config --global user.email "you@example.com"
  git config --global user.name "Your Name"

to set your account's default identity.
Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'DANIELA@DESKTOP-UF4UBNK.(none)'
)

DANIELA@DESKTOP-UF4UBNK MINGW64 ~/Desktop/ejemplodeproyecto-main (master)
$ git config --global user.email "danta2000live@gmail.com"

DANIELA@DESKTOP-UF4UBNK MINGW64 ~/Desktop/ejemplodeproyecto-main (master)
$ git branch -M main

DANIELA@DESKTOP-UF4UBNK MINGW64 ~/Desktop/ejemplodeproyecto-main (main)
$ git commit -m "first commit"
[main (root-commit) c9abf68] first commit
 7 files changed, 122 insertions(+)
 create mode 100644 css/estilos.css
 create mode 100644 imagenes/Foto.jpg
 create mode 100644 imagenes/fondo.jpg
 create mode 100644 imagenes/fondob.jpg
 create mode 100644 imagenes/fondofinal.jpg
 create mode 100644 imagenes/fondow.jpeg
 create mode 100644 index.html

DANIELA@DESKTOP-UF4UBNK MINGW64 ~/Desktop/ejemplodeproyecto-main (main)
$ git remote add origin https://github.com/danielatl1/Repositorio1.git

DANIELA@DESKTOP-UF4UBNK MINGW64 ~/Desktop/ejemplodeproyecto-main (main)
$ git push -u origin main
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 4 threads
Compressing objects: 100% (10/10), done.
Writing objects: 100% (11/11), 352.92 KiB | 16.81 MiB/s, done.
Total 11 (delta 0), reused 0 (delta 0), pack-reused 0
```

```
MINGW64:/c/Users/DANIELA/Desktop/ejemplodeproyecto-main

DANIELA@DESKTOP-UF4UBNK MINGW64 ~/Desktop/ejemplodeproyecto-main (main)
$ git commit -m "first commit"
[main (root-commit) c9abf68] first commit
 7 files changed, 122 insertions(+)
 create mode 100644 css/estilos.css
 create mode 100644 imagenes/Foto.jpg
 create mode 100644 imagenes/fondo.jpg
 create mode 100644 imagenes/fondob.jpg
 create mode 100644 imagenes/fondofinal.jpg
 create mode 100644 imagenes/fondow.jpeg
 create mode 100644 index.html

DANIELA@DESKTOP-UF4UBNK MINGW64 ~/Desktop/ejemplodeproyecto-main (main)
$ git remote add origin https://github.com/danielatl1/Repositorio1.git

DANIELA@DESKTOP-UF4UBNK MINGW64 ~/Desktop/ejemplodeproyecto-main (main)
$ git push -u origin main
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 4 threads
Compressing objects: 100% (10/10), done.
Writing objects: 100% (11/11), 352.92 KiB | 16.81 MiB/s, done.
Total 11 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/danielatl1/Repositorio1.git
 * [new branch]      main -> main
Branch 'main' set up to track remote branch 'main' from 'origin'.

DANIELA@DESKTOP-UF4UBNK MINGW64 ~/Desktop/ejemplodeproyecto-main (main)
$ git push -u origin main
Everything up-to-date
Branch 'main' set up to track remote branch 'main' from 'origin'.

DANIELA@DESKTOP-UF4UBNK MINGW64 ~/Desktop/ejemplodeproyecto-main (main)
$ git push -u origin main
Everything up-to-date
Branch 'main' set up to track remote branch 'main' from 'origin'.
```

Liga: https://github.com/LATILOVERS/Repositorio1.git