

TEST

Insertion:

```
1  SET SERVEROUTPUT ON;
2  -- Services
3  INSERT INTO Service VALUES (1,'Cardiologie',2);
4  INSERT INTO Service VALUES (2,'Pediatrie',3);
5  -- Patients
6  INSERT INTO Patient VALUES (1,'Ali','Marzouk',
7  TO_DATE('12-05-2000','DD-MM-YYYY'),
8  'Tunis','12345678');
9  INSERT INTO Patient VALUES (2,'Ahmed','hassen',
10 TO_DATE('01-01-1998','DD-MM-YYYY'),
11 'Ariana','87654321');
12 INSERT INTO Patient VALUES (3,'Amin','yahyeoui',
13 TO_DATE('05-07-1998','DD-MM-YYYY'),
14 'Ariana','87654341');
15 -- Médecins
16 INSERT INTO Medecin VALUES (1,'Dr Karim',
17 'Cardiologue',3000,1);
18 INSERT INTO Medecin VALUES (2,'Dr Lina',
19 'Pediatre',2800,2);
20 -- Médicaments
21 INSERT INTO Medicament VALUES (1,'Paracetamol',50,2.5);
22 INSERT INTO Medicament VALUES (2,'Ibuprofene',0,3.0);
23 COMMIT;
```

```
SQL> @"C:\Users\laoui\OneDrive\Bureau\Prjt plsql version finale\testuni.sql"
```

```
1 row created.
```

```
1 row created.
```

```
1 row created.
```

```
1 row created.
```

```
1 row created.
```

```
1 row created.
```

```
1 row created.
```

```
1 row created.
```

```
1 row created.
```

```
Commit complete.
```

Test ajout patient:

```
--Test ajout patient
BEGIN
pkg_hopital.ajouter_patient(
3, 'Hedi', 'Mourad',
TO_DATE('15-03-2001', 'DD-MM-YYYY'),
'Sousse', '99999999');
END;
/
```

```
Erreur le patient existe deja
PL/SQL procedure successfully completed.
```

Test modification Patient:

```
1  --Test modification patient
2  BEGIN
3  pkg_hopital.modifier_patient(
4  3, 'Monastir', '11111111');
5  END;
6  /
```

```
SQL> @"C:\Users\laoui\OneDrive\Bureau\Prjt plsql version finale\testuni.sql"
Patient mis a jour avec succes.
```

```
PL/SQL procedure successfully completed.
```

Test de suppression d'un patient:

```
1  --Test suppression patient
2  BEGIN
3  pkg_hopital.supprimer_patient(3);
4  END;
5  /
6  --on a implementé Trigger de suppression en cascade
7
```

```
SQL> @"C:\Users\laoui\OneDrive\Bureau\Prjt plsql version finale\testuni.sql"
Patient supprimé

PL/SQL procedure successfully completed.
```

Test affichage d'un patient:

```
1  --Test afficher patient
2  BEGIN
3  pkg_hopital.afficher_patient(1);
4  END;
5  /
6
```

```
SQL> @"C:\Users\laoui\OneDrive\Bureau\Prjt plsql version finale\testuni.sql"
Patient:
ID : 1 Nom : Ali Prenom : Marzouk Date Naissance : 12-MAY-00 Adresse : Tunis
Telephone : 12345678

PL/SQL procedure successfully completed.
```

Test curseur paramétré(procedure afficher_rdv_medecin):

```
1  --Test curseur paramétré
2  INSERT INTO RendezVous
3  VALUES (1,1,1,SYSDATE,'Planifie');
4
5  INSERT INTO RendezVous
6  VALUES (2,2,1,SYSDATE+1,'Planifie');
7
8  COMMIT;
9  BEGIN
10 pkg_hopital.afficher_rdv_medecin(1);
11 END;
12 /
```

```

SQL> @"C:\Users\laoui\OneDrive\Bureau\Prjt plsql version finale\testuni.sql"

1 row created.

1 row created.

Commit complete.

-----
Date RDV : 19-APR-26
Patient  : Ali
Statut   : Planifie
-----
Date RDV : 20-APR-26
Patient  : Ahmed
Statut   : Planifie

PL/SQL procedure successfully completed.

```

Test fonction nb_patients_service:

```

1  --test fonction nb_patients_service
2  INSERT INTO Hospitalisation
3  VALUES (1,1,1,SYSDATE-2,SYSDATE);
4  INSERT INTO Hospitalisation
5  VALUES (2,2,1,SYSDATE-3,SYSDATE);
6  COMMIT;
7
8  DECLARE
9  v_nb NUMBER;
10 BEGIN
11 v_nb := pkg_hopital.nb_patients_service(1);
12 DBMS_OUTPUT.PUT_LINE('Nombre patients : ' || v_nb);
13 END;
14 /
15

```

```

Commit complete.

Nombre patients : 2

PL/SQL procedure successfully completed.

```

Test de la fonction total_medicament_patient et du trigger stock_medicament:

```
1  --total_medicament_patient
2  -- Prescription
3  INSERT INTO Prescription
4  VALUES (1,1,1,SYSDATE);
5  INSERT INTO Ligne_Prescription
6  VALUES (1,1,5);
7  INSERT INTO Ligne_Prescription
8  VALUES (1,2,1);
9  COMMIT;
10 DECLARE
11 v_total NUMBER;
12 BEGIN
13 v_total :=pkg_hopital.total_medicaments_patient(1);
14 DBMS_OUTPUT.PUT_LINE('Total medicaments : ' || v_total);
15 END;
16 /
```

```
SQL> @"C:\Users\laoui\OneDrive\Bureau\Prjt plsql version finale\testuni.sql"
1 row created.

1 row created.

INSERT INTO Ligne_Prescription
      *
ERROR at line 1:
ORA-20020: stock insuffisant pour ce m@dicament
ORA-06512: at "MI.TRG_STOCK_MEDICAMENT", line 6
ORA-04088: error during execution of trigger 'MI.TRG_STOCK_MEDICAMENT'

Commit complete.

Total medicaments : 5

PL/SQL procedure successfully completed.
```

```

1  --cout_prescription
2  DECLARE
3  v_cout NUMBER;
4  BEGIN
5  v_cout :=pkg_hopital.cout_prescription(1);
6  DBMS_OUTPUT.PUT_LINE('Cout prescription : ' || v_cout);
7  END;
8  /

```

```

SQL> @"C:\Users\laoui\OneDrive\Bureau\Prjt plsql version finale\testuni.sql"
Cout prescription : 12.5

PL/SQL procedure successfully completed.

```

```

1  --test liste_hospitalisations
2  BEGIN
3  pkg_hopital.liste_hospitalisations;
4  END;
5  /

```

```

SQL> @"C:\Users\laoui\OneDrive\Bureau\Prjt plsql version finale\testuni.sql"
-----
Le nom du patient: Ali Le nom du service: Cardiologie La dur  e du s  jour: 2
jours
-----
Le nom du patient: Ahmed Le nom du service: Cardiologie La dur  e du s  jour: 3
jours

PL/SQL procedure successfully completed.

```

```

1  --medicaments_rupture
2  BEGIN
3  pkg_hopital.medicament_rupture;
4  END;
5  /

```

```

SQL> @"C:\Users\laoui\OneDrive\Bureau\Prjt plsql version finale\testuni.sql"
Medicament ID: 2

PL/SQL procedure successfully completed.

```

```

1  --Tests Exceptions
2  --stock insuffisant
3  BEGIN
4  pkg_hopital.prescrire_medicament(2,1,1,2,10);
5  END;
6  /

```

```

SQL> @"C:\Users\laoui\OneDrive\Bureau\Prjt plsql version finale\testuni.sql"
Erreur : ORA-20003: stock insuffisant

```

```

PL/SQL procedure successfully completed.

```

```

1  --conflit rendez-vous
2  INSERT INTO RendezVous
3  VALUES (10,1,1,TO_DATE('20-05-2026 10:00','DD-MM-YYYY HH24:MI'),'Planifie');
4

```

```

SQL> @"C:\Users\laoui\OneDrive\Bureau\Prjt plsql version finale\testuni.sql"
1 row created.

```

```

1  -- Conflit
2  INSERT INTO RendezVous
3  VALUES (11,2,1,TO_DATE('20-05-2026 10:00','DD-MM-YYYY HH24:MI'),'Planifie');
4

```

```

SQL> @"C:\Users\laoui\OneDrive\Bureau\Prjt plsql version finale\testuni.sql"
INSERT INTO RendezVous
*
ERROR at line 1:
ORA-20011: Rendez-vous déjà existant pour ce médecin à cette date/heure
ORA-06512: at "MI.TRG_RDV_DOUBLE", line 6
ORA-04088: error during execution of trigger 'MI.TRG_RDV_DOUBLE'

```

```

1  --capacité service dépassée
2  INSERT INTO Hospitalisation
3  VALUES (2,2,1,SYSDATE,SYSDATE+2);
4
5  INSERT INTO Hospitalisation
6  VALUES (3,1,1,SYSDATE,SYSDATE+3);
7  insert into Hospitalisation values(4,3,1,sysdate,sysdate+4);

```

```
SQL> @"C:\Users\laoui\OneDrive\Bureau\Prjt plsql version finale\testuni.sql"
```

```
1 row created.
```

```
1 row created.
```

```
insert into Hospitalisation values(4,3,1,sysdate,sysdate+4)
```

```
*
```

```
ERROR at line 1:
```

```
ORA-20012: capacité du service d'@pass@e
```

```
ORA-06512: at "MI.TRG_CAPACITE_SERVICE", line 8
```

```
ORA-04088: error during execution of trigger 'MI.TRG_CAPACITE_SERVICE'
```

```

1  --Test Procédure métier
2  --prescrire médicament
3  BEGIN
4  pkg_hopital.prescrire_medicament(2, 1, 1, 1,3 );
5  END;
6  /

```

```
SQL> @"C:\Users\laoui\OneDrive\Bureau\Prjt plsql version finale\testuni.sql"
Prescription effectu@e avec succ@s
```

```
PL/SQL procedure successfully completed.
```

```

1  --Trigger BEFORE INSERT RENDEZVOUS
2  INSERT INTO RendezVous
3  VALUES (20,1,1,SYSDATE,'Planifie');
4  INSERT INTO RendezVous VALUES (12,2,1,SYSDATE,'Planifié');

```



```
SQL> @"C:\Users\laoui\OneDrive\Bureau\Prjt plsql version finale\testuni.sql"

1 row created.

INSERT INTO RendezVous VALUES (12,2,1,SYSDATE,'Planifi|@')
*
ERROR at line 1:
ORA-20011: Rendez-vous d|@j|á existant pour ce m|@decin |á cette date/heure
ORA-06512: at "MI.TRG_RDV_DOUBLE", line 6
ORA-04088: error during execution of trigger 'MI.TRG_RDV_DOUBLE'
```

```
1  --trigger AFTER UPDATE PRESCRIPTION
2  -- Cas de test pour déclencher le trigger AFTER UPDATE
3  BEGIN
4  UPDATE Prescription
5  SET datePresc = SYSDATE
6  WHERE idPresc = 1;
7  COMMIT;
8  END;
9  /
```

```
SQL> @"C:\Users\laoui\OneDrive\Bureau\Prjt plsql version finale\testuni.sql"

PL/SQL procedure successfully completed.
```

```
1  --test no data found
2  BEGIN
3  pkg_hopital.afficher_patient(999);
4  END;
5  /
```

```
SQL> @"C:\Users\laoui\OneDrive\Bureau\Prjt plsql version finale\testuni.sql"
Erreur patient n existe pas

PL/SQL procedure successfully completed.
```

