

Table 1. Summary of the Combined WXT/FXT and EP Transient–REGLADE Cross-match

Quantity	WXT/FXT	EP Transients	Combined
Transients searched	107	71	178
Events searched with $r_{\text{search}} = 20''$	79	47	126
$20''$ searches with at least one host candidate	1	4	5
Events searched with $r_{\text{search}} = 190''$	28	24	52
$190''$ searches with at least one host candidate	10	13	23
Transients with at least one returned catalog row	11	17	28
Transients with no returned candidate	96	54	150
Returned REGLADE rows	13	28	41
Galaxy centers inside the adopted localization	13	23	36
Refined positions inside a galaxy footprint	1	2	3
Transients with an identified optical counterpart	6	29	35
Transients with a measured, consistent galaxy redshift	0	2	2

NOTE—The quick-mode pipeline returns only REGLADE galaxies with $z_{\text{gal}} < 0.1$. The two input samples have no event-name overlap. Of the 107 WXT/FXT events, six were searched at the optical-transient position and 73 at the FXT position with a $20''$ radius; 28 were searched at the WXT position with a $190''$ radius. These subsets yielded zero, one, and 12 REGLADE rows, respectively. The radius-stratified host-candidate counts are numbers of events with at least one returned REGLADE galaxy, rather than numbers of returned galaxy rows. An optical counterpart is counted from a populated `SN_name` field in the WXT/FXT catalog or from a complete optical-coordinate pair in the EP-transient catalog.

Table 2. Combined WXT/FXT and EP Transients with Returned REGLADE Galaxies

Transient	r_{search}	Optical	$N_{\text{loc}}/N_{\text{ret}}$	Nearest Returned Galaxy	θ	z_{gal}	z_{tr}	Assessment
	(arcsec)	counterpart?			(arcsec)			
WXT/FXT catalog								
EP240219a	190	No	1/1	PS J051958.18+253323.9	151.46	0.054317	...	Localization only
EP240316a	190	No	1/1	DESI J112645.58-071319.6	140.97	0.024425	...	Localization only
EP240417a	190	No	1/1	WISE J114946.50-152429.3	72.63	0.055393	...	Localization only
EP240918b	190	No	1/1	DESI J171504.64+664439.1	156.53	0.086000	...	Localization only
EP241104a	190	No	3/3	2MASX J02101793+3131357	102.24	0.047576	...	Localization only
EP241202b	190	No	1/1	DESI J030100.96+022609.0	173.65	0.059326	...	Localization only
EP241223a	190	No	1/1	DESI J045904.70+070605.7	126.56	0.069416	...	Localization only
EP250207b	20	No	1/1	DESI J111002.66-075212.0	8.15	0.082296	3.200	Rejected: position and z
EP250225a	190	No	1/1	DESI J092457.67-045333.6	181.60	0.080414	...	Localization only
EP250706a	190	No	1/1	WISE J185558.64+321851.6	94.17	0.071300	...	Localization only
EP250807a	190	No	1/1	WISEA J184508.15+142043.	164.98	0.089623	...	Localization only
EP transient catalog								
EP251214b	190	No	1/1	DESI J093729.05-225022.1	129.96	0.053164	...	Localization only
EP251221a	190	No	1/1	WISE J065759.66+232341	130.55	0.080268	...	Localization only
EP251229a	20	No	0/1	DESI J081623.97+371242.7	19.97	0.096980	...	Outside localization
EP260104a	190	No	1/1	DESI J115403.86+162754.0	91.50	0.037518	...	Localization only
WXT J031644+08316	190	No	2/2	DESI J113008.84-394807.9	135.01	0.064335	...	Localization only
WXT J001838+115903	190	No	1/1	DESI J001838.19+120112.2	129.85	0.070276	...	Localization only
EP260224a	190	No	1/3	DESI J114040.02-412329.4	123.42	0.078814	...	Localization only
EP260227a	20	Yes	0/1	DESI J145224.47-112324.3	16.00	0.062147	2.714	Rejected: position and z
EP260321a^a	20	Yes	2/2	SDSS J095942.88+002506.2	1.69	0.034545	0.0343	Secure: position and z
EP260322a	190	No	3/3	DESI J170213.97+171216.9	15.49	0.076347	...	Localization only
EP260324a	20	Yes	1/1	DESI J084412.33+820111.3	2.20	0.086595	0.088	Strong position; consistent z
EP260405a	190	No	1/1	DESI J121742.60-200832.3	51.62	0.057460	...	Localization only
EP260417b	190	No	2/2	DESI J100422.19+515906.1	89.49	0.098335	...	Localization only
EP260509a	190	No	2/2	GSC J155802.48-182700.0	116.94	0.084820	...	Localization only
EP260530a	190	Yes	1/1	DESI J122423.19+284557.9	77.03	0.066872	...	Optical position inconsistent
EP260602a	190	Yes	0/1	LEDA 2377657	187.88	0.038779	...	Boundary/optical mismatch
EP260703a	190	No	4/4	GLADE J181900.94-623524	58.76	0.056982	...	Localization only

^a The two REGLADE rows for EP260321a have the same galaxy name and redshift and are treated as duplicate representations of one physical galaxy.

NOTE— $N_{\text{loc}}/N_{\text{ret}}$ is the number of galaxy centers inside the adopted localization divided by the number of returned catalog rows. For the WXT/FXT sample, r_{search} is $20''$ at a valid optical-transient or FXT position and $190''$ at the WXT position. For the EP-transient sample, $r_{\text{search}} = r_{\text{err}} + 10''$; θ is the separation between the nearest galaxy center and the adopted search position. “Optical counterpart?” is based on SN_{name} for the WXT/FXT sample and on the presence of both optical coordinates for the EP sample. EP250207b is the sole WXT/FXT event whose refined position lies inside a returned galaxy footprint, but its $z_{\text{tr}} = 3.2$ is incompatible with the galaxy’s $z_{\text{gal}} = 0.082296$. EP260321a is $0.14''$ from its proposed host’s catalog centroid and has $\Delta z = 2.45 \times 10^{-4}$. EP260324a is $0.12''$ from its candidate host and has a consistent redshift. EP260227a is $89.39''$ from its listed optical position and is strongly inconsistent in redshift. The optical positions of EP260530a and EP260602a are respectively $77.21''$ and $220.26''$ from their returned galaxies. For the EP sample, the morphology margin means that returned rows need not lie inside the formal localization. Fourteen of the 54 EP non-detections have known transient redshifts above 0.1 and therefore cannot yield redshift-consistent galaxies from this filtered result.