

The TECA, Toolkit for Extreme Climate Analysis, User's Guide

Lawrence Berkeley National Lab

March 17, 2017



Contents

1 Installation	3
1.1 Install the Binary Distribution	3
1.2 Build and Install from Sources	3
1.2.1 Installing from Source	3
1.2.2 Installing from a Package Manager	4
1.2.3 Validating the Install	6
2 TECA Applications	7
2.1 Tropical Cyclone Detector	7
2.1.1 Command Line Arguments	7
2.1.2 Example	7
2.2 Tropical Cyclone Trajectories	9
2.2.1 Command Line Arguments	9
2.2.2 Example	10
2.3 TC Wind Radii	10
2.3.1 Command Line Arguments	10
2.3.2 Example	11
2.4 Tropical Cyclone Statistics	11
2.4.1 Command Line Arguments	11
2.4.2 Analysis	11
2.4.3 Example	12
2.5 TC Trajectory Scalars	12
2.5.1 Command Line Arguments	12
2.5.2 Example	12
2.6 TC Wind Radii Stats	12
2.6.1 Command Line Arguments	13
2.6.2 Example	13
2.7 Event Filter	13
2.7.1 Command Line Arguments	13
2.7.2 Example	14
3 Python	15
3.1 Pipeline Construction, Configuration and Execution	15
3.2 Algorithm Development	17
3.2.1 Working with TECA's Data Structures	20
3.2.2 NetCDF CF Reader Metadata	20

1 Installation

1.1 Install the Binary Distribution

TODO. Jeff has setup the superbuild that we will use to make binaries. The location from which to download them has not yet been determined. Nor has details like do we use brew on apple and apt on ubuntu etc.

1.2 Build and Install from Sources

TECA is written in C++11. on Unix like systems GCC 4.9 or newer, or LLVM 3.5 or newer are required. CMake is needed for configuring the build. Additionally, TECA relies on a number of third party libraries for various features and functionality. The dependencies are all optional in the sense that the build will proceed if they are missing. However, core functionality may be missing if dependencies are not available. We highly recommend building TECA with NetCDF, UDUNITS, MPI, Boost, and Python.

1.2.1 Installing from Source

List of Dependencies

The full list of dependencies are:

NetCDF 4: Required for CF-2.0 file I/O

HDF5: Optional, required only for files written in NetCDF 4 HDF5 data format.

UDUNITS 2: Required for calendaring

MPI 3: Required for MPI parallel operation

Python, SWIG 3, NumPy: required for Python bindings

mpi4py: Required for parallel Python programming

Boost: Required for command line C++ applications

libxlswriter: Required for binary MS Excel workbook output

Using the TECA_3rdparty Superbuild

The TECA_3rdparty package provides a mechanism for installing TECA and all of the dependencies directly from source. This is the recommended approach. To use the superbuild, you will first need to clone the superbuild repository.

```
#!/bin/bash
git clone https://github.com/LBL-EESA/TECA_3rdparty.git
cd TECA_3rdparty
git submodule update --init --remote
```

Then make a build directory, choose an install prefix, choose a platform, and configure and make.

```

#!/bin/bash
mkdir build && cd build
cmake -DCMAKE_INSTALL_PREFIX=<prefix> \
-DTECA_PLATFORM=<generic|native> \
..
make -j4 && make -j4 install

```

In order to make use of the libraries created one must first configure the environment so that they take precedence over any conflicting libraries already installed.

```

#!/bin/bash
$ . <prefix>/bin/teca_env.sh

```

Note, that the configuration script must be sourced at the start of each session before using TECA to prevent conflicts with existing installs of any of the dependencies. This completes the typical TECA install.

1.2.2 Installing from a Package Manager

Installing TECA's dependencies via a package manager is not recommended due to TECA's requirement for a thread safe HDF5 HL library. If one does not need support for the NetCDF 4 HDF5 file format then installing from a package manager is a viable option.

Using apt on Ubuntu 14.04

The following shows how to install dependencies on Ubuntu 14.04:

```

#!/bin/bash
# setup repo with recent package versions
sudo add-apt-repository -y ppa:ubuntu-toolchain-r/test
sudo add-apt-repository -y ppa:teward/swig3.0
sudo apt-get update -qq
# install deps
sudo apt-get install -qq -y cmake gcc-5 g++-5 gfortran swig3.0 \
libopenmpi-dev openmpi-bin libhdf5-openmpi-dev libnetcdf-dev \
libboost-program-options-dev python-dev libudunits2-0 \
libudunits2-dev
# use PIP for Python packages
pip install --user numpy mpi4py

```

Note that on more recent releases of Ubuntu one will not need to use PPA repos to obtain up to date packages. Other Linux distros, such as Fedora, have a similar install procedure albeit with different package names. **The apt install does not provide threadsafe HDF5! If your data is in NetCDF 4 HDF5 format please use the TECA_3rdparty superbuild.**

Using brew on Apple Mac OSX Yosemite

On Apple Mac OSX using homebrew to install the dependencies is recommended.

```

#!/bin/bash
brew update
brew tap Homebrew/homebrew-science
brew install gcc openmpi hdf5 netcdf python swig udunits
brew install boost --C++11
pip install numpy mpi4py

```

We highly recommend taking a look at the output of **brew doctor** and fixing all reported issues before attempting a TECA build. Significant complications can arise where user's have mixed installation methods, such as mixing installs from macports, homebrew, or manual installs. Multiple Python installations can also be problematic. During configuration TECA reports the Python version detected, one should verify that this is correct and if not set the paths manually. **The brew install does**

not provide threadsafe HDF5! If your data is in NetCDF 4 HDF5 format please use the TECA_3rdparty superbuild.

Installing TECA

Once the dependencies have been installed TECA may be compiled and installed. Note, the TECA_3rdparty superbuild will build and install TECA by default. This section is targeted toward those installing dependencies via a package manager or developers who need a build that is not installed.

Obtaining the Sources To obtain the TECA sources, clone our github repository.

```
git clone git@github.com:LBL-EESA/TECA.git
```

TECA comes with a suite of regression tests. If you wish to validate your build, you'll also need to obtain the test datasets.

```
svn co svn://missmarple.lbl.gov/work3/teca/TECA_data
```

Before compiling you'll need to install the dependencies. See the following sections for operating system specific instructions.

Compiling TECA Once dependencies are installed a TECA build can be configured and compiled. The following sections show operating specific examples of compiling TECA. TECA_SOURCE_DIR should be replaced with the path to the TECA sources, TECA_DATA_DIR replaced with the path to the test data, and TECA_INSTALL_DIR replaced with the path to the install location.

Note that on all operating systems TECA requires an out of source build. The first step is to create a build directory and cd into it.

```
#!/bin/bash
mkdir ${TECA_SOURCE_DIR}/build
cd ${TECA_SOURCE_DIR}/build
```

Ubuntu 14.04

```
#!/bin/bash
cmake \
-DCMAKE_C_COMPILER='which gcc-5' \
-DCMAKE_CXX_COMPILER='which g++-5' \
-Dswig_cmd='which swig3.0' \
-DCMAKE_BUILD_TYPE=Release \
-DCMAKE_INSTALL_PREFIX=${TECA_INSTALL_DIR} \
-DBUILD_TESTING=ON \
-DTECA_DATA_ROOT=${TECA_DATA_DIR} \
${TECA_SOURCE_DIR}

make -j4 && make -j4 install
```

Here compilers and swig are explicitly set to prevent the older and not fully C++11 compliant versions present on Ubuntu 14.04 from being used. On newer releases and other distros this is not necessary.

Apple Mac OSX Yosemite

```

#!/bin/bash
cmake \
    -DCMAKE_BUILD_TYPE=Release \
    -DCMAKE_INSTALL_PREFIX=${TECA_INSTALL_DIR} \
    -DBUILD_TESTING=ON \
    -DTECA_DATA_ROOT=${TECA_DATA_DIR} \
    ${TECA_SOURCE_DIR}

make -j4 && make -j4 install

```

Configuring the Environment

Depending on your configuration PATH and LD_LIBRARY_PATH (or DYLD_LIBRARY_PATH on Apple) may need to include your TECA_INSTALL_DIR. Additionally, use of TECA's Python modules require setting PYTHONPATH. Note that the superbuild includes a script to configure the environment. The following is only necessary when not using TECA installed via the superbuild.

Ununtu 14.04

```

#!/bin/bash
export PATH=${TECA_INSTALL_DIR}/bin:.:$PATH
export PYTHONPATH=${TECA_INSTALL_DIR}/lib:$PYTHONPATH
export LD_LIBRARY_PATH=${TECA_INSTALL_DIR}/lib:$LD_LIBRARY_PATH

```

Apple Mac OSX Yosemite

```

#!/bin/bash
export PATH=${TECA_INSTALL_DIR}/bin:.:$PATH
export PYTHONPATH=${TECA_INSTALL_DIR}/lib:$PYTHONPATH
export LD_LIBRARY_PATH=${TECA_INSTALL_DIR}/lib:$LD_LIBRARY_PATH
export DYLD_LIBRARY_PATH=${TECA_INSTALL_DIR}/lib:$DYLD_LIBRARY_PATH

```

1.2.3 Validating the Install

TECA comes with an extensive regression test suite which can be used to validate your build. The tests can be executed from the build directory with the ctest command.

```

#!/bin/bash
ctest --output-on-failure

```

Do not forget to configure the environment as described above.

2 TECA Applications

2.1 Tropical Cyclone Detector

The cyclone detector is an MPI+threads parallel map-reduce based application that identifies tropical cyclone tracks in NetCDF-CF2 climate data. The application is comprised of a number of stages that are run in succession producing tables containing cyclone tracks. The tracks then can be visualized or further analyzed using the TECA TC statistics application, TECA's Python bindings, or the TECA ParaView plugin.

2.1.1 Command Line Arguments

The most common command line options are:

- help** prints documentation for the most common options. MPI programs, such as `teca_tc_detect` aren't allowed to run on the login nodes at NERSC. For this reason to use `-help` you'll need to obtain a compute node via `salloc` first.
- full_help** prints documentation for all options. See `-help` notes.
- input_regex** this is how you tell TECA what files are in the dataset. We use the grep style regex, which must be quoted with single ticks to protect it from the shell. Regex meta characters present in the file name must be escaped with a \. An example of an input regex which includes all .nc files is: `'.*\.\.nc$'`. If instead one wanted to grab only files from 2004-2005 then `'.*\.\.200[45].*\.\.nc$'` would do the trick. For the best performance, specify the smallest set of files needed to achieve the desired result. Each of the files will be opened in order to scan the time axis.
- start_date** , an optional way to further specify the time range to process. The accepted format is a CF style human readable date spec such as YYYY-MM-DD hh:mm:ss. Because of the space in between day and hour spec quotes must be used. For example "2005-01-01 00:00:00". Specifying a start date is optional, if none is given then all of the time steps in all of the files specified in the `-input_regex` are processed.
- end_date** see `-start_date`. this has a similar purpose in restricting the range of time steps processed.
- candidate_file** , a file name specifying where to write the storm candidates to. If not specified result will be written to `candidates.bin` in the current working directory. One sets the output format via the extension. Supported formats include csv, xlsx, and bin.
- track_file** , a file name specifying where to write the detected storm tracks. If not specified the tracks are written to a file named `tracks.bin` in the current working directory. See `-candidate_file` for information about the supported formats.

2.1.2 Example

Once on Edison load the TECA module

```
module load teca
```




Figure 2.1: Cyclone tracks plotted with 850 mb wind speed and integrated moisture.

note that there are multiple versions installed, just use the latest and greatest as they become available.

Processing an entire dataset is straight forward once you know how many cores you want to run on. You will launch `teca_tc_detect`, the tropical cyclone application, from a SLURM batch script. A batch script is provided below.

TECA can process any size dataset on any number of compute cores. However, the fastest results are attained when there is 1 time step per core. In order to set this up one must determine how many time steps there are and write the SLURM batch script accordingly. The `teca_metadata_probe` command line application can be used for this purpose. When executed with the same `-input_regex` and optionally the `-start_date` and or `-end_date` options that will be used in the cyclone detection run it will print out the information needed to configure a 1 to 1 (time steps to cores) run. The metadata probe is a serial application and can be run on the login nodes.

```
teca_metadata_probe --input_regex '.*\.199[0-9].*\.nc$'

# A total of 29200 steps available in 3650 files. Using the noleap calendar.
# Times are specified in units of days since 1979-01-01 00:00:00. The available
# times range from 1990-1-1 3:0:0 (4015.12) to 2000-1-1 0:0:0 (7665).
```

With the number of time steps in hand one can set up the SLURM batch script for the run. The following batch script, named `1990s.sh`, processes the entire decade of the 1990's. The `teca_metadata_probe` was used to determine that there are 29200 time steps. The `srun` command is used to launch the cyclone detector on 29200 cores.

```
#!/bin/bash -l

#SBATCH -p regular
#SBATCH -N 1217
#SBATCH -t 00:30:00

data_dir=/scratch2/scratchdirs/prabhat/TCHero/data
files_regex=cam5_1_amip_run2'\.cam2\.h2\.199[0-9].*\.nc$'

srun -n 29200 teca_tc_detect \\\
```




Figure 2.2: Analyses produced by the stats stage

```
--input_regex ${data_dir}/${files_regex} \
--candidate_file candidates_1990s.bin \
--track_file tracks_1990s.bin
```

Finally, the batch script must be submitted to the batch system requesting the appropriate number of nodes. In this case the command is:

```
$sbatch ./1990s.sh
```

For the $\frac{1}{4}$ degree resolution dataset when processing latitudes between -90 to 90 the detector runs in approx 15 min. Detector run time could be reduced by subsetting in latitude (see `-lowest_lat`, `-highest_lat` options). Note that as the number of files in the dataset increases the metadata phase takes more time. You can use `teca_metadata_probe` to get a sense of how much more and extend the run time accordingly.

2.2 Tropical Cyclone Trajectories

The trajectory stage runs after the map-reduce candidate detection stage and generates cyclone storm tracks. The TC detector described above invokes the trajectory stage automatically, however it can also be run independently on the candidate stage output. The trajectory stage can be run from the login nodes.

2.2.1 Command Line Arguments

The most commonly used command line arguments to the trajectory stage are:

- help** prints documentation for the most common options.
- full_help** prints documentation for all options. See *-help* notes.
- candidate_file**, a file name specifying where to read the storm candidates from.
- track_file**, a file name specifying where to write the detected storm tracks. If not specified the tracks are written to a file named tracks.bin in the current working directory. One sets the output format via the extension. Supported formats include csv, xlsx, and bin.

2.2.2 Example

An example of running the trajectory stage is:

```
teca_tc_trajectory \
    --candidate_file candidates_1990s.bin \
    --track_file tracks_1990s.bin \
```

the file *tracks_1990s.bin* will contain the list of storm tracks.

2.3 TC Wind Radii

The wind radii application can be used to compute wind radii from track data in parallel. For each point on each track a radial profile is computed over a number of angular intervals. The radial profiles are used to compute distance from the storm center to the first downward crossing of given wind speeds. The default wind speeds are the 3 Saffir-Simpson transitions. Additionally distance to the peak wind speed and peak wind speed are recorded. A new table is produced containing the data. The TC trajectory scalars application, TC stats application and ParaView plugin can be used to further analyze the data.

2.3.1 Command Line Arguments

The most commonly used command line arguments are:

- track_file** file path to read the cyclone from (tracks.bin)
- wind_files** regex matching simulation files containing wind fields ()
- track_file_out** file path to write cyclone tracks with size (tracks_size.bin)
- wind_u_var** name of variable with wind x-component (UBOT)
- wind_v_var** name of variable with wind y-component (VBOT)
- track_mask** expression to filter tracks by ()
- n_theta** number of points in the wind profile in the theta direction (32)
- n_r** number cells in the wind profile in radial direction (32)
- profile_type** radial wind profile type. max or avg (avg)
- search_radius** size of search window in deg lat (6)

see *-help* and *-full_help* for more information.

2.3.2 Example

The following examples shows computation of wind radii for a decades worth of tracks using 128 cores on NERSC Cori.

```
module load teca
sbatch wind_radii_1990s.sh
```

where the contents of *wind_radii_1990s.sh* are as follows

```
#!/bin/bash -l
#SBATCH -p debug
#SBATCH -N 4
#SBATCH -t 00:30:00
#SBATCH -C haswell

data_dir=/global/cscratch1/sd/mwehner/cyclones_ensemble/cam5_1_amip_run2/ncfiles
files_regex=${data_dir}/cam5_1_amip_run2'\\.cam2\\.h2\\.199[0-9]\\.\\*.nc$'
track_file=tracks_1990s_3hr_mdd_4800.bin
track_file_out=wind_radii_1990s_3hr_mdd_4800_co.bin

srun -n 4 --ntasks-per-node=1 \
      teca_tc_wind_radii --n_threads 32 --first_track 0 \
      --last_track -1 --wind_files ${files_regex} --track_file ${track_file} \
      --track_file_out ${track_file_out}
```

2.4 Tropical Cyclone Statistics

The statistics stage can be used to compute a variety of statistics on detected cyclones. It generates a number of plots and tables and it can be ran on the login nodes. The most common options are the input file and output prefix.

2.4.1 Command Line Arguments

The command line arguments to the stats stage are:

tracks_file A required positional argument pointing to the file containing TC storm tracks.

output_prefix Required positional argument declaring the prefix that is prepended to all output files.

-help prints documentation for the command line options.

-d, -dpi Sets the resolution of the output images.

-i, -interactive Causes the figures to open immediately in a pop-up window.

-a, -ind_axes Normalize y axes in the subplots allowing for easier inter-plot comparison.

2.4.2 Analysis

The following analysis are performed by the stats stage:

Classification Table Produces a table containing cyclogenesis information, Saphir-Simpson category, and the min/max of a number of detection parameters.

Categorical Distribution Produces a histogram containing counts of each class of storm on the Saphir-Simpson scale. See figure 2.2b.

Categorical Monthly Breakdown Produces histogram for each year that shows the breakdown by month and Saphir-Simpson category. See figure 2.2c.

Categorical Regional Breakdown Produces a histogram for each year that shows breakdown by region and Saphir-Simpson category. See figure 2.2d.

Categorical Regional Trend Produces a histogram for each geographic region that shows trend of storm count and Saphir-Simpson category over time. See figure 2.2e

Parameter Distributions Produces box and whisker plots for each year for a number of detector parameters. See figure 2.2f.

2.4.3 Example

An example of running the stats stage is:

```
teca_tc_stats tracks_1990s.bin stats/stats_1990s
```

2.5 TC Trajectory Scalars

The trajectory scalars application can be used to plot detection parameters for each storm in time. The application can be run in parallel.

2.5.1 Command Line Arguments

tracks_file A required positional argument pointing to the file containing TC storm tracks.

output_prefix A required positional argument declaring the prefix that is prepended to all output files.

-h, --help prints documentation for the command line options.

-d, --dpi Sets the resolution of the output images.

-i, --interactive Causes the figures to open immediately in a pop-up window.

-first_track Id of the first track to process

-last_track Id of the last track to process

-texture An image containing a map of the Earth to plot the tracks on.




Figure 2.3: The trajectory scalars application plots cyclone properties over time.

2.5.2 Example

```
mpiexec -np 10 ./bin/teca_tc_trajectory_scalars \
  --texture ../../TECA_data/earthmap4k.png \
  tracks_1990s_3hr_mdd_4800.bin \
  traj_scalars_1990s_3hr_mdd_4800
```

2.6 TC Wind Radii Stats

The wind radii stats application can be used to generate summary statistics describing the wind radii distributions.

2.6.1 Command Line Arguments

tracks_file A required positional argument pointing to the file containing TC storm tracks.

output_prefix Required positional argument declaring the prefix that is prepended to all output files.

-help prints documentation for the command line options.

-d, -dpi Sets the resolution of the output images.

-i, -interactive Causes the figures to open immediately in a pop-up window.

-wind_column Name of the column to load instantaneous max wind speeds from.

2.6.2 Example

```
teca_tc_wind_radii_stats \
    wind_radii_1990s_3hr_mdd_4800_ed.bin wind_radii_stats_ed/
```

2.7 Event Filter

The event filter application lets one remove rows from an input table that do not fall within specified geographic and/or temporal bounds. This gives one the capability to zoom into a specific storm, time period, or geographic region for detailed analysis.

2.7.1 Command Line Arguments

in_file A required positional argument pointing to the input file.

out_file A required positional argument pointing where the output should be written.

-h, -help prints documentation for the command line options.

-time_column name of column containing time axis

-start_time filter out events occurring before this time

-end_time filter out events occurring after this time

-step_column name of column containing time steps

-step_interval filter out time steps modulo this interval

-x_coordinate_column name of column containing event x coordinates

-y_coordinate_column name of column containing event y coordinates

-region_x_coords x coordinates defining region to filter




Figure 2.4: The wind radii stats application plots distribution of wind radii.

-region_y_coords y coordinates defining region to filter

-region_sizes sizes of each of the regions

2.7.2 Example

```
teca_event_filter --start_time=1750 --end_time=1850  
  --region_x_coords 260 320 320 260 --region_y_coords 10 10 50 50  
  --region_sizes 4 --x_coordinate_column lon --y_coordinate_column lat  
  candidates_1990s_3hr.bin filtered.bin
```

3 Python

TECA includes a diverse collection of I/O and analysis algorithms specific to climate science and extreme event detection. Its pipeline design allows these component algorithms to be quickly coupled together to construct complex data processing and analysis pipelines with minimal effort. TECA is written primarily in C++11 in order to deliver the highest possible performance and scalability. However, for non-computer scientists C++11 development can be intimidating, error prone, and time consuming. TECA's Python bindings offer a more approachable path for custom application and algorithm development.

Python can be viewed as glue for connecting optimized C++11 components. Using Python as glue gives one all of the convenience and flexibility of Python scripting with all of the performance of the native C++11 code. TECA also includes a path for fully Python based algorithm development where the programmer provides Python callables that implement the desired analysis. In this scenario the use of technologies such as NumPy provide reasonable performance while allowing the programmer to focus on the algorithm itself rather than the technical details of C++11 development.




Figure 3.1: execution path through a simple 4 stage pipeline on any given process in an MPI parallel run. Time progresses from **a1** to **c4** through the three execution phases **report** (a), **request** (b), and **execute** (c). The sequence of thread parallel execution is shown inside gray boxes, each path represents the processing of a single request.

3.1 Pipeline Construction, Configuration and Execution

Building pipelines in TECA is as simple as creating and connecting TECA algorithms together in the desired order. Data will flow and be processed sequentially from the top of the pipeline to the bottom, and in parallel where parallel algorithms are used. All algorithms are created by their static `New()` method. The connections between algorithms are made by calling one algorithm's `set_input_connection()` method with the return of another algorithm's `get_output_port()` method. Arbitrarily branched pipelines are supported. The only limitation on pipeline complexity is that cycles are not allowed. Each algorithm represents a stage in the pipeline and has a set of properties that configure its run time behavior.

Properties are accessed by `set_<prop name>` and `get_<prop name>` methods. Once a pipeline is created and configured it can be run by calling `update()` on its last algorithm.

```

1  from mpi4py import *
2  rank = MPI.COMM_WORLD.Get_rank()
3  n_ranks = MPI.COMM_WORLD.Get_size()
4  from teca import *
5  import sys
6  import stats_callbacks
7
8  if len(sys.argv) < 7:
9      sys.stderr.write('global_stats.py [dataset regex] ' \
10                      '[out file name] [first step] [last step] [n threads]' \
11                      '[array 1] .. [ array n]\n')
12     sys.exit(-1)
13
14 data_regex = sys.argv[1]
15 out_file = sys.argv[2]
16 first_step = int(sys.argv[3])
17 last_step = int(sys.argv[4])
18 n_threads = int(sys.argv[5])
19 var_names = sys.argv[6:]
20
21 if (rank == 0):
22     sys.stderr.write('Testing on %d MPI processes\n'%(n_ranks))
23
24 cfr = teca_cf_reader.New()
25 cfr.set_files_regex(data_regex)
26
27 alg = teca_programmable_algorithm.New()
28 alg.set_input_connection(cfr.get_output_port())
29 alg.set_request_callback(stats_callbacks.get_request_callback(rank, var_names))
30 alg.set_execute_callback(stats_callbacks.get_execute_callback(rank, var_names))
31
32 mr = teca_table_reduce.New()
33 mr.set_input_connection(alg.get_output_port())
34 mr.set_first_step(first_step)
35 mr.set_last_step(last_step)
36 mr.set_thread_pool_size(n_threads)
37
38 tw = teca_table_writer.New()
39 tw.set_input_connection(mr.get_output_port())
40 tw.set_file_name(out_file)
41
42 tw.update()

```

Listing 3.1: Command line application written in Python. The application constructs, configures, and executes a 4 stage pipeline that computes basic descriptive statistics over the entire lat-lon mesh for a set of variables passed on the command line. The statistic computations have been written in Python, and are shown in listing 3.2. When run in parallel, the map-reduce pattern is applied over the time steps in the input dataset. A graphical representation of the pipeline is shown in figure 3.1.

For example, listing 3.1 shows a command line application written in Python. The application computes a set of descriptive statistics over a list of arrays for each time step in the dataset. The results at each time step are stored in a row of a table. `teca_table_reduce` is a map-reduce implementation that processes time steps in parallel and reduces the tables produced at each time step into a single result. One use potential use of this code would be to compute a time series of average global temperature. The application loads modules and initializes MPI (lines 1-6), parses the command line options (lines 8-19), constructs and configures the pipeline (lines 24-40), and finally executes the pipeline (line 42).

The pipeline constructed is shown in figure 3.1 next to a time line of the pipeline's parallel execution on an arbitrary MPI process.

3.2 Algorithm Development

While TECA is written in C++11, it can be extended at run time using Python. However, before we explain how this is done one must know a little about the three phases of execution and what is expected to happen during each.

The heart of TECA's pipeline implementation is the `teca_algorithm`. This is an abstract class that contains all of the control and execution logic. All pipelines in TECA are built by connecting concrete implementations of `teca_algorithm` together to form execution networks. TECA's pipeline model is based on a report-request scheme that minimizes I/O and computation. The role of reports are to make known to down stream consumers what data is available. Requests then are used to pull only the data that is needed through the pipeline. Requests enable subsetting and streaming of data and can be acted upon in parallel and are used as keys in the pipeline's internal cache. The pipeline has 3 phases of execution, report phase, the request phase, and finally the execute phase.

Report Phase The report phase kicks off a pipeline's execution and is initiated when the user calls `update()` or `update_metadata()` on a `teca_algorithm`. In the report phase, starting at the top of the pipeline working sequentially down, each algorithm examines the incoming report and generates outgoing report about what it will produce. Implementing the report phase can be as simple as adding an array name to the list of arrays or as complex as building metadata describing a dataset on disk. The report phase should always be light and fast. In cases where it is not, cache the report for re-use. Where metadata generation would create a scalability issue, for instance parsing data on disk, the report should be generated on rank 0 and broadcast to the other ranks.

Request Phase The request phase begins when report the report phase reaches the bottom of the pipeline. In the request phase, starting at the bottom of the pipeline working sequentially up, each algorithm examines the incoming request, and the report of what's available on its inputs, and from this information generates a request for the data it will need during its execution phase. Implementing the request phase can be as simple as adding a list of arrays required to compute a derived quantity or as complex as requesting data from multiple time steps for a temporal computation. The returned requests are propagated up after mapping them round robin onto the algorithm's inputs. Thus, it's possible to request data from each of the algorithm's inputs and to make multiple requests per execution. Note that when a threaded algorithm is in the pipeline, requests are dispatched by the thread pool and request phase code must be thread safe.

Execute The execute phase begins when requests reach the top of the pipeline. In the execute phase, starting at the top of the pipeline and working sequentially down, each algorithm handles the incoming request, typically by taking some action or generating data. The datasets passed into the execute phase should never be modified. When a threaded algorithm is in the pipeline, execute code must be thread safe.

In the TECA pipeline the report and request execution phases handle communication in between various stages of the pipeline. The medium for these exchanges of information is the `teca_metadata` object, an associative containers mapping strings(keys) to arrays(values). For the stages of a pipeline to communicate all that is required is that they agree on a key naming convention. This is both the strength and weakness of this approach. On the one hand, it's trivial to extend by adding keys and arbitrarily complex information may be exchanged. On the other hand, key naming conventions can't be easily enforced leaving it up to developers to ensure that algorithms play nicely together. In practice the majority of the metadata conventions are defined by the reader. All algorithms sitting down stream must be aware of and adopt the reader's metadata convention. For most use cases the reader will

```

1  from teca import *
2  import numpy as np
3  import sys
4
5  def get_request_callback(rank, var_names):
6      def request(port, md_in, req_in):
7          sys.stderr.write('descriptive_stats::request MPI %d\n'%(rank))
8          req = teca_metadata(req_in)
9          req['arrays'] = var_names
10         return [req]
11     return request
12
13 def get_execute_callback(rank, var_names):
14     def execute(port, data_in, req):
15         sys.stderr.write('descriptive_stats::execute MPI %d\n'%(rank))
16
17         mesh = as_teca_cartesian_mesh(data_in[0])
18
19         table = teca_table.New()
20         table.declare_columns(['step','time'], ['ul','d'])
21         table << mesh.get_time_step() << mesh.get_time()
22
23         for var_name in var_names:
24
25             table.declare_columns(['min '+var_name, 'avg '+var_name, \
26                                   'max '+var_name, 'std '+var_name, 'low_q '+var_name, \
27                                   'med '+var_name, 'up_q '+var_name], ['d']*7)
28
29             var = mesh.get_point_arrays().get(var_name).as_array()
30
31             table << float(np.min(var)) << float(np.average(var)) \
32                 << float(np.max(var)) << float(np.std(var)) \
33                 << map(float, np.percentile(var, [25.,50.,75.]))
34
35         return table
36     return execute

```

Listing 3.2: Callbacks implementing the calculation of descriptive statistics over a set of variables laid out on a Cartesian lat-lon mesh. The request callback requests the variables, the execute callback makes the computations and constructs a table to store them in.

be TECA’s NetCDF CF 2.0 reader, `teca_cf_reader`. The convention adopted by the CF reader are documented in its header file and in section 3.2.2.

In C++11 polymorphism is used to provide customized behavior for each of the three pipeline phases. In Python we use the `teca_programmable_algorithm`, an adapter class that calls user provided callback functions at the appropriate times during each phase of pipeline execution. Hence writing a TECA algorithm purely in Python amounts to providing three appropriate callbacks.

The Report Callback The report callback will report the universe of what the algorithm could produce.

```
def report_callback(o_port, reports_in) -> report_out
```

o_port integer. the output port number to report for. can be ignored for single output algorithms.

reports_in teca_metadata list. reports describing available data from the next upstream algorithm, one per input connection.

report_out teca_metadata. the report describing what you could potentially produce given the data described by reports_in.

Report stage should be fast and light. Typically the incoming report is passed through with metadata describing new data that could be produced appended as needed. This allows upstream data producers to advertise their capabilities.

The Request Callback The request callback generates an up stream request requesting the minimum amount of data actually needed to fulfill the incoming request .

```
def request(o_port, reports_in, request_in) -> requests_out
```

o_port integer. the output port number to report for. can be ignored for single output algorithms.

reports_in teca_metadata list. reports describing available data from the next upstream algorithm, one per input connection.

request_in teca_metadata. the request being made of you.

report_out teca_metadata list. requests describing data that you need to fulfill the request made of you.

Typically the incoming request is passed through appending the necessary metadata as needed. This allows down stream data consumers to request data that is produced upstream.

The Execute Callback The execute callback is where the computations or I/O necessary to produce the requested data are handled.

```
def execute(o_port, data_in, request_in) -> data_out
```

o_port integer. the output port number to report for. can be ignored for single output algorithms.

data_in teca_dataset list. a dataset for each request you made in the request callback in the same order.

request_in teca_metadata. the request being made of you.

data_out teca_dataset. the dataset containing the requested data or the result of the requested action, if any.

A simple strategy for generating derived quantities having the same data layout, for example on a Cartesian mesh or in a table, is to pass the incoming data through appending the new arrays. This allows down stream data consumers to receive data that is produced upstream. Because TECA caches data it is important that incoming data is not modified, this convention enables shallow copy of large data which saves memory.

Lines 27-30 of listing 3.1 illustrate the use of teca_programmable_algorithm. In this example the callbacks implementing the computation of descriptive statistics over a set of variables laid out on a Cartesian lat-lon mesh are in a separate file, stats_callbacks.py (listing 3.2) imported on line 6 and passed into the programmable algorithm on lines 29 and 30. Note, that we did not need to provide a report callback as the default implementation, which simply passes the report through was all that was needed. In both our request and execute callbacks we used a closure to pass list of variables from the

command line into the function. Our request callback (lines 6-9 of listing 3.2) simply adds the list of variables we need into the incoming request which it then forwards up stream. The execute callback (lines 14-35) gets the input dataset (line 17), creates the output table adding columns and values of time and time step (lines 19-21), then for each variable we add columns to the table for each computation (line 25), get the array from the input dataset (line 29), compute statistics and add them to the table (lines 31-33), and returns the table containing the results (line 35). This data can then be processed by the next stage in the pipeline.

3.2.1 Working with TECA's Data Structures

Arrays TODO: illustrate use of `teca_variant_array`, and role numpy plays

Metadata TODO: illustrate use of `teca_metadata`

The Python API for `teca_metadata` models the standard Python dictionary. Metadata objects are one of the few cases in TECA where stack based allocation and deep copying are always used.

```
md = teca_metadata()
md['name'] = 'Land Mask'
md['bounds'] = [-90, 90, 0, 360]

md2 = teca_metadata(md)
md2['bounds'] = [-20, 20, 0, 360]
```

Array Collections TODO: illustrate `teca_array_collection`, tabular and mesh based datasets are implemented in terms of collections of arrays

Tables TODO: illustrate use of `teca_table`

Cartesian Meshes TODO: illustrate use of `teca_cartesian_mesh`

3.2.2 NetCDF CF Reader Metadata

TODO: document metadata conventions employed by the reader