

	Name	Distribution	Mean	Mode	Median	Dispersion	Min.	Max.	Missing
N	AAP		0.3371	0.06	0.29	0.6772	0.01	0.95	1875 (2 %)
N	ABP		0.6199	1.00	0.74	0.5649	0.00	1.00	1875 (2 %)
N	ACP		0.7106	0.88	0.80	0.3341	0.05	1.00	1875 (2 %)
N	AIP		0.4514	0.62	0.44	0.6038	0.00	1.00	1875 (2 %)
N	ASA_Complex		16905.244		13653.0	0.632	2396.0	204199.0	256 (0 %)
N	ASA_Peptide		2748.482		2876.0	0.518	241.0	6612.0	256 (0 %)
N	ASA_Protein		15019.383		12189.0	0.698	2013.0	204093.0	256 (0 %)
N	BPepA		461.494	0.0	365.0	0.957	0.0	4229.0	256 (0 %)
N	BPP%		22.767	0.0	16.0	0.951	0.0	100.0	256 (0 %)
N	BProA		401.174	0.0	316.0	0.940	0.0	3533.0	258 (0 %)
N	BSA		431.316	0.0	342.0	0.946	0.0	3856.0	258 (0 %)
T	DEPOSITION_DATE		2017-07-17	2023-03-17	2019-07-18	~50 years	1975-01-01	2025-08-18	0 (0 %)
C	is_leader			yes		0.645			0 (0 %)
N	No. of apolar-apolar contacts		14.63	0	10	1.13	0	185	5010 (6 %)
N	No. of apolar-polar contacts		7.92	0	5	1.19	0	134	5010 (6 %)
N	No. of charged-apolar contacts		9.90	0	7	1.06	0	111	5010 (6 %)
N	No. of charged-charged contacts		3.33	0	2	1.35	0	46	5010 (6 %)
N	No. of charged-polar contacts		3.81	0	2	1.24	0	67	5010 (6 %)
N	No. of intermolecular contacts		41.07		32	0.98	1	439	5010 (6 %)
N	No. of polar-polar contacts		1.47	0	0	1.72	0	43	5010 (6 %)
N	peptide_AliphaticIndex		92.45513	0.00	90.000	0.53994	0.00	390.000	0 (0 %)
C	PEPTIDE_CHAIN			C		3.56			0 (0 %)
N	peptide_ExtCoeff_Disulfide		3926.97	0	1490	1.33	0	77000	0 (0 %)
N	peptide_ExtCoeff_NoDisulfide		3955.23	0	1490	1.32	0	77000	0 (0 %)
N	peptide_GRAVY		-0.08382	1.286	-0.192	-13.01236	-4.500	4.200	0 (0 %)

N	peptide_HydrophobicPercent		44.20102	50.000	42.857	0.39657	0.00	100.000	0 (0 %)
N	peptide_InstabilityIndex		42.54664	35.554	36.188	0.89874	-72.960	524.520	0 (0 %)
N	peptide_MW		2889.30852	4099.896	3096.903	0.60954	132.118	6586.870	0 (0 %)
N	peptide_NegativeResidues		2.31	0	2	1.09	0	26	0 (0 %)
N	peptide_pI		7.41087	4.050	6.752	0.35113	4.050	12.000	0 (0 %)
N	peptide_PositiveResidues		3.14	0	2	1.12	0	22	0 (0 %)
N	PEPTIDE_SIZE		26.20	9	28	0.58	2	50	0 (0 %)
N	peptide_TotalAtoms		407.87	599	438	0.62	14	934	0 (0 %)
N	Percentage of apolar NIS residues		43.7494		41.52	0.2142	11.34	88.30	5010 (6 %)
N	Percentage of charged NIS residues		25.6407		27.07	0.3235	2.13	66.92	5010 (6 %)
N	Predicted binding affinity (kcal.mol-1)		-7.043		-6.5	-0.462	-40.0	0.8	5010 (6 %)
N	Predicted dissociation constant (M) at 25.0°C		0.00143005		1.6e-05	13.6831	4.4e-30	4.2	5010 (6 %)
N	protein_AliphaticIndex		88.9404	91.29	88.39	0.2077	0.00	180.79	41 (0 %)
C	PROTEIN_CHAIN			A		3.06			0 (0 %)
N	protein_ExtCoeff_Disulfide		43616.20	76172	29052	0.96	0	693267	41 (0 %)
N	protein_ExtCoeff_NoDisulfide		43866.58	76485	29295	0.96	0	712955	41 (0 %)
N	protein_GRAVY		-0.1569	0.39	-0.22	-2.7915	-1.92	1.85	41 (0 %)
N	protein_HydrophobicPercent		42.8289	51.61	41.74	0.1618	0.00	100.00	41 (0 %)
N	protein_InstabilityIndex		37.0974	30.99	37.53	0.2937	-8.76	147.65	41 (0 %)
N	protein_MW		30369.1623	38249.61	24335.54	0.8202	132.12	481604.54	41 (0 %)
N	protein_NegativeResidues		29.46	24	24	0.89	0	583	41 (0 %)
N	protein_pI		6.8215	5.59	6.12	0.2607	4.05	12.00	41 (0 %)
N	protein_PositiveResidues		27.11	13	21	0.89	0	438	41 (0 %)
N	PROTEIN_SIZE		270.83	334	222	0.81	51	4308	0 (0 %)
N	protein_TotalAtoms		4261.00	5344	3428	0.82	14	65216	41 (0 %)
N	QSP		0.6298	1.00	0.80	0.6021	0.00	1.00	1875 (2 %)
N	RESOLUTION		2.84823	2.8	2.6	0.567008	0.79	36	751 (1 %)

N	SBP		0.2611	0.02	0.13	1.0851	0.00	1.00	1875 (2 %)
C	STRUCTURE_METHOD		X-RAY DIFFRACTION			0.704			0 (0 %)

