

# **Strategic games and equilibrium concepts**

**Alexandros Voudouris**

University of Oxford

# Prisoner's dilemma

- Two persons are caught by the police and are accused of a crime

# Prisoner's dilemma

- Two persons are caught by the police and are accused of a crime
- Each of them has two options:
  - **confess the crime**, or
  - **remain silent**

# Prisoner's dilemma

- Two persons are caught by the police and are accused of a crime
- Each of them has two options:
  - **confess the crime**, or
  - **remain silent**
- Every possible scenario (combination of actions of the two prisoners) yields some **payoff/cost** for them:

# Prisoner's dilemma

- Two persons are caught by the police and are accused of a crime
- Each of them has two options:
  - **confess the crime**, or
  - **remain silent**
- Every possible scenario (combination of actions of the two prisoners) yields some **payoff/cost** for them:
  - If both confess, they will go to prison for 3 years each

# Prisoner's dilemma

- Two persons are caught by the police and are accused of a crime
- Each of them has two options:
  - **confess the crime**, or
  - **remain silent**
- Every possible scenario (combination of actions of the two prisoners) yields some **payoff/cost** for them:
  - If both confess, they will go to prison for 3 years each
  - If both remain silent, they will go to prison for only 1 year

# Prisoner's dilemma

- Two persons are caught by the police and are accused of a crime
- Each of them has two options:
  - **confess the crime**, or
  - **remain silent**
- Every possible scenario (combination of actions of the two prisoners) yields some **payoff/cost** for them:
  - If both confess, they will go to prison for 3 years each
  - If both remain silent, they will go to prison for only 1 year
  - If one confesses and the other remains silent, then the former will be set free and the latter will go to prison for 5 years

# Prisoner's dilemma

- We can represent their payoffs using a bi-matrix

	confess	silent
confess	-3, -3	0, -5
silent	-5, 0	-1, -1



# Prisoner's dilemma

- We can represent their payoffs using a bi-matrix

	confess	silent
confess	-3, -3	0, -5
silent	-5, 0	-1, -1

- How does the row-prisoner think in order to find the best action?

# Prisoner's dilemma

- We can represent their payoffs using a bi-matrix

	confess	silent
confess	-3, -3	0, -5
silent	-5, 0	-1, -1

- How does the row-prisoner think in order to find the best action?
- Assume that the column-prisoner confesses:

# Prisoner's dilemma

- We can represent their payoffs using a bi-matrix

	confess	silent
confess	-3, -3	0, -5
silent	-5, 0	-1, -1

- How does the row-prisoner think in order to find the best action?
- Assume that the column-prisoner confesses:
  - confessing yields 3 years in prison

# Prisoner's dilemma

- We can represent their payoffs using a bi-matrix

	confess	silent
confess	-3, -3	0, -5
silent	-5, 0	-1, -1

- How does the row-prisoner think in order to find the best action?
- Assume that the column-prisoner confesses:
  - confessing yields 3 years in prison
  - remaining silent yields 5 years in prison

# Prisoner's dilemma

- We can represent their payoffs using a bi-matrix

	confess	silent
confess	-3, -3	0, -5
silent	-5, 0	-1, -1

- How does the row-prisoner think in order to find the best action?
- Assume that the column-prisoner confesses:
  - confessing yields 3 years in prison
  - remaining silent yields 5 years in prison
  - **best action = confess**

# Prisoner's dilemma

- We can represent their payoffs using a bi-matrix

	confess	silent
confess	-3, -3	0, -5
silent	-5, 0	-1, -1

- How does the row-prisoner think in order to find the best action?
- Assume that the column-prisoner remains silent:

# Prisoner's dilemma

- We can represent their payoffs using a bi-matrix

	confess	silent
confess	-3, -3	0, -5
silent	-5, 0	-1, -1

- How does the row-prisoner think in order to find the best action?
- Assume that the column-prisoner remains silent:
  - confessing yields 0 years in prison

# Prisoner's dilemma

- We can represent their payoffs using a bi-matrix

	confess	silent
confess	-3, -3	0, -5
silent	-5, 0	-1, -1

- How does the row-prisoner think in order to find the best action?
- Assume that the column-prisoner remains silent:
  - confessing yields 0 years in prison
  - remaining silent yields 1 year in prison



# Prisoner's dilemma

- We can represent their payoffs using a bi-matrix

	confess	silent
confess	-3, -3	0, -5
silent	-5, 0	-1, -1

- How does the row-prisoner think in order to find the best action?
- Assume that the column-prisoner remains silent:
  - confessing yields 0 years in prison
  - remaining silent yields 1 year in prison
  - **best action = confess**

# Prisoner's dilemma

- We can represent their payoffs using a bi-matrix

	confess	silent
confess	-3, -3	0, -5
silent	-5, 0	-1, -1

- How does the row-prisoner think in order to find the best action?
- In any case, **confessing is the best action**, and the same holds for the column-prisoner due to symmetry

# Prisoner's dilemma

- We can represent their payoffs using a bi-matrix

	confess	silent
confess	-3, -3	0, -5
silent	-5, 0	-1, -1

- How does the row-prisoner think in order to find the best action?
- In any case, **confessing is the best action**, and the same holds for the column-prisoner due to symmetry
- Confessing is a **dominant strategy** for both prisoners since, whatever the other prisoner does, this action is always better

# Strategic games in general

# Strategic games in general

- A set of **players**

# Strategic games in general

- A set of **players**
- Each player has a set of possible **strategies** (actions)

# Strategic games in general

- A set of **players**
- Each player has a set of possible **strategies** (actions)
- Each **state of the game** (defined by a strategy per player) yields a **payoff** (or **utility**) to each player

# Strategic games in general

- A set of **players**
- Each player has a set of possible **strategies** (actions)
- Each **state of the game** (defined by a strategy per player) yields a **payoff** (or **utility**) to each player
- Given the strategies of the other players, each player aims to select its strategy in order to maximize its utility
  - Such a strategy is called a **best response**



# Strategic games in general

- A set of **players**
- Each player has a set of possible **strategies** (actions)
- Each **state of the game** (defined by a strategy per player) yields a **payoff** (or **utility**) to each player
- Given the strategies of the other players, each player aims to select its strategy in order to maximize its utility
  - Such a strategy is called a **best response**
- A state consisting of best responses is stable, and called a **pure Nash equilibrium**: no player would like to deviate and select a different strategy

# Back to prisoner's dilemma

- Players = the two prisoners
- Strategies = {confess, silent}
- Possible states = {(confess, confess), (confess, silent), (silent, confess), (silent, silent)}

- Utilities given by the bi-matrix:

	confess	silent
confess	-3, -3	0, -5
silent	-5, 0	-1, -1

- Confessing is a best response to any strategy of the other player
- (confess, confess) is a pure Nash equilibrium of the game

# Battle of the sexes

- A couple (man and woman) want to decide what to do this evening; they can either attend a sports game or stay home and watch a movie
- They have different utilities for the two activities, but they would like to be together

# Battle of the sexes

- A couple (man and woman) want to decide what to do this evening; they can either attend a sports game or stay home and watch a movie
- They have different utilities for the two activities, but they would like to be together

		man	
		sports	movie
woman	sports	3, 6	1, 1
	movie	2, 2	6, 3

# Battle of the sexes

		man	
		sports	movie
woman	sports	3, 6	1, 1
	movie	2, 2	6, 3

- How does the woman think?

# Battle of the sexes

		man	
		sports	movie
woman	sports	3, 6	1, 1
	movie	2, 2	6, 3

- How does the woman think?
- If the man chooses sports, then she also prefers sports (3 vs. 2)

# Battle of the sexes

		man	
		sports	movie
woman	sports	3, 6	1, 1
	movie	2, 2	6, 3

- How does the woman think?
- If the man chooses sports, then she also prefers sports (3 vs. 2)
- If the man chooses movie, then she also prefers movie (6 vs. 1)

# Battle of the sexes

		man	
		sports	movie
woman	sports	3, 6	1, 1
	movie	2, 2	6, 3

- There is **no dominant strategy** for the woman (nor for the man)
- What is the equilibrium strategy profile then?



# Battle of the sexes

		man	
		sports	movie
woman	sports	3, 6	1, 1
	movie	2, 2	6, 3

- Is the state (movie, sports) an equilibrium?

# Battle of the sexes

		man	
		sports	movie
woman	sports	3, 6	1, 1
	movie	2, 2	6, 3

- Is the state (movie, sports) an equilibrium?
- No, the woman would prefer to **unilaterally change** her strategy to sports:
  - the state (sports, sports) gives her utility 3, while now she only gets utility 2

# Battle of the sexes

		man	
		sports	movie
woman	sports	3, 6	1, 1
	movie	2, 2	6, 3

- Is the state (sports, sports) an equilibrium?

# Battle of the sexes

		man	
		sports	movie
woman	sports	3, 6	1, 1
	movie	2, 2	6, 3

- Is the state (sports, sports) an equilibrium?
- Yes, none of the two players has incentive to unilaterally change its strategy:
  - a deviation to movie would give utility 1 to the man and 2 to the woman, compared to the utility of 6 and 3 they now get

# Nash dynamics graph

- An easy way to graphically find Nash equilibria
- Built a graph containing a node per state
- A directed edge between two nodes represents the fact that there exists a player with a profitable unilateral deviation
- A node with only incoming edges corresponds to an equilibrium state: no player would like to deviate from there

# Battle of the sexes

		man	
		sports	movie
woman	sports	3, 6	1, 1
	movie	2, 2	6, 3

sports, sports

sports, movie


movie, sports

movie, movie

# Battle of the sexes

		man	
		sports	movie
woman	sports	3, 6	1, 1
	movie	2, 2	6, 3

Man improves from 1 to 6



# Battle of the sexes

		man	
		sports	movie
woman	sports	3, 6	1, 1
	movie	2, 2	6, 3

Man improves from 1 to 6

Woman improves from 2 to 3

sports, sports

sports, movie


movie, sports

movie, movie




# Battle of the sexes

		man	
		sports	movie
woman	sports	3, 6	1, 1
	movie	2, 2	6, 3



# Battle of the sexes

		man	
		sports	movie
woman	sports	3, 6	1, 1
	movie	2, 2	6, 3




# Chicken

		column-driver	
		chicken	dare
row-driver	chicken	0, 0	-1, 1
	dare	1, -1	-10, -10


# Chicken

		column-driver	
		chicken	dare
row-driver	chicken	0, 0	-1, 1
	dare	1, -1	-10, -10



# Chicken

		column-driver	
		chicken	dare
row-driver	chicken	0, 0	-1, 1
	dare	1, -1	-10, -10




# Matching pennies

		odd	
		heads	tails
even	heads	1, -1	-1, 1
	tails	-1, 1	1, -1

# Matching pennies

		odd	
		heads	tails
even	heads	1, -1	-1, 1
	tails	-1, 1	1, -1



# Mixed strategies

- Not all games have pure equilibria



# Mixed strategies

- **Not all games have pure equilibria**
- What if we allow the players to randomize over their strategies?

# Mixed strategies

- **Not all games have pure equilibria**
- What if we allow the players to randomize over their strategies?
- $S_i$  = set of pure strategies for player  $i$

# Mixed strategies

- **Not all games have pure equilibria**
- What if we allow the players to randomize over their strategies?
- $S_i$  = set of pure strategies for player  $i$
- A **mixed strategy** for player  $i$  defines a probability  $p_i(a)$  for each strategy  $a \in S_i$  such that  $\sum_{a \in S_i} p_i(a) = 1$

# Mixed strategies

- **Not all games have pure equilibria**
- What if we allow the players to randomize over their strategies?
- $S_i$  = set of pure strategies for player  $i$
- A **mixed strategy** for player  $i$  defines a probability  $p_i(a)$  for each strategy  $a \in S_i$  such that  $\sum_{a \in S_i} p_i(a) = 1$
- The game is at a state  $\mathbf{s} = (s_1, s_2, \dots, s_n)$  with probability

$$p(\mathbf{s}) = p_1(s_1) \cdot p_2(s_2) \cdot \dots \cdot p_n(s_n) = \prod_i p_i(s_i)$$

# Mixed strategies

- **Not all games have pure equilibria**
- What if we allow the players to randomize over their strategies?
- $S_i$  = set of pure strategies for player  $i$
- A **mixed strategy** for player  $i$  defines a probability  $p_i(a)$  for each strategy  $a \in S_i$  such that  $\sum_{a \in S_i} p_i(a) = 1$
- The game is at a state  $\mathbf{s} = (s_1, s_2, \dots, s_n)$  with probability

$$p(\mathbf{s}) = p_1(s_1) \cdot p_2(s_2) \cdot \dots \cdot p_n(s_n) = \prod_i p_i(s_i)$$

- The **expected utility** of player  $i$  is then

$$\mathbb{E}_p[u_i] = \sum_{\mathbf{s}} p(\mathbf{s}) \cdot u_i(\mathbf{s})$$

# Matching pennies

		odd			
		heads	tails		
even	heads	1, -1	-1, 1	0.8	
	tails	-1, 1	1, -1	0.2	
		0.4	0.6		

# Matching pennies

		odd			
		heads	tails		
even	heads	1, -1	-1, 1	0.8	
	tails	-1, 1	1, -1	0.2	
		0.4	0.6		

- $p(\text{heads, heads}) = 0.8 \cdot 0.4 = 0.32$
- $p(\text{heads, tails}) = 0.8 \cdot 0.6 = 0.48$
- $p(\text{tails, heads}) = 0.2 \cdot 0.4 = 0.08$
- $p(\text{tails, tails}) = 0.2 \cdot 0.6 = 0.12$

# Matching pennies

		odd		
		heads	tails	
even	heads	1, -1	-1, 1	0.8
	tails	-1, 1	1, -1	0.2
		0.4	0.6	

- $p(\text{heads, heads}) = 0.8 \cdot 0.4 = 0.32$
- $p(\text{heads, tails}) = 0.8 \cdot 0.6 = 0.48$
- $p(\text{tails, heads}) = 0.2 \cdot 0.4 = 0.08$
- $p(\text{tails, tails}) = 0.2 \cdot 0.6 = 0.12$
- $\mathbb{E}_p[u_e] = 0.32 \cdot 1 + 0.48 \cdot (-1) + 0.08 \cdot (-1) + 0.12 \cdot 1 = -0.12$
- $\mathbb{E}_p[u_o] = 0.32 \cdot (-1) + 0.48 \cdot 1 + 0.08 \cdot 1 + 0.12 \cdot (-1) = 0.12$



# Mixed equilibria

- **Mixed equilibrium:** A profile of *mixed* strategies such that each player maximizes its expected utility, given the strategies of the other players

# Mixed equilibria

- **Mixed equilibrium:** A profile of *mixed* strategies such that each player maximizes its expected utility, given the strategies of the other players

**Theorem** [Nash, 1951]

Every finite strategic game of  $n$  players has at least one mixed equilibrium

# Mixed equilibria

- **Mixed equilibrium:** A profile of *mixed* strategies such that each player maximizes its expected utility, given the strategies of the other players

**Theorem** [Nash, 1951]

Every finite strategic game of  $n$  players has at least one mixed equilibrium

- Every pure equilibrium is also a mixed equilibrium
  - Every pure strategy can be seen as a probability distribution over all strategies that assigns probability 1 to this one pure strategy

# Matching Pennies: mixed equilibria

		odd	
		heads	tails
even	heads	1, -1	-1, 1
	tails	-1, 1	1, -1

- Even player selects heads with probability  $x$  and tails with  $1 - x$
- Odd player selects heads with probability  $y$  and tails with  $1 - y$

# Matching Pennies: mixed equilibria

		odd	
		heads	tails
even	heads	1, -1	-1, 1
	tails	-1, 1	1, -1

- Even player selects heads with probability  $x$  and tails with  $1 - x$
- Odd player selects heads with probability  $y$  and tails with  $1 - y$
- $p(\text{heads, heads}) = xy$
- $p(\text{heads, tails}) = x(1 - y)$
- $p(\text{tails, heads}) = (1 - x)y$
- $p(\text{tails, tails}) = (1 - x)(1 - y)$

# Matching Pennies: mixed equilibria

		odd		
		heads	tails	
even	heads	1, -1	-1, 1	$x$
	tails	-1, 1	1, -1	$1 - x$
		$y$	$1 - y$	

- $\mathbb{E}_p[u_e]$   
 $= xy \cdot 1 + x(1 - y) \cdot (-1) + (1 - x)y \cdot (-1) + (1 - x)(1 - y) \cdot 1$

# Matching Pennies: mixed equilibria

		odd		
		heads	tails	
even	heads	1, -1	-1, 1	$x$
	tails	-1, 1	1, -1	$1 - x$
		$y$	$1 - y$	

- $\mathbb{E}_p[u_e]$   
 $= xy \cdot 1 + x(1 - y) \cdot (-1) + (1 - x)y \cdot (-1) + (1 - x)(1 - y) \cdot 1$   
 $= 4xy - 2x - 2y + 1$   
 $= x(4y - 2) - 2y + 1$

# Matching Pennies: mixed equilibria

		odd		
		heads	tails	
even	heads	1, -1	-1, 1	$x$
	tails	-1, 1	1, -1	$1 - x$
		$y$	$1 - y$	

- $\mathbb{E}_p[u_e]$   
 $= xy \cdot 1 + x(1 - y) \cdot (-1) + (1 - x)y \cdot (-1) + (1 - x)(1 - y) \cdot 1$   
 $= 4xy - 2x - 2y + 1$   
 $= \mathbf{x(4y - 2) - 2y + 1}$
- $\mathbb{E}_p[u_o]$   
 $= xy \cdot (-1) + x(1 - y) \cdot 1 + (1 - x)y \cdot 1 + (1 - x)(1 - y) \cdot (-1)$   
 $= \mathbf{y(2 - 4x) + 2x - 1}$



# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- The expected utility of each player is a **linear function** in terms of her corresponding probability

# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- The expected utility of each player is a **linear function** in terms of her corresponding probability
- To analyze how a player is going to act, we need to see whether the slope of the linear function is negative or positive

# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- The expected utility of each player is a **linear function** in terms of her corresponding probability
- To analyze how a player is going to act, we need to see whether the slope of the linear function is negative or positive
- **Negative:** the function is decreasing and the player aims to set a small value for the probability

# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- The expected utility of each player is a **linear function** in terms of her corresponding probability
- To analyze how a player is going to act, we need to see whether the slope of the linear function is negative or positive
- **Negative:** the function is decreasing and the player aims to set a small value for the probability
- **Positive:** the function is increasing and the players aims to set a high value for the probability

# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- **Even player:** the slope is  $4y - 2$  and it depends on  $y$ , the probability with which the odd player selects heads

# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- **Even player:** the slope is  $4y - 2$  and it depends on  $y$ , the probability with which the odd player selects heads
- **$y < 1/2$** 
  - ⇒ the slope  $4y - 2$  is **negative**

# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- **Even player:** the slope is  $4y - 2$  and it depends on  $y$ , the probability with which the odd player selects heads
- **$y < 1/2$** 
  - $\Rightarrow$  the slope  $4y - 2$  is **negative**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_e]$  is **decreasing in  $x$**

# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- **Even player:** the slope is  $4y - 2$  and it depends on  $y$ , the probability with which the odd player selects heads
- $y < 1/2$ 
  - $\Rightarrow$  the slope  $4y - 2$  is **negative**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_e]$  is **decreasing in  $x$**
  - $\Rightarrow$  even player sets  $x = 0$  to maximize  $\mathbb{E}_p[u_e]$



# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- **Even player:** the slope is  $4y - 2$  and it depends on  $y$ , the probability with which the odd player selects heads
- $y < 1/2$ 
  - $\Rightarrow$  the slope  $4y - 2$  is **negative**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_e]$  is **decreasing in  $x$**
  - $\Rightarrow$  even player sets  $x = 0$  to maximize  $\mathbb{E}_p[u_e]$
  - $\Rightarrow$  the slope  $2 - 4x = 2$  of the odd player is **positive**

# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- **Even player:** the slope is  $4y - 2$  and it depends on  $y$ , the probability with which the odd player selects heads
- $y < 1/2$ 
  - $\Rightarrow$  the slope  $4y - 2$  is **negative**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_e]$  is **decreasing in  $x$**
  - $\Rightarrow$  even player sets  $x = 0$  to maximize  $\mathbb{E}_p[u_e]$
  - $\Rightarrow$  the slope  $2 - 4x = 2$  of the odd player is **positive**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_o]$  is **increasing in  $y$**

# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- **Even player:** the slope is  $4y - 2$  and it depends on  $y$ , the probability with which the odd player selects heads
- $y < 1/2$ 
  - $\Rightarrow$  the slope  $4y - 2$  is **negative**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_e]$  is **decreasing in  $x$**
  - $\Rightarrow$  even player sets  $x = 0$  to maximize  $\mathbb{E}_p[u_e]$
  - $\Rightarrow$  the slope  $2 - 4x = 2$  of the odd player is **positive**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_o]$  is **increasing in  $y$**
  - $\Rightarrow$  odd player sets  $y = 1$  to maximize  $\mathbb{E}_p[u_o]$

# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- **Even player:** the slope is  $4y - 2$  and it depends on  $y$ , the probability with which the odd player selects heads
- $y < 1/2$ 
  - $\Rightarrow$  the slope  $4y - 2$  is **negative**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_e]$  is **decreasing in  $x$**
  - $\Rightarrow$  even player sets  $x = 0$  to maximize  $\mathbb{E}_p[u_e]$
  - $\Rightarrow$  the slope  $2 - 4x = 2$  of the odd player is **positive**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_o]$  is **increasing in  $y$**
  - $\Rightarrow$  odd player sets  $y = 1$  to maximize  $\mathbb{E}_p[u_o]$
  - $\Rightarrow$  **contradiction**

# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- **Even player:** the slope is  $4y - 2$  and it depends on  $y$ , the probability with which the odd player selects heads
- $y > 1/2$ 
  - ⇒ the slope  $4y - 2$  is **positive**

# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- **Even player:** the slope is  $4y - 2$  and it depends on  $y$ , the probability with which the odd player selects heads
- **$y > 1/2$** 
  - $\Rightarrow$  the slope  $4y - 2$  is **positive**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_e]$  is **increasing in  $x$**

# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- **Even player:** the slope is  $4y - 2$  and it depends on  $y$ , the probability with which the odd player selects heads
- **$y > 1/2$** 
  - $\Rightarrow$  the slope  $4y - 2$  is **positive**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_e]$  is **increasing in  $x$**
  - $\Rightarrow$  even player sets  **$x = 1$**  to maximize  $\mathbb{E}_p[u_e]$

# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- **Even player:** the slope is  $4y - 2$  and it depends on  $y$ , the probability with which the odd player selects heads
- $y > 1/2$ 
  - $\Rightarrow$  the slope  $4y - 2$  is **positive**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_e]$  is **increasing in  $x$**
  - $\Rightarrow$  even player sets  $x = 1$  to maximize  $\mathbb{E}_p[u_e]$
  - $\Rightarrow$  the slope  $2 - 4x = -2$  of the odd player is **negative**



# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- **Even player:** the slope is  $4y - 2$  and it depends on  $y$ , the probability with which the odd player selects heads
- **$y > 1/2$** 
  - $\Rightarrow$  the slope  $4y - 2$  is **positive**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_e]$  is **increasing in  $x$**
  - $\Rightarrow$  even player sets  **$x = 1$**  to maximize  $\mathbb{E}_p[u_e]$
  - $\Rightarrow$  the slope  $2 - 4x = -2$  of the odd player is **negative**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_o]$  is **decreasing in  $y$**

# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- **Even player:** the slope is  $4y - 2$  and it depends on  $y$ , the probability with which the odd player selects heads
- $y > 1/2$ 
  - $\Rightarrow$  the slope  $4y - 2$  is **positive**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_e]$  is **increasing in  $x$**
  - $\Rightarrow$  even player sets  $x = 1$  to maximize  $\mathbb{E}_p[u_e]$
  - $\Rightarrow$  the slope  $2 - 4x = -2$  of the odd player is **negative**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_o]$  is **decreasing in  $y$**
  - $\Rightarrow$  odd player sets  $y = 0$  to maximize  $\mathbb{E}_p[u_o]$

# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- **Even player:** the slope is  $4y - 2$  and it depends on  $y$ , the probability with which the odd player selects heads
- $y > 1/2$ 
  - $\Rightarrow$  the slope  $4y - 2$  is **positive**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_e]$  is **increasing in  $x$**
  - $\Rightarrow$  even player sets  $x = 1$  to maximize  $\mathbb{E}_p[u_e]$
  - $\Rightarrow$  the slope  $2 - 4x = -2$  of the odd player is **negative**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_o]$  is **decreasing in  $y$**
  - $\Rightarrow$  odd player sets  $y = 0$  to maximize  $\mathbb{E}_p[u_o]$
  - $\Rightarrow$  **contradiction**

# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- It must be  $y = 1/2$

# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- It must be  $y = 1/2$
- Following the same reasoning for the odd player, we can see that it must also be  $x = 1/2$

# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- It must be  $y = 1/2$
- Following the same reasoning for the odd player, we can see that it must also be  $x = 1/2$
- For these values of  $x$  and  $y$  both slopes are equal to 0 and the linear functions are maximized

# Matching Pennies: mixed equilibria

- $\mathbb{E}_p[u_e] = x(4y - 2) - 2y + 1$
- $\mathbb{E}_p[u_o] = y(2 - 4x) + 2x - 1$
- It must be  $y = 1/2$
- Following the same reasoning for the odd player, we can see that it must also be  $x = 1/2$
- For these values of  $x$  and  $y$  both slopes are equal to 0 and the linear functions are maximized
- The pair  $(x, y) = (1/2, 1/2)$  corresponds to a mixed equilibrium, which is actually unique for this game

# Unbalanced coordination

- Two players with two possible strategies A and B
- If both players select A, they get one point
- If both of them select B, they get two points
- If they select different strategies, they get zero points

		col player	
		A	B
row player	A	1, 1	0, 0
	B	0, 0	2, 2



# Unbalanced coordination

- Two players with two possible strategies A and B
- If both players select A, they get one point
- If both of them select B, they get two points
- If they select different strategies, they get zero points

		col player	
		A	B
row player	A	1, 1	0, 0
	B	0, 0	2, 2

- Easy to verify that (A, A) and (B, B) are pure equilibria
- Are there any other mixed equilibria?

# Unbalanced coordination

		col player	
		A	B
row player	A	1, 1	0, 0
	B	0, 0	2, 2

- row player selects A with probability  $x$  and B with  $1 - x$
- col player selects A with probability  $y$  and B with  $1 - y$
- $p(A, A) = xy$
- $p(A, B) = x(1 - y)$
- $p(B, A) = (1 - x)y$
- $p(B, B) = (1 - x)(1 - y)$

# Unbalanced coordination

		col player		
		A	B	
row player	A	1, 1	0, 0	$x$
	B	0, 0	2, 2	$1 - x$
		$y$	$1 - y$	

- $\mathbb{E}_p[u_r]$   
 $= xy \cdot 1 + x(1 - y) \cdot 0 + (1 - x)y \cdot 0 + (1 - x)(1 - y) \cdot 2$   
 $= \mathbf{x(3y - 2) + 2 - 2y}$
- $\mathbb{E}_p[u_c]$   
 $= xy \cdot 1 + x(1 - y) \cdot 0 + (1 - x)y \cdot 0 + (1 - x)(1 - y) \cdot 2$   
 $= \mathbf{y(3x - 2) + 2 - 2y}$

# Unbalanced coordination

- $\mathbb{E}_p[u_r] = x(3y - 2) + 2 - 2y$
- $\mathbb{E}_p[u_c] = y(3x - 2) + 2 - 2x$

# Unbalanced coordination

- $\mathbb{E}_p[u_r] = x(3y - 2) + 2 - 2y$
- $\mathbb{E}_p[u_c] = y(3x - 2) + 2 - 2x$
- **$y < 2/3$** 
  - $\Rightarrow$  the slope  $3y - 2$  of  $\mathbb{E}_p[u_r]$  is **negative**

# Unbalanced coordination

- $\mathbb{E}_p[u_r] = x(3y - 2) + 2 - 2y$
- $\mathbb{E}_p[u_c] = y(3x - 2) + 2 - 2x$
- **$y < 2/3$** 
  - $\Rightarrow$  the slope  $3y - 2$  of  $\mathbb{E}_p[u_r]$  is **negative**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_r]$  is **decreasing in  $x$**

# Unbalanced coordination

- $\mathbb{E}_p[u_r] = x(3y - 2) + 2 - 2y$
- $\mathbb{E}_p[u_c] = y(3x - 2) + 2 - 2x$
- **$y < 2/3$** 
  - $\Rightarrow$  the slope  $3y - 2$  of  $\mathbb{E}_p[u_r]$  is **negative**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_r]$  is **decreasing in  $x$**
  - $\Rightarrow$  row player sets  **$x = 0$**  to maximize  $\mathbb{E}_p[u_r]$

# Unbalanced coordination

- $\mathbb{E}_p[u_r] = x(3y - 2) + 2 - 2y$
- $\mathbb{E}_p[u_c] = y(3x - 2) + 2 - 2x$
- **$y < 2/3$** 
  - $\Rightarrow$  the slope  $3y - 2$  of  $\mathbb{E}_p[u_r]$  is **negative**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_r]$  is **decreasing in  $x$**
  - $\Rightarrow$  row player sets  **$x = 0$**  to maximize  $\mathbb{E}_p[u_r]$
  - $\Rightarrow$  the slope  $3x - 2 = -2$  of  $\mathbb{E}_p[u_c]$  is **negative**



# Unbalanced coordination

- $\mathbb{E}_p[u_r] = x(3y - 2) + 2 - 2y$
- $\mathbb{E}_p[u_c] = y(3x - 2) + 2 - 2x$
- **$y < 2/3$** 
  - $\Rightarrow$  the slope  $3y - 2$  of  $\mathbb{E}_p[u_r]$  is **negative**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_r]$  is **decreasing in  $x$**
  - $\Rightarrow$  row player sets  **$x = 0$**  to maximize  $\mathbb{E}_p[u_r]$
  - $\Rightarrow$  the slope  $3x - 2 = -2$  of  $\mathbb{E}_p[u_c]$  is **negative**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_c]$  is **decreasing in  $y$**

# Unbalanced coordination

- $\mathbb{E}_p[u_r] = x(3y - 2) + 2 - 2y$
- $\mathbb{E}_p[u_c] = y(3x - 2) + 2 - 2x$
- $y < 2/3$ 
  - $\Rightarrow$  the slope  $3y - 2$  of  $\mathbb{E}_p[u_r]$  is **negative**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_r]$  is **decreasing in  $x$**
  - $\Rightarrow$  row player sets  $x = 0$  to maximize  $\mathbb{E}_p[u_r]$
  - $\Rightarrow$  the slope  $3x - 2 = -2$  of  $\mathbb{E}_p[u_c]$  is **negative**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_c]$  is **decreasing in  $y$**
  - $\Rightarrow$  column player sets  $y = 0$  to maximize  $\mathbb{E}_p[u_c]$

# Unbalanced coordination

- $\mathbb{E}_p[u_r] = x(3y - 2) + 2 - 2y$
- $\mathbb{E}_p[u_c] = y(3x - 2) + 2 - 2x$
- $y < 2/3$ 
  - $\Rightarrow$  the slope  $3y - 2$  of  $\mathbb{E}_p[u_r]$  is **negative**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_r]$  is **decreasing in  $x$**
  - $\Rightarrow$  row player sets  $x = 0$  to maximize  $\mathbb{E}_p[u_r]$
  - $\Rightarrow$  the slope  $3x - 2 = -2$  of  $\mathbb{E}_p[u_c]$  is **negative**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_c]$  is **decreasing in  $y$**
  - $\Rightarrow$  column player sets  $y = 0$  to maximize  $\mathbb{E}_p[u_c]$
- $(x, y) = (0, 0)$  is a mixed equilibrium
- We already knew that: it corresponds to the pure equilibrium (A, A)

# Unbalanced coordination

- $\mathbb{E}_p[u_r] = x(3y - 2) + 2 - 2y$
- $\mathbb{E}_p[u_c] = y(3x - 2) + 2 - 2x$
- **$y > 2/3$** 
  - $\Rightarrow$  the slope  $3y - 2$  of  $\mathbb{E}_p[u_r]$  is **positive**

# Unbalanced coordination

- $\mathbb{E}_p[u_r] = x(3y - 2) + 2 - 2y$
- $\mathbb{E}_p[u_c] = y(3x - 2) + 2 - 2x$
- **$y > 2/3$** 
  - $\Rightarrow$  the slope  $3y - 2$  of  $\mathbb{E}_p[u_r]$  is **positive**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_r]$  is **increasing in  $x$**

# Unbalanced coordination

- $\mathbb{E}_p[u_r] = x(3y - 2) + 2 - 2y$
- $\mathbb{E}_p[u_c] = y(3x - 2) + 2 - 2x$
- **$y > 2/3$** 
  - $\Rightarrow$  the slope  $3y - 2$  of  $\mathbb{E}_p[u_r]$  is **positive**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_r]$  is **increasing in  $x$**
  - $\Rightarrow$  row player sets  **$x = 1$**  to maximize  $\mathbb{E}_p[u_r]$

# Unbalanced coordination

- $\mathbb{E}_p[u_r] = x(3y - 2) + 2 - 2y$
- $\mathbb{E}_p[u_c] = y(3x - 2) + 2 - 2x$
- $y > 2/3$ 
  - $\Rightarrow$  the slope  $3y - 2$  of  $\mathbb{E}_p[u_r]$  is **positive**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_r]$  is **increasing in  $x$**
  - $\Rightarrow$  row player sets  $x = 1$  to maximize  $\mathbb{E}_p[u_r]$
  - $\Rightarrow$  the slope  $3x - 2 = 1$  of  $\mathbb{E}_p[u_c]$  is **positive**

# Unbalanced coordination

- $\mathbb{E}_p[u_r] = x(3y - 2) + 2 - 2y$
- $\mathbb{E}_p[u_c] = y(3x - 2) + 2 - 2x$
- $y > 2/3$ 
  - $\Rightarrow$  the slope  $3y - 2$  of  $\mathbb{E}_p[u_r]$  is **positive**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_r]$  is **increasing in  $x$**
  - $\Rightarrow$  row player sets  $x = 1$  to maximize  $\mathbb{E}_p[u_r]$
  - $\Rightarrow$  the slope  $3x - 2 = 1$  of  $\mathbb{E}_p[u_c]$  is **positive**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_c]$  is **increasing in  $y$**



# Unbalanced coordination

- $\mathbb{E}_p[u_r] = x(3y - 2) + 2 - 2y$
- $\mathbb{E}_p[u_c] = y(3x - 2) + 2 - 2x$
- $y > 2/3$ 
  - $\Rightarrow$  the slope  $3y - 2$  of  $\mathbb{E}_p[u_r]$  is **positive**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_r]$  is **increasing in  $x$**
  - $\Rightarrow$  row player sets  $x = 1$  to maximize  $\mathbb{E}_p[u_r]$
  - $\Rightarrow$  the slope  $3x - 2 = 1$  of  $\mathbb{E}_p[u_c]$  is **positive**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_c]$  is **increasing in  $y$**
  - $\Rightarrow$  column player sets  $y = 1$  to maximize  $\mathbb{E}_p[u_c]$

# Unbalanced coordination

- $\mathbb{E}_p[u_r] = x(3y - 2) + 2 - 2y$
- $\mathbb{E}_p[u_c] = y(3x - 2) + 2 - 2x$
- $y > 2/3$ 
  - $\Rightarrow$  the slope  $3y - 2$  of  $\mathbb{E}_p[u_r]$  is **positive**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_r]$  is **increasing in  $x$**
  - $\Rightarrow$  row player sets  $x = 1$  to maximize  $\mathbb{E}_p[u_r]$
  - $\Rightarrow$  the slope  $3x - 2 = 1$  of  $\mathbb{E}_p[u_c]$  is **positive**
  - $\Rightarrow$  the function  $\mathbb{E}_p[u_c]$  is **increasing in  $y$**
  - $\Rightarrow$  column player sets  $y = 1$  to maximize  $\mathbb{E}_p[u_c]$
- $(x, y) = (1, 1)$  is a mixed equilibrium corresponding to the pure equilibrium (B, B)

# Unbalanced coordination

- $\mathbb{E}_p[u_r] = x(3y - 2) + 2 - 2y$
- $\mathbb{E}_p[u_c] = y(3x - 2) + 2 - 2x$
- For  $x < 2/3$  and  $x > 2/3$  we will reach to the same conclusion

# Unbalanced coordination

- $\mathbb{E}_p[u_r] = x(3y - 2) + 2 - 2y$
- $\mathbb{E}_p[u_c] = y(3x - 2) + 2 - 2x$
- For  $x < 2/3$  and  $x > 2/3$  we will reach to the same conclusion
- It remains to see what is going on for  $x = 2/3$  and  $y = 2/3$

# Unbalanced coordination

- $\mathbb{E}_p[u_r] = x(3y - 2) + 2 - 2y$
- $\mathbb{E}_p[u_c] = y(3x - 2) + 2 - 2x$
- For  $x < 2/3$  and  $x > 2/3$  we will reach to the same conclusion
- It remains to see what is going on for  $x = 2/3$  and  $y = 2/3$
- For  $y = 2/3$  the slope  $3y - 2$  of  $\mathbb{E}_p[u_r]$  is zero and  $\mathbb{E}_p[u_r]$  is maximized by any choice of  $x$ , including  $x = 2/3$

# Unbalanced coordination

- $\mathbb{E}_p[u_r] = x(3y - 2) + 2 - 2y$
- $\mathbb{E}_p[u_c] = y(3x - 2) + 2 - 2x$
- For  $x < 2/3$  and  $x > 2/3$  we will reach to the same conclusion
- It remains to see what is going on for  $x = 2/3$  and  $y = 2/3$
- For  $y = 2/3$  the slope  $3y - 2$  of  $\mathbb{E}_p[u_r]$  is zero and  $\mathbb{E}_p[u_r]$  is maximized by any choice of  $x$ , including  $x = 2/3$
- For  $x = 2/3$  the slope  $3x - 2$  of  $\mathbb{E}_p[u_c]$  is zero and  $\mathbb{E}_p[u_c]$  is maximized by any choice of  $y$ , including  $y = 2/3$

# Unbalanced coordination

- $\mathbb{E}_p[u_r] = x(3y - 2) + 2 - 2y$
- $\mathbb{E}_p[u_c] = y(3x - 2) + 2 - 2x$
- For  $x < 2/3$  and  $x > 2/3$  we will reach to the same conclusion
- It remains to see what is going on for  $x = 2/3$  and  $y = 2/3$
- For  $y = 2/3$  the slope  $3y - 2$  of  $\mathbb{E}_p[u_r]$  is zero and  $\mathbb{E}_p[u_r]$  is maximized by any choice of  $x$ , including  $x = 2/3$
- For  $x = 2/3$  the slope  $3x - 2$  of  $\mathbb{E}_p[u_c]$  is zero and  $\mathbb{E}_p[u_c]$  is maximized by any choice of  $y$ , including  $y = 2/3$
- $(x, y) = (2/3, 2/3)$  is a fully mixed equilibrium of the game

# Summary



# Summary

- **Dominant strategy:** a strategy that is always the best response

# Summary

- **Dominant strategy:** a strategy that is always the best response
- **Pure equilibrium:** every player selects a best response, and has no incentive to deviate

# Summary

- **Dominant strategy:** a strategy that is always the best response
- **Pure equilibrium:** every player selects a best response, and has no incentive to deviate
- Pure equilibria are not guaranteed to exist

# Summary

- **Dominant strategy:** a strategy that is always the best response
- **Pure equilibrium:** every player selects a best response, and has no incentive to deviate
- Pure equilibria are not guaranteed to exist
- **Mixed strategy:** a probability distribution over the set of strategies

# Summary

- **Dominant strategy:** a strategy that is always the best response
- **Pure equilibrium:** every player selects a best response, and has no incentive to deviate
- Pure equilibria are not guaranteed to exist
- **Mixed strategy:** a probability distribution over the set of strategies
- **Mixed equilibrium:** every player selects a mixed strategy that is a best response to the mixed strategies of the other players

# Summary

- **Dominant strategy:** a strategy that is always the best response
- **Pure equilibrium:** every player selects a best response, and has no incentive to deviate
- Pure equilibria are not guaranteed to exist
- **Mixed strategy:** a probability distribution over the set of strategies
- **Mixed equilibrium:** every player selects a mixed strategy that is a best response to the mixed strategies of the other players
- There is always at least one mixed equilibrium (finite games)

# Summary

- **Dominant strategy:** a strategy that is always the best response
- **Pure equilibrium:** every player selects a best response, and has no incentive to deviate
- Pure equilibria are not guaranteed to exist
- **Mixed strategy:** a probability distribution over the set of strategies
- **Mixed equilibrium:** every player selects a mixed strategy that is a best response to the mixed strategies of the other players
- There is always at least one mixed equilibrium (finite games)
- Every pure equilibrium is a mixed equilibrium

# Summary

- **Dominant strategy:** a strategy that is always the best response
- **Pure equilibrium:** every player selects a best response, and has no incentive to deviate
- Pure equilibria are not guaranteed to exist
- **Mixed strategy:** a probability distribution over the set of strategies
- **Mixed equilibrium:** every player selects a mixed strategy that is a best response to the mixed strategies of the other players
- There is always at least one mixed equilibrium (finite games)
- Every pure equilibrium is a mixed equilibrium
- **Computing mixed equilibria in 2x2 games:** define a parameterized probability distribution per player,



# Summary

- **Dominant strategy:** a strategy that is always the best response
- **Pure equilibrium:** every player selects a best response, and has no incentive to deviate
- Pure equilibria are not guaranteed to exist
- **Mixed strategy:** a probability distribution over the set of strategies
- **Mixed equilibrium:** every player selects a mixed strategy that is a best response to the mixed strategies of the other players
- There is always at least one mixed equilibrium (finite games)
- Every pure equilibrium is a mixed equilibrium
- **Computing mixed equilibria in 2x2 games:** define a parameterized probability distribution per player, compute the probability distribution over the states of the game,

# Summary

- **Dominant strategy:** a strategy that is always the best response
- **Pure equilibrium:** every player selects a best response, and has no incentive to deviate
- Pure equilibria are not guaranteed to exist
- **Mixed strategy:** a probability distribution over the set of strategies
- **Mixed equilibrium:** every player selects a mixed strategy that is a best response to the mixed strategies of the other players
- There is always at least one mixed equilibrium (finite games)
- Every pure equilibrium is a mixed equilibrium
- **Computing mixed equilibria in 2x2 games:** define a parameterized probability distribution per player, compute the probability distribution over the states of the game, compute the expected utility of each player and write it as a linear function of its parameter,

# Summary

- **Dominant strategy:** a strategy that is always the best response
- **Pure equilibrium:** every player selects a best response, and has no incentive to deviate
- Pure equilibria are not guaranteed to exist
- **Mixed strategy:** a probability distribution over the set of strategies
- **Mixed equilibrium:** every player selects a mixed strategy that is a best response to the mixed strategies of the other players
- There is always at least one mixed equilibrium (finite games)
- Every pure equilibrium is a mixed equilibrium
- **Computing mixed equilibria in 2x2 games:** define a parameterized probability distribution per player, compute the probability distribution over the states of the game, compute the expected utility of each player and write it as a linear function of its parameter, argue about the slope (negative, positive, zero)

# Bibliography

- Handbook of Algorithmic Game Theory
  - <http://www.cs.cmu.edu/~sandholm/cs15-892F13/algorithmic-game-theory.pdf>
- Networks, Crowds and Markets
  - <http://www.cs.cornell.edu/home/kleinber/networks-book/networks-book.pdf>
- Twenty Lectures on Algorithmic Game Theory
  - <http://timroughgarden.org/notes.html>

