www.PapaCambridge.com

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
General Certificate of Education Ordinary Level

CHEMISTRY **5070/11**

Paper 1 Multiple Choice **October/November 2010**

1 hour

Additional Materials: Multiple Choice Answer Sheet
Soft clean eraser
Soft pencil (type B or HB recommended)

6223590479

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.
Do not use staples, paper clips, highlighters, glue or correction fluid.
Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.


There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.
Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.
Any rough working should be done in this booklet.
A copy of the Periodic Table is printed on page 16.

UNIVERSITY of CAMBRIDGE
International Examinations

www.PapaCambridge.com



Which gas, when present in the beaker over the porous pot, will cause the water level at Y to rise?


A carbon dioxide, CO_2

B chlorine, Cl_2

C methane, CH_4

D nitrogen dioxide, NO_2

www.PapaCambridge.com



What is the main purpose of Y?

A to dry the gas

B to prevent water being sucked back on to the hot carbon

C to remove carbon dioxide from the gas

D to remove hydrogen chloride from the gas

4 The boiling points of various gases found in the air are shown below.

	°C
argon	–186
carbon dioxide	–78
nitrogen	–198
oxygen	–183

If the air is cooled, the first substance to condense is water.

If the temperature is lowered further, what is the next substance to condense?


A argon

B carbon dioxide

C nitrogen

D oxygen

www.PapaCambridge.com



6 Hydrogen can form both H^+ ions and H^- ions.

Which one of the statements below is correct?

A An H^+ ion has more protons than an H^- ion.

B An H^+ ion has no electrons.

C An H^- ion has one more electron than an H^+ ion.

D An H^- ion is formed when a hydrogen atom loses an electron.

7 A dark, shiny solid, X, conducts electricity.

Oxygen combines with X to form a gaseous oxide.

What is X?


A graphite

B iodine

C iron

D lead

www.PapaCambridge.com



How many bonding pairs of electrons are there in the molecule?

A 13 **B** 16 **C** 17 **D** 20

9 The conduction of electricity by metals is carried out by the movement of

A electrons only.

B electrons and positive ions.

C negative ions only.

D negative ions and positive ions.

10 Which substance could be sodium chloride?

	melting point / °C	conduction of electricity	
		when liquid	in aqueous solution
A	–114	nil	good
B	180	nil	nil (insoluble)
C	808	good	good
D	3550	nil	nil (insoluble)

11 What is the concentration of iodine molecules, I_2, in a solution containing 2.54 g of iodine in 250 cm^3 of solution?


A 0.01 mol / dm^3

B 0.02 mol / dm^3

C 0.04 mol / dm^3

D 0.08 mol / dm^3

www.PapaCambridge.com



Which could be liquid X?


A aqueous copper(II) sulfate

B concentrated aqueous sodium chloride

C dilute sulfuric acid

D ethanol

13 The energy profile for the forward direction of a **reversible** reaction is shown.




Which row correctly shows the sign of both the activation energy and the type of the enthalpy change for the **reverse** reaction?

	sign of activation energy	type of enthalpy change
A	negative	endothermic
B	negative	exothermic
C	positive	endothermic
D	positive	exothermic

www.PapaCambridge.com

$\rightleftharpoons$



16 In which reaction is nitric acid acting as an oxidising agent?

A $Cu + 4HNO_3 \rightarrow Cu(NO_3)_2 + 2H_2O + 2NO_2$


B $CuO + 2HNO_3 \rightarrow Cu(NO_3)_2 + H_2O$

C $Na_2CO_3 + 2HNO_3 \rightarrow 2NaNO_3 + H_2O + CO_2$

D $NaOH + HNO_3 \rightarrow NaNO_3 + H_2O$

www.PapaCambridge.com

www.PapaCambridge.com



Why is brass harder than pure copper?


A The zinc atoms form strong covalent bonds with copper atoms.

B The zinc atoms prevent layers of copper atoms from slipping over each other easily.

C The zinc atoms prevent the ‘sea of electrons’ from moving freely in the solid.

D Zinc atoms have more electrons than copper atoms.

www.PapaCambridge.com



What are substances W and X and catalyst Y?

	W	X	Y
A	air	oil	iron
B	air	oil	vanadium(V) oxide
C	oil	air	iron
D	oil	air	vanadium(V) oxide

25 Sulfur is burnt in air.

Which statement about this reaction is correct?


A Sulfur is oxidised to sulfur trioxide.

B The gas formed turns aqueous potassium dichromate(VI) from orange to green.

C The reaction is reversible.

D The reaction needs a catalyst.

www.PapaCambridge.com



After a short time, coloured substances are seen at P, Q and R.

What are these coloured substances?

	at P	at Q	at R
A	green gas	red brown vapour	violet vapour
B	green gas	violet vapour	black solid
C	red brown vapour	violet vapour	black solid
D	violet vapour	red brown vapour	red brown vapour

27 Which equation in the blast furnace extraction of iron is **not** a redox reaction?

A $CaCO_3 \rightarrow CaO + CO_2$

B $2C + O_2 \rightarrow 2CO$

C $C + CO_2 \rightarrow 2CO$

D $Fe_2O_3 + 3CO \rightarrow 2Fe + 3CO_2$

28 In the electrolysis of molten aluminium oxide for the extraction of aluminium, the following three reactions take place.

1 $Al^{3+} + 3e^- \rightarrow Al$


2 $2O^{2-} \rightarrow O_2 + 4e^-$

3 $C + O_2 \rightarrow CO_2$

Which reactions take place at the anode?


A 1 only **B** 2 only **C** 1 and 3 **D** 2 and 3

www.PapaCambridge.com




www.PapaCambridge.com


A




B



C




D




35 The diagrams show two organic compounds.

S



T



Which statement about the compounds S and T is correct?

A Both S and T react with sodium carbonate.


B S and T react together to form the ester ethyl propanoate.

C T can be changed into S using acidified potassium dichromate(VI).


D They are in the same homologous series.

www.PapaCambridge.com


1




2




3



4



5



Which structures represent identical molecules?

A 1 and 3 only

B 2 and 3 only

C 1, 3 and 4 only

D 1, 3 and 5 only

37 Which statement about ethanol is correct?

A It is an unsaturated compound.

B It is formed by the catalytic addition of steam to ethene.

C It is formed by the oxidation of ethanoic acid.

D It reacts with ethyl ethanoate to form an acid.

38 In which reaction is water produced?

A manufacture of ethanol from ethene


B manufacture of margarine from vegetable oils

C manufacture of poly(ethene) from ethene


D manufacture of *Terylene* from a carboxylic acid and an alcohol

www.PapaCambridge.com


A




B




C



D



40 Polymer X has the structure shown.



The list shows four terms that can be applied to polymers.

1 addition polymer

2 condensation polymer

3 polyamide

4 polyester

Which two terms can be applied to polymer X?

A 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4

DATA SHEET
The Periodic Table of the Elements

Group																
I	II										III	IV	V	VI	VII	0
							1 H Hydrogen 1									4 He Helium 2
7 Li Lithium 3	9 Be Beryllium 4										11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon 10
23 Na Sodium 11	24 Mg Magnesium 12										27 Al Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 S Sulfur 16	35.5 Cl Chlorine 17	40 Ar Argon 18
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54
133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57 *	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	Po Polonium 84	At Astatine 85	Rn Radon 86
Fr Francium 87	226 Ra Radius 88	227 Ac Actinium 89 †														

140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71
232 Th Thorium 90	Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103

*58-71 Lanthanoid series
†90-103 Actinoid series

Key

a
X
b

a = relative atomic mass
X = atomic symbol
b = proton (atomic) number

The volume of one mole of any gas is 24 dm^3 at room temperature and pressure (r.t.p.).

www.PapaCambridge.com