www.XtremePapers.com

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
General Certificate of Education Ordinary Level

CANDIDATE NAME

CENTRE NUMBER | | | | | |

CANDIDATE NUMBER | | | | |

9643214838

CHEMISTRY **5070/23**

Paper 2 Theory **October/November 2010**

1 hour 30 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.
Write in dark blue or black pen.
You may use a soft pencil for any diagrams, graphs or rough working.
Do not use staples, paper clips, highlighters, glue or correction fluid.
DO **NOT** WRITE IN ANY BARCODES.

Section A
Answer **all** questions.
Write your answers in the spaces provided in the Question Paper.

Section B
Answer any **three** questions.
Write your answers in the spaces provided in the Question Paper.


A copy of the Periodic Table is printed on page 20.
At the end of the examination, fasten all your work securely together.
The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use	
Section A	
B6	
B7	
B8	
B9	
Total	

This document consists of **17** printed pages and **3** blank pages.

© UCLES 2010





(a) Use the information from the graph to calculate the average speed of reaction in the first two minutes.

[1]

(b) Explain why the reaction stopped after 6 minutes.

.....[1]

(c) Copper catalyses this reaction.


(i) On the axes above, sketch a line to show the expected results for the catalysed reaction. [1]

(ii) Explain how a catalyst changes the speed of reaction.


.....[1]







diamond



graphite

(a) **(i)** Describe **two** differences in the structure of diamond and graphite.

.....

.....

.....

.....[2]

(ii) Explain, in terms of their structure, why graphite is soft but diamond is hard.

.....

.....

.....[2]

(b) Tin is extracted by heating tin(IV) oxide, SnO_2, with carbon in a furnace.

$$SnO_2 + 2C \rightarrow Sn + 2CO$$

(i) How does this equation show that tin(IV) oxide gets reduced?

.....

.....[1]


(ii) Explain why carbon monoxide must not be allowed to escape from the furnace.

.....[1]

(c) Carbon monoxide can be formed by the reduction of carbon dioxide with red-hot carbon.

(i) Write an equation for this reaction.


[1]



Write the empirical formula for chromium carbonyl.

.....[1]

[Total: 10]



(a) Explain why zinc chloride conducts electricity when molten, but not when solid.

.....

..... [2]

(b) Predict the products of this electrolysis at

the anode, ...

the cathode. ..... [1]

(c) When a dilute aqueous solution of zinc chloride is electrolysed, hydroxide ions are converted to oxygen at the anode.
Write the ionic equation for this reaction.

[2]

(d) Describe a positive test for zinc ions.


test .....

observations .....

..... [3]







(i) State one factor that must be kept constant if the speeds of reaction are to be compared in a fair way.

.....[1]

(ii) The time taken for the limewater to turn milky for each metal carbonate is shown in the table.

metal carbonate	time taken for the limewater to turn milky / s
copper carbonate	10
magnesium carbonate	40
zinc carbonate	24

Describe and explain these results in terms of the reactivity of the metals.

.....

.....

.....[2]

[Total: 10]



DATA SHEET
The Periodic Table of the Elements

Group																	
I	II										III	IV	V	VI	VII	0
							1 H Hydrogen 1									4 He Helium 2
7 Li Lithium 3	9 Be Beryllium 4										11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon 10
23 Na Sodium 11	24 Mg Magnesium 12										27 Al Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 S Sulfur 16	35.5 Cl Chlorine 17	40 Ar Argon 18
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54
133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57 *	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	209 Po Polonium 84	210 At Astatine 85	222 Rn Radon 86
223 Fr Francium 87	226 Ra Radium 88	227 Ac Actinium 89 †															

140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	147 Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71
232 Th Thorium 90	231 Pa Protactinium 91	238 U Uranium 92	237 Np Neptunium 93	244 Pu Plutonium 94	243 Am Americium 95	247 Cm Curium 96	247 Bk Berkelium 97	251 Cf Californium 98	252 Es Einsteinium 99	257 Fm Fermium 100	258 Md Mendelevium 101	259 No Nobelium 102	260 Lr Lawrencium 103

* 58–71 Lanthanoid series
† 90–103 Actinoid series

Key

a
X
b

a = relative atomic mass
X = atomic symbol
b = atomic (proton) number

The volume of one mole of any gas is 24 dm^3 at room temperature and pressure (r.t.p.).