UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
General Certificate of Education Ordinary Level

CHEMISTRY **5070/11**

Paper 1 Multiple Choice **May/June 2010**

1 hour

Additional Materials: Multiple Choice Answer Sheet
Soft clean eraser
Soft pencil (type B or HB is recommended)

* 9 8 7 2 0 1 9 8 4 7 *

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.
Do not use staples, paper clips, highlighters, glue or correction fluid.
Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.
Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.
Any rough working should be done in this booklet.
A copy of the Periodic Table is printed on page 16.

IB10 06_5070_11/3RP
© UCLES 2010

UNIVERSITY of CAMBRIDGE
International Examinations

[Turn over


1 Which is an anion that is present in the solution formed when an excess of dilute hydrochloric acid is added to calcium carbonate?

A Ca^{2+} **B** $C\ell^{-}$ **C** CO_3^{2-} **D** H^{+}

2 What correctly describes the molecules in **very dilute** sugar solution at room temperature?

	sugar molecules	water molecules
A	close together, moving at random	close together, moving at random
B	widely separated, moving at random	close together, moving at random
C	widely separated, moving at random	close together, not moving
D	widely separated, not moving	widely separated, moving at random

3 The diagram shows a simple laboratory apparatus for the preparation and collection of a dry gas.



What is the gas?

A carbon dioxide

B chlorine


C hydrogen

D hydrogen chloride

© UCLES 2010


4 A mixture containing equal volumes of two liquids that mix completely but do not react together is placed in the apparatus shown and heated until the thermometer first shows a steady reading.

At which position will there be the highest proportion of the liquid with the higher boiling point?




5 Which graph shows the number of electrons in the outer shell of an atom, plotted against the proton (atomic) number for the first ten elements in the Periodic Table?


A




B



C



D



6 Which pair of elements, when combined together, do **not** form a covalent compound?

A caesium and fluorine


B nitrogen and chlorine

C phosphorus and fluorine

D sulfur and chlorine

© UCLES 2010

7 The diagram shows the structure of a covalent compound containing the element hydrogen, H, and the unknown elements X, Y and Z.



To which groups of the Periodic Table do these three elements, X, Y and Z, belong?

	X	Y	Z
A	1	5	6
B	4	5	1
C	4	6	5
D	5	1	4

8 A metal consists of a lattice of positive ions in a 'sea of electrons'.

What changes, if any, take place to the electrons and positive ions in a metal wire when an electric current is passed through it?

	electrons	positive ions
A	replaced by new electrons	replaced by new ions
B	replaced by new electrons	unchanged
C	unchanged	replaced by new ions
D	unchanged	unchanged

9 What is the mass of one mole of carbon-12?

A 0.012 g **B** 0.024 g **C** 1 g **D** 12 g

10 Two different hydrocarbons each contain the same percentage by mass of hydrogen.

It follows that they have the same

A empirical formula.


B number of isomers.

C relative molecular mass.

D structural formula.

© UCLES 2010


11 The diagram shows the electrolysis of a concentrated aqueous solution containing both copper(II) ions and sodium ions.



Which metal is deposited at the negative electrode and why?

	metal deposited	reason
A	copper	copper is less reactive than sodium
B	copper	copper is more reactive than hydrogen
C	sodium	copper is less reactive than hydrogen
D	sodium	copper is more reactive than sodium

12 The diagram shows the apparatus used to electrolyse lead(II) bromide using inert electrodes.



Why does the lamp light up only when the lead(II) bromide is melted?

A Bromine atoms in the lead(II) bromide are converted to ions when it is melted.

B Electrons flow through the lead(II) bromide when it is melted.

C The ions in lead(II) bromide are free to move only when the solid is melted.

D There are no ions in solid lead(II) bromide.

© UCLES 2010

13 A student performs two reactions.


reaction 1 10 g of magnesium ribbon with excess 2.0 mol / dm^3 dilute hydrochloric acid

reaction 2 5 g of magnesium powder with excess 2.0 mol / dm^3 dilute hydrochloric acid


In both experiments, the volume of hydrogen produced, *V*, is measured against time, *t*, and the results plotted graphically.

Which set of graphs is correct?


A




B



C



D



14 Which statement about catalysts is correct for a typical equilibrium reaction?

A A catalyst can be either an inorganic or an organic species.

B A catalyst does not take part in the reaction.

C A catalyst only speeds up the forward reaction.

D A catalyst provides the energy required to start a reaction.

15 When a solution containing silver ions is added to a solution containing iron(II) ions, an equilibrium is set up.

$$Ag^+(aq) + Fe^{2+}(aq) \rightleftharpoons Ag(s) + Fe^{3+}(aq)$$

The addition of which substance would **not** affect the amount of silver precipitated?

A $Ag^+(aq)$ **B** $Fe^{2+}(aq)$ **C** $Fe^{3+}(aq)$ **D** $H_2O(l)$

© UCLES 2010

16 Which reaction does **not** involve either oxidation or reduction?

A $CH_4(g) + 2O_2(g) \rightarrow CO_2(g) + 2H_2O(g)$

B $Cu^{2+}(aq) + Zn(s) \rightarrow Cu(s) + Zn^{2+}(aq)$

C $CuO(s) + H_2SO_4(aq) \rightarrow CuSO_4(aq) + H_2O(l)$

D $Zn(s) + H_2SO_4(aq) \rightarrow ZnSO_4(aq) + H_2(g)$

17 Which pair of compounds could be used in the preparation of calcium sulfate?

A calcium carbonate and sodium sulfate

B calcium chloride and ammonium sulfate

C calcium hydroxide and barium sulfate

D calcium nitrate and lead(II) sulfate

18 A metal reacts with dilute hydrochloric acid to produce a gas.

What is used to identify this gas?

A a glowing splint

B a lighted splint

C damp blue litmus paper

D limewater


19 Titration of an acid against a base is a method often used in the preparation of salts.

Which properties of the acid, the base and the salt are required if this method is to be used?

	acid	base	salt
A	insoluble	insoluble	insoluble
B	soluble	insoluble	insoluble
C	soluble	soluble	insoluble
D	soluble	soluble	soluble

© UCLES 2010

20 The diagram shows part of the Periodic Table.



Which pair of letters represents elements that are in the same period?

A P and R **B** P and S **C** Q and T **D** R and S

21 Which row shows the correct number of protons and electrons in the ion of an element in Group II of the Periodic Table?

	number of protons	number of electrons
A	9	10
B	12	10
C	14	14
D	16	18

22 The oxide of an element X increases the rate of decomposition of hydrogen peroxide. At the end of the reaction the oxide of X is unchanged.

Which details are those of X?

	proton number	mass number
A	18	40
B	20	40
C	25	55
D	82	207

© UCLES 2010

23 Which element is sodium?

	melting point in °C	electrical conduction	density in g / cm^3
A	1535	good	7.86
B	1083	good	8.92
C	113	poor	2.07
D	98	good	0.97

24 Which substances react together to give hydrogen?

A calcium oxide and water

B copper and dilute sulfuric acid

C copper and steam

D magnesium and steam

25 In the extraction of iron, carbon monoxide acts as

A a catalyst.

B an inert gas.

C an oxidising agent.

D a reducing agent.

26 An alloy of copper and zinc is added to an excess of dilute hydrochloric acid.

Which observations are correct?

	residue	filtrate
A	grey	blue solution
B	none	blue solution
C	none	colourless solution
D	red-brown	colourless solution

© UCLES 2010

27 From your knowledge of the manufacture of both aluminium and iron, what is the order of chemical reactivity of aluminium, carbon and iron towards oxygen?

	most reactive ⟶		least reactive
A	aluminium	carbon	iron
B	aluminium	iron	carbon
C	carbon	aluminium	iron
D	carbon	iron	aluminium

28 Which compound will **not** produce ammonia when heated with ammonium sulfate?

A calcium oxide

B magnesium oxide

C sodium hydroxide

D sulfuric acid

29 These reactions are used in the manufacture of sulfuric acid.

P $S + O_2 \rightarrow SO_2$

Q $2SO_2 + O_2 \rightleftharpoons 2SO_3$

R $SO_3 + H_2O \rightarrow H_2SO_4$

Which reactions are speeded up by using a catalyst?

A P only **B** Q only **C** R only **D** Q and R

30 Why is carbon used in the purification of drinking water?

A It desalinates the water.

B It disinfects the water.

C It filters out solids.

D It removes tastes and odours from the water.

31 Which gas burns in air to form only one product?

A ammonia


B carbon monoxide

C hydrogen chloride

D methane

© UCLES 2010

32 The diagram shows apparatus for measuring the volume of hydrogen given off when an excess of dilute hydrochloric acid is added to powdered metal. The volume of gas is measured at room temperature and pressure.



The experiment is carried out three times, using the same mass of powder each time but with different powders:

- pure magnesium
- pure zinc
- a mixture of magnesium and zinc

Which powder gives the greatest volume of hydrogen and which the least volume?

	greatest volume of H_2	least volume of H_2
A	magnesium	zinc
B	magnesium	the mixture
C	zinc	magnesium
D	zinc	the mixture

33 The list shows three chemical reactions.

1 combustion of ethanol

2 fermentation of glucose


3 reaction of ethanol with ethanoic acid to give an ester

In which reactions is water a product?

A 1 and 2 only **B** 1 and 3 only **C** 2 and 3 only **D** 1, 2 and 3

© UCLES 2010

34 The diagram shows a reaction scheme.



What is the final compound, Z?

A a carboxylic acid

B an alcohol

C an alkene

D an ester

35 How does the number of carbon, hydrogen and oxygen atoms in an ester differ from the total number of carbon, hydrogen and oxygen atoms in the alcohol and carboxylic acid from which the compound was derived?

	carbon atoms	hydrogen atoms	oxygen atoms
A	less	less	less
B	less	same	less
C	same	less	less
D	same	same	same

36 The two statements are about the fractional distillation of crude oil. The statements may or may not be correct. They may or may not be linked.

statement 1 Fractional distillation is used to separate crude oil into useful fractions.

statement 2 The fractions with lower boiling points are found at the top of the fractionating column.

What is correct about these two statements?

A Both statements are correct and statement 2 explains statement 1.

B Both statements are correct but statement 2 does not explain statement 1.

C Statement 1 is correct but statement 2 is incorrect.


D Statement 1 is incorrect but statement 2 is correct.

© UCLES 2010


37 An aqueous solution of a compound of formula $C_2H_4O_2$ reacts with sodium carbonate, liberating carbon dioxide.

What is the structural formula of the compound?


A




B



C



D



38 When butanol, represented by C_4H_wOH, burns in air, carbon dioxide and water are formed.

$$C_4H_wOH + xO_2 \rightarrow 4CO_2 + yH_2O$$

Which values of w, x and y balance the equation?

	w	x	y
A	8	6	4
B	9	6	4
C	9	6	5
D	10	7	5

39 Which substances will burn in air and give carbon dioxide amongst the combustion products?

1 calcium carbonate

2 ethane

3 ethanol

4 methanol

A 1 and 2 only **B** 2 and 3 only **C** 1, 2 and 3 only **D** 2, 3 and 4 only

© UCLES 2010

40 The macromolecules of proteins, fats and carbohydrates can all be broken down into their simple units by a similar process.

What is the process called?

A esterification

B hydrolysis

C oxidation

D reduction

© UCLES 2010

DATA SHEET
The Periodic Table of the Elements

Group																		
I	II										III	IV	V	VI	VII	0
																4 He Helium 2
						1 H Hydrogen 1					11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon 10
7 Li Lithium 3	9 Be Beryllium 4										27 Al Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 S Sulfur 16	35.5 Cl Chlorine 17	40 Ar Argon 18
23 Na Sodium 11	24 Mg Magnesium 12										70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	Po Polonium 84	At Astatine 85	Rn Radon 86
133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57 *	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80						
Fr Francium 87	226 Ra Radium 88	227 Ac Actinium †															

140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71
232 Th Thorium 90	231 Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103

*58-71 Lanthanoid series
†90-103 Actinoid series

Key: a = relative atomic mass; X = atomic symbol; b = proton (atomic) number

The volume of one mole of any gas is 24 dm^3 at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2010