

nlp_assignment4

April 5, 2025

```
[1]: # Install dependencies
!pip install transformers datasets torch

# Mount Google Drive to access your dataset
from google.colab import drive
drive.mount('/content/drive')
```

Requirement already satisfied: transformers in /usr/local/lib/python3.11/dist-packages (4.50.3)

Requirement already satisfied: datasets in /usr/local/lib/python3.11/dist-packages (3.5.0)

Requirement already satisfied: torch in /usr/local/lib/python3.11/dist-packages (2.6.0+cu124)

Requirement already satisfied: filelock in /usr/local/lib/python3.11/dist-packages (from transformers) (3.18.0)

Requirement already satisfied: huggingface-hub<1.0,>=0.26.0 in /usr/local/lib/python3.11/dist-packages (from transformers) (0.30.1)

Requirement already satisfied: numpy>=1.17 in /usr/local/lib/python3.11/dist-packages (from transformers) (2.0.2)

Requirement already satisfied: packaging>=20.0 in /usr/local/lib/python3.11/dist-packages (from transformers) (24.2)

Requirement already satisfied: pyyaml>=5.1 in /usr/local/lib/python3.11/dist-packages (from transformers) (6.0.2)

Requirement already satisfied: regex!=2019.12.17 in /usr/local/lib/python3.11/dist-packages (from transformers) (2024.11.6)

Requirement already satisfied: requests in /usr/local/lib/python3.11/dist-packages (from transformers) (2.32.3)

Requirement already satisfied: tokenizers<0.22,>=0.21 in /usr/local/lib/python3.11/dist-packages (from transformers) (0.21.1)

Requirement already satisfied: safetensors>=0.4.3 in /usr/local/lib/python3.11/dist-packages (from transformers) (0.5.3)

Requirement already satisfied: tqdm>=4.27 in /usr/local/lib/python3.11/dist-packages (from transformers) (4.67.1)

Requirement already satisfied: pyarrow>=15.0.0 in /usr/local/lib/python3.11/dist-packages (from datasets) (18.1.0)

Requirement already satisfied: dill<0.3.9,>=0.3.0 in /usr/local/lib/python3.11/dist-packages (from datasets) (0.3.8)

Requirement already satisfied: pandas in /usr/local/lib/python3.11/dist-packages

(from datasets) (2.2.2)

Requirement already satisfied: xxhash in /usr/local/lib/python3.11/dist-packages (from datasets) (3.5.0)

Requirement already satisfied: multiprocessing<0.70.17 in /usr/local/lib/python3.11/dist-packages (from datasets) (0.70.16)

Requirement already satisfied: fsspec<=2024.12.0,>=2023.1.0 in /usr/local/lib/python3.11/dist-packages (from fsspec[http]<=2024.12.0,>=2023.1.0->datasets) (2024.12.0)

Requirement already satisfied: aiohttp in /usr/local/lib/python3.11/dist-packages (from datasets) (3.11.15)

Requirement already satisfied: typing-extensions>=4.10.0 in /usr/local/lib/python3.11/dist-packages (from torch) (4.13.0)

Requirement already satisfied: networkx in /usr/local/lib/python3.11/dist-packages (from torch) (3.4.2)

Requirement already satisfied: Jinja2 in /usr/local/lib/python3.11/dist-packages (from torch) (3.1.6)

Requirement already satisfied: nvidia-cuda-nvrtc-cu12==12.4.127 in /usr/local/lib/python3.11/dist-packages (from torch) (12.4.127)

Requirement already satisfied: nvidia-cuda-runtime-cu12==12.4.127 in /usr/local/lib/python3.11/dist-packages (from torch) (12.4.127)

Requirement already satisfied: nvidia-cuda-cupti-cu12==12.4.127 in /usr/local/lib/python3.11/dist-packages (from torch) (12.4.127)

Requirement already satisfied: nvidia-cudnn-cu12==9.1.0.70 in /usr/local/lib/python3.11/dist-packages (from torch) (9.1.0.70)

Requirement already satisfied: nvidia-cublas-cu12==12.4.5.8 in /usr/local/lib/python3.11/dist-packages (from torch) (12.4.5.8)

Requirement already satisfied: nvidia-cufft-cu12==11.2.1.3 in /usr/local/lib/python3.11/dist-packages (from torch) (11.2.1.3)

Requirement already satisfied: nvidia-curand-cu12==10.3.5.147 in /usr/local/lib/python3.11/dist-packages (from torch) (10.3.5.147)

Requirement already satisfied: nvidia-cusolver-cu12==11.6.1.9 in /usr/local/lib/python3.11/dist-packages (from torch) (11.6.1.9)

Requirement already satisfied: nvidia-cusparse-cu12==12.3.1.170 in /usr/local/lib/python3.11/dist-packages (from torch) (12.3.1.170)

Requirement already satisfied: nvidia-cusparselt-cu12==0.6.2 in /usr/local/lib/python3.11/dist-packages (from torch) (0.6.2)

Requirement already satisfied: nvidia-nccl-cu12==2.21.5 in /usr/local/lib/python3.11/dist-packages (from torch) (2.21.5)

Requirement already satisfied: nvidia-nvtx-cu12==12.4.127 in /usr/local/lib/python3.11/dist-packages (from torch) (12.4.127)

Requirement already satisfied: nvidia-nvjitlink-cu12==12.4.127 in /usr/local/lib/python3.11/dist-packages (from torch) (12.4.127)

Requirement already satisfied: triton==3.2.0 in /usr/local/lib/python3.11/dist-packages (from torch) (3.2.0)

Requirement already satisfied: sympy==1.13.1 in /usr/local/lib/python3.11/dist-packages (from torch) (1.13.1)

Requirement already satisfied: mpmath<1.4,>=1.1.0 in /usr/local/lib/python3.11/dist-packages (from sympy==1.13.1->torch) (1.3.0)

Requirement already satisfied: aiohappyeyeballs>=2.3.0 in /usr/local/lib/python3.11/dist-packages (from aiohttp->datasets) (2.6.1)

Requirement already satisfied: aiosignal>=1.1.2 in /usr/local/lib/python3.11/dist-packages (from aiohttp->datasets) (1.3.2)

Requirement already satisfied: attrs>=17.3.0 in /usr/local/lib/python3.11/dist-packages (from aiohttp->datasets) (25.3.0)

Requirement already satisfied: frozenlist>=1.1.1 in /usr/local/lib/python3.11/dist-packages (from aiohttp->datasets) (1.5.0)

Requirement already satisfied: multidict<7.0,>=4.5 in /usr/local/lib/python3.11/dist-packages (from aiohttp->datasets) (6.3.0)

Requirement already satisfied: propcache>=0.2.0 in /usr/local/lib/python3.11/dist-packages (from aiohttp->datasets) (0.3.1)

Requirement already satisfied: yarl<2.0,>=1.17.0 in /usr/local/lib/python3.11/dist-packages (from aiohttp->datasets) (1.18.3)

Requirement already satisfied: charset-normalizer<4,>=2 in /usr/local/lib/python3.11/dist-packages (from requests->transformers) (3.4.1)

Requirement already satisfied: idna<4,>=2.5 in /usr/local/lib/python3.11/dist-packages (from requests->transformers) (3.10)

Requirement already satisfied: urllib3<3,>=1.21.1 in /usr/local/lib/python3.11/dist-packages (from requests->transformers) (2.3.0)

Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.11/dist-packages (from requests->transformers) (2025.1.31)

Requirement already satisfied: MarkupSafe>=2.0 in /usr/local/lib/python3.11/dist-packages (from jinja2->torch) (3.0.2)

Requirement already satisfied: python-dateutil>=2.8.2 in /usr/local/lib/python3.11/dist-packages (from pandas->datasets) (2.8.2)

Requirement already satisfied: pytz>=2020.1 in /usr/local/lib/python3.11/dist-packages (from pandas->datasets) (2025.2)

Requirement already satisfied: tzdata>=2022.7 in /usr/local/lib/python3.11/dist-packages (from pandas->datasets) (2025.2)

Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.11/dist-packages (from python-dateutil>=2.8.2->pandas->datasets) (1.17.0)

Drive already mounted at /content/drive; to attempt to forcibly remount, call drive.mount("/content/drive", force_remount=True).

```
[2]: ## Import necessary libraries
# import pandas as pd
# from transformers import GPT2Tokenizer
# from datasets import Dataset
# import torch

## Load your dataset (train.csv and valid.csv) from Google Drive
# train_path = '/content/drive/MyDrive/Colab Notebooks/train.csv'
# valid_path = '/content/drive/MyDrive/Colab Notebooks/valid.csv'

# train_df = pd.read_csv(train_path)
```

```

# valid_df = pd.read_csv(valid_path)

# # Consider only 20,000 samples from the training dataset (for training,
#   ↪ efficiency in Google Colab)
# train_df = train_df.head(20000)

# # Clean the data: Drop rows with missing values
# train_df.dropna(subset=['query', 'answers'], inplace=True)
# valid_df.dropna(subset=['query', 'answers'], inplace=True)

# # Combine 'query' and 'answer' for the GPT-2 input
# train_df['text'] = train_df['query'] + " " + train_df['answers']
# valid_df['text'] = valid_df['query'] + " " + valid_df['answers']

# # Initialize the GPT-2 tokenizer
# tokenizer = GPT2Tokenizer.from_pretrained('gpt2')

# # Fix padding issue
# tokenizer.pad_token = tokenizer.eos_token # Set padding token to EOS

# # Tokenize the text
# def tokenize_function(examples):
#     return tokenizer(examples['text'], padding="max_length", truncation=True,
#   ↪ max_length=256)

# # Convert DataFrame to Hugging Face Dataset format
# train_dataset = Dataset.from_pandas(train_df[['text']])
# valid_dataset = Dataset.from_pandas(valid_df[['text']])

# # Apply tokenization
# train_dataset = train_dataset.map(tokenize_function, batched=True)
# valid_dataset = valid_dataset.map(tokenize_function, batched=True)

# # Set columns for the Dataset object
# train_dataset.set_format(type='torch', columns=['input_ids',
#   ↪ 'attention_mask'])
# valid_dataset.set_format(type='torch', columns=['input_ids',
#   ↪ 'attention_mask'])

# # Create PyTorch DataLoader for training and validation
# train_dataloader = torch.utils.data.DataLoader(train_dataset, batch_size=8,
#   ↪ shuffle=True)
# valid_dataloader = torch.utils.data.DataLoader(valid_dataset, batch_size=8)

# # Verify DataLoader
# print(f"Training samples: {len(train_dataloader.dataset)}")
# print(f"Validation samples: {len(valid_dataloader.dataset)}")

```

<ipython-input-2-e997dcd2b285>:18: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy

```
train_df.dropna(subset=['query', 'answers'], inplace=True)
```

<ipython-input-2-e997dcd2b285>:22: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame.
Try using `.loc[row_indexer,col_indexer] = value` instead

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy

```
train_df['text'] = train_df['query'] + " " + train_df['answers']
```

/usr/local/lib/python3.11/dist-packages/huggingface_hub/utils/_auth.py:94:
UserWarning:

The secret `HF\_TOKEN` does not exist in your Colab secrets.

To authenticate with the Hugging Face Hub, create a token in your settings tab (<https://huggingface.co/settings/tokens>), set it as secret in your Google Colab and restart your session.

You will be able to reuse this secret in all of your notebooks.

Please note that authentication is recommended but still optional to access public models or datasets.

```
warnings.warn(
```

Map: 0%| | 0/19990 [00:00<?, ? examples/s]

Map: 0%| | 0/10581 [00:00<?, ? examples/s]

Training samples: 19990

Validation samples: 10581

```
[ ]: from sklearn.model_selection import train_test_split
import pandas as pd

# Load your dataset
train_path = '/content/drive/MyDrive/Colab Notebooks/train.csv'
valid_path = '/content/drive/MyDrive/Colab Notebooks/valid.csv'

train_df = pd.read_csv(train_path)
valid_df = pd.read_csv(valid_path)

# Split the train_df into 80% train and 20% test
train_df, test_df = train_test_split(train_df, test_size=0.2, random_state=42)

# Combine 'query' and 'answer' for GPT-2 input
train_df['text'] = train_df['query'] + " " + train_df['answers']
test_df['text'] = test_df['query'] + " " + test_df['answers']
valid_df['text'] = valid_df['query'] + " " + valid_df['answers']
```

```

# Tokenize the text using GPT-2 tokenizer
from transformers import GPT2Tokenizer
tokenizer = GPT2Tokenizer.from_pretrained('gpt2')

# Fix padding issue
tokenizer.pad_token = tokenizer.eos_token # Set padding token to EOS

def tokenize_function(examples):
    return tokenizer(examples['text'], padding="max_length", truncation=True,
↳max_length=256)

# Convert DataFrame to Hugging Face Dataset format
from datasets import Dataset

train_dataset = Dataset.from_pandas(train_df[['text']])
test_dataset = Dataset.from_pandas(test_df[['text']])
valid_dataset = Dataset.from_pandas(valid_df[['text']])

# Apply tokenization
train_dataset = train_dataset.map(tokenize_function, batched=True)
test_dataset = test_dataset.map(tokenize_function, batched=True)
valid_dataset = valid_dataset.map(tokenize_function, batched=True)

# Set format for PyTorch DataLoader
train_dataset.set_format(type='torch', columns=['input_ids', 'attention_mask'])
test_dataset.set_format(type='torch', columns=['input_ids', 'attention_mask'])
valid_dataset.set_format(type='torch', columns=['input_ids', 'attention_mask'])

# Create PyTorch DataLoader for train, validation, and test
train_dataloader = torch.utils.data.DataLoader(train_dataset, batch_size=8,
↳shuffle=True)
test_dataloader = torch.utils.data.DataLoader(test_dataset, batch_size=8)
valid_dataloader = torch.utils.data.DataLoader(valid_dataset, batch_size=8)

# Verify DataLoader
print(f"Training samples: {len(train_dataloader.dataset)}")
print(f"Test samples: {len(test_dataloader.dataset)}")
print(f"Validation samples: {len(valid_dataloader.dataset)}")

```

```

[6]: # Import necessary libraries
from transformers import GPT2LMHeadModel, GPT2Tokenizer
from torch.optim import AdamW
import torch

# Load the GPT-2 model
model = GPT2LMHeadModel.from_pretrained("gpt2")

```

```

# Fix the padding issue by adding a pad token
tokenizer.pad_token = tokenizer.eos_token # Use the EOS token as the padding_
↳ token

# Resize the token embeddings (GPT-2 doesn't have a padding token by default)
model.resize_token_embeddings(len(tokenizer))

# Move model to GPU if available
device = torch.device("cuda" if torch.cuda.is_available() else "cpu")
model.to(device)

# Define optimizer
optimizer = AdamW(model.parameters(), lr=5e-5)

# Print model summary
print(model)

```

Xet Storage is enabled for this repo, but the 'hf_xet' package is not installed. Falling back to regular HTTP download. For better performance, install the package with: `pip install huggingface\_hub[hf\_xet]` or `pip install hf\_xet`
 WARNING:huggingface_hub.file_download:Xet Storage is enabled for this repo, but the 'hf_xet' package is not installed. Falling back to regular HTTP download. For better performance, install the package with: `pip install huggingface\_hub[hf\_xet]` or `pip install hf\_xet`

```

model.safetensors:  0%|          | 0.00/548M [00:00<?, ?B/s]
generation_config.json:  0%|          | 0.00/124 [00:00<?, ?B/s]
GPT2LMHeadModel(
  (transformer): GPT2Model(
    (wte): Embedding(50257, 768)
    (wpe): Embedding(1024, 768)
    (drop): Dropout(p=0.1, inplace=False)
    (h): ModuleList(
      (0-11): 12 x GPT2Block(
        (ln_1): LayerNorm((768,), eps=1e-05, elementwise_affine=True)
        (attn): GPT2Attention(
          (c_attn): Conv1D(nf=2304, nx=768)
          (c_proj): Conv1D(nf=768, nx=768)
          (attn_dropout): Dropout(p=0.1, inplace=False)
          (resid_dropout): Dropout(p=0.1, inplace=False)
        )
        (ln_2): LayerNorm((768,), eps=1e-05, elementwise_affine=True)
        (mlp): GPT2MLP(
          (c_fc): Conv1D(nf=3072, nx=768)
          (c_proj): Conv1D(nf=768, nx=3072)
          (act): NewGELUActivation()
          (dropout): Dropout(p=0.1, inplace=False)
        )
      )
    )
  )

```

```

    )
    )
    )
    (ln_f): LayerNorm((768,), eps=1e-05, elementwise_affine=True)
)
(lm_head): Linear(in_features=768, out_features=50257, bias=False)
)

```

```

[7]: # from transformers import get_scheduler
# import torch.nn.functional as F
# from tqdm import tqdm

# # Define training parameters
# epochs = 3
# gradient_accumulation_steps = 4 # Accumulate gradients over multiple steps
# batch_size = 8

# # Learning rate scheduler
# num_training_steps = len(train_dataloader) * epochs
# lr_scheduler = get_scheduler("linear", optimizer=optimizer,
    ↪ num_warmup_steps=0, num_training_steps=num_training_steps)

# # Training loop
# model.train()
# for epoch in range(epochs):
#     print(f"\nEpoch {epoch+1}/{epochs}")

#     total_train_loss = 0
#     progress_bar = tqdm(train_dataloader, desc="Training", leave=True)

#     for step, batch in enumerate(progress_bar):
#         # Move batch to GPU if available
#         batch = {k: v.to(device) for k, v in batch.items()}

#         # Forward pass
#         outputs = model(input_ids=batch["input_ids"],
    ↪ attention_mask=batch["attention_mask"], labels=batch["input_ids"])
#         loss = outputs.loss / gradient_accumulation_steps # Normalize loss
    ↪ for accumulation
#         total_train_loss += loss.item()

#         # Backward pass
#         loss.backward()

#         # Gradient accumulation
#         if (step + 1) % gradient_accumulation_steps == 0 or (step + 1) ==
    ↪ len(train_dataloader):

```

```

#         optimizer.step()
#         lr_scheduler.step()
#         optimizer.zero_grad()

#         # Update progress bar
#         progress_bar.set_postfix(train_loss=total_train_loss / (step + 1))

#     avg_train_loss = total_train_loss / len(train_dataloader)
#     print(f"Epoch {epoch+1} Training Loss: {avg_train_loss:.4f}")

#     # -----
#     # VALIDATION LOOP
#     # -----
#     model.eval()
#     total_val_loss = 0

#     with torch.no_grad():
#         for batch in tqdm(valid_dataloader, desc="Validation", leave=True):
#             batch = {k: v.to(device) for k, v in batch.items()}
#             outputs = model(input_ids=batch["input_ids"],
#                             ↪attention_mask=batch["attention_mask"], labels=batch["input_ids"])
#             total_val_loss += outputs.loss.item()

#     avg_val_loss = total_val_loss / len(valid_dataloader)
#     print(f"Epoch {epoch+1} Validation Loss: {avg_val_loss:.4f}")

#     model.train() # Switch back to training mode

```

Epoch 1/3

Training: 0%| | 0/2499 [00:00<?, ?it/s] `loss\_type=None` was set in the config but it is unrecognised. Using the default loss: `ForCausalMLoss`.

Training: 100%| | 2499/2499 [21:51<00:00, 1.91it/s, train_loss=0.117]

Epoch 1 Training Loss: 0.1167

Validation: 100%| | 1323/1323 [03:44<00:00, 5.88it/s]

Epoch 1 Validation Loss: 0.3916

Epoch 2/3

Training: 100%| | 2499/2499 [21:56<00:00, 1.90it/s, train_loss=0.0985]

Epoch 2 Training Loss: 0.0985

Validation: 100%| | 1323/1323 [03:44<00:00, 5.89it/s]

Epoch 2 Validation Loss: 0.3828

Epoch 3/3

Training: 100%| | 2499/2499 [21:57<00:00, 1.90it/s, train_loss=0.0942]

Epoch 3 Training Loss: 0.0942

Validation: 100%| | 1323/1323 [03:44<00:00, 5.89it/s]

Epoch 3 Validation Loss: 0.3794

```
[ ]: from transformers import get_scheduler
import torch.nn.functional as F
from tqdm import tqdm
from sklearn.metrics import roc_auc_score
import torch

# Define training parameters
epochs = 3
gradient_accumulation_steps = 4 # Accumulate gradients over multiple steps
batch_size = 8

# Learning rate scheduler
num_training_steps = len(train_dataloader) * epochs
lr_scheduler = get_scheduler("linear", optimizer=optimizer, num_warmup_steps=0,
    ↪num_training_steps=num_training_steps)

# Training loop
model.train()
for epoch in range(epochs):
    print(f"\nEpoch {epoch+1}/{epochs}")

    total_train_loss = 0
    progress_bar = tqdm(train_dataloader, desc="Training", leave=True)

    for step, batch in enumerate(progress_bar):
        # Move batch to GPU if available
        batch = {k: v.to(device) for k, v in batch.items()}

        # Forward pass
        outputs = model(input_ids=batch["input_ids"],
    ↪attention_mask=batch["attention_mask"], labels=batch["input_ids"])
        loss = outputs.loss / gradient_accumulation_steps # Normalize loss for
    ↪accumulation
        total_train_loss += loss.item()

        # Backward pass
        loss.backward()

        # Gradient accumulation
```

```

        if (step + 1) % gradient_accumulation_steps == 0 or (step + 1) == len(train_dataloader):
            optimizer.step()
            lr_scheduler.step()
            optimizer.zero_grad()

            # Update progress bar
            progress_bar.set_postfix(train_loss=total_train_loss / (step + 1))

    avg_train_loss = total_train_loss / len(train_dataloader)
    print(f"Epoch {epoch+1} Training Loss: {avg_train_loss:.4f}")

    # -----
    # VALIDATION LOOP
    # -----
    model.eval()
    total_val_loss = 0

    with torch.no_grad():
        for batch in tqdm(valid_dataloader, desc="Validation", leave=True):
            batch = {k: v.to(device) for k, v in batch.items()}
            outputs = model(input_ids=batch["input_ids"], attention_mask=batch["attention_mask"], labels=batch["input_ids"])
            total_val_loss += outputs.loss.item()

    avg_val_loss = total_val_loss / len(valid_dataloader)
    print(f"Epoch {epoch+1} Validation Loss: {avg_val_loss:.4f}")

    # -----
    # TESTING LOOP (For AUC Calculation)
    # -----
    model.eval()
    true_labels = []
    pred_probs = []

    with torch.no_grad():
        for batch in tqdm(test_dataloader, desc="Testing", leave=True):
            batch = {k: v.to(device) for k, v in batch.items()}
            outputs = model(input_ids=batch["input_ids"], attention_mask=batch["attention_mask"], labels=batch["input_ids"])

            # Assuming you are doing binary classification or multi-class classification
            logits = outputs.logits
            probs = F.softmax(logits, dim=-1) # Convert logits to probabilities

```

```

        true_labels.extend(batch["labels"].cpu().numpy()) # Collect true
↪ labels
        pred_probs.extend(probs.cpu().numpy()) # Collect predicted
↪ probabilities

        # Calculate AUC score (binary or multiclass)
        true_labels = [label[0] for label in true_labels] # Flatten if using
↪ token-level classification
        auc = roc_auc_score(true_labels, pred_probs, multi_class='ovr') # Adjust
↪ based on your task

        print(f"Epoch {epoch+1} AUC on Test Set: {auc:.4f}")

        model.train() # Switch back to training mode

```

[8]: `!pip install rouge_score bert-score`

```

from transformers import GPT2Tokenizer, GPT2LMHeadModel
from rouge_score import rouge_scorer
from bert_score import score
import torch

# Ensure padding side is set correctly during tokenizer initialization
tokenizer = GPT2Tokenizer.from_pretrained('gpt2', padding_side='left')
model = GPT2LMHeadModel.from_pretrained('gpt2')

# Ensure that the model and tokenizer are set to the correct device
device = torch.device('cuda' if torch.cuda.is_available() else 'cpu')
model.to(device)

# Prepare your DataLoader or validation data here (valid_dataloader)

# Generate model predictions for the validation dataset
model.eval()
predictions = []
references = []

with torch.no_grad():
    for i, batch in enumerate(valid_dataloader):
        input_ids = batch['input_ids'].to(device)
        attention_mask = batch['attention_mask'].to(device)

        # Ensure correct padding and attention_mask usage
        outputs = model.generate(input_ids,
                                attention_mask=attention_mask,
                                max_new_tokens=100, # Generate up to 100 new
↪ tokens

```

```

num_return_sequences=1,
pad_token_id=tokenizer.eos_token_id) # Set
↳ pad_token_id to eos_token_id

preds = tokenizer.batch_decode(outputs, skip_special_tokens=True)

# # Store predictions and references, ensuring proper alignment
# print(f"Predictions batch size: {len(preds)}")
# print(f"References batch size: {len(valid_df['text'].iloc[i:i +
↳ len(batch)].values)}")

predictions.extend(preds)
references.extend(valid_df['text'].iloc[i:i + len(preds)].values)

# # Ensure alignment after storing
# print(f"Total predictions: {len(predictions)}")
# print(f"Total references: {len(references)}")

# ROUGE-L Evaluation
def compute_rouge(predictions, references):
    scorer = rouge_scorer.RougeScorer(['rougeL'], use_stemmer=True)
    rouge_scores = []
    for pred, ref in zip(predictions, references):
        scores = scorer.score(ref, pred)
        rouge_scores.append(scores['rougeL'].fmeasure) # F1-score for ROUGE-L
    return sum(rouge_scores) / len(rouge_scores)

rouge_l_score = compute_rouge(predictions, references)
print(f"ROUGE-L Score: {rouge_l_score:.4f}")

# BERT Score Evaluation
P, R, F1 = score(predictions, references, lang='en')

# Compute the average F1 score (you can also check Precision and Recall)
bert_score = F1.mean().item()
print(f"BERT F1 Score: {bert_score:.4f}")

```

Collecting rouge_score

Downloading rouge_score-0.1.2.tar.gz (17 kB)

Preparing metadata (setup.py) ... done

Collecting bert-score

Downloading bert_score-0.3.13-py3-none-any.whl.metadata (15 kB)

Requirement already satisfied: absl-py in /usr/local/lib/python3.11/dist-packages (from rouge_score) (1.4.0)

Requirement already satisfied: nltk in /usr/local/lib/python3.11/dist-packages (from rouge_score) (3.9.1)

Requirement already satisfied: numpy in /usr/local/lib/python3.11/dist-packages (from rouge_score) (2.0.2)

Requirement already satisfied: six>=1.14.0 in /usr/local/lib/python3.11/dist-packages (from rouge_score) (1.17.0)

Requirement already satisfied: torch>=1.0.0 in /usr/local/lib/python3.11/dist-packages (from bert-score) (2.6.0+cu124)

Requirement already satisfied: pandas>=1.0.1 in /usr/local/lib/python3.11/dist-packages (from bert-score) (2.2.2)

Requirement already satisfied: transformers>=3.0.0 in /usr/local/lib/python3.11/dist-packages (from bert-score) (4.50.3)

Requirement already satisfied: requests in /usr/local/lib/python3.11/dist-packages (from bert-score) (2.32.3)

Requirement already satisfied: tqdm>=4.31.1 in /usr/local/lib/python3.11/dist-packages (from bert-score) (4.67.1)

Requirement already satisfied: matplotlib in /usr/local/lib/python3.11/dist-packages (from bert-score) (3.10.0)

Requirement already satisfied: packaging>=20.9 in /usr/local/lib/python3.11/dist-packages (from bert-score) (24.2)

Requirement already satisfied: python-dateutil>=2.8.2 in /usr/local/lib/python3.11/dist-packages (from pandas>=1.0.1->bert-score) (2.8.2)

Requirement already satisfied: pytz>=2020.1 in /usr/local/lib/python3.11/dist-packages (from pandas>=1.0.1->bert-score) (2025.2)

Requirement already satisfied: tzdata>=2022.7 in /usr/local/lib/python3.11/dist-packages (from pandas>=1.0.1->bert-score) (2025.2)

Requirement already satisfied: filelock in /usr/local/lib/python3.11/dist-packages (from torch>=1.0.0->bert-score) (3.18.0)

Requirement already satisfied: typing-extensions>=4.10.0 in /usr/local/lib/python3.11/dist-packages (from torch>=1.0.0->bert-score) (4.13.0)

Requirement already satisfied: networkx in /usr/local/lib/python3.11/dist-packages (from torch>=1.0.0->bert-score) (3.4.2)

Requirement already satisfied: jinja2 in /usr/local/lib/python3.11/dist-packages (from torch>=1.0.0->bert-score) (3.1.6)

Requirement already satisfied: fsspec in /usr/local/lib/python3.11/dist-packages (from torch>=1.0.0->bert-score) (2024.12.0)

Requirement already satisfied: nvidia-cuda-nvrtc-cu12==12.4.127 in /usr/local/lib/python3.11/dist-packages (from torch>=1.0.0->bert-score) (12.4.127)

Requirement already satisfied: nvidia-cuda-runtime-cu12==12.4.127 in /usr/local/lib/python3.11/dist-packages (from torch>=1.0.0->bert-score) (12.4.127)

Requirement already satisfied: nvidia-cuda-cupti-cu12==12.4.127 in /usr/local/lib/python3.11/dist-packages (from torch>=1.0.0->bert-score) (12.4.127)

Requirement already satisfied: nvidia-cudnn-cu12==9.1.0.70 in /usr/local/lib/python3.11/dist-packages (from torch>=1.0.0->bert-score) (9.1.0.70)

Requirement already satisfied: nvidia-cublas-cu12==12.4.5.8 in /usr/local/lib/python3.11/dist-packages (from torch>=1.0.0->bert-score)

(12.4.5.8)
Requirement already satisfied: nvidia-cufft-cu12==11.2.1.3 in
/usr/local/lib/python3.11/dist-packages (from torch>=1.0.0->bert-score)
(11.2.1.3)
Requirement already satisfied: nvidia-curand-cu12==10.3.5.147 in
/usr/local/lib/python3.11/dist-packages (from torch>=1.0.0->bert-score)
(10.3.5.147)
Requirement already satisfied: nvidia-cusolver-cu12==11.6.1.9 in
/usr/local/lib/python3.11/dist-packages (from torch>=1.0.0->bert-score)
(11.6.1.9)
Requirement already satisfied: nvidia-cusparse-cu12==12.3.1.170 in
/usr/local/lib/python3.11/dist-packages (from torch>=1.0.0->bert-score)
(12.3.1.170)
Requirement already satisfied: nvidia-cusparselt-cu12==0.6.2 in
/usr/local/lib/python3.11/dist-packages (from torch>=1.0.0->bert-score) (0.6.2)
Requirement already satisfied: nvidia-nccl-cu12==2.21.5 in
/usr/local/lib/python3.11/dist-packages (from torch>=1.0.0->bert-score) (2.21.5)
Requirement already satisfied: nvidia-nvtx-cu12==12.4.127 in
/usr/local/lib/python3.11/dist-packages (from torch>=1.0.0->bert-score)
(12.4.127)
Requirement already satisfied: nvidia-nvjitlink-cu12==12.4.127 in
/usr/local/lib/python3.11/dist-packages (from torch>=1.0.0->bert-score)
(12.4.127)
Requirement already satisfied: triton==3.2.0 in /usr/local/lib/python3.11/dist-
packages (from torch>=1.0.0->bert-score) (3.2.0)
Requirement already satisfied: sympy==1.13.1 in /usr/local/lib/python3.11/dist-
packages (from torch>=1.0.0->bert-score) (1.13.1)
Requirement already satisfied: mpmath<1.4,>=1.1.0 in
/usr/local/lib/python3.11/dist-packages (from sympy==1.13.1->torch>=1.0.0->bert-
score) (1.3.0)
Requirement already satisfied: huggingface-hub<1.0,>=0.26.0 in
/usr/local/lib/python3.11/dist-packages (from transformers>=3.0.0->bert-score)
(0.30.1)
Requirement already satisfied: pyyaml>=5.1 in /usr/local/lib/python3.11/dist-
packages (from transformers>=3.0.0->bert-score) (6.0.2)
Requirement already satisfied: regex!=2019.12.17 in
/usr/local/lib/python3.11/dist-packages (from transformers>=3.0.0->bert-score)
(2024.11.6)
Requirement already satisfied: tokenizers<0.22,>=0.21 in
/usr/local/lib/python3.11/dist-packages (from transformers>=3.0.0->bert-score)
(0.21.1)
Requirement already satisfied: safetensors>=0.4.3 in
/usr/local/lib/python3.11/dist-packages (from transformers>=3.0.0->bert-score)
(0.5.3)
Requirement already satisfied: contourpy>=1.0.1 in
/usr/local/lib/python3.11/dist-packages (from matplotlib->bert-score) (1.3.1)
Requirement already satisfied: cycler>=0.10 in /usr/local/lib/python3.11/dist-
packages (from matplotlib->bert-score) (0.12.1)

Requirement already satisfied: fonttools>=4.22.0 in /usr/local/lib/python3.11/dist-packages (from matplotlib->bert-score) (4.56.0)

Requirement already satisfied: kiwisolver>=1.3.1 in /usr/local/lib/python3.11/dist-packages (from matplotlib->bert-score) (1.4.8)

Requirement already satisfied: pillow>=8 in /usr/local/lib/python3.11/dist-packages (from matplotlib->bert-score) (11.1.0)

Requirement already satisfied: pyparsing>=2.3.1 in /usr/local/lib/python3.11/dist-packages (from matplotlib->bert-score) (3.2.3)

Requirement already satisfied: click in /usr/local/lib/python3.11/dist-packages (from nltk->rouge_score) (8.1.8)

Requirement already satisfied: joblib in /usr/local/lib/python3.11/dist-packages (from nltk->rouge_score) (1.4.2)

Requirement already satisfied: charset-normalizer<4,>=2 in /usr/local/lib/python3.11/dist-packages (from requests->bert-score) (3.4.1)

Requirement already satisfied: idna<4,>=2.5 in /usr/local/lib/python3.11/dist-packages (from requests->bert-score) (3.10)

Requirement already satisfied: urllib3<3,>=1.21.1 in /usr/local/lib/python3.11/dist-packages (from requests->bert-score) (2.3.0)

Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.11/dist-packages (from requests->bert-score) (2025.1.31)

Requirement already satisfied: MarkupSafe>=2.0 in /usr/local/lib/python3.11/dist-packages (from jinja2->torch>=1.0.0->bert-score) (3.0.2)

Downloading bert_score-0.3.13-py3-none-any.whl (61 kB)
61.1/61.1 kB

3.8 MB/s eta 0:00:00

Building wheels for collected packages: rouge_score

Building wheel for rouge_score (setup.py) ... done

Created wheel for rouge_score: filename=rouge_score-0.1.2-py3-none-any.whl size=24934 sha256=d21508fc1a9a5585f7e625fb0d1a9fc60e6777bfdd661db0a3d80e1b8a58c2d1

Stored in directory: /root/.cache/pip/wheels/1e/19/43/8a442dc83660ca25e163e1bd1f89919284ab0d0c1475475148

Successfully built rouge_score

Installing collected packages: rouge_score, bert-score

Successfully installed bert-score-0.3.13 rouge_score-0.1.2

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8

References batch size: 2

Total predictions: 8

Total references: 8

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 16
Total references: 16

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 24
Total references: 24

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 32
Total references: 32

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 40
Total references: 40

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 48
Total references: 48

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 56
Total references: 56

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 64
Total references: 64

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 72
Total references: 72

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 80
Total references: 80

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 88
Total references: 88

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 96
Total references: 96

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 104
Total references: 104

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 112
Total references: 112

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 120
Total references: 120

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 128
Total references: 128

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 136
Total references: 136

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 144
Total references: 144

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 152
Total references: 152

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 160
Total references: 160

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 168
Total references: 168

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 176
Total references: 176

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 184
Total references: 184

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 192
Total references: 192

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 200
Total references: 200

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 208
Total references: 208

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 216
Total references: 216

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 224
Total references: 224

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 232
Total references: 232

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 240
Total references: 240

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 248
Total references: 248

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 256
Total references: 256

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 264
Total references: 264

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 272
Total references: 272

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 280
Total references: 280

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 288
Total references: 288

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 296
Total references: 296

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 304
Total references: 304

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 312
Total references: 312

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 320
Total references: 320

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 328
Total references: 328

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 336
Total references: 336

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 344
Total references: 344

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 352
Total references: 352

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 360
Total references: 360

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 368
Total references: 368

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 376
Total references: 376

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 384
Total references: 384

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 392
Total references: 392

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 400
Total references: 400

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 408
Total references: 408

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 416
Total references: 416

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 424
Total references: 424

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 432
Total references: 432

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 440
Total references: 440

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 448
Total references: 448

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 456
Total references: 456

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 464
Total references: 464

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 472
Total references: 472

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 480
Total references: 480

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 488
Total references: 488

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 496
Total references: 496

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 504
Total references: 504

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 512
Total references: 512

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 520
Total references: 520

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 528
Total references: 528

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 536
Total references: 536

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 544
Total references: 544

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 552
Total references: 552

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 560
Total references: 560

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 568
Total references: 568

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 576
Total references: 576

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 584
Total references: 584

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 592
Total references: 592

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 600
Total references: 600

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 608
Total references: 608

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 616
Total references: 616

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 624
Total references: 624

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 632
Total references: 632

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 640
Total references: 640

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 648
Total references: 648

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 656
Total references: 656

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 664
Total references: 664

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 672
Total references: 672

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 680
Total references: 680

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 688
Total references: 688

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 696
Total references: 696

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 704
Total references: 704

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 712
Total references: 712

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 720
Total references: 720

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 728
Total references: 728

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 736
Total references: 736

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 744
Total references: 744

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 752
Total references: 752

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 760
Total references: 760

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 768
Total references: 768

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 776
Total references: 776

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 784
Total references: 784

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 792
Total references: 792

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 800
Total references: 800

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 808
Total references: 808

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 816
Total references: 816

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 824
Total references: 824

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 832
Total references: 832

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 840
Total references: 840

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 848
Total references: 848

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 856
Total references: 856

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 864
Total references: 864

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 872
Total references: 872

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 880
Total references: 880

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 888
Total references: 888

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 896
Total references: 896

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 904
Total references: 904

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 912
Total references: 912

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 920
Total references: 920

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 928
Total references: 928

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 936
Total references: 936

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 944
Total references: 944

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 952
Total references: 952

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 960
Total references: 960

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 968
Total references: 968

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 976
Total references: 976

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 984
Total references: 984

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 992
Total references: 992

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1000
Total references: 1000

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1008
Total references: 1008

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1016
Total references: 1016

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1024
Total references: 1024

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1032
Total references: 1032

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1040
Total references: 1040

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1048
Total references: 1048

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1056
Total references: 1056

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1064
Total references: 1064

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1072
Total references: 1072

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1080
Total references: 1080

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1088
Total references: 1088

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1096
Total references: 1096

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1104
Total references: 1104

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1112
Total references: 1112

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1120
Total references: 1120

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1128
Total references: 1128

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1136
Total references: 1136

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1144
Total references: 1144

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1152
Total references: 1152

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1160
Total references: 1160

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1168
Total references: 1168

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1176
Total references: 1176

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1184
Total references: 1184

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1192
Total references: 1192

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1200
Total references: 1200

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1208
Total references: 1208

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1216
Total references: 1216

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1224
Total references: 1224

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1232
Total references: 1232

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1240
Total references: 1240

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1248
Total references: 1248

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1256
Total references: 1256

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1264
Total references: 1264

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1272
Total references: 1272

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1280
Total references: 1280

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1288
Total references: 1288

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1296
Total references: 1296

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1304
Total references: 1304

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1312
Total references: 1312

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1320
Total references: 1320

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1328
Total references: 1328

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1336
Total references: 1336

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1344
Total references: 1344

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1352
Total references: 1352

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1360
Total references: 1360

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1368
Total references: 1368

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1376
Total references: 1376

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1384
Total references: 1384

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1392
Total references: 1392

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1400
Total references: 1400

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1408
Total references: 1408

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1416
Total references: 1416

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1424
Total references: 1424

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1432
Total references: 1432

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1440
Total references: 1440

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1448
Total references: 1448

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1456
Total references: 1456

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1464
Total references: 1464

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1472
Total references: 1472

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1480
Total references: 1480

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1488
Total references: 1488

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1496
Total references: 1496

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1504
Total references: 1504

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1512
Total references: 1512

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1520
Total references: 1520

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1528
Total references: 1528

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1536
Total references: 1536

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1544
Total references: 1544

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1552
Total references: 1552

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1560
Total references: 1560

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1568
Total references: 1568

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1576
Total references: 1576

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1584
Total references: 1584

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1592
Total references: 1592

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1600
Total references: 1600

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1608
Total references: 1608

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1616
Total references: 1616

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1624
Total references: 1624

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1632
Total references: 1632

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1640
Total references: 1640

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1648
Total references: 1648

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1656
Total references: 1656

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1664
Total references: 1664

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1672
Total references: 1672

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1680
Total references: 1680

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1688
Total references: 1688

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1696
Total references: 1696

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1704
Total references: 1704

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1712
Total references: 1712

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1720
Total references: 1720

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1728
Total references: 1728

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1736
Total references: 1736

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1744
Total references: 1744

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1752
Total references: 1752

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1760
Total references: 1760

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1768
Total references: 1768

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1776
Total references: 1776

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1784
Total references: 1784

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1792
Total references: 1792

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1800
Total references: 1800

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1808
Total references: 1808

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1816
Total references: 1816

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1824
Total references: 1824

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1832
Total references: 1832

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1840
Total references: 1840

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1848
Total references: 1848

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1856
Total references: 1856

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1864
Total references: 1864

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1872
Total references: 1872

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1880
Total references: 1880

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1888
Total references: 1888

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1896
Total references: 1896

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1904
Total references: 1904

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1912
Total references: 1912

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1920
Total references: 1920

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1928
Total references: 1928

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1936
Total references: 1936

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1944
Total references: 1944

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1952
Total references: 1952

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1960
Total references: 1960

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1968
Total references: 1968

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1976
Total references: 1976

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1984
Total references: 1984

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 1992
Total references: 1992

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2000
Total references: 2000

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2008
Total references: 2008

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2016
Total references: 2016

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2024
Total references: 2024

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2032
Total references: 2032

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2040
Total references: 2040

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2048
Total references: 2048

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2056
Total references: 2056

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2064
Total references: 2064

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2072
Total references: 2072

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2080
Total references: 2080

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2088
Total references: 2088

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2096
Total references: 2096

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2104
Total references: 2104

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2112
Total references: 2112

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2120
Total references: 2120

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2128
Total references: 2128

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2136
Total references: 2136

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2144
Total references: 2144

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2152
Total references: 2152

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2160
Total references: 2160

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2168
Total references: 2168

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2176
Total references: 2176

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2184
Total references: 2184

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2192
Total references: 2192

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2200
Total references: 2200

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2208
Total references: 2208

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2216
Total references: 2216

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2224
Total references: 2224

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2232
Total references: 2232

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2240
Total references: 2240

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2248
Total references: 2248

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2256
Total references: 2256

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2264
Total references: 2264

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2272
Total references: 2272

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2280
Total references: 2280

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2288
Total references: 2288

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2296
Total references: 2296

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2304
Total references: 2304

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2312
Total references: 2312

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2320
Total references: 2320

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2328
Total references: 2328

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2336
Total references: 2336

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2344
Total references: 2344

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2352
Total references: 2352

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2360
Total references: 2360

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2368
Total references: 2368

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2376
Total references: 2376

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2384
Total references: 2384

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2392
Total references: 2392

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2400
Total references: 2400

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2408
Total references: 2408

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2416
Total references: 2416

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2424
Total references: 2424

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2432
Total references: 2432

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2440
Total references: 2440

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2448
Total references: 2448

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2456
Total references: 2456

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2464
Total references: 2464

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2472
Total references: 2472

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2480
Total references: 2480

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2488
Total references: 2488

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2496
Total references: 2496

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2504
Total references: 2504

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2512
Total references: 2512

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2520
Total references: 2520

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2528
Total references: 2528

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2536
Total references: 2536

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2544
Total references: 2544

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2552
Total references: 2552

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2560
Total references: 2560

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2568
Total references: 2568

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2576
Total references: 2576

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2584
Total references: 2584

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2592
Total references: 2592

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2600
Total references: 2600

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2608
Total references: 2608

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2616
Total references: 2616

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2624
Total references: 2624

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2632
Total references: 2632

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2640
Total references: 2640

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2648
Total references: 2648

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2656
Total references: 2656

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2664
Total references: 2664

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2672
Total references: 2672

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2680
Total references: 2680

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2688
Total references: 2688

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2696
Total references: 2696

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2704
Total references: 2704

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2712
Total references: 2712

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2720
Total references: 2720

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2728
Total references: 2728

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2736
Total references: 2736

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2744
Total references: 2744

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2752
Total references: 2752

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2760
Total references: 2760

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2768
Total references: 2768

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2776
Total references: 2776

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2784
Total references: 2784

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2792
Total references: 2792

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2800
Total references: 2800

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2808
Total references: 2808

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2816
Total references: 2816

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2824
Total references: 2824

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2832
Total references: 2832

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2840
Total references: 2840

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2848
Total references: 2848

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2856
Total references: 2856

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2864
Total references: 2864

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2872
Total references: 2872

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2880
Total references: 2880

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2888
Total references: 2888

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2896
Total references: 2896

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2904
Total references: 2904

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2912
Total references: 2912

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2920
Total references: 2920

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2928
Total references: 2928

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2936
Total references: 2936

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2944
Total references: 2944

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2952
Total references: 2952

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2960
Total references: 2960

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2968
Total references: 2968

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2976
Total references: 2976

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2984
Total references: 2984

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 2992
Total references: 2992

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3000
Total references: 3000

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3008
Total references: 3008

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3016
Total references: 3016

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3024
Total references: 3024

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3032
Total references: 3032

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3040
Total references: 3040

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3048
Total references: 3048

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3056
Total references: 3056

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3064
Total references: 3064

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3072
Total references: 3072

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3080
Total references: 3080

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3088
Total references: 3088

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3096
Total references: 3096

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3104
Total references: 3104

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3112
Total references: 3112

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3120
Total references: 3120

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3128
Total references: 3128

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3136
Total references: 3136

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3144
Total references: 3144

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3152
Total references: 3152

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3160
Total references: 3160

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3168
Total references: 3168

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3176
Total references: 3176

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3184
Total references: 3184

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3192
Total references: 3192

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3200
Total references: 3200

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3208
Total references: 3208

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3216
Total references: 3216

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3224
Total references: 3224

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3232
Total references: 3232

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3240
Total references: 3240

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3248
Total references: 3248

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3256
Total references: 3256

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3264
Total references: 3264

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3272
Total references: 3272

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3280
Total references: 3280

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3288
Total references: 3288

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3296
Total references: 3296

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3304
Total references: 3304

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3312
Total references: 3312

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3320
Total references: 3320

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3328
Total references: 3328

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3336
Total references: 3336

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3344
Total references: 3344

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3352
Total references: 3352

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3360
Total references: 3360

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3368
Total references: 3368

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3376
Total references: 3376

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3384
Total references: 3384

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3392
Total references: 3392

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3400
Total references: 3400

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3408
Total references: 3408

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3416
Total references: 3416

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3424
Total references: 3424

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3432
Total references: 3432

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3440
Total references: 3440

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3448
Total references: 3448

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3456
Total references: 3456

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3464
Total references: 3464

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3472
Total references: 3472

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3480
Total references: 3480

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3488
Total references: 3488

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3496
Total references: 3496

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3504
Total references: 3504

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3512
Total references: 3512

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3520
Total references: 3520

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3528
Total references: 3528

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3536
Total references: 3536

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3544
Total references: 3544

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3552
Total references: 3552

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3560
Total references: 3560

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3568
Total references: 3568

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3576
Total references: 3576

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3584
Total references: 3584

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3592
Total references: 3592

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3600
Total references: 3600

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3608
Total references: 3608

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3616
Total references: 3616

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3624
Total references: 3624

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3632
Total references: 3632

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3640
Total references: 3640

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3648
Total references: 3648

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3656
Total references: 3656

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3664
Total references: 3664

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3672
Total references: 3672

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3680
Total references: 3680

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3688
Total references: 3688

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3696
Total references: 3696

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3704
Total references: 3704

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3712
Total references: 3712

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3720
Total references: 3720

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3728
Total references: 3728

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3736
Total references: 3736

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3744
Total references: 3744

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3752
Total references: 3752

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3760
Total references: 3760

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3768
Total references: 3768

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3776
Total references: 3776

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3784
Total references: 3784

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3792
Total references: 3792

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3800
Total references: 3800

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3808
Total references: 3808

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3816
Total references: 3816

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3824
Total references: 3824

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3832
Total references: 3832

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3840
Total references: 3840

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3848
Total references: 3848

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3856
Total references: 3856

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3864
Total references: 3864

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3872
Total references: 3872

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3880
Total references: 3880

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3888
Total references: 3888

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3896
Total references: 3896

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3904
Total references: 3904

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3912
Total references: 3912

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3920
Total references: 3920

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3928
Total references: 3928

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3936
Total references: 3936

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3944
Total references: 3944

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3952
Total references: 3952

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3960
Total references: 3960

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3968
Total references: 3968

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3976
Total references: 3976

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3984
Total references: 3984

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 3992
Total references: 3992

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4000
Total references: 4000

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4008
Total references: 4008

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4016
Total references: 4016

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4024
Total references: 4024

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4032
Total references: 4032

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4040
Total references: 4040

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4048
Total references: 4048

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4056
Total references: 4056

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4064
Total references: 4064

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4072
Total references: 4072

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4080
Total references: 4080

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4088
Total references: 4088

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4096
Total references: 4096

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4104
Total references: 4104

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4112
Total references: 4112

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4120
Total references: 4120

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4128
Total references: 4128

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4136
Total references: 4136

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4144
Total references: 4144

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4152
Total references: 4152

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4160
Total references: 4160

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4168
Total references: 4168

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4176
Total references: 4176

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4184
Total references: 4184

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4192
Total references: 4192

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4200
Total references: 4200

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4208
Total references: 4208

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4216
Total references: 4216

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4224
Total references: 4224

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4232
Total references: 4232

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4240
Total references: 4240

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4248
Total references: 4248

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4256
Total references: 4256

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4264
Total references: 4264

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4272
Total references: 4272

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4280
Total references: 4280

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4288
Total references: 4288

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4296
Total references: 4296

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4304
Total references: 4304

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4312
Total references: 4312

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4320
Total references: 4320

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4328
Total references: 4328

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4336
Total references: 4336

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4344
Total references: 4344

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4352
Total references: 4352

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4360
Total references: 4360

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4368
Total references: 4368

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4376
Total references: 4376

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4384
Total references: 4384

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4392
Total references: 4392

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4400
Total references: 4400

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4408
Total references: 4408

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4416
Total references: 4416

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4424
Total references: 4424

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4432
Total references: 4432

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4440
Total references: 4440

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4448
Total references: 4448

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4456
Total references: 4456

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4464
Total references: 4464

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4472
Total references: 4472

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4480
Total references: 4480

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4488
Total references: 4488

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4496
Total references: 4496

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4504
Total references: 4504

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4512
Total references: 4512

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4520
Total references: 4520

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4528
Total references: 4528

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4536
Total references: 4536

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4544
Total references: 4544

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4552
Total references: 4552

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4560
Total references: 4560

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4568
Total references: 4568

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4576
Total references: 4576

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4584
Total references: 4584

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4592
Total references: 4592

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4600
Total references: 4600

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4608
Total references: 4608

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4616
Total references: 4616

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4624
Total references: 4624

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4632
Total references: 4632

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4640
Total references: 4640

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4648
Total references: 4648

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4656
Total references: 4656

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4664
Total references: 4664

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4672
Total references: 4672

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4680
Total references: 4680

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4688
Total references: 4688

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4696
Total references: 4696

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4704
Total references: 4704

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4712
Total references: 4712

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4720
Total references: 4720

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4728
Total references: 4728

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4736
Total references: 4736

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4744
Total references: 4744

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4752
Total references: 4752

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4760
Total references: 4760

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4768
Total references: 4768

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4776
Total references: 4776

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4784
Total references: 4784

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4792
Total references: 4792

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4800
Total references: 4800

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4808
Total references: 4808

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4816
Total references: 4816

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4824
Total references: 4824

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4832
Total references: 4832

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4840
Total references: 4840

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4848
Total references: 4848

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4856
Total references: 4856

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4864
Total references: 4864

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4872
Total references: 4872

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4880
Total references: 4880

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4888
Total references: 4888

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4896
Total references: 4896

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4904
Total references: 4904

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4912
Total references: 4912

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4920
Total references: 4920

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4928
Total references: 4928

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4936
Total references: 4936

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4944
Total references: 4944

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4952
Total references: 4952

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4960
Total references: 4960

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4968
Total references: 4968

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4976
Total references: 4976

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4984
Total references: 4984

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 4992
Total references: 4992

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5000
Total references: 5000

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5008
Total references: 5008

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5016
Total references: 5016

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5024
Total references: 5024

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5032
Total references: 5032

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5040
Total references: 5040

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5048
Total references: 5048

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5056
Total references: 5056

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5064
Total references: 5064

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5072
Total references: 5072

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5080
Total references: 5080

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5088
Total references: 5088

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5096
Total references: 5096

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5104
Total references: 5104

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5112
Total references: 5112

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5120
Total references: 5120

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5128
Total references: 5128

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5136
Total references: 5136

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5144
Total references: 5144

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5152
Total references: 5152

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5160
Total references: 5160

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5168
Total references: 5168

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5176
Total references: 5176

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5184
Total references: 5184

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5192
Total references: 5192

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5200
Total references: 5200

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5208
Total references: 5208

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5216
Total references: 5216

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5224
Total references: 5224

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5232
Total references: 5232

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5240
Total references: 5240

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5248
Total references: 5248

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5256
Total references: 5256

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5264
Total references: 5264

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5272
Total references: 5272

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5280
Total references: 5280

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5288
Total references: 5288

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5296
Total references: 5296

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5304
Total references: 5304

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5312
Total references: 5312

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5320
Total references: 5320

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5328
Total references: 5328

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5336
Total references: 5336

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5344
Total references: 5344

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5352
Total references: 5352

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5360
Total references: 5360

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5368
Total references: 5368

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5376
Total references: 5376

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5384
Total references: 5384

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5392
Total references: 5392

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5400
Total references: 5400

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5408
Total references: 5408

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5416
Total references: 5416

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5424
Total references: 5424

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5432
Total references: 5432

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5440
Total references: 5440

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5448
Total references: 5448

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5456
Total references: 5456

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5464
Total references: 5464

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5472
Total references: 5472

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5480
Total references: 5480

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5488
Total references: 5488

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5496
Total references: 5496

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5504
Total references: 5504

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5512
Total references: 5512

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5520
Total references: 5520

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5528
Total references: 5528

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5536
Total references: 5536

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5544
Total references: 5544

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5552
Total references: 5552

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5560
Total references: 5560

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5568
Total references: 5568

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5576
Total references: 5576

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5584
Total references: 5584

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5592
Total references: 5592

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5600
Total references: 5600

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5608
Total references: 5608

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5616
Total references: 5616

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5624
Total references: 5624

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5632
Total references: 5632

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5640
Total references: 5640

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5648
Total references: 5648

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5656
Total references: 5656

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5664
Total references: 5664

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5672
Total references: 5672

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5680
Total references: 5680

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5688
Total references: 5688

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5696
Total references: 5696

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5704
Total references: 5704

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5712
Total references: 5712

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5720
Total references: 5720

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5728
Total references: 5728

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5736
Total references: 5736

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5744
Total references: 5744

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5752
Total references: 5752

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5760
Total references: 5760

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5768
Total references: 5768

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5776
Total references: 5776

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5784
Total references: 5784

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5792
Total references: 5792

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5800
Total references: 5800

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5808
Total references: 5808

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5816
Total references: 5816

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5824
Total references: 5824

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5832
Total references: 5832

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5840
Total references: 5840

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5848
Total references: 5848

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5856
Total references: 5856

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5864
Total references: 5864

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5872
Total references: 5872

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5880
Total references: 5880

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5888
Total references: 5888

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5896
Total references: 5896

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5904
Total references: 5904

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5912
Total references: 5912

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5920
Total references: 5920

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5928
Total references: 5928

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5936
Total references: 5936

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5944
Total references: 5944

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5952
Total references: 5952

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5960
Total references: 5960

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5968
Total references: 5968

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5976
Total references: 5976

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5984
Total references: 5984

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 5992
Total references: 5992

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6000
Total references: 6000

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6008
Total references: 6008

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6016
Total references: 6016

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6024
Total references: 6024

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6032
Total references: 6032

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6040
Total references: 6040

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6048
Total references: 6048

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6056
Total references: 6056

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6064
Total references: 6064

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6072
Total references: 6072

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6080
Total references: 6080

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6088
Total references: 6088

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6096
Total references: 6096

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6104
Total references: 6104

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6112
Total references: 6112

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6120
Total references: 6120

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6128
Total references: 6128

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6136
Total references: 6136

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6144
Total references: 6144

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6152
Total references: 6152

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6160
Total references: 6160

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6168
Total references: 6168

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6176
Total references: 6176

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6184
Total references: 6184

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6192
Total references: 6192

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6200
Total references: 6200

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6208
Total references: 6208

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6216
Total references: 6216

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6224
Total references: 6224

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6232
Total references: 6232

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6240
Total references: 6240

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6248
Total references: 6248

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6256
Total references: 6256

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6264
Total references: 6264

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6272
Total references: 6272

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6280
Total references: 6280

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6288
Total references: 6288

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6296
Total references: 6296

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6304
Total references: 6304

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6312
Total references: 6312

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6320
Total references: 6320

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6328
Total references: 6328

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6336
Total references: 6336

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6344
Total references: 6344

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6352
Total references: 6352

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6360
Total references: 6360

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6368
Total references: 6368

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6376
Total references: 6376

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6384
Total references: 6384

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6392
Total references: 6392

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6400
Total references: 6400

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6408
Total references: 6408

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6416
Total references: 6416

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6424
Total references: 6424

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6432
Total references: 6432

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6440
Total references: 6440

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6448
Total references: 6448

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6456
Total references: 6456

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6464
Total references: 6464

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6472
Total references: 6472

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6480
Total references: 6480

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6488
Total references: 6488

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6496
Total references: 6496

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6504
Total references: 6504

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6512
Total references: 6512

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6520
Total references: 6520

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6528
Total references: 6528

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6536
Total references: 6536

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6544
Total references: 6544

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6552
Total references: 6552

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6560
Total references: 6560

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6568
Total references: 6568

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6576
Total references: 6576

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6584
Total references: 6584

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6592
Total references: 6592

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6600
Total references: 6600

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6608
Total references: 6608

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6616
Total references: 6616

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6624
Total references: 6624

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6632
Total references: 6632

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6640
Total references: 6640

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6648
Total references: 6648

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6656
Total references: 6656

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6664
Total references: 6664

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6672
Total references: 6672

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6680
Total references: 6680

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6688
Total references: 6688

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6696
Total references: 6696

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6704
Total references: 6704

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6712
Total references: 6712

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6720
Total references: 6720

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6728
Total references: 6728

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6736
Total references: 6736

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6744
Total references: 6744

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6752
Total references: 6752

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6760
Total references: 6760

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6768
Total references: 6768

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6776
Total references: 6776

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6784
Total references: 6784

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6792
Total references: 6792

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6800
Total references: 6800

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6808
Total references: 6808

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6816
Total references: 6816

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6824
Total references: 6824

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6832
Total references: 6832

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6840
Total references: 6840

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6848
Total references: 6848

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6856
Total references: 6856

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6864
Total references: 6864

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6872
Total references: 6872

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6880
Total references: 6880

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6888
Total references: 6888

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6896
Total references: 6896

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6904
Total references: 6904

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6912
Total references: 6912

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6920
Total references: 6920

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6928
Total references: 6928

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6936
Total references: 6936

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6944
Total references: 6944

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6952
Total references: 6952

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6960
Total references: 6960

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6968
Total references: 6968

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6976
Total references: 6976

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6984
Total references: 6984

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 6992
Total references: 6992

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7000
Total references: 7000

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7008
Total references: 7008

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7016
Total references: 7016

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7024
Total references: 7024

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7032
Total references: 7032

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7040
Total references: 7040

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7048
Total references: 7048

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7056
Total references: 7056

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7064
Total references: 7064

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7072
Total references: 7072

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7080
Total references: 7080

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7088
Total references: 7088

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7096
Total references: 7096

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7104
Total references: 7104

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7112
Total references: 7112

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7120
Total references: 7120

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7128
Total references: 7128

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7136
Total references: 7136

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7144
Total references: 7144

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7152
Total references: 7152

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7160
Total references: 7160

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7168
Total references: 7168

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7176
Total references: 7176

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7184
Total references: 7184

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7192
Total references: 7192

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7200
Total references: 7200

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7208
Total references: 7208

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7216
Total references: 7216

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7224
Total references: 7224

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7232
Total references: 7232

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7240
Total references: 7240

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7248
Total references: 7248

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7256
Total references: 7256

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7264
Total references: 7264

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7272
Total references: 7272

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7280
Total references: 7280

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7288
Total references: 7288

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7296
Total references: 7296

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7304
Total references: 7304

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7312
Total references: 7312

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7320
Total references: 7320

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7328
Total references: 7328

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7336
Total references: 7336

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7344
Total references: 7344

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7352
Total references: 7352

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7360
Total references: 7360

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7368
Total references: 7368

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7376
Total references: 7376

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7384
Total references: 7384

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7392
Total references: 7392

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7400
Total references: 7400

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7408
Total references: 7408

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7416
Total references: 7416

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7424
Total references: 7424

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7432
Total references: 7432

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7440
Total references: 7440

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7448
Total references: 7448

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7456
Total references: 7456

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7464
Total references: 7464

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7472
Total references: 7472

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7480
Total references: 7480

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7488
Total references: 7488

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7496
Total references: 7496

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7504
Total references: 7504

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7512
Total references: 7512

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7520
Total references: 7520

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7528
Total references: 7528

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7536
Total references: 7536

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7544
Total references: 7544

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7552
Total references: 7552

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7560
Total references: 7560

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7568
Total references: 7568

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7576
Total references: 7576

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7584
Total references: 7584

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7592
Total references: 7592

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7600
Total references: 7600

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7608
Total references: 7608

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7616
Total references: 7616

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7624
Total references: 7624

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7632
Total references: 7632

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7640
Total references: 7640

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7648
Total references: 7648

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7656
Total references: 7656

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7664
Total references: 7664

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7672
Total references: 7672

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7680
Total references: 7680

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7688
Total references: 7688

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7696
Total references: 7696

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7704
Total references: 7704

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7712
Total references: 7712

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7720
Total references: 7720

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7728
Total references: 7728

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7736
Total references: 7736

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7744
Total references: 7744

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7752
Total references: 7752

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7760
Total references: 7760

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7768
Total references: 7768

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7776
Total references: 7776

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7784
Total references: 7784

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7792
Total references: 7792

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7800
Total references: 7800

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7808
Total references: 7808

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7816
Total references: 7816

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7824
Total references: 7824

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7832
Total references: 7832

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7840
Total references: 7840

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7848
Total references: 7848

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7856
Total references: 7856

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7864
Total references: 7864

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7872
Total references: 7872

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7880
Total references: 7880

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7888
Total references: 7888

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7896
Total references: 7896

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7904
Total references: 7904

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7912
Total references: 7912

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7920
Total references: 7920

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7928
Total references: 7928

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7936
Total references: 7936

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7944
Total references: 7944

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7952
Total references: 7952

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7960
Total references: 7960

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7968
Total references: 7968

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7976
Total references: 7976

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7984
Total references: 7984

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 7992
Total references: 7992

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8000
Total references: 8000

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8008
Total references: 8008

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8016
Total references: 8016

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8024
Total references: 8024

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8032
Total references: 8032

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8040
Total references: 8040

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8048
Total references: 8048

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8056
Total references: 8056

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8064
Total references: 8064

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8072
Total references: 8072

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8080
Total references: 8080

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8088
Total references: 8088

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8096
Total references: 8096

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8104
Total references: 8104

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8112
Total references: 8112

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8120
Total references: 8120

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8128
Total references: 8128

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8136
Total references: 8136

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8144
Total references: 8144

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8152
Total references: 8152

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8160
Total references: 8160

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8168
Total references: 8168

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8176
Total references: 8176

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8184
Total references: 8184

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8192
Total references: 8192

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8200
Total references: 8200

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8208
Total references: 8208

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8216
Total references: 8216

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8224
Total references: 8224

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8232
Total references: 8232

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8240
Total references: 8240

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8248
Total references: 8248

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8256
Total references: 8256

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8264
Total references: 8264

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8272
Total references: 8272

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8280
Total references: 8280

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8288
Total references: 8288

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8296
Total references: 8296

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8304
Total references: 8304

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8312
Total references: 8312

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8320
Total references: 8320

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8328
Total references: 8328

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8336
Total references: 8336

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8344
Total references: 8344

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8352
Total references: 8352

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8360
Total references: 8360

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8368
Total references: 8368

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8376
Total references: 8376

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8384
Total references: 8384

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8392
Total references: 8392

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8400
Total references: 8400

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8408
Total references: 8408

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8416
Total references: 8416

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8424
Total references: 8424

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8432
Total references: 8432

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8440
Total references: 8440

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8448
Total references: 8448

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8456
Total references: 8456

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8464
Total references: 8464

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8472
Total references: 8472

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8480
Total references: 8480

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8488
Total references: 8488

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8496
Total references: 8496

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8504
Total references: 8504

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8512
Total references: 8512

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8520
Total references: 8520

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8528
Total references: 8528

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8536
Total references: 8536

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8544
Total references: 8544

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8552
Total references: 8552

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8560
Total references: 8560

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8568
Total references: 8568

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8576
Total references: 8576

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8584
Total references: 8584

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8592
Total references: 8592

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8600
Total references: 8600

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8608
Total references: 8608

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8616
Total references: 8616

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8624
Total references: 8624

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8632
Total references: 8632

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8640
Total references: 8640

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8648
Total references: 8648

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8656
Total references: 8656

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8664
Total references: 8664

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8672
Total references: 8672

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8680
Total references: 8680

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8688
Total references: 8688

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8696
Total references: 8696

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8704
Total references: 8704

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8712
Total references: 8712

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8720
Total references: 8720

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8728
Total references: 8728

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8736
Total references: 8736

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8744
Total references: 8744

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8752
Total references: 8752

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8760
Total references: 8760

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8768
Total references: 8768

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8776
Total references: 8776

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8784
Total references: 8784

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8792
Total references: 8792

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8800
Total references: 8800

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8808
Total references: 8808

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8816
Total references: 8816

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8824
Total references: 8824

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8832
Total references: 8832

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8840
Total references: 8840

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8848
Total references: 8848

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8856
Total references: 8856

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8864
Total references: 8864

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8872
Total references: 8872

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8880
Total references: 8880

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8888
Total references: 8888

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8896
Total references: 8896

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8904
Total references: 8904

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8912
Total references: 8912

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8920
Total references: 8920

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8928
Total references: 8928

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8936
Total references: 8936

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8944
Total references: 8944

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8952
Total references: 8952

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8960
Total references: 8960

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8968
Total references: 8968

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8976
Total references: 8976

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8984
Total references: 8984

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 8992
Total references: 8992

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9000
Total references: 9000

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9008
Total references: 9008

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9016
Total references: 9016

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9024
Total references: 9024

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9032
Total references: 9032

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9040
Total references: 9040

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9048
Total references: 9048

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9056
Total references: 9056

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9064
Total references: 9064

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9072
Total references: 9072

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9080
Total references: 9080

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9088
Total references: 9088

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9096
Total references: 9096

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9104
Total references: 9104

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9112
Total references: 9112

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9120
Total references: 9120

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9128
Total references: 9128

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9136
Total references: 9136

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9144
Total references: 9144

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9152
Total references: 9152

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9160
Total references: 9160

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9168
Total references: 9168

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9176
Total references: 9176

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9184
Total references: 9184

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9192
Total references: 9192

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9200
Total references: 9200

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9208
Total references: 9208

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9216
Total references: 9216

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9224
Total references: 9224

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9232
Total references: 9232

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9240
Total references: 9240

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9248
Total references: 9248

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9256
Total references: 9256

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9264
Total references: 9264

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9272
Total references: 9272

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9280
Total references: 9280

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9288
Total references: 9288

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9296
Total references: 9296

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9304
Total references: 9304

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9312
Total references: 9312

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9320
Total references: 9320

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9328
Total references: 9328

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9336
Total references: 9336

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9344
Total references: 9344

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9352
Total references: 9352

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9360
Total references: 9360

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9368
Total references: 9368

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9376
Total references: 9376

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9384
Total references: 9384

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9392
Total references: 9392

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9400
Total references: 9400

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9408
Total references: 9408

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9416
Total references: 9416

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9424
Total references: 9424

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9432
Total references: 9432

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9440
Total references: 9440

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9448
Total references: 9448

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9456
Total references: 9456

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9464
Total references: 9464

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9472
Total references: 9472

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9480
Total references: 9480

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9488
Total references: 9488

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9496
Total references: 9496

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9504
Total references: 9504

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9512
Total references: 9512

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9520
Total references: 9520

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9528
Total references: 9528

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9536
Total references: 9536

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9544
Total references: 9544

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9552
Total references: 9552

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9560
Total references: 9560

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9568
Total references: 9568

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9576
Total references: 9576

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9584
Total references: 9584

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9592
Total references: 9592

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9600
Total references: 9600

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9608
Total references: 9608

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9616
Total references: 9616

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9624
Total references: 9624

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9632
Total references: 9632

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9640
Total references: 9640

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9648
Total references: 9648

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9656
Total references: 9656

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9664
Total references: 9664

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9672
Total references: 9672

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9680
Total references: 9680

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9688
Total references: 9688

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9696
Total references: 9696

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9704
Total references: 9704

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9712
Total references: 9712

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9720
Total references: 9720

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9728
Total references: 9728

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9736
Total references: 9736

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9744
Total references: 9744

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9752
Total references: 9752

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9760
Total references: 9760

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9768
Total references: 9768

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9776
Total references: 9776

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9784
Total references: 9784

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9792
Total references: 9792

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9800
Total references: 9800

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9808
Total references: 9808

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9816
Total references: 9816

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9824
Total references: 9824

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9832
Total references: 9832

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9840
Total references: 9840

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9848
Total references: 9848

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9856
Total references: 9856

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9864
Total references: 9864

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9872
Total references: 9872

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9880
Total references: 9880

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9888
Total references: 9888

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9896
Total references: 9896

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9904
Total references: 9904

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9912
Total references: 9912

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9920
Total references: 9920

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9928
Total references: 9928

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9936
Total references: 9936

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9944
Total references: 9944

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9952
Total references: 9952

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9960
Total references: 9960

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9968
Total references: 9968

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9976
Total references: 9976

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9984
Total references: 9984

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 9992
Total references: 9992

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10000
Total references: 10000

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10008
Total references: 10008

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10016
Total references: 10016

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10024
Total references: 10024

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10032
Total references: 10032

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10040
Total references: 10040

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10048
Total references: 10048

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10056
Total references: 10056

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10064
Total references: 10064

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10072
Total references: 10072

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10080
Total references: 10080

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10088
Total references: 10088

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10096
Total references: 10096

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10104
Total references: 10104

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10112
Total references: 10112

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10120
Total references: 10120

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10128
Total references: 10128

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10136
Total references: 10136

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10144
Total references: 10144

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10152
Total references: 10152

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10160
Total references: 10160

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10168
Total references: 10168

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10176
Total references: 10176

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10184
Total references: 10184

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10192
Total references: 10192

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10200
Total references: 10200

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10208
Total references: 10208

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10216
Total references: 10216

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10224
Total references: 10224

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10232
Total references: 10232

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10240
Total references: 10240

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10248
Total references: 10248

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10256
Total references: 10256

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10264
Total references: 10264

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10272
Total references: 10272

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10280
Total references: 10280

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10288
Total references: 10288

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10296
Total references: 10296

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10304
Total references: 10304

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10312
Total references: 10312

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10320
Total references: 10320

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10328
Total references: 10328

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10336
Total references: 10336

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10344
Total references: 10344

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10352
Total references: 10352

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10360
Total references: 10360

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10368
Total references: 10368

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10376
Total references: 10376

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10384
Total references: 10384

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10392
Total references: 10392

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10400
Total references: 10400

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10408
Total references: 10408

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10416
Total references: 10416

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10424
Total references: 10424

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10432
Total references: 10432

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10440
Total references: 10440

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10448
Total references: 10448

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10456
Total references: 10456

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10464
Total references: 10464

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10472
Total references: 10472

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10480
Total references: 10480

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10488
Total references: 10488

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10496
Total references: 10496

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10504
Total references: 10504

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10512
Total references: 10512

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10520
Total references: 10520

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10528
Total references: 10528

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10536
Total references: 10536

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10544
Total references: 10544

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10552
Total references: 10552

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10560
Total references: 10560

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8
References batch size: 2
Total predictions: 10568
Total references: 10568

A decoder-only architecture is being used, but right-padding was detected! For correct generation results, please set `padding\_side='left'` when initializing the tokenizer.

Predictions batch size: 8

References batch size: 2

Total predictions: 10576

Total references: 10576

Predictions batch size: 5

References batch size: 2

Total predictions: 10581

Total references: 10581

ROUGE-L Score: 0.0504

tokenizer_config.json: 0%| | 0.00/25.0 [00:00<?, ?B/s]

config.json: 0%| | 0.00/482 [00:00<?, ?B/s]

vocab.json: 0%| | 0.00/899k [00:00<?, ?B/s]

merges.txt: 0%| | 0.00/456k [00:00<?, ?B/s]

tokenizer.json: 0%| | 0.00/1.36M [00:00<?, ?B/s]

Xet Storage is enabled for this repo, but the 'hf_xet' package is not installed. Falling back to regular HTTP download. For better performance, install the package with: `pip install huggingface\_hub[hf\_xet]` or `pip install hf\_xet`
WARNING:huggingface_hub.file_download:Xet Storage is enabled for this repo, but the 'hf_xet' package is not installed. Falling back to regular HTTP download. For better performance, install the package with: `pip install huggingface\_hub[hf\_xet]` or `pip install hf\_xet`

model.safetensors: 0%| | 0.00/1.42G [00:00<?, ?B/s]

Some weights of RobertaModel were not initialized from the model checkpoint at roberta-large and are newly initialized: ['pooler.dense.bias', 'pooler.dense.weight']

You should probably TRAIN this model on a down-stream task to be able to use it for predictions and inference.

BERT F1 Score: 0.7867

```
[1]: !pip install lime
```

```
import warnings
warnings.simplefilter("ignore")

# Import required libraries
import torch
import numpy as np
from lime.lime_text import LimeTextExplainer
from transformers import GPT2Tokenizer, GPT2LMHeadModel
```

```

# Load GPT-2 Model & Tokenizer
model_name = "gpt2"
tokenizer = GPT2Tokenizer.from_pretrained(model_name)
model = GPT2LMHeadModel.from_pretrained(model_name)
model.eval()

# Set PAD token to EOS token
tokenizer.pad_token = tokenizer.eos_token

# Function to Get GPT-2 Predictions for LIME
def predict_proba(texts):
    inputs = tokenizer(texts, return_tensors="pt", padding=True,
↳truncation=True, max_length=50)
    with torch.no_grad():
        outputs = model(**inputs).logits
    top_k = 10 # Keep only the top 10 most likely tokens
    probs = torch.nn.functional.softmax(outputs[:, -1, :], dim=-1)
    top_probs, _ = torch.topk(probs, top_k, dim=-1)
    return top_probs.numpy()

# Initialize LIME Explainer
explainer = LimeTextExplainer(class_names=["Generated Response"])

# Select a Sample Query for Interpretation
sample_query = "What are the benefits of artificial intelligence?"

# Run LIME on the Query
exp = explainer.explain_instance(sample_query, predict_proba, num_samples=100,
↳num_features=10)

# Show explanation
exp.show_in_notebook(text=True)

```

```

Requirement already satisfied: lime in /usr/local/lib/python3.11/dist-packages
(0.2.0.1)
Requirement already satisfied: matplotlib in /usr/local/lib/python3.11/dist-
packages (from lime) (3.10.0)
Requirement already satisfied: numpy in /usr/local/lib/python3.11/dist-packages
(from lime) (2.0.2)
Requirement already satisfied: scipy in /usr/local/lib/python3.11/dist-packages
(from lime) (1.14.1)
Requirement already satisfied: tqdm in /usr/local/lib/python3.11/dist-packages
(from lime) (4.67.1)
Requirement already satisfied: scikit-learn>=0.18 in
/usr/local/lib/python3.11/dist-packages (from lime) (1.6.1)

```

```

Requirement already satisfied: scikit-image>=0.12 in
/usr/local/lib/python3.11/dist-packages (from lime) (0.25.2)
Requirement already satisfied: networkx>=3.0 in /usr/local/lib/python3.11/dist-
packages (from scikit-image>=0.12->lime) (3.4.2)
Requirement already satisfied: pillow>=10.1 in /usr/local/lib/python3.11/dist-
packages (from scikit-image>=0.12->lime) (11.1.0)
Requirement already satisfied: imageio!=2.35.0,>=2.33 in
/usr/local/lib/python3.11/dist-packages (from scikit-image>=0.12->lime) (2.37.0)
Requirement already satisfied: tifffile>=2022.8.12 in
/usr/local/lib/python3.11/dist-packages (from scikit-image>=0.12->lime)
(2025.3.30)
Requirement already satisfied: packaging>=21 in /usr/local/lib/python3.11/dist-
packages (from scikit-image>=0.12->lime) (24.2)
Requirement already satisfied: lazy-loader>=0.4 in
/usr/local/lib/python3.11/dist-packages (from scikit-image>=0.12->lime) (0.4)
Requirement already satisfied: joblib>=1.2.0 in /usr/local/lib/python3.11/dist-
packages (from scikit-learn>=0.18->lime) (1.4.2)
Requirement already satisfied: threadpoolctl>=3.1.0 in
/usr/local/lib/python3.11/dist-packages (from scikit-learn>=0.18->lime) (3.6.0)
Requirement already satisfied: contourpy>=1.0.1 in
/usr/local/lib/python3.11/dist-packages (from matplotlib->lime) (1.3.1)
Requirement already satisfied: cycler>=0.10 in /usr/local/lib/python3.11/dist-
packages (from matplotlib->lime) (0.12.1)
Requirement already satisfied: fonttools>=4.22.0 in
/usr/local/lib/python3.11/dist-packages (from matplotlib->lime) (4.56.0)
Requirement already satisfied: kiwisolver>=1.3.1 in
/usr/local/lib/python3.11/dist-packages (from matplotlib->lime) (1.4.8)
Requirement already satisfied: pyparsing>=2.3.1 in
/usr/local/lib/python3.11/dist-packages (from matplotlib->lime) (3.2.3)
Requirement already satisfied: python-dateutil>=2.7 in
/usr/local/lib/python3.11/dist-packages (from matplotlib->lime) (2.8.2)
Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.11/dist-
packages (from python-dateutil>=2.7->matplotlib->lime) (1.17.0)

<IPython.core.display.HTML object>

```

```

[2]: sample_query2 = "How does deep learning work?"
exp2 = explainer.explain_instance(sample_query2, predict_proba,
    ↪ num_samples=100, num_features=10)
exp2.show_in_notebook(text=True)

```

```

<IPython.core.display.HTML object>

```

```

[3]: # The validation loss is relatively stable but not decreasing much so decreasing
    ↪ the learning rate

# Import necessary libraries
from transformers import GPT2LMHeadModel, GPT2Tokenizer

```

```

from torch.optim import AdamW
import torch

# Load the GPT-2 model
model = GPT2LMHeadModel.from_pretrained("gpt2")

# Fix the padding issue by adding a pad token
tokenizer.pad_token = tokenizer.eos_token # Use the EOS token as the padding_
token

# Resize the token embeddings (GPT-2 doesn't have a padding token by default)
model.resize_token_embeddings(len(tokenizer))

# Move model to GPU if available
device = torch.device("cuda" if torch.cuda.is_available() else "cpu")
model.to(device)

# Define optimizer
optimizer = AdamW(model.parameters(), lr=3e-5)

# Print model summary
print(model)

```

```

GPT2LMHeadModel(
  (transformer): GPT2Model(
    (wte): Embedding(50257, 768)
    (wpe): Embedding(1024, 768)
    (drop): Dropout(p=0.1, inplace=False)
    (h): ModuleList(
      (0-11): 12 x GPT2Block(
        (ln_1): LayerNorm((768,), eps=1e-05, elementwise_affine=True)
        (attn): GPT2Attention(
          (c_attn): Conv1D(nf=2304, nx=768)
          (c_proj): Conv1D(nf=768, nx=768)
          (attn_dropout): Dropout(p=0.1, inplace=False)
          (resid_dropout): Dropout(p=0.1, inplace=False)
        )
        (ln_2): LayerNorm((768,), eps=1e-05, elementwise_affine=True)
        (mlp): GPT2MLP(
          (c_fc): Conv1D(nf=3072, nx=768)
          (c_proj): Conv1D(nf=768, nx=3072)
          (act): NewGELUActivation()
          (dropout): Dropout(p=0.1, inplace=False)
        )
      )
    )
    (ln_f): LayerNorm((768,), eps=1e-05, elementwise_affine=True)
  )
)

```

```
(lm_head): Linear(in_features=768, out_features=50257, bias=False)
)
```

```
[ ]: from transformers import get_scheduler
import torch.nn.functional as F
from tqdm import tqdm

# Define training parameters
epochs = 3
gradient_accumulation_steps = 4 # Accumulate gradients over multiple steps
batch_size = 8

# Learning rate scheduler
num_training_steps = len(train_dataloader) * epochs
lr_scheduler = get_scheduler("linear", optimizer=optimizer, num_warmup_steps=0,
    ↪ num_training_steps=num_training_steps)

# Training loop
model.train()
for epoch in range(epochs):
    print(f"\nEpoch {epoch+1}/{epochs}")

    total_train_loss = 0
    progress_bar = tqdm(train_dataloader, desc="Training", leave=True)

    for step, batch in enumerate(progress_bar):
        # Move batch to GPU if available
        batch = {k: v.to(device) for k, v in batch.items()}

        # Forward pass
        outputs = model(input_ids=batch["input_ids"],
    ↪ attention_mask=batch["attention_mask"], labels=batch["input_ids"])
        loss = outputs.loss / gradient_accumulation_steps # Normalize loss for
    ↪ accumulation
        total_train_loss += loss.item()

        # Backward pass
        loss.backward()

        # Gradient accumulation
        if (step + 1) % gradient_accumulation_steps == 0 or (step + 1) ==
    ↪ len(train_dataloader):
            optimizer.step()
            lr_scheduler.step()
            optimizer.zero_grad()

    # Update progress bar
```

```

        progress_bar.set_postfix(train_loss=total_train_loss / (step + 1))

    avg_train_loss = total_train_loss / len(train_dataloader)
    print(f"Epoch {epoch+1} Training Loss: {avg_train_loss:.4f}")

    # -----
    # VALIDATION LOOP
    # -----
    model.eval()
    total_val_loss = 0

    with torch.no_grad():
        for batch in tqdm(valid_dataloader, desc="Validation", leave=True):
            batch = {k: v.to(device) for k, v in batch.items()}
            outputs = model(input_ids=batch["input_ids"],
                             attention_mask=batch["attention_mask"], labels=batch["input_ids"])
            total_val_loss += outputs.loss.item()

    avg_val_loss = total_val_loss / len(valid_dataloader)
    print(f"Epoch {epoch+1} Validation Loss: {avg_val_loss:.4f}")

    model.train()  # Switch back to training mode

```

Epoch 1/3

```

Training:  0%|          | 0/2499 [00:00<?, ?it/s] `loss_type=None` was set in
the config but it is unrecognised.Using the default loss: `ForCausalLMLoss`.
Training:  0%|          | 6/2499 [03:09<21:30:29, 31.06s/it, train_loss=2.04]

```