Transect Report

Overview

This report provides summary statistics and figures for ongoing transect sampling. The first section of the report focuses on the current sampling (Winter 2020-2021) and how the collected data compare to last year's sampling (Winter 2019-2020). So far 12 days have been sampled this season. The second half of the report gives summaries of all of the data that have been collected since the beginning of the project (2010-05-27). In total, 105 days have been sampled over this entire project.

Definition of Localities

LOCALITY	LOCATION
BT	Big Trout
CK	Cedar Key
CR	Corrigan's Reef
HB	Horseshoe Beach
LC	Lone Cabbage
LT	Little Trout
NN	No Name

Definition of Strata

STRATA	DEFINITION
Y_N	Yes Harvest, No Rock
Y_Y	Yes Harvest, Yes Rock
N_N	No Harvest, No Rock
N_Y	No Harvest, Yes Rock
N_PILOT	No Harvest, Pilot Rocks

Current Sampling

Here, we provide a progress bar showing how much of the sampling has been completed for this season, plus summary tables and plots comparing live counts and density of oysters between this current season and last year. **The current sampling period is period 22, and last year's sampling period is period 20.**



Summary Tables for Periods 20 and 22

These summary tables provide summary statistics on live counts and oyster densities for just periods **20 (Winter 2019-2020) and 22 (Winter 2020-2021).**

Summary statistics include:
- Locality or Strata or Period - Mean
- Median
- Standard Deviation (SD)
- Variance (Var)
- Coefficient of variation (CV)
- Standard Error (SE)
- Lower 95% Confidence Interval assuming normal distribution (L95)
- Upper 95% Confidence Interval assuming normal distribution (U95)
- Bootstrap Mean (Bstrap Mean)
- Lower 95% Confidence Interval from Bootstrap Values (L95 Bstrap)
- Upper 95% Confidence Interval from Bootstrap Values (U95 Bstrap)

Summary of Live Counts for Periods 20 and 22

Live Oyster Counts by Locality

Locality	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
BT	2219	766	3528	12445897	1.59	1578	-873	5312	2243	380	5416
LC	1644	1162	1879	3532249	1.14	247	1160	2127	1641	1203	2146
LT	1191	877	737	542939	0.62	246	709	1672	1192	799	1678
NN	888	747	768	589511	0.86	313	274	1503	888	447	1534

Live Oyster Counts by Strata

Strata	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
N_N	1187	766	1509	2276206	1.27	271	656	1718	1190	773	1832
N_PILOT	356	356	NA	NA	NA	NA	NA	NA	177	13	345
N_Y	3225	2898	2516	6330343	0.78	759	1738	4712	3201	1910	4671
Y_N	932	764	749	561550	0.80	153	632	1232	930	645	1222
Y_Y	2497	2080	2550	6504037	1.02	769	990	4004	2470	1332	3983

Live Oyster Counts by Period

Period	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
20	1844	1253	2125	4517189	1.2	310	1236	2451	1846	1317	2493
22	1155	679	1269	1609202	1.1	228	709	1602	1166	755	1675

Live Density by Locality

Locality	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
BT	286	140	299	89572	1.05	134	23.6	548	288	99	554
LC	173	166	120	14478	0.69	16	142.4	204	173	144	206
LT	339	370	159	25324	0.47	53	235.0	443	337	235	433
NN	245	154	295	86939	1.20	120	8.8	481	245	94	491

Live Density by Strata

Strata	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
N_N	251	174	208	43233	0.83	37	178	324	251	184	327
N_PILOT	102	102	NA	NA	NA	NA	NA	NA	52	3	99
N_Y	145	170	61	3695	0.42	18	109	181	145	111	177
Y_N	202	185	152	23092	0.75	31	141	263	202	146	270
Y_Y	151	122	83	6944	0.55	25	102	200	149	105	198

Live Density by Period

Period	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
20	258	203	188	35185	0.73	27	204	312	258	210	316
22	125	121	67	4458	0.53	12	101	148	125	104	148

Summary of Dead Counts for Periods 20 and 22

Dead Oyster Counts by Locality

Locality	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
BT	244	114	270	72769	1.11	121	7.6	481	241	95	474
LC	150	96	134	18058	0.90	18	115.2	184	149	116	184
LT	235	141	175	30774	0.75	58	120.2	349	236	134	350
NN	109	68	119	14227	1.10	49	13.2	204	108	45	213

Dead Oyster Counts by Strata

Strata	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
N_N	182	116	166	27687	0.91	30	124	241	181.5	131	238
N_PILOT	9	9	NA	NA	NA	NA	NA	NA	4.9	1	9
N_Y	120	69	118	13925	0.98	36	51	190	119.2	63	193
Y_N	160	108	147	21610	0.92	30	102	219	159.7	104	213
Y_Y	168	108	149	22241	0.89	45	79	256	167.9	92	257

Dead Oyster Counts by Period

Period	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
20	148	107	140	19727	0.95	20	108	188	148	112	188
22	185	108	164	27054	0.89	30	127	243	185	129	244

Dead Oyster Density by Locality

Locality	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
BT	42	28	25	641	0.61	11.3	19.5	64	42	22.4	61
LC	23	12	24	558	1.05	3.1	16.4	29	23	16.8	29
LT	63	72	34	1166	0.55	11.4	40.2	85	63	40.3	84
NN	28	14	30	901	1.08	12.3	3.8	52	27	9.9	50

Dead Oyster Density by Strata

Strata	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
N_N	40.5	32.5	30.2	913	0.75	5.43	29.8	51.1	40.4	30.4	50.6
N_PILOT	2.6	2.6	NA	NA	NA	NA	NA	NA	1.5	1.0	2.0
N_Y	5.4	4.1	3.2	11	0.60	0.98	3.5	7.3	5.5	3.8	7.4
Y_N	33.4	26.9	28.7	826	0.86	5.87	21.9	44.9	33.5	22.2	45.8
Y_Y	11.4	10.6	5.4	29	0.48	1.64	8.2	14.6	11.4	8.4	14.4

Dead Oyster Density by Period

Period	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
20	28	18	26	698	0.95	3.9	20	35	28	21	36
22	30	15	31	980	1.04	5.6	19	41	30	21	42

Summary Plots for Periods 18, 20 and 22



Figure- Calculated live oyster density by locality for periods 18 (Winter 2018-2019), 20 (Winter 2019-2020) and 22 (Winter 2020-2021) with the last sample date of period 22 as 2020-12-29.



Figure- Calculated dead oyster density by locality for periods 18 (Winter 2018-2019), 20 (Winter 2019-2020) and 22 (Winter 2020-2021) with the last sample date of period 22 as 2020-12-29.



Figure- Calculated live oyster density by strata for periods 18 (Winter 2018-2019), 20 (Winter 2019-2020) and 22 (Winter 2020-2021) with the last sample date of period 22 as 2020-12-29.



Figure- Calculated dead oyster density by strata for periods 18 (Winter 2018-2019), 20 (Winter 2019-2020) and 22 (Winter 2020-2021) with the last sample date of period 22 as 2020-12-29.

The following summary plot is calculated in R using the `geom_density` (https://ggplot2.tidyverse.org/reference/geom_density.html) statistical function in `ggplot`. The `geom_density` function computes and draws kernel density estimates, which is then represented as a smoothed version of a histogram.



Figure- Calculated live oyster density by periods 20 (Winter 2019-2020) and 22 (Winter 2020-2021) using a probability density function with the last sample date of period 22 as 2020-12-29.



Figure- Calculated dead oyster density by periods 20 (Winter 2019-2020) and 22 (Winter 2020-2021) using a probability density function with the last sample date of period 22 as 2020-12-29.



Figure- Live and dead oyster count comparison by periods 20 (Winter 2019-2020) and 22 (Winter 2020-2021), last sample date of period 22 as 2020-12-29.

Live Counts Double Pass Results



Figure- Boxplot of the difference in live counts between pass 1 and pass 2 (pass 1 live counts - pass 2 live counts) for period 18, 20, and 22

locality	period	CV_1	CV_2
BT	18	0.82	0.83
LC	18	1.34	1.43
NN	18	0.47	0.63
LC	20	0.83	0.80
LT	20	0.61	0.60
BT	22	0.39	0.52
LC	22	0.69	0.73
LT	22	0.47	0.43

Table- Coefficient variation between pass 1 and pass 2, aggregated by locality and period for live counts

Dead Counts Double Pass Results



Figure- Boxplot of the difference in dead counts between pass 1 and pass 2 (pass 1 dead counts - pass 2 dead counts) for period 18, 20, and 22

locality	period	CV_1	CV_2
BT	18	0.78	0.82
LC	18	2.35	2.06
NN	18	0.55	0.73
LC	20	1.93	1.62
LT	20	0.76	0.67
BT	22	0.60	0.66
LC	22	0.75	0.78
LT	22	0.79	0.74

Table- Coefficient variation between pass 1 and pass 2, aggregated by locality and period for dead counts

Sampling for all Periods

Next, we provide summary tables and plots for all transect sampling. These data were collected between 2010-05-27 and 2020-12-29. The following are only for live oysters.

Definitions of Periods

PERIOD	SEASON	YEAR
1	Summer	2010
2	Winter	2010-2011
3	Summer	2011
4	Winter	2011-2012
5	Summer	2012
6	Winter	2012-2013
7	Summer	2013
8	Winter	2013-2014
9	Summer	2014
10	Winter	2014-2015
11	Summer	2015
12	Winter	2015-2016
13	Summer	2016
14	Winter	2016-2017
15	Summer	2017
16	Winter	2017-2018
17	Summer	2018
18	Winter	2018-2019
19	Summer	2019
20	Winter	2019-2020
21	Summer	2020
22	Winter	2020-2021

Summary of Effort for all Periods

These effort summaries show the total number of transects and total number of meters walked per locality, strata, locality per period, and strata per period. **These tables contain all data collected on the transects.**

Effort by Locality

Locality	Number of Transects	Total Length (m)
BT	11	424
CK	26	712
CR	46	1330
HB	45	1129
LC	183	9099
LT	15	406
NN	10	255

Effort by Strata

Strata	Number of Transects	Total Length (m)
N_N	106	3537
N_PILOT	13	799
N_Y	24	2502
Y_N	178	5078
Y_Y	15	1437

Effort by Period

Period	Number of Transects	Total Length (m)
1	42	1086
2	30	753
3	25	619
6	33	874
7	8	528
10	8	512
11	8	511
16	8	528
18	61	2632
19	35	921
20	47	2556
22	31	1833

Effort by Locality and Period

Period	Locality	Number of Transects	Total Length (m)
1	CK	9	242
1	CR	10	300
1	HB	12	293
1	LC	11	250
10	LC	8	512
11	LC	8	511
16	LC	8	528
18	BT	6	238
18	LC	45	2128
18	LT	6	182
18	NN	4	84
19	CK	9	221
19	CR	9	227

19	HB	9	247
19	LC	8	226
2	CR	9	283
2	HB	11	271
2	LC	10	199
20	BT	2	96
20	LC	34	2163
20	LT	7	171
20	NN	4	126
22	BT	3	90
22	LC	24	1646
22	LT	2	52
22	NN	2	46
3	CR	9	269
3	HB	7	184
3	LC	9	167
6	CK	8	248
6	CR	9	250
6	HB	6	134
6	LC	10	242
7	LC	8	528

Effort by Strata and Period

Period	Strata	Number of Transects	Total Length (m)
1	N_N	8	149
1	Y_N	34	937
10	N_N	4	256
10	N_PILOT	4	256
11	N_N	4	255
11	N_PILOT	4	256
16	N_N	4	264
16	N_PILOT	4	264
18	N_N	18	571
18	N_Y	13	962
18	Y_N	26	723
18	Y_Y	4	376
19	N_N	5	80
19	Y_N	30	841
2	N_N	8	148
2	Y_N	22	605
20	N_N	18	590
20	N_PILOT	1	23
20	N_Y	6	888
20	Y_N	17	602
20	Y_Y	5	454
22	N_N	13	372
22	N_Y	5	652
22	Y_N	7	202
22	Y_Y	6	607
3	N_N	8	147
3	Y_N	17	472
6	N_N	8	178
6	Y_N	25	695
7	N_N	8	528

Effort Plot Summaries for all Periods



Figure − Bar plot of total transect length in meters sampled by locality for all periods.



Figure − Bar plot of total transect length in meters sampled by strata for all periods.



Figure− Bar plot of total transect length in meters sampled by period for all periods.

Summary Tables for all Periods

These summaries display summary statistics of live oysters by locality, strata, and period. These contain all data collected on the oyster transects.

The summary statistics include:
- Locality or Strata or Period - Mean
- Median
- Standard Deviation (SD)
- Variance (Var)
- Coefficient of variation (CV)
- Standard Error (SE)
- Lower 95% Confidence Interval assuming normal distribution (L95)
- Upper 95% Confidence Interval assuming normal distribution (U95)
- Bootstrap Mean (Bstrap Mean)
- Lower 95% Confidence Interval from Bootstrap Values (L95 Bstrap)
- Upper 95% Confidence Interval from Bootstrap Values (U95 Bstrap)

Live Count Statistics for all Periods

Live Oyster Counts by Locality

Locality	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
BT	1805	897	2435	5931263	1.35	734	366	3245	1809	732	3442
CK	857	444	1091	1190933	1.27	214	438	1277	856	483	1281
CR	1026	716	1035	1072162	1.01	153	727	1325	1028	754	1340
HB	902	364	1047	1095622	1.16	158	592	1211	897	602	1205
LC	1038	677	1318	1737645	1.27	98	845	1230	1036	860	1238
LT	1054	877	645	416505	0.61	167	728	1381	1048	761	1392
NN	720	649	644	414522	0.89	204	321	1119	729	405	1134

Live Oyster Counts by Strata

Strata	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
N_N	995	761	1087	1181711	1.09	106	787	1203	995	815	1216
N_PILOT	1046	1109	627	392853	0.60	174	705	1386	1051	730	1384
N_Y	2194	1436	2126	4519300	0.97	434	1343	3044	2177	1425	3066
Y_N	793	436	928	861984	1.17	70	656	931	791	662	940
Y_Y	1956	1506	2349	5520147	1.20	607	767	3145	1932	1003	3193

Live Oyster Counts by Period

Period	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
1	1404	1018	1288	1657932	0.92	199	1014	1793	1406	1053	1795
2	890	476	945	893727	1.06	176	546	1234	897	547	1225
3	738	296	817	668064	1.11	167	411	1065	725	421	1038
6	433	176	534	284791	1.23	96	245	621	434	266	632
7	50	29	56	3186	1.12	20	11	90	49	20	91
10	1207	1074	671	449607	0.56	237	743	1672	1211	786	1689
11	886	776	678	459708	0.77	240	416	1356	882	446	1361
16	494	366	467	217855	0.95	165	170	817	503	215	820
18	982	695	935	874733	0.95	120	748	1217	981	752	1213
19	555	329	573	328431	1.03	97	365	745	553	366	738
20	1844	1253	2125	4517189	1.15	310	1236	2451	1844	1304	2491
22	1155	679	1269	1609202	1.10	228	709	1602	1163	769	1626

Live Density Statistics for all Periods

Live Density by Locality

Locality	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
BT	262	218	207	42972	0.79	63	140	385	262	166	380
CK	241	112	321	102795	1.33	63	118	365	241	128	372
CR	288	181	294	86231	1.02	43	203	373	290	209	374
HB	257	101	303	92052	1.18	46	168	347	254	166	341
LC	155	121	152	23011	0.98	11	133	177	155	133	177
LT	274	239	152	23145	0.56	39	197	351	276	206	350
NN	215	154	234	54714	1.09	74	70	360	213	106	363

Live Density by Strata

Strata	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
N_N	262	183	264	69745	1.01	26	212	313	262	211	311
N_PILOT	111	111	60	3604	0.54	17	79	144	111	82	145
N_Y	147	136	99	9743	0.67	20	108	187	149	110	187
Y_N	192	117	221	48797	1.15	17	159	224	191	159	225
Y_Y	119	112	89	7937	0.75	23	74	164	119	77	162

Live Density by Period

Period	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
1	393	300.8	362.6	131444	0.92	56	283.8	503.1	397.0	289.2	515.6
2	255	119.0	285.2	81348	1.12	53	151.3	358.9	253.7	160.0	365.5
3	234	85.3	269.3	72523	1.15	55	126.1	341.6	233.0	135.8	335.7
6	122	72.2	150.9	22769	1.24	27	68.6	174.9	119.5	68.3	171.6
7	5	2.9	5.6	31	1.12	2	1.1	8.9	5.1	1.8	9.3
10	124	113.3	67.4	4536	0.54	24	76.9	170.3	123.8	83.5	170.0
11	90	79.5	67.8	4596	0.75	24	43.4	137.4	91.0	51.3	136.4
16	49	36.3	46.4	2154	0.95	16	16.9	81.2	49.6	22.3	80.0
18	177	154.5	130.8	17117	0.74	17	144.3	210.0	177.5	146.0	211.5
19	160	85.6	171.9	29552	1.08	29	102.9	216.8	159.6	107.5	215.7
20	258	202.8	187.6	35185	0.73	27	204.4	311.7	257.4	206.9	318.2
22	125	120.6	66.8	4458	0.53	12	101.5	148.5	125.1	102.0	148.8

Dead Count Statistics for all Periods

Dead Oyster Counts by Locality

Locality	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
BT	348	178	333	111065	0.96	100.5	151.0	545	347	173	552
CK	78	32	106	11170	1.36	37.4	4.3	151	78	17	152
CR	60	47	38	1444	0.63	12.7	35.2	85	60	39	86
HB	44	21	45	2000	1.02	14.9	14.8	73	44	19	72
LC	102	60	112	12502	1.10	9.4	83.7	120	103	87	122
LT	240	210	202	40850	0.84	52.2	137.2	342	241	148	347
NN	100	68	100	10018	1.00	31.7	38.1	162	100	52	159

Dead Oyster Counts by Strata

Strata	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
N_N	156	78	197	38955	1.27	23	111	201	156	114	203
N_PILOT	82	87	46	2136	0.56	13	57	108	82	60	110
N_Y	74	54	91	8199	1.23	18	38	110	75	44	114
Y_N	105	64	116	13559	1.11	13	79	131	106	82	132
Y_Y	127	56	144	20777	1.14	37	54	200	127	63	205

Dead Oyster Counts by Period

Period	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
7	29	18	30	898	1.03	10.6	8.2	50	29	11	49
10	80	88	65	4245	0.82	23.0	34.5	125	80	39	126
11	50	40	25	620	0.49	8.8	33.2	68	50	34	67
16	44	28	41	1708	0.93	14.6	15.6	73	44	19	71
18	133	55	192	36903	1.44	24.6	85.1	182	134	88	186
19	63	44	67	4548	1.08	11.6	40.0	85	63	42	86
20	148	107	140	19727	0.95	20.5	107.6	188	148	112	190
22	185	108	164	27054	0.89	29.5	127.0	243	184	127	246

Dead Density Statistics for all Periods

Dead Oyster Density by Locality

Locality	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
BT	55	50.8	37	1332	0.66	11.0	33.8	77	55	34.7	77
CK	21	11.3	28	757	1.29	9.7	2.3	40	22	6.0	41
CR	20	13.8	15	235	0.77	5.1	10.0	30	20	11.7	30
HB	13	8.0	14	201	1.12	4.7	3.4	22	13	5.5	23
LC	17	8.5	21	425	1.23	1.7	13.4	20	17	13.6	20
LT	58	47.1	40	1570	0.68	10.2	38.2	78	58	40.2	78
NN	28	16.1	26	668	0.91	8.2	12.5	45	29	14.3	45

Dead Oyster Density by Strata

Strata	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
N_N	32.5	21.0	33.2	1102	1.02	3.86	24.9	40.1	32.5	25.3	40.3
N_PILOT	8.5	8.7	4.5	20	0.53	1.25	6.1	10.9	8.5	6.4	11.2
N_Y	5.2	3.8	4.7	22	0.89	0.96	3.4	7.1	5.3	3.6	7.2
Y_N	23.6	16.1	24.2	586	1.03	2.72	18.2	28.9	23.5	18.6	28.9
Y_Y	8.6	7.9	6.6	43	0.76	1.70	5.3	12.0	8.6	5.6	11.9

Dead Oyster Density by Period

Period	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
7	2.9	1.8	3.0	8.9	1.03	1.05	0.82	4.9	2.9	0.93	4.9
10	8.2	8.9	6.6	44.0	0.81	2.35	3.58	12.8	8.2	4.21	12.7
11	5.2	4.1	2.6	6.6	0.49	0.91	3.41	7.0	5.2	3.72	6.9
16	4.4	2.8	4.1	16.9	0.93	1.45	1.55	7.2	4.5	1.99	7.4
18	26.4	15.7	31.3	980.1	1.19	4.01	18.54	34.3	26.5	19.09	34.3
19	18.1	13.1	19.3	370.6	1.07	3.30	11.59	24.5	18.1	12.01	24.7
20	27.9	18.4	26.4	697.6	0.95	3.85	20.38	35.5	27.9	20.98	35.7
22	30.1	15.0	31.3	979.8	1.04	5.62	19.05	41.1	30.3	19.22	41.9

Summary Density Plots for all Periods



Figure− Calculated live oyster density by locality for all periods including period 22 (current period).



Figure− Calculated dead oyster density by locality for all periods including period 22 (current period).



Figure− Calculated live oyster density by strata for all periods including period 22 (current period).



Figure− Calculated dead oyster density by strata for all periods including period 22 (current period).



Figure− Calculated live oyster density for all periods including period 22 (current period) using a probability densit



Figure− Calculated Dead oyster density for all periods including period 22 (current period) using a probability densit



Figure− Box plot depicting live oyster density by locality for all periods including period 22 (current period).



Figure− Box plot depicting dead oyster density by locality for all periods including period 22 (current period).



Figure− Box plot depicting live oyster density by strata for all periods including period 22 (current period).



Figure− Box plot depicting dead oyster density by strata for all periods including period 22 (current period).



Figure− Box plot depicting live oyster density by period for all periods including period 22 (current period).



Figure− Box plot depicting dead oyster density by period for all periods including period 22 (current period).



Figure − Live oyster density by locality and period for all periods including period 22 (current period).



Figure − Dead oyster density by locality and period for all periods including period 22 (current period).



Figure − Live oyster density by strata and period for all periods including period 22 (current period).



Figure − Dead oyster density by strata and period for all periods including period 22 (current period).



Figure- Live and dead oyster comparison for all periods, last sample date of period 22 is 2020-12-29.

Summary Plots for Pilot Study Sites

A subset of the oyster transect locations were sampled over time for a pilot study. Here we provide plots of live oyster counts and density for these pilot stations with Lone Cabbage (LCO10B, LCO11A, LCO8B, LCO9A).



Figure − Average live oyster density comparison by station and period for all stations that were sampled during the pilc



Figure − Average live oyster density comparison by station and strata for all stations that were sampled during th

Latest Data Entered

Displayed are the entries for the last date of sampling (2020-12-29).

date	station	tran_length	count_live	count_dead	treatment	strata
2020-12-29	LCO22	2.5	22	7	rocks	Y_Y
2020-12-29	LCO22	5.0	22	12	rocks	Y_Y
2020-12-29	LCO22	7.5	8	3	rocks	Y_Y
2020-12-29	LCO22	10.0	9	9	rocks	Y_Y
2020-12-29	LCO22	12.5	18	14	rocks	Y_Y
2020-12-29	LCO22	15.0	26	5	rocks	Y_Y
2020-12-29	LCO22	17.5	14	6	rocks	Y_Y
2020-12-29	LCO22	19.8	0	0	rocks	Y_Y
2020-12-29	LCO21	2.5	7	2	rocks	Y_Y
2020-12-29	LCO21	5.0	6	1	rocks	Y_Y
2020-12-29	LCO21	7.5	1	0	rocks	Y_Y
2020-12-29	LCO21	10.0	0	0	rocks	Y_Y
2020-12-29	LCO21	10.5	0	0	rocks	Y_Y
2020-12-29	LCO21	2.5	20	4	rocks	Y_Y
2020-12-29	LCO21	5.0	69	6	rocks	Y_Y
2020-12-29	LCO21	7.5	22	8	rocks	Y_Y
2020-12-29	LCO21	10.0	32	4	rocks	Y_Y
2020-12-29	LCO21	10.5	0	0	rocks	Y_Y