Transect Report Lone Cabbage

Overview

This report provides summary statistics and figures for ongoing transect sampling. The first section of the report focuses on the current sampling (Winter 2021-2022) and how the collected data compare to last year's sampling (Winter 2020-2021). So far 24 days have been sampled this season. The second half of the report gives summaries of all of the data that have been collected since the beginning of the project (2010-05-27). In total, 142 days have been sampled over this entire project.

Definition of Localities

LOCALITY	LOCATION
BT	Big Trout
CK	Cedar Key
CR	Corrigan's Reef
HB	Horseshoe Beach
LC	Lone Cabbage
LT	Little Trout
NN	No Name

Definition of Strata

STRATA	DEFINITION
Y_N	Yes Harvest, No Rock
Y_Y	Yes Harvest, Yes Rock
N_N	No Harvest, No Rock
N_Y	No Harvest, Yes Rock
N_PILOT	No Harvest, Pilot Rocks

Current Sampling

Here, we provide a progress bar showing how much of the sampling has been completed for this season, plus summary tables and plots comparing live counts and density of oysters between this current season and last year. **The current sampling period is period 24, and last year's sampling period is period 22.**



Summary Tables for Periods 18, 20, 22, and 24

These summary tables provide summary statistics on live counts and oyster densities for just periods **18 (Winter 2018-2019), 20 (Winter 2019-2020), 22 (Winter 2020-2021), and 24 (Winter 2021-2022).**

Summary statistics include:
- Locality or Strata or Period - Mean
- Median
- Standard Deviation (SD)
- Variance (Var)
- Coefficient of variation (CV)
- Standard Error (SE)
- Lower 95% Confidence Interval assuming normal distribution (L95)
- Upper 95% Confidence Interval assuming normal distribution (U95)
- Bootstrap Mean (Bstrap Mean)
- Lower 95% Confidence Interval from Bootstrap Values (L95 Bstrap)
- Upper 95% Confidence Interval from Bootstrap Values (U95 Bstrap)

Summary of Live Counts for Periods 18, 20, 22, and 24

Live Oyster Counts by Locality

Locality	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
BT	1419	884	1951	3808032	1.38	460	518	2321	1434	755	2418
LC	1524	880	1751	3065031	1.15	142	1247	1802	1534	1280	1815
LT	1026	877	551	303721	0.54	120	790	1262	1021	824	1272
NN	735	674	584	341295	0.79	156	429	1041	742	483	1080

Live Oyster Counts by Strata

Strata	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
N_N	1072	821	1124	1263544	1.05	130	818	1327	1063	848	1344
N_PILOT	2180	3009	1582	2501624	0.73	913	390	3970	2190	356	3174
N_Y	2693	2898	2195	4819184	0.82	361	1985	3400	2713	2008	3456
Y_N	818	644	751	564696	0.92	87	647	989	818	663	986
Y_Y	2557	2039	2737	7492209	1.07	664	1256	3859	2574	1422	3954

Live Oyster Counts by Period

Period	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
18	982	695	935	874733	0.95	120	748	1217	975	754	1220
20	1844	1253	2125	4517189	1.15	310	1236	2451	1843	1283	2491
22	1334	702	1693	2867783	1.27	242	860	1808	1343	907	1843
24	1605	926	1662	2761063	1.04	237	1140	2070	1602	1194	2062

Live Density by Locality

Locality	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
BT	247	228	168	28203	0.68	39.6	170	325	247	185	327
LC	166	153	118	13967	0.71	9.6	147	184	165	146	184
LT	279	261	132	17460	0.47	28.8	222	335	280	225	337
NN	215	174	202	40919	0.94	54.1	109	321	214	133	330

Live Density by Strata

Strata	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
N_N	235	207	151	22700	0.64	17	201	269	235	203	270
N_PILOT	143	147	39	1557	0.28	23	98	188	143	102	180

N_Y	152	143	86	7344	0.56	14	125	180	152	125	180
Y_N	176	154	140	19636	0.80	16	144	208	175	146	207
Y_Y	114	106	82	6771	0.72	20	75	154	114	78	152

Live Density by Period

Period	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
18	176	155	130	16945	0.74	17	144	209	175	145	208
20	256	203	187	35057	0.73	27	203	310	256	206	311
22	137	121	93	8638	0.68	13	111	163	137	112	162
24	186	181	93	8570	0.50	13	160	212	186	161	210

Summary of Dead Counts for Periods 18, 20, 22, and 24

Dead Oyster Counts by Locality

Locality	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
BT	258	165	283	80030	1.10	67	127	389	259	145	392
LC	150	88	167	27832	1.11	13	124	177	150	124	180
LT	218	141	180	32543	0.83	39	140	295	217	152	297
NN	98	72	87	7493	0.88	23	53	143	99	62	148

Dead Oyster Counts by Strata

Strata	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
N_N	195	122	206	42395	1.06	24	149	242	195	150	248
N_PILOT	136	127	131	17150	0.97	76	-13	284	134	47	270
N_Y	133	68	134	17869	1.01	22	90	176	132	93	176
Y_N	130	83	133	17685	1.02	15	100	160	130	100	160
Y_Y	235	109	281	78730	1.19	68	102	369	234	121	376

Dead Oyster Counts by Period

Period	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
18	133	55	192	36903	1.44	25	85	182	135	91	188
20	148	107	140	19727	0.95	20	108	188	148	111	193
22	191	128	193	37399	1.01	28	137	245	192	143	245
24	186	127	183	33336	0.98	26	135	238	188	141	248

Dead Oyster Density by Locality

Locality	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
BT	48	35	33	1061	0.68	7.7	33	63	48	34	63
LC	21	12	22	488	1.05	1.8	18	25	21	18	25
LT	54	47	35	1232	0.64	7.7	39	70	55	41	71
NN	28	21	22	463	0.78	5.7	16	39	28	17	39

Dead Oyster Density by Strata

Strata	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
N_N	41.4	34.2	30.3	921	0.73	3.50	34.5	48.2	41.4	35.3	48.2
N_PILOT	7.6	7.6	5.0	25	0.66	2.88	1.9	13.2	7.6	2.6	12.5
N_Y	7.5	5.5	5.7	33	0.76	0.94	5.7	9.4	7.5	5.7	9.6
Y_N	27.6	21.4	25.1	630	0.91	2.92	21.9	33.3	27.6	22.2	33.2
Y_Y	9.9	10.6	6.8	46	0.69	1.65	6.6	13.1	9.9	6.6	12.9

Dead Oyster Density by Period

Period	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
18	26	16	31	980	1.19	4.0	19	34	26	19	34
20	28	18	26	682	0.94	3.8	20	35	28	21	36
22	28	14	28	807	1.00	4.1	21	36	28	21	36
24	27	19	22	474	0.81	3.1	21	33	27	21	33

Summary Plots for Periods 18, 20, 22, and 24



Figure- Calculated live oyster density by locality for periods 18 (Winter 2018-2019), 20 (Winter 2019-2020), 22 (Winter 2020-2021), and 24 (Winter 2021-2022) with the last sample date of period 24 as 2022-01-20.



Figure- Calculated dead oyster density by locality for periods 18 (Winter 2018-2019), 20 (Winter 2019-2020), 22 (Winter 2020-2021), and 24 (Winter 2021-2022) with the last sample date of period 24 as 2022-01-20.



Figure- Calculated live oyster density by strata for periods 18 (Winter 2018-2019), 20 (Winter 2019-2020), 22 (Winter 2020-2021), and 24 (Winter 2021-2022) with the last sample date of period 24 as 2022-01-20.



Figure- Calculated dead oyster density by strata for periods 18 (Winter 2018-2019), 20 (Winter 2019-2020), 22 (Winter 2020-2021), and 24 (Winter 2021-2022) with the last sample date of period 24 as 2022-01-20.

The following summary plot is calculated in R using the `geom_density` (https://ggplot2.tidyverse.org/reference/geom_density.html) statistical function in `ggplot`. The `geom_density` function computes and draws kernel density estimates, which is then represented as a smoothed version of a histogram.



Figure- Calculated live oyster density by periods 18 (Winter 2018-2019) and 20 (Winter 2019-2020) using a probability density function with the last sample date of period 22 as 2022-01-20.



Figure- Calculated dead oyster density by periods 18 (Winter 2018-2019) and 20 (Winter 2019-2020) using a probability density function with the last sample date of period 22 as 2022-01-20.



Figure- Calculated live oyster density by periods 20 (Winter 2019-2020) and 22 (Winter 2020-2021) using a probability density function with the last sample date of period 22 as 2022-01-20.



Figure- Calculated dead oyster density by periods 20 (Winter 2019-2020) and 22 (Winter 2020-2021) using a probability density function with the last sample date of period 22 as 2022-01-20.



Figure- Calculated live oyster density by periods 22 (Winter 2020-2021) and 24 (Winter 2021-2022) using a probability density function with the last sample date of period 24 as 2022-01-20.



Figure- Calculated dead oyster density by periods 22 (Winter 2020-2021) and 24 (Winter 2021-2022) using a probability density function with the last sample date of period 24 as 2022-01-20.



Figure- Live and dead oyster count comparison by periods 18 (Winter 2018- 2019), 20 (Winter 2019-2020), 22 (Winter 2020-2021) and 24 (Winter 2021-2022), last sample date of period 24 as 2022-01-20.

Live Counts Double Pass Results



Figure- Boxplot of the difference in live counts between pass 1 and pass 2 (pass 1 live counts - pass 2 live counts) for period 18, 20, 22, and 24

locality	period	mean_difference	sd_difference	CV
BT	18	-5.43	60.0	-11.1
LC	18	3.58	30.0	8.4
NN	18	13.17	15.5	1.2
LC	20	4.33	22.4	5.2
LT	20	2.64	39.2	14.9
BT	22	-1.00	18.9	-18.9
LC	22	0.14	9.0	63.6
LT	22	3.38	10.9	3.2
BT	24	9.23	14.0	1.5
LC	24	-0.24	8.6	-35.4

Table- Coefficient variation between pass 1 and pass 2, aggregated by locality and period for live counts

Dead Counts Double Pass Results



Figure- Boxplot of the difference in dead counts between pass 1 and pass 2 (pass 1 dead counts - pass 2 dead counts) for period 18, 20, 22, and 24

locality	period	CV_1	CV_2
BT	18	0.78	0.82
LC	18	2.35	2.06
NN	18	0.55	0.73
LC	20	1.93	1.62
LT	20	0.76	0.67
BT	22	0.60	0.66
LC	22	1.09	1.07
LT	22	0.69	0.66
BT	24	0.54	0.51
LC	24	1.13	1.09

Table- Coefficient variation between pass 1 and pass 2, aggregated by locality and period for dead counts

Sampling for all Periods

Next, we provide summary tables and plots for all transect sampling. These data were collected between 2010-05-27 and 2022-01-20. The following are only for live oysters.

Definitions of Periods

PERIOD	SEASON	YEAR
1	Summer	2010
2	Winter	2010-2011
3	Summer	2011
4	Winter	2011-2012
5	Summer	2012
6	Winter	2012-2013
7	Summer	2013
8	Winter	2013-2014
9	Summer	2014
10	Winter	2014-2015
11	Summer	2015
12	Winter	2015-2016
13	Summer	2016
14	Winter	2016-2017
15	Summer	2017
16	Winter	2017-2018
17	Summer	2018
18	Winter	2018-2019
19	Summer	2019
20	Winter	2019-2020
21	Summer	2020
22	Winter	2020-2021
23	Summer	2021
24	Winter	2021-2022

Summary of Effort for all Periods

These effort summaries show the total number of transects and total number of meters walked per locality, strata, locality per period, and strata per period. **These tables contain all data collected on the transects.**

Effort by Locality

Locality	Number of Transects	Total Length (m)
BT	18	588
CK	26	734
CR	46	1375
HB	45	1129
LC	233	13295
LT	21	542
NN	14	357

Effort by Strata

Strata	Number of Transects	Total Length (m)
N_N	132	4251
N_PILOT	15	1050
N_Y	37	4377
Y_N	202	5927
Y_Y	17	2413

Effort by Period

Period	Number of Transects	Total Length (m)
1	42	1086
2	30	753
3	25	619
6	33	919
7	8	528
10	8	512
11	8	511
16	8	528
18	61	2660
19	35	944
20	47	2586
22	49	3535
24	49	2839

Effort by Locality and Period

Period	Locality	Number of Transects	Total Length (m)
1	CK	9	242
1	CR	10	300
1	HB	12	293
1	LC	11	250
10	LC	8	512
11	LC	8	511
16	LC	8	528
18	BT	6	238
18	LC	45	2156
18	LT	6	182
18	NN	4	84
19	CK	9	221

19	CR	9	249
19	HB	9	247
19	LC	8	226
2	CR	9	283
2	HB	11	271
2	LC	10	199
20	BT	2	96
20	LC	34	2188
20	LT	7	176
20	NN	4	126
22	BT	5	132
22	LC	37	3228
22	LT	4	96
22	NN	3	78
24	BT	5	122
24	LC	37	2560
24	LT	4	87
24	NN	3	69
3	CR	9	269
3	HB	7	184
3	LC	9	167
6	CK	8	271
6	CR	9	272
6	HB	6	134
6	LC	10	242
7	LC	8	528

Effort by Strata and Period

Period	Strata	Number of Transects	Total Length (m)
1	N_N	8	149
1	Y_N	34	937
10	N_N	4	256
10	N_PILOT	4	256
11	N_N	4	255
11	N_PILOT	4	256
16	N_N	4	264
16	N_PILOT	4	264
18	N_N	18	571
18	N_Y	13	977
18	Y_N	26	728
18	Y_Y	4	384
19	N_N	5	93
19	Y_N	30	851
2	N_N	8	148
2	Y_N	22	605
20	N_N	18	595
20	N_PILOT	1	23
20	N_Y	6	903
20	Y_N	17	602
20	Y_Y	5	464
22	N_N	20	546
22	N_Y	9	1324
22	Y_N	15	526
22	Y_Y	5	1138

24	N_N	19	521
24	N_PILOT	2	251
24	N_Y	9	1174
24	Y_N	16	465
24	Y_Y	3	427
3	N_N	8	147
3	Y_N	17	472
6	N_N	8	178
6	Y_N	25	740
7	N_N	8	528

Effort Plot Summaries for all Periods



Figure − Bar plot of total transect length in meters sampled by locality for all periods.



Figure − Bar plot of total transect length in meters sampled by strata for all periods.



Figure− Bar plot of total transect length in meters sampled by period for all periods.

Summary Tables for all Periods

These summaries display summary statistics of live oysters by locality, strata, and period. These contain all data collected on the oyster transects.

The summary statistics include:
- Locality or Strata or Period - Mean
- Median
- Standard Deviation (SD)
- Variance (Var)
- Coefficient of variation (CV)
- Standard Error (SE)
- Lower 95% Confidence Interval assuming normal distribution (L95)
- Upper 95% Confidence Interval assuming normal distribution (U95)
- Bootstrap Mean (Bstrap Mean)
- Lower 95% Confidence Interval from Bootstrap Values (L95 Bstrap)
- Upper 95% Confidence Interval from Bootstrap Values (U95 Bstrap)

Live Count Statistics for all Periods

Live Oyster Counts by Locality

Locality	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
BT	1419	884	1951	3808032	1.38	460	518	2321	1422	735	2444
CK	857	444	1091	1190933	1.27	214	438	1277	855	461	1306
CR	1026	716	1035	1072162	1.01	153	727	1325	1022	770	1325
HB	902	364	1047	1095622	1.16	158	592	1211	896	608	1206
LC	1219	701	1539	2367759	1.26	101	1021	1418	1215	1011	1403
LT	1026	877	551	303721	0.54	120	790	1262	1032	822	1267
NN	735	674	584	341295	0.79	156	429	1041	740	471	1062

Live Oyster Counts by Strata

Strata	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
N_N	991	766	1019	1038768	1.03	89	816	1166	987	827	1164
N_PILOT	1318	1136	925	856059	0.70	239	850	1787	1303	878	1767
N_Y	2693	2898	2195	4819184	0.82	361	1985	3400	2673	1991	3360
Y_N	775	441	898	806096	1.16	64	651	900	777	656	913
Y_Y	2557	2039	2737	7492209	1.07	664	1256	3859	2529	1398	3840

Live Oyster Counts by Period

Period	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
1	1404	1018	1288	1657932	0.92	199	1014	1793	1403	1054	1799
2	890	476	945	893727	1.06	176	546	1234	886	578	1223
3	738	296	817	668064	1.11	167	411	1065	732	412	1069
6	433	176	534	284791	1.23	96	245	621	434	263	627
7	50	29	56	3186	1.12	20	11	90	51	20	92
10	1207	1074	671	449607	0.56	237	743	1672	1209	799	1643
11	886	776	678	459708	0.77	240	416	1356	892	520	1376
16	494	366	467	217855	0.95	165	170	817	489	206	816
18	982	695	935	874733	0.95	120	748	1217	988	785	1233
19	555	329	573	328431	1.03	97	365	745	554	363	752
20	1844	1253	2125	4517189	1.15	310	1236	2451	1834	1317	2458
22	1334	702	1693	2867783	1.27	242	860	1808	1342	910	1823
24	1605	926	1662	2761063	1.04	237	1140	2070	1595	1179	2099

Live Density Statistics for all Periods

Live Density by Locality

Locality	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
BT	247	228	168	28203	0.68	39.6	170	325	245	178	321
CK	241	112	321	102927	1.33	62.9	118	364	240	134	367
CR	283	178	294	86605	1.04	43.4	198	368	282	201	367
HB	257	101	303	92052	1.18	45.7	168	347	258	171	353
LC	155	129	141	19840	0.91	9.3	136	173	154	137	174
LT	279	261	132	17460	0.47	28.8	222	335	278	225	331
NN	215	174	202	40919	0.94	54.1	109	321	214	129	315

Live Density by Strata

Strata	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
N_N	256	192	240	57390	0.94	21	215	297	257	215	299
N_PILOT	118	121	59	3467	0.50	15	88	148	119	90	147
N_Y	152	143	86	7344	0.56	14	125	180	152	124	179
Y_N	184	118	211	44650	1.15	15	155	213	185	157	212
Y_Y	114	106	82	6771	0.72	20	75	154	114	80	155

Live Density by Period

Period	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
1	393	300.8	362.6	131444	0.92	56	283.8	503.1	395.8	296.9	508.9
2	255	119.0	285.2	81348	1.12	53	151.3	358.9	258.3	162.6	360.5
3	234	85.3	269.3	72523	1.15	55	126.1	341.6	237.6	139.2	340.8
6	121	72.2	150.9	22767	1.25	27	68.1	174.3	122.3	75.7	177.0
7	5	2.9	5.6	31	1.12	2	1.1	8.9	5.1	1.7	8.8
10	124	113.3	67.4	4536	0.54	24	76.9	170.3	123.3	81.5	167.7
11	90	79.5	67.8	4596	0.75	24	43.4	137.4	91.1	52.5	134.9
16	49	36.3	46.4	2154	0.95	16	16.9	81.2	48.5	20.8	79.9
18	176	154.5	130.2	16945	0.74	17	143.7	209.0	175.9	143.1	208.6
19	154	72.7	168.5	28408	1.10	28	97.9	209.6	155.2	104.2	210.9
20	256	202.8	187.2	35057	0.73	27	202.6	309.6	256.2	210.5	308.4
22	137	120.6	92.9	8638	0.68	13	111.2	163.3	136.7	112.3	163.5
24	186	181.1	92.6	8570	0.50	13	160.2	212.1	186.0	160.6	211.1

Dead Count Statistics for all Periods

Dead Oyster Counts by Locality

Locality	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
BT	258	165	283	80030	1.10	67	127.2	389	257	143	389
CK	78	32	106	11170	1.36	37	4.3	151	77	16	155
CR	60	47	38	1444	0.63	13	35.2	85	60	39	84
HB	44	21	45	2000	1.02	15	14.8	73	43	18	72
LC	131	73	155	24078	1.19	11	108.7	152	130	108	153
LT	218	141	180	32543	0.83	39	140.5	295	215	147	292
NN	98	72	87	7493	0.88	23	52.5	143	98	59	148

Dead Oyster Counts by Strata

Strata	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
N_N	157	96	191	36527	1.22	19	120	195	158	122	197
N_PILOT	98	89	65	4243	0.67	17	65	131	97	70	130
N_Y	133	68	134	17869	1.01	22	90	176	133	91	181
Y_N	109	66	123	15083	1.13	12	85	133	109	86	132
Y_Y	235	109	281	78730	1.19	68	102	369	234	126	371

Dead Oyster Counts by Period

Period	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
7	29	18	30	898	1.03	10.6	8.2	50	29	10	48
10	80	88	65	4245	0.82	23.0	34.5	125	80	40	125
11	50	40	25	620	0.49	8.8	33.2	68	50	35	67
16	44	28	41	1708	0.93	14.6	15.6	73	44	18	71
18	133	55	192	36903	1.44	24.6	85.1	182	133	92	188
19	63	44	67	4548	1.08	11.6	40.0	85	63	42	88
20	148	107	140	19727	0.95	20.5	107.6	188	147	109	188
22	191	128	193	37399	1.01	27.6	137.2	245	190	141	243
24	186	127	183	33336	0.98	26.1	135.3	238	187	140	236

Dead Density Statistics for all Periods

Dead Oyster Density by Locality

Locality	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
BT	48	35	33	1061	0.68	7.7	32.6	63	48	34.8	63
CK	21	11	28	757	1.29	9.7	2.3	40	21	5.7	40
CR	18	11	16	247	0.87	5.2	7.8	28	18	9.7	28
HB	13	8	14	201	1.12	4.7	3.4	22	13	5.0	22
LC	18	11	21	441	1.14	1.5	15.4	21	18	15.3	21
LT	54	47	35	1232	0.64	7.7	39.5	70	55	40.2	70
NN	28	21	22	463	0.78	5.7	16.4	39	28	17.2	38

Dead Oyster Density by Strata

Strata	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
N_N	33.5	28.7	30.6	938	0.91	3.06	27.5	39.5	33.6	27.9	39.7
N_PILOT	8.7	8.7	4.3	18	0.49	1.11	6.5	10.9	8.7	6.8	10.9
N_Y	7.5	5.5	5.7	33	0.76	0.94	5.7	9.4	7.5	5.8	9.4
Y_N	23.8	16.1	24.0	574	1.01	2.36	19.1	28.4	23.7	19.5	28.1
Y_Y	9.9	10.6	6.8	46	0.69	1.65	6.6	13.1	9.9	6.8	13.0

Dead Oyster Density by Period

Period	Mean	Median	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
7	2.9	1.8	3.0	8.9	1.03	1.05	0.82	4.9	2.9	1.0	4.9
10	8.2	8.9	6.6	44.0	0.81	2.35	3.58	12.8	8.1	4.3	12.4
11	5.2	4.1	2.6	6.6	0.49	0.91	3.41	7.0	5.2	3.7	6.7
16	4.4	2.8	4.1	16.9	0.93	1.45	1.55	7.2	4.4	2.0	6.8
18	26.4	15.7	31.3	979.8	1.19	4.01	18.50	34.2	26.3	18.9	34.5
19	17.5	10.5	19.3	371.9	1.10	3.31	11.06	24.0	17.7	11.5	24.2
20	27.7	18.4	26.1	681.6	0.94	3.81	20.24	35.2	27.8	20.6	34.9
22	28.5	14.2	28.4	807.0	1.00	4.06	20.53	36.4	28.6	20.8	37.1
24	26.7	19.4	21.8	473.7	0.81	3.11	20.61	32.8	26.8	21.1	33.0

Summary Density Plots for all Periods



Figure− Calculated live oyster density by locality for all periods including period 22 (current period).



Figure− Calculated dead oyster density by locality for all periods including period 22 (current period).



Figure− Calculated live oyster density by strata for all periods including period 22 (current period).



Figure− Calculated dead oyster density by strata for all periods including period 22 (current period).



Figure− Calculated live oyster density for all periods including period 22 (current period) using a probability densit



Figure− Calculated Dead oyster density for all periods including period 22 (current period) using a probability densit



Figure− Box plot depicting live oyster density by locality for all periods including period 22 (current period).



Figure− Box plot depicting dead oyster density by locality for all periods including period 22 (current period).



Figure− Box plot depicting live oyster density by strata for all periods including period 22 (current period).



Figure− Box plot depicting dead oyster density by strata for all periods including period 22 (current period).



Figure− Box plot depicting live oyster density by period for all periods including period 22 (current period).



Figure− Box plot depicting dead oyster density by period for all periods including period 22 (current period).



Figure − Live oyster density by locality and period for all periods including period 22 (current period).



Figure − Dead oyster density by locality and period for all periods including period 22 (current period).



Figure − Live oyster density by strata and period for all periods including period 22 (current period).



Figure − Dead oyster density by strata and period for all periods including period 22 (current period).



Figure- Live and dead oyster comparison for all periods, last sample date of period 24 is 2022-01-20.

Summary Plots for Pilot Study Sites

A subset of the oyster transect locations were sampled over time for a pilot study. Here we provide plots of live oyster counts and density for these pilot stations with Lone Cabbage (LCO10B, LCO11A, LCO8B, LCO9A).



Figure − Average live oyster density comparison by station and period for all stations that were sampled during the pilc



Figure − Average live oyster density comparison by station and strata for all stations that were sampled during th

Latest Data Entered

Displayed are the entries for the last date of sampling (2022-01-20).

date	station	tran_length	count_live	count_dead	treatment	strata
2022-01-20	LCI36	2.5	28	5	control	Y_N
2022-01-20	LCI36	5.0	0	1	control	Y_N
2022-01-20	LCI36	7.5	6	5	control	Y_N
2022-01-20	LCI36	10.0	38	4	control	Y_N
2022-01-20	LCI36	12.5	14	3	control	Y_N
2022-01-20	LCI36	15.0	35	5	control	Y_N
2022-01-20	LCI36	17.5	33	5	control	Y_N
2022-01-20	LCI36	20.0	23	1	control	Y_N
2022-01-20	LCI36	22.5	18	19	control	Y_N
2022-01-20	LCI36	25.0	19	1	control	Y_N
2022-01-20	LCI36	27.5	5	0	control	Y_N
2022-01-20	LCI36	30.0	38	5	control	Y_N
2022-01-20	LCI36	31.2	2	0	control	Y_N
2022-01-20	LCI53	2.5	112	16	control	Y_N
2022-01-20	LCI53	5.0	50	31	control	Y_N
2022-01-20	LCI53	7.5	260	56	control	Y_N
2022-01-20	LCI53	10.0	117	29	control	Y_N
2022-01-20	LCI53	12.5	62	10	control	Y_N
2022-01-20	LCI53	15.0	87	12	control	Y_N
2022-01-20	LCI53	17.5	85	13	control	Y_N
2022-01-20	LCI53	19.7	29	1	control	Y_N