LangChain 외부 데이터 연결

1.44.1

- LangChain: 문서, 데이터베이스, API 등 다양한 외부 소스와 쉽게 연결할 수 있습니다
- ChatGPT API: 외부 데이터 통합을 위해서는 추가적인 개발이 필요합니다.

```
In [1]: !pip install openai
       Collecting openai
         Downloading openai-1.44.1-py3-none-any.whl.metadata (22 kB)
       Requirement already satisfied: anyio<5,>=3.5.0 in /usr/local/lib/python3.10/dist-
       packages (from openai) (3.7.1)
       Requirement already satisfied: distro<2,>=1.7.0 in /usr/lib/python3/dist-packages
       (from openai) (1.7.0)
       Collecting httpx<1,>=0.23.0 (from openai)
         Downloading httpx-0.27.2-py3-none-any.whl.metadata (7.1 kB)
       Collecting jiter<1,>=0.4.0 (from openai)
         Downloading jiter-0.5.0-cp310-cp310-manylinux_2_17_x86_64.manylinux2014_x86_64.
       whl.metadata (3.6 kB)
       Requirement already satisfied: pydantic<3,>=1.9.0 in /usr/local/lib/python3.10/di
       st-packages (from openai) (2.8.2)
       Requirement already satisfied: sniffio in /usr/local/lib/python3.10/dist-packages
       (from openai) (1.3.1)
       Requirement already satisfied: tqdm>4 in /usr/local/lib/python3.10/dist-packages
       (from openai) (4.66.5)
       Requirement already satisfied: typing-extensions<5,>=4.11 in /usr/local/lib/pytho
       n3.10/dist-packages (from openai) (4.12.2)
       Requirement already satisfied: idna>=2.8 in /usr/local/lib/python3.10/dist-packag
       es (from anyio<5,>=3.5.0->openai) (3.8)
       Requirement already satisfied: exceptiongroup in /usr/local/lib/python3.10/dist-p
       ackages (from anyio<5,>=3.5.0->openai) (1.2.2)
       Requirement already satisfied: certifi in /usr/local/lib/python3.10/dist-packages
       (from httpx<1,>=0.23.0->openai) (2024.8.30)
       Collecting httpcore==1.* (from httpx<1,>=0.23.0->openai)
         Downloading httpcore-1.0.5-py3-none-any.whl.metadata (20 kB)
       Collecting h11<0.15,>=0.13 (from httpcore==1.*->httpx<1,>=0.23.0->openai)
         Downloading h11-0.14.0-py3-none-any.whl.metadata (8.2 kB)
       Requirement already satisfied: annotated-types>=0.4.0 in /usr/local/lib/python3.1
       0/dist-packages (from pydantic<3,>=1.9.0->openai) (0.7.0)
       Requirement already satisfied: pydantic-core==2.20.1 in /usr/local/lib/python3.1
       0/dist-packages (from pydantic<3,>=1.9.0->openai) (2.20.1)
       Downloading openai-1.44.1-py3-none-any.whl (373 kB)
                                                  - 373.5/373.5 kB 18.2 MB/s eta 0:00:00
       Downloading httpx-0.27.2-py3-none-any.whl (76 kB)
                                                  - 76.4/76.4 kB 3.8 MB/s eta 0:00:00
       Downloading httpcore-1.0.5-py3-none-any.whl (77 kB)
                                                  - 77.9/77.9 kB 4.1 MB/s eta 0:00:00
       Downloading \ jiter-0.5.0-cp310-manylinux\_2\_17\_x86\_64.manylinux2014\_x86\_64.wh
       1 (318 kB)
                                                 - 318.9/318.9 kB 13.3 MB/s eta 0:00:00
       Downloading h11-0.14.0-py3-none-any.whl (58 kB)
                                                  - 58.3/58.3 kB 3.2 MB/s eta 0:00:00
       Installing collected packages: jiter, h11, httpcore, httpx, openai
       Successfully installed h11-0.14.0 httpcore-1.0.5 httpx-0.27.2 jiter-0.5.0 openai-
```

In [2]: !pip install langchain_community
!pip install langchain

```
Collecting langchain_community
  Downloading langchain_community-0.2.16-py3-none-any.whl.metadata (2.7 kB)
Requirement already satisfied: PyYAML>=5.3 in /usr/local/lib/python3.10/dist-pack
ages (from langchain_community) (6.0.2)
Requirement already satisfied: SQLAlchemy<3,>=1.4 in /usr/local/lib/python3.10/di
st-packages (from langchain_community) (2.0.32)
Requirement already satisfied: aiohttp<4.0.0,>=3.8.3 in /usr/local/lib/python3.1
0/dist-packages (from langchain_community) (3.10.5)
Collecting dataclasses-json<0.7,>=0.5.7 (from langchain_community)
  Downloading dataclasses_json-0.6.7-py3-none-any.whl.metadata (25 kB)
Collecting langchain<0.3.0,>=0.2.16 (from langchain_community)
  Downloading langchain-0.2.16-py3-none-any.whl.metadata (7.1 kB)
Collecting langchain-core<0.3.0,>=0.2.38 (from langchain_community)
  Downloading langchain_core-0.2.39-py3-none-any.whl.metadata (6.2 kB)
Collecting langsmith<0.2.0,>=0.1.0 (from langchain_community)
  Downloading langsmith-0.1.117-py3-none-any.whl.metadata (13 kB)
Requirement already satisfied: numpy<2,>=1 in /usr/local/lib/python3.10/dist-pack
ages (from langchain_community) (1.26.4)
Requirement already satisfied: requests<3,>=2 in /usr/local/lib/python3.10/dist-p
ackages (from langchain_community) (2.32.3)
Collecting tenacity!=8.4.0,<9.0.0,>=8.1.0 (from langchain_community)
  Downloading tenacity-8.5.0-py3-none-any.whl.metadata (1.2 kB)
Requirement already satisfied: aiohappyeyeballs>=2.3.0 in /usr/local/lib/python3.
10/dist-packages (from aiohttp<4.0.0,>=3.8.3->langchain_community) (2.4.0)
Requirement already satisfied: aiosignal>=1.1.2 in /usr/local/lib/python3.10/dist
-packages (from aiohttp<4.0.0,>=3.8.3->langchain_community) (1.3.1)
Requirement already satisfied: attrs>=17.3.0 in /usr/local/lib/python3.10/dist-pa
ckages (from aiohttp<4.0.0,>=3.8.3->langchain_community) (24.2.0)
Requirement already satisfied: frozenlist>=1.1.1 in /usr/local/lib/python3.10/dis
t-packages (from aiohttp<4.0.0,>=3.8.3->langchain community) (1.4.1)
Requirement already satisfied: multidict<7.0,>=4.5 in /usr/local/lib/python3.10/d
ist-packages (from aiohttp<4.0.0,>=3.8.3->langchain_community) (6.0.5)
Requirement already satisfied: yarl<2.0,>=1.0 in /usr/local/lib/python3.10/dist-p
ackages (from aiohttp<4.0.0,>=3.8.3->langchain_community) (1.9.4)
Requirement already satisfied: async-timeout<5.0,>=4.0 in /usr/local/lib/python3.
10/dist-packages (from aiohttp<4.0.0,>=3.8.3->langchain_community) (4.0.3)
Collecting marshmallow<4.0.0,>=3.18.0 (from dataclasses-json<0.7,>=0.5.7->langcha
in_community)
  Downloading marshmallow-3.22.0-py3-none-any.whl.metadata (7.2 kB)
Collecting typing-inspect<1,>=0.4.0 (from dataclasses-json<0.7,>=0.5.7->langchain
community)
  Downloading typing inspect-0.9.0-py3-none-any.whl.metadata (1.5 kB)
Collecting langchain-text-splitters<0.3.0,>=0.2.0 (from langchain<0.3.0,>=0.2.16-
>langchain_community)
  Downloading langchain_text_splitters-0.2.4-py3-none-any.whl.metadata (2.3 kB)
Requirement already satisfied: pydantic<3,>=1 in /usr/local/lib/python3.10/dist-p
ackages (from langchain<0.3.0,>=0.2.16->langchain_community) (2.8.2)
Collecting jsonpatch<2.0,>=1.33 (from langchain-core<0.3.0,>=0.2.38->langchain co
mmunity)
  Downloading jsonpatch-1.33-py2.py3-none-any.whl.metadata (3.0 kB)
Requirement already satisfied: packaging<25,>=23.2 in /usr/local/lib/python3.10/d
ist-packages (from langchain-core<0.3.0,>=0.2.38->langchain_community) (24.1)
Requirement already satisfied: typing-extensions>=4.7 in /usr/local/lib/python3.1
0/dist-packages (from langchain-core<0.3.0,>=0.2.38->langchain community) (4.12.
Requirement already satisfied: httpx<1,>=0.23.0 in /usr/local/lib/python3.10/dist
-packages (from langsmith<0.2.0,>=0.1.0->langchain_community) (0.27.2)
Collecting orjson<4.0.0,>=3.9.14 (from langsmith<0.2.0,>=0.1.0->langchain_communi
ty)
  Downloading orjson-3.10.7-cp310-cp310-manylinux_2_17_x86_64.manylinux2014_x86_6
```

```
- 50.4/50.4 kB 421.4 kB/s eta 0:00:00
Requirement already satisfied: charset-normalizer<4,>=2 in /usr/local/lib/python
3.10/dist-packages (from requests<3,>=2->langchain_community) (3.3.2)
Requirement already satisfied: idna<4,>=2.5 in /usr/local/lib/python3.10/dist-pac
kages (from requests<3,>=2->langchain community) (3.8)
Requirement already satisfied: urllib3<3,>=1.21.1 in /usr/local/lib/python3.10/di
st-packages (from requests<3,>=2->langchain_community) (2.0.7)
Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.10/di
st-packages (from requests<3,>=2->langchain_community) (2024.8.30)
Requirement already satisfied: greenlet!=0.4.17 in /usr/local/lib/python3.10/dist
-packages (from SQLAlchemy<3,>=1.4->langchain_community) (3.0.3)
Requirement already satisfied: anyio in /usr/local/lib/python3.10/dist-packages
(from httpx<1,>=0.23.0->langsmith<0.2.0,>=0.1.0->langchain_community) (3.7.1)
Requirement already satisfied: httpcore==1.* in /usr/local/lib/python3.10/dist-pa
ckages (from httpx<1,>=0.23.0->langsmith<0.2.0,>=0.1.0->langchain_community) (1.
Requirement already satisfied: sniffio in /usr/local/lib/python3.10/dist-packages
(from httpx<1,>=0.23.0->langsmith<0.2.0,>=0.1.0->langchain community) (1.3.1)
Requirement already satisfied: h11<0.15,>=0.13 in /usr/local/lib/python3.10/dist-
packages (from httpcore==1.*->httpx<1,>=0.23.0->langsmith<0.2.0,>=0.1.0->langchai
n_community) (0.14.0)
Collecting jsonpointer>=1.9 (from jsonpatch<2.0,>=1.33->langchain-core<0.3.0,>=0.
2.38->langchain_community)
  Downloading jsonpointer-3.0.0-py2.py3-none-any.whl.metadata (2.3 kB)
Requirement already satisfied: annotated-types>=0.4.0 in /usr/local/lib/python3.1
0/dist-packages (from pydantic<3,>=1->langchain<0.3.0,>=0.2.16->langchain_communi
ty) (0.7.0)
Requirement already satisfied: pydantic-core==2.20.1 in /usr/local/lib/python3.1
0/dist-packages (from pydantic<3,>=1->langchain<0.3.0,>=0.2.16->langchain_communi
ty) (2.20.1)
Collecting mypy-extensions>=0.3.0 (from typing-inspect<1,>=0.4.0->dataclasses-jso
n<0.7,>=0.5.7->langchain_community)
  Downloading mypy_extensions-1.0.0-py3-none-any.whl.metadata (1.1 kB)
Requirement already satisfied: exceptiongroup in /usr/local/lib/python3.10/dist-p
ackages (from anyio->httpx<1,>=0.23.0->langsmith<0.2.0,>=0.1.0->langchain communi
ty) (1.2.2)
Downloading langchain_community-0.2.16-py3-none-any.whl (2.3 MB)
                                         -- 2.3/2.3 MB 28.9 MB/s eta 0:00:00
Downloading dataclasses_json-0.6.7-py3-none-any.whl (28 kB)
Downloading langchain-0.2.16-py3-none-any.whl (1.0 MB)
                                        --- 1.0/1.0 MB 18.5 MB/s eta 0:00:00
Downloading langchain_core-0.2.39-py3-none-any.whl (396 kB)
                                         -- 396.6/396.6 kB 19.5 MB/s eta 0:00:00
Downloading langsmith-0.1.117-py3-none-any.whl (290 kB)
                                          - 290.5/290.5 kB 12.8 MB/s eta 0:00:00
Downloading tenacity-8.5.0-py3-none-any.whl (28 kB)
Downloading jsonpatch-1.33-py2.py3-none-any.whl (12 kB)
Downloading langchain_text_splitters-0.2.4-py3-none-any.whl (25 kB)
Downloading marshmallow-3.22.0-py3-none-any.whl (49 kB)
                                          - 49.3/49.3 kB 2.0 MB/s eta 0:00:00
Downloading orjson-3.10.7-cp310-cp310-manylinux_2_17_x86_64.manylinux2014_x86_64.
whl (141 kB)
                                          - 141.9/141.9 kB 5.5 MB/s eta 0:00:00
Downloading typing inspect-0.9.0-py3-none-any.whl (8.8 kB)
Downloading jsonpointer-3.0.0-py2.py3-none-any.whl (7.6 kB)
Downloading mypy_extensions-1.0.0-py3-none-any.whl (4.7 kB)
Installing collected packages: tenacity, or json, mypy-extensions, marshmallow, js
onpointer, typing-inspect, jsonpatch, langsmith, dataclasses-json, langchain-cor
e, langchain-text-splitters, langchain, langchain_community
```

```
Attempting uninstall: tenacity
    Found existing installation: tenacity 9.0.0
   Uninstalling tenacity-9.0.0:
      Successfully uninstalled tenacity-9.0.0
Successfully installed dataclasses-json-0.6.7 jsonpatch-1.33 jsonpointer-3.0.0 la
ngchain-0.2.16 langchain-core-0.2.39 langchain-text-splitters-0.2.4 langchain com
munity-0.2.16 langsmith-0.1.117 marshmallow-3.22.0 mypy-extensions-1.0.0 orjson-
3.10.7 tenacity-8.5.0 typing-inspect-0.9.0
Requirement already satisfied: langchain in /usr/local/lib/python3.10/dist-packag
es (0.2.16)
Requirement already satisfied: PyYAML>=5.3 in /usr/local/lib/python3.10/dist-pack
ages (from langchain) (6.0.2)
Requirement already satisfied: SQLAlchemy<3,>=1.4 in /usr/local/lib/python3.10/di
st-packages (from langchain) (2.0.32)
Requirement already satisfied: aiohttp<4.0.0,>=3.8.3 in /usr/local/lib/python3.1
0/dist-packages (from langchain) (3.10.5)
Requirement already satisfied: async-timeout<5.0.0,>=4.0.0 in /usr/local/lib/pyth
on3.10/dist-packages (from langchain) (4.0.3)
Requirement already satisfied: langchain-core<0.3.0,>=0.2.38 in /usr/local/lib/py
thon3.10/dist-packages (from langchain) (0.2.39)
Requirement already satisfied: langchain-text-splitters<0.3.0,>=0.2.0 in /usr/loc
al/lib/python3.10/dist-packages (from langchain) (0.2.4)
Requirement already satisfied: langsmith<0.2.0,>=0.1.17 in /usr/local/lib/python
3.10/dist-packages (from langchain) (0.1.117)
Requirement already satisfied: numpy<2,>=1 in /usr/local/lib/python3.10/dist-pack
ages (from langchain) (1.26.4)
Requirement already satisfied: pydantic<3,>=1 in /usr/local/lib/python3.10/dist-p
ackages (from langchain) (2.8.2)
Requirement already satisfied: requests<3,>=2 in /usr/local/lib/python3.10/dist-p
ackages (from langchain) (2.32.3)
Requirement already satisfied: tenacity!=8.4.0,<9.0.0,>=8.1.0 in /usr/local/lib/p
ython3.10/dist-packages (from langchain) (8.5.0)
Requirement already satisfied: aiohappyeyeballs>=2.3.0 in /usr/local/lib/python3.
10/dist-packages (from aiohttp<4.0.0,>=3.8.3->langchain) (2.4.0)
Requirement already satisfied: aiosignal>=1.1.2 in /usr/local/lib/python3.10/dist
-packages (from aiohttp<4.0.0,>=3.8.3->langchain) (1.3.1)
Requirement already satisfied: attrs>=17.3.0 in /usr/local/lib/python3.10/dist-pa
ckages (from aiohttp<4.0.0,>=3.8.3->langchain) (24.2.0)
Requirement already satisfied: frozenlist>=1.1.1 in /usr/local/lib/python3.10/dis
t-packages (from aiohttp<4.0.0,>=3.8.3->langchain) (1.4.1)
Requirement already satisfied: multidict<7.0,>=4.5 in /usr/local/lib/python3.10/d
ist-packages (from aiohttp<4.0.0,>=3.8.3->langchain) (6.0.5)
Requirement already satisfied: yarl<2.0,>=1.0 in /usr/local/lib/python3.10/dist-p
ackages (from aiohttp<4.0.0,>=3.8.3->langchain) (1.9.4)
Requirement already satisfied: jsonpatch<2.0,>=1.33 in /usr/local/lib/python3.10/
dist-packages (from langchain-core<0.3.0,>=0.2.38->langchain) (1.33)
Requirement already satisfied: packaging<25,>=23.2 in /usr/local/lib/python3.10/d
ist-packages (from langchain-core<0.3.0,>=0.2.38->langchain) (24.1)
Requirement already satisfied: typing-extensions>=4.7 in /usr/local/lib/python3.1
0/dist-packages (from langchain-core<0.3.0,>=0.2.38->langchain) (4.12.2)
Requirement already satisfied: httpx<1,>=0.23.0 in /usr/local/lib/python3.10/dist
-packages (from langsmith<0.2.0,>=0.1.17->langchain) (0.27.2)
Requirement already satisfied: orjson<4.0.0,>=3.9.14 in /usr/local/lib/python3.1
0/dist-packages (from langsmith<0.2.0,>=0.1.17->langchain) (3.10.7)
Requirement already satisfied: annotated-types>=0.4.0 in /usr/local/lib/python3.1
0/dist-packages (from pydantic<3,>=1->langchain) (0.7.0)
Requirement already satisfied: pydantic-core==2.20.1 in /usr/local/lib/python3.1
0/dist-packages (from pydantic<3,>=1->langchain) (2.20.1)
Requirement already satisfied: charset-normalizer<4,>=2 in /usr/local/lib/python
```

3.10/dist-packages (from requests<3,>=2->langchain) (3.3.2)

```
Requirement already satisfied: idna<4,>=2.5 in /usr/local/lib/python3.10/dist-pac
kages (from requests<3,>=2->langchain) (3.8)
Requirement already satisfied: urllib3<3,>=1.21.1 in /usr/local/lib/python3.10/di
st-packages (from requests<3,>=2->langchain) (2.0.7)
Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.10/di
st-packages (from requests<3,>=2->langchain) (2024.8.30)
Requirement already satisfied: greenlet!=0.4.17 in /usr/local/lib/python3.10/dist
-packages (from SQLAlchemy<3,>=1.4->langchain) (3.0.3)
Requirement already satisfied: anyio in /usr/local/lib/python3.10/dist-packages
(from httpx<1,>=0.23.0->langsmith<0.2.0,>=0.1.17->langchain) (3.7.1)
Requirement already satisfied: httpcore==1.* in /usr/local/lib/python3.10/dist-pa
ckages (from httpx<1,>=0.23.0->langsmith<0.2.0,>=0.1.17->langchain) (1.0.5)
Requirement already satisfied: sniffio in /usr/local/lib/python3.10/dist-packages
(from httpx<1,>=0.23.0->langsmith<0.2.0,>=0.1.17->langchain) (1.3.1)
Requirement already satisfied: h11<0.15,>=0.13 in /usr/local/lib/python3.10/dist-
packages (from httpcore==1.*->httpx<1,>=0.23.0->langsmith<0.2.0,>=0.1.17->langcha
in) (0.14.0)
Requirement already satisfied: jsonpointer>=1.9 in /usr/local/lib/python3.10/dist
-packages (from jsonpatch<2.0,>=1.33->langchain-core<0.3.0,>=0.2.38->langchain)
Requirement already satisfied: exceptiongroup in /usr/local/lib/python3.10/dist-p
ackages (from anyio->httpx<1,>=0.23.0->langsmith<0.2.0,>=0.1.17->langchain) (1.2.
```

ChatGPT API를 활용한 외부 데이터 연결

- 문서 로딩을 직접 구현이 필요.
- 문서 내용과 질문을 결합하여 프롬프트 생성이 필요.
- 토큰 제한으로 인해 긴 문서 처리가 어려울 수 있다.

```
In [9]: from openai import OpenAI import os from getpass import getpass import chardet

# API 키를 안전하게 입력받음
# API_KEY = getpass.getpass("OpenAI API 키를 입력하세요: ")
os.environ["OPENAI_API_KEY"] = getpass("OpenAI API 키를 입력하세요: ")
```

OpenAI API 키를 입력하세요: ·······

```
In [13]: # 문서 내용 로드 (여러 인코딩 시도)

def load_document(file_path):
    encodings = ['utf-8', 'ISO-8859-1', 'Windows-1252']
    for encoding in encodings:
        try:
        with open(file_path, 'r', encoding=encoding) as file:
            return file.read()
    except UnicodeDecodeError:
        continue
    raise ValueError("파일을 읽을 수 없습니다. 지원되는 인코딩이 없습니다.")

document_content = load_document('document.txt')
    client = OpenAI(api_key=os.environ["OPENAI_API_KEY"])

# 질문-답변

def ask_question(document, question):
    prompt = f"다음 문서를 바탕으로 질문에 답하세요:\n\n{document}\n\n질문: {question}
```

인공지능(AI)의 발전과 미래에 대한 내용입니다. AI의 주요 분야와 응용 분야, 그리고 발전에 따른 윤리적, 사회적 문제까지 다양한 측면에서 다루고 있습니다. 또한, AI의 미 래에 대한 전망과 적절한 관리

LangChain을 활용한 외부 데이터 통합 예제

- 외부 텍스트 파일을 쉽게 로드 가능.
- 문서의 벡터 인덱스를 자동으로 생성.
- 생성된 인덱스를 기반으로 질문에 답변.

In [14]: !pip install tiktoken

```
Collecting tiktoken
```

Downloading tiktoken-0.7.0-cp310-cp310-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (6.6 kB)

Requirement already satisfied: regex>=2022.1.18 in /usr/local/lib/python3.10/dist -packages (from tiktoken) (2024.5.15)

Requirement already satisfied: requests>=2.26.0 in /usr/local/lib/python3.10/dist-packages (from tiktoken) (2.32.3)

Requirement already satisfied: charset-normalizer<4,>=2 in /usr/local/lib/python 3.10/dist-packages (from requests>=2.26.0->tiktoken) (3.3.2)

Requirement already satisfied: idna<4,>=2.5 in /usr/local/lib/python3.10/dist-pac kages (from requests>=2.26.0->tiktoken) (3.8)

Requirement already satisfied: urllib3<3,>=1.21.1 in /usr/local/lib/python3.10/dist-packages (from requests>=2.26.0->tiktoken) (2.0.7)

Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.10/dist-packages (from requests>=2.26.0->tiktoken) (2024.8.30)

Downloading tiktoken-0.7.0-cp310-cp310-manylinux_2_17_x86_64.manylinux2014_x86_6 4.whl (1.1 MB)

- 1.1/1.1 MB 28.9 MB/s eta 0:00:00

Installing collected packages: tiktoken
Successfully installed tiktoken-0.7.0

```
import os
from getpass import getpass
from langchain.document_loaders import TextLoader # 텍스트 파일을 로드 하는
from langchain.indexes import VectorstoreIndexCreator # 문서의 벡터 인덱스를 상
from langchain.embeddings.openai import OpenAIEmbeddings
from langchain.llms import OpenAI # OpenAI의 언어 모델을 사
```

```
# API 키 설정
os.environ["OPENAI_API_KEY"] = getpass("OpenAI API 키를 입력하세요: ")
OpenAI API 키를 입력하세요: ········
```

In [16]: # 문서 로드
loader = TextLoader('document.txt')

인덱스 생성
VectorstoreIndexCreator를 사용하여 로드된 문서의 벡터 인덱스를 생성
이 과정에서 문서는 벡터로 변환되어 저장
embeddings = OpenAIEmbeddings() # 벡터 임베딩을 처리하기 위한 클래스
index = VectorstoreIndexCreator(embedding=embeddings).from_loaders([loader])

OpenAI LLM 생성
llm = OpenAI(temperature=0, max_tokens=150)

질문-답변
query = "문서의 주요 내용은 무엇인가요?"
response = index.query(query, llm=llm)

<ipython-input-16-9df72ad1a691>:7: LangChainDeprecationWarning: The class `OpenAI
Embeddings` was deprecated in LangChain 0.0.9 and will be removed in 1.0. An upda
ted version of the class exists in the langchain-openai package and should be use
d instead. To use it run `pip install -U langchain-openai` and import as `from la
ngchain_openai import OpenAIEmbeddings`.

embeddings = OpenAIEmbeddings() # 벡터 임베딩을 처리하기 위한 클래스 /usr/local/lib/python3.10/dist-packages/langchain/indexes/vectorstore.py:127: Use rWarning: Using InMemoryVectorStore as the default vectorstore.This memory store won't persist data. You should explicitlyspecify a vectorstore when using Vectors toreIndexCreator

warnings.warn(

print(response)

<ipython-input-16-9df72ad1a691>:11: LangChainDeprecationWarning: The class `OpenA
I` was deprecated in LangChain 0.0.10 and will be removed in 1.0. An updated vers
ion of the class exists in the langchain-openai package and should be used instea
d. To use it run `pip install -U langchain-openai` and import as `from langchain_
openai import OpenAI`.

11m = OpenAI(temperature=0, max_tokens=150)

문서의 주요 내용은 인공지능(AI)의 발전과 응용 분야, 그리고 AI 발전의 윤리적, 사회적 문제에 대한 논의입니다.

In []: