

DCT v3.13: recorded training variants — ten-cohort coverage

Variants	BRCA	COADREAD	KIRC	UCEC	LUAD	LUSC	HNSC	SKCM	BLCA	STAD	Mean (10)
Exp0: patient NLL only	NR	NR	<u>0.8120</u>	NR	NR	NR	NR	NR	0.7001	NR	NR
Exp1: + IPCW ranking	NR	NR	0.7935	NR	NR	NR	NR	NR	0.7097	NR	NR
Exp2: + per-slot NLL	NR	NR	0.7921	NR	NR	NR	NR	NR	0.7189	NR	NR
Exp3: + diversity, no reconstruction	NR	NR	0.8049	NR	NR	NR	NR	NR	<u>0.7205</u>	NR	NR
Exp4: self only (0.025)	NR	NR	0.8046	NR	NR	NR	NR	NR	0.7101	NR	NR
Exp5: cross only (0.025)	NR	NR	0.8027	NR	NR	NR	NR	NR	0.7188	NR	NR
Full: self + cross (0.05 each)	0.6787	0.7364	0.8224	0.7928	0.6858	0.6300	0.6582	0.6654	0.7238	0.6361	0.7030
Direct: cross reconstruction from WSI slots	NR	NR	0.8030	NR	NR	NR	NR	NR	0.7029	NR	NR
Independent: product coupling	NR	NR	0.8054	NR	NR	NR	NR	NR	0.7093	NR	NR

Five-fold best-validation C-index; UNI2-h; seed 3. Red: first; underline: second among available variants.

Exp4/Exp5 retain weight 0.025; Full uses 0.05 each. These historical recipes are not pure matched-weight removals.

NR: missing variant results. Ten-cohort mean is shown only for a complete row; single-entry columns are not ranked.