

DCT v3.13 Ten Cancer Model Comparison

Best Second

Model	Modality	BRCA	COADREAD	KIRC	UCEC	LUAD	LUSC	HNSC	SKCM	BLCA	STAD	Overall
MLP	g.	0.644	0.661	0.750	0.731	0.634	0.584	0.584	0.652	0.677	0.615	0.653
SNN	g.	0.645	0.664	0.754	0.753	0.652	0.548	0.597	0.673	0.694	0.585	0.656
SNNTrans	g.	0.657	0.710	0.747	0.724	0.648	0.555	0.605	<u>0.684</u>	0.699	0.593	0.662
SlotSPE-G	g.	0.698	0.733	0.774	0.752	0.646	0.616	0.611	0.678	0.701	0.596	0.681
ABMIL	h.	0.656	0.715	0.782	0.779	0.645	0.593	0.664	0.668	0.663	0.642	0.681
TransMIL	h.	0.647	0.723	0.767	0.759	0.655	0.582	0.644	0.632	0.647	0.656	0.671
CLAM-SB	h.	0.696	0.742	0.784	0.757	0.639	0.584	0.649	0.643	0.645	0.637	0.678
CLAM-MB	h.	0.715	0.721	0.782	0.788	0.632	0.608	0.636	0.640	0.657	0.641	0.682
SlotSPE-H	h.	<u>0.738</u>	0.729	0.790	0.779	0.656	0.598	0.635	0.659	0.642	0.676	0.690
Porpoise	g.+h.	0.651	0.699	0.788	0.788	0.647	0.597	0.599	0.682	0.690	0.619	0.676
MCAT	g.+h.	0.709	0.737	0.795	<u>0.802</u>	0.659	0.583	0.622	0.667	0.688	0.639	0.690
MOTCat	g.+h.	0.717	0.742	0.799	0.773	0.663	0.573	0.627	0.688	0.700	0.642	0.692
CMTA	g.+h.	0.731	0.720	0.794	0.764	0.662	0.599	0.619	0.681	0.702	0.639	0.691
SurvPath	g.+h.	0.728	0.727	0.787	0.751	0.661	0.577	0.611	0.666	0.666	0.647	0.682
PIBD	g.+h.	0.662	0.716	0.772	0.783	0.634	0.575	0.627	0.649	0.693	0.644	0.676
MMP	g.+h.	0.714	0.686	0.770	0.755	0.634	0.580	0.580	0.682	0.686	0.602	0.669
LD-CVAE	g.+h.	0.705	<u>0.753</u>	0.792	0.788	0.651	0.620	0.635	0.682	0.635	0.653	0.692
SlotSPE	g.+h.	0.779	0.773	<u>0.815</u>	0.813	<u>0.683</u>	0.634	0.642	0.688	<u>0.708</u>	<u>0.671</u>	0.721
DCT v3.13	g.+h.	0.679	0.736	0.822	0.793	0.686	<u>0.630</u>	<u>0.658</u>	0.665	0.724	0.636	<u>0.703</u>

REFERENCE: baselines from SlotSPE Table 1 (UNI); DCT from author five-fold records (UNI2-h).
Encoder and patient splits are not aligned; ranks compare reported values, not a matched reproduction.
Best: red bold. Second: underlined. Ties share rank. Overall: paper values for baselines; unrounded macro mean for DCT.
g. = genomics; h. = histology. Paper cohort counts are not assigned to the DCT row. Source means/SD are retained in JSON.