

# CSE 111 – DATABASE SYSTEMS

## Lab 1

In this lab session you are required to create the schema for the TPC-H database you will build throughout the semester. This is the first step in working with any relational database.

In order to complete the lab you have to perform the following tasks:

1. Download the file `lab-1.zip` from Files/Labs/Lab-1 in CatCourses and extract its content.
2. Create the following tables with their corresponding schema in the database file `tpch.sqlite`. All the SQL statements have to be written in the file `create-schema-tpch.sql`. This is the only file you have to edit in this lab.

- **region** (
  - `r_regionkey` decimal(2,0) not null,
  - `r_name` char(25) not null,
  - `r_comment` varchar(152))
- **nation** (
  - `n_nationkey` decimal(3,0) not null,
  - `n_name` char(25) not null,
  - `n_regionkey` decimal(2,0) not null,
  - `n_comment` varchar(152))
- **part** (
  - `p_partkey` decimal(10,0) not null,
  - `p_name` varchar(55) not null,
  - `p_mfgr` char(25) not null,
  - `p_brand` char(10) not null,
  - `p_type` varchar(25) not null,
  - `p_size` decimal(2,0) not null,
  - `p_container` char(10) not null,
  - `p_retailprice` decimal(6,2) not null,
  - `p_comment` varchar(23) not null)
- **supplier** (
  - `s_suppkey` decimal(8,0) not null,
  - `s_name` char(25) not null,
  - `s_address` varchar(40) not null,
  - `s_nationkey` decimal(3,0) not null,
  - `s_phone` char(15) not null,
  - `s_acctbal` decimal(7,2) not null,
  - `s_comment` varchar(101) not null)
- **partsupp** (
  - `ps_partkey` decimal(10,0) not null,)

```

    - ps_suppkey decimal(8,0) not null,
    - ps_availqty decimal(5,0) not null,
    - ps_supplycost decimal(6,2) not null,
    - ps_comment varchar(199) not null
)

• customer (
    - c_custkey decimal(9,0) not null,
    - c_name varchar(25) not null,
    - c_address varchar(40) not null,
    - c_nationkey decimal(3,0) not null,
    - c_phone char(15) not null,
    - c_acctbal decimal(7,2) not null,
    - c_mktsegment char(10) not null,
    - c_comment varchar(117) not null
)

• orders (
    - o_orderkey decimal(12,0) not null,
    - o_custkey decimal(9,0) not null,
    - o_orderstatus char(1) not null,
    - o_totalprice decimal(8,2) not null,
    - o_orderdate date not null,
    - o_orderpriority char(15) not null,
    - o_clerk char(15) not null,
    - o_shippriority decimal(1,0) not null,
    - o_comment varchar(79) not null
)

• lineitem (
    - l_orderkey decimal(12,0) not null,
    - l_partkey decimal(10,0) not null,
    - l_suppkey decimal(8,0) not null,
    - l_linenummer decimal(1,0) not null,
    - l_quantity decimal(2,0) not null,
    - l_extendedprice decimal(8,2) not null,
    - l_discount decimal(3,2) not null,
    - l_tax decimal(3,2) not null,
    - l_returnflag char(1) not null,
    - l_linestatus char(1) not null,
    - l_shipdate date not null,
    - l_commitdate date not null,
    - l_receiptdate date not null,
    - l_shipinstruct char(25) not null,
    - l_shipmode char(10) not null,
    - l_comment varchar(44) not null
)

```

)

3. You can check the correctness of your code by executing the command `./test.sh` in the terminal. You have to be in the lab folder. The expected output is available in `result.res`.
4. You have to submit the modified file `create-schema-tpch.sql` in CatCourses. This is the only file you have to upload.
5. The score for the lab is assigned based on passing the test case.