

test1

```
(1, (a: "hello", b: (1, 2, 3)), none)
```

test2

```
(  
  widget: (  
    debug: "on",  
    window: (  
      title: "Sample Konfabulator Widget",  
      name: "main_window",  
      width: 500,  
      height: 500,  
    ),  
    image: (  
      src: "Images/Sun.png",  
      name: "sun1",  
      hOffset: 250,  
      vOffset: 250,  
      alignment: "center",  
    ),  
    text: (  
      data: "Click Here",  
      size: 36,  
      style: "bold",  
      name: "text1",  
      hOffset: 250,  
      vOffset: 100,  
      alignment: "center",  
      onMouseUp: "sun1.opacity = (sun1.opacity / 100) * 90;",  
    ),  
  ),  
)
```

test3

```
(  
  web-app: (  
    servlet: (  
      (  
        servlet-name: "cofaxCDS",  
        servlet-class: "org.cofax.cds.CDSServlet",  
        init-param: (  
          "configGlossary:installationAt": "Philadelphia, PA",  
          "configGlossary:adminEmail": "ksm@pobox.com",  
          "configGlossary:poweredBy": "Cofax",  
          "configGlossary:poweredByIcon": "/images/cofax.gif",  
          "configGlossary:staticPath": "/content/static",  
          templateProcessorClass: "org.cofax.WysiwygTemplate",  
          templateLoaderClass: "org.cofax.FilesTemplateLoader",  
          templatePath: "templates",  
          templateOverridePath: "",
```

```

        defaultListTemplate: "listTemplate.htm",
        defaultFileTemplate: "articleTemplate.htm",
        useJSP: false,
        jspListTemplate: "listTemplate.jsp",
        jspFileTemplate: "articleTemplate.jsp",
        cachePackageTagsTrack: 200,
        cachePackageTagsStore: 200,
        cachePackageTagsRefresh: 60,
        cacheTemplatesTrack: 100,
        cacheTemplatesStore: 50,
        cacheTemplatesRefresh: 15,
        cachePagesTrack: 200,
        cachePagesStore: 100,
        cachePagesRefresh: 10,
        cachePagesDirtyRead: 10,
        searchEngineListTemplate: "forSearchEnginesList.htm",
        searchEngineFileTemplate: "forSearchEngines.htm",
        searchEngineRobotsDb: "WEB-INF/robots.db",
        useDataStore: true,
        dataStoreClass: "org.cofax.SqlDataStore",
        redirectionClass: "org.cofax.SqlRedirection",
        dataStoreName: "cofax",
        dataStoreDriver: "com.microsoft.jdbc.sqlserver.SQLServerDriver",
        dataStoreUrl: "jdbc:microsoft:sqlserver://LOCALHOST:1433;
DatabaseName=goon",
        dataStoreUser: "sa",
        dataStorePassword: "dataStoreTestQuery",
        dataStoreTestQuery: "SET NOCOUNT ON;select test='test';",
        dataStoreLogFile: "/usr/local/tomcat/logs/datastore.log",
        dataStoreInitConns: 10,
        dataStoreMaxConns: 100,
        dataStoreConnUsageLimit: 100,
        .. (2 pairs omitted),
    ),
),
(
    servlet-name: "cofaxEmail",
    servlet-class: "org.cofax.cds.EmailServlet",
    init-param: (mailHost: "mail1", mailHostOverride: "mail2"),
),
(
    servlet-name: "cofaxAdmin",
    servlet-class: "org.cofax.cds.AdminServlet",
),
(
    servlet-name: "fileServlet",
    servlet-class: "org.cofax.cds.FileServlet",
),
(
    servlet-name: "cofaxTools",
    servlet-class: "org.cofax.cms.CofaxToolsServlet",

```

```

init-param: (
  templatePath: "toolstemplates/",
  log: 1,
  logLocation: "/usr/local/tomcat/logs/CofaxTools.log",
  logMaxSize: "",
  dataLog: 1,
  dataLogLocation: "/usr/local/tomcat/logs/dataLog.log",
  dataLogMaxSize: "",
  removePageCache: "/content/admin/remove?cache=pages&id=",
  removeTemplateCache: "/content/admin/remove?cache=templates&id=",
  fileTransferFolder: "/usr/local/tomcat/webapps/content/fileTransferFolder",
  lookInContext: 1,
  adminGroupID: 4,
  betaServer: true,
),
),
),
servlet-mapping: (
  cofaxCDS: "/",
  cofaxEmail: "/cofaxutil/aemail/*",
  cofaxAdmin: "/admin/*",
  fileServlet: "/static/*",
  cofaxTools: "/tools/*",
),
taglib: (
  taglib-uri: "cofax.tld",
  taglib-location: "/WEB-INF/tlds/cofax.tld",
),
),
)

```