- 1 ATLANTIC-PRIMATES: A DATASET OF COMMUNITIES AND
- 2 OCCURRENCES OF PRIMATES IN THE ATLANTIC FORESTS OF SOUTH
- 3 AMERICA
- 4 Laurence Culot<sup>1</sup>, Lucas Augusto Pereira<sup>1</sup>, Ilaria Agostini<sup>3,4</sup>, Marco Antônio Barreto de
- 5 Almeida<sup>5,6</sup>, Rafael Souza Cruz Alves<sup>2</sup>, Izar Aximoff<sup>7</sup>, Alex Bager<sup>8</sup>, María Celia
- 6 Baldovino<sup>3,4</sup>, Thiago Ribas Bella<sup>9</sup>, Júlio César Bicca-Marques<sup>6</sup>, Caryne Braga<sup>10</sup>, Carlos
- 7 Rodrigo Brocardo<sup>2</sup>, Ana Kellen Nogueira Campelo<sup>11</sup>, Gustavo R. Canale<sup>12</sup>, Jader da Cruz
- 8 Cardoso<sup>5</sup>, Eduardo Carrano<sup>13</sup>, Diogo Cavenague Casanova<sup>14</sup>, Camila Righetto Cassano<sup>15</sup>,
- 9 Erika Castro<sup>8</sup>, Jorge José Cherem<sup>16</sup>, Adriano Garcia Chiarello<sup>17</sup>, Braz Antonio Pereira
- 10 Cosenza<sup>18</sup>, Rodrigo Costa-Araújo<sup>19,20</sup>, Nilmara Cristina da Silva<sup>21</sup>, Mario S. Di
- 11 Bitetti<sup>3,4,22</sup>, Aluane Silva Ferreira<sup>15</sup>, Priscila Coutinho Ribas Ferreira<sup>23</sup>, Marcos de S.
- 12 Fialho<sup>24</sup>, Lisieux Franco Fuzessy<sup>1</sup>, Guilherme Siniciato Terra Garbino<sup>25</sup>, Francini de
- Oliveira Garcia<sup>27</sup>, Cassiano A. F. R. Gatto<sup>19</sup>, Carla Cristina Gestich<sup>27</sup>, Pablo Rodrigues
- Gonçalves<sup>10</sup>, Nila Rássia Costa Gontijo<sup>28</sup>, Maurício Eduardo Graipel<sup>16,29</sup>, Carlos Eduardo
- 15 Guidorizzi<sup>30</sup>, Robson Odeli Espíndola Hack<sup>31</sup>, Gabriela Pacheco Hass<sup>6</sup>, Renato Richard
- 16 Hilário<sup>32</sup>, André Hirsch<sup>33</sup>, Ingrid Holzmann<sup>34</sup>, Daniel Henrique Homem<sup>14</sup>, Hilton
- 17 Entringer Júnior<sup>35</sup>, Gilberto Sabino-Santos Júnior<sup>36</sup>, Maria Cecília Martins Kierulff <sup>37</sup>,
- 18 Christoph Knogge<sup>38</sup>, Fernando Lima<sup>2,39</sup>, Elson Fernandes de Lima<sup>9,14</sup>, Cristiana Saddy
- 19 Martins<sup>39</sup>, Adriana Almeida de Lima<sup>40</sup>, Alexandre Martins<sup>41</sup>, Waldney Pereira Martins<sup>42</sup>,
- 20 Fabiano R. de Melo<sup>43,44</sup>, Ricardo Melzew<sup>45</sup>, João Marcelo Deliberador Miranda<sup>46,64</sup>,
- 21 Flávia Miranda<sup>41</sup>, Andréia Magro Moraes<sup>2</sup>, Tainah Cruz Moreira<sup>23</sup>, Maria Santina de
- 22 Castro Morini<sup>11</sup>, Mariana B. Nagy-Reis<sup>47</sup>, Luciana Oklander<sup>3,48</sup>, Leonardo de Carvalho
- 23 Oliveira<sup>15,49,50</sup>, Adriano Pereira Paglia<sup>51</sup>, Anderson Pagoto<sup>11</sup>, Marcelo Passamani<sup>21</sup>,
- Fernando de Camargo Passos<sup>46</sup>, Carlos A. Peres<sup>52</sup>, Michell Soares de Campos Perine<sup>14</sup>,
- 25 Míriam Plaza Pinto<sup>40</sup>, Antonio Rossano Mendes Pontes<sup>53</sup>, Marcio Port-Carvalho<sup>54</sup>,

- 26 Bárbara Heliodora Soares do Prado<sup>54</sup>, André Luis Regolin<sup>2</sup>, Gabriela Cabral Rezende<sup>1,39</sup>,
- 27 Alessandro Rocha<sup>2,55</sup>, Joedison dos S. Rocha<sup>56</sup>, Raisa Reis de Paula Rodarte<sup>14</sup>, Lilian
- 28 Patrícia Sales<sup>57,73</sup>, Edmilson dos Santos<sup>5</sup>, Paloma Marques Santos<sup>51</sup>, Christine Steiner São
- 29 Bernardo<sup>23,58</sup>, Ricardo Sartorello<sup>11</sup>, Leonardo La Serra<sup>36</sup>, Eleonore Setz<sup>9</sup>, Anne Sophie de
- 30 Almeida e Silva<sup>1</sup>, Leonardo Henrique da Silva<sup>2,39</sup>, Pedro Bencke Ermel da Silva<sup>6</sup>,
- 31 Maurício Silveira<sup>59</sup>, Rebecca L. Smith<sup>60,61</sup>, Sara Machado de Souza<sup>42</sup>, Ana Carolina
- 32 Srbek-Araujo<sup>35,62</sup>, Leonardo Carreira Trevelin<sup>63</sup>, Claudio Valladares-Padua<sup>39</sup>, Luciana
- 33 Zago<sup>46,64,65</sup>, Eduardo Marques<sup>66</sup>, Stephen Francis Ferrari<sup>67</sup>, Raone Beltrão-Mendes<sup>67</sup>,
- 34 Denison José Henz<sup>68</sup>, Francys E. da Veiga da Costa<sup>68</sup>, Igor Kintopp Ribeiro<sup>68</sup>, Lucas
- 35 Lacerda Toth Quintilham<sup>68</sup>, Marcos Dums<sup>68</sup>, Pryscilla Moura Lombardi<sup>68</sup>, Renata
- 36 Twardowsky Ramalho Bonikowski<sup>68</sup>, Stéfani Gabrieli Age<sup>68</sup>, João Pedro Souza-Alves<sup>69</sup>,
- 37 Renata Chagas<sup>70</sup>, Rogério Grassetto Teixeira da Cunha<sup>71</sup>, Monica Mafra Valença-
- 38 Montenegro<sup>66</sup>, Gabriela Ludwig<sup>66</sup>, Leandro Jerusalinsky<sup>66</sup>, Gerson Buss<sup>66</sup>, Renata
- 39 Bocorny de Azevedo<sup>66</sup>, Roberio Freire Filho<sup>69</sup>, Felipe Bufalo<sup>1</sup>, Louis Milhe<sup>72</sup>, Mayara
- 40 Mulato dos Santos<sup>1</sup>, Raíssa Sepulvida<sup>1</sup>, Daniel da Silva Ferraz<sup>18</sup>, Michel Barros Faria<sup>18</sup>,
- 41 Milton Cezar Ribeiro<sup>2</sup> and Mauro Galetti<sup>2</sup>
- 1. Universidade Estadual Paulista (UNESP), Instituto de Biociências, Departamento
- de Zoologia, CP. 199, 13506-900 Rio Claro, São Paulo, Brazil
- 2. Universidade Estadual Paulista (UNESP), Instituto de Biociências, Departamento
- de Ecologia, CP. 199, 13506-900 Rio Claro, São Paulo, Brazil
- 46 3. Universidad Nacional de Misiones (UNaM) Consejo Nacional de
- 47 Investigaciones Científicas y Técnicas (CONICET), Instituto de Biología
- Subtropical (IBS), sede Iguazú, Bertoni 85, CP. 3370 Puerto Iguazú, Misiones,
- 49 Argentina

- 4. Asociación Civil Centro de Investigaciones del Bosque Atlántico (CeIBA),
- 51 Puerto Iguazú, Argentina
- 52 5. Secretaria da Saúde do Estado do Rio Grande do Sul, Centro Estadual de
- Vigilância em Saúde, Divisão de Vigilância Ambiental em Saúde. R. Domingos
- Crescêncio, 132, 90650-090 Porto Alegre, Rio Grande do Sul
- 6. Pontifícia Universidade Católica do Rio Grande do Sul (PUCRS), Escola de
- Ciências, Av. Ipiranga, 6681 Pd. 12A, 90619-900 Porto Alegre, Rio Grande do
- 57 Sul, Brazil
- 7. Instituto de Pesquisas Jardim Botânico do Rio de Janeiro, Programa de Pós-
- 59 Graduação em Botânica, Escola Nacional de Botânica Tropical, 22460-036 Rio
- de Janeiro, Rio de Janeiro, Brazil
- 8. Universidade Federal de Lavras, Centro Brasileiro de Estudos em Ecologia de
- 62 Estradas (CBEE), 37200-000 Lavras, Minas Gerais, Brazil
- 9. University of Campinas (UNICAMP), Mammal Ecology and Behavior Lab, Dept.
- of Animal Biology, Institute of Biology 13083-862 Campinas, São Paulo, Brazil
- 65 10. Universidade Federal do Rio de Janeiro (UFRJ), Campus Macaé, Núcleo em
- Ecologia e Desenvolvimento Socioambiental de Macaé (NUPEM), Av. São José
- do Barreto, 764, 27965-045, Macaé, Rio de Janeiro, Brazil
- 68 11. Universidade de Mogi das Cruzes (UMC), Núcleo de Ciências Ambientais
- 69 (NCA), Laboratório de Mapeamento e Análise da Paisagem (LabMAP), 08780-
- 70 911 Mogi das Cruzes, São Paulo, Brazil
- 71 12. Universidade Federal de Mato Grosso (UFMT), Núcleo de Estudos da
- 72 Biodiversidade da Amazônia Meridional, Instituto de Ciências Naturais,
- Humanas e Sociais, Av. Alexandre Ferronato, 1200, 78557-267 Sinop, Mato
- 74 Grosso, Brazil

- 75 13. Pontifícia Universidade Católica do Paraná (PUCPR), Laboratório de Ecologia e
- 76 Conservação, Curso de Ciências Biológicas, Rua Imaculada Conceição, 1155,
- 77 80215-901 Curitiba, Paraná, Brazil
- 78 14. Casa da Floresta Ambiental SS, Av. Joaninha Morganti, Monte Alegre, 289,
- 79 13415-030 Piracicaba, São Paulo, Brazil
- 80 15. Universidade Estadual de Santa Cruz (UESC), Laboratório de Ecologia Aplicada
- à Conservação, Km. 16, Rodovia Jorge Amado, 45662-900 Ilhéus, Bahia, Brazil
- 82 16. Caipora Cooperativa para a Conservação da Natureza, 88040-400 Florianópolis,
- 83 Santa Catarina, Brazil
- 17. Universidade de São Paulo (USP), Departamento de Biologia, Faculdade de
- Filosofia Ciências e Letras de Ribeirão Preto, Av. Bandeirantes 3900, 14040-901
- 86 Ribeirão Preto, São Paulo, Brazil
- 87 18. Universidade do Estado de Minas Gerais (UEMG), Praça dos Estudantes, 23,
- 88 36800-000 Carangola, Minas Gerais, Brazil
- 89 19. Instituto Nacional de Pesquisas da Amazônia (INPA), Programa de Pós-
- 90 Graduação em Ecologia, Av. André Araújo, 2936, Petrópolis, 69067-375 Manaus,
- 91 Amazonas, Brazil
- 92 20. Universidade Federal do Amazonas (UFAM), Laboratório de Evolução e
- 93 Genética Animal, Av. Gal. Rodrigo Otávio J. Ramos 3000, Setor Sul, ICB 02,
- 94 Sala 09, 69077-000 Manaus, Amazonas, Brazil
- 95 21. Laboratório de Ecologia e Conservação de Mamíferos, Universidade Federal de
- 96 Lavras, 37200-00 Lavras, Minas Gerais, Brazil
- 97 22. Universidad Nacional de Misiones (UNaM), Facultad de Ciencias Forestales,
- 98 Eldorado, Misiones, Argentina

- 99 23. Universidade Estadual do Sudoeste da Bahia (UESB), Programa de Pós-
- 100 Graduação em Genética, Biodiversidade e Conservação, Av. José Moreira
- Sobrinho, s/n, 45208-091 Jequié, Bahia, Brazil
- 102 24. Centro Nacional de Pesquisa e Conservação de Aves Silvestres
- 103 (CEMAVE/ICMBIO), BR 230 KM 10, Floresta Nacional da Restinga de
- 104 Cabedelo, 58.108-012 Cabedelo, Paraíba, Brazil
- 105 25. Universidade Federal de Minas Gerais (UFMG), Departamento de Zoologia,
- Programa de Pós Graduação em Zoologia, Instituto de Ciências Biológicas, Belo
- 107 Horizonte, Minas Gerais, Brazil
- 108 26. Instituto Itapoty: Desenvolvimento Humano e Conservação Ambiental, 18.690-
- 109 000, Itatinga, São Paulo, Brazil.
- 27. Universidade Federal de São Carlos(UFSCar), Centro de Ciências Biológicas e da
- 111 Saúde, 13565-905, São Carlos, SP, Brasil.
- 28. Universidade Federal do Espírito Santo (UFES), Programa de Pós-Graduação em
- 113 Ciências Biológicas (Biologia Animal), Departamento de Ciências Biológicas,
- Av. Fernando Ferrari, 514, Goiabeiras, 29075-910 Vitória, Epírito Santo, Brazil
- 29. Universidade Federal de Santa Catarina (UFSC), Centro de Ciências Biológicas,
- Departamento de Ecologia e Zoologia, 88040-900 Florianópolis, Santa Catarina,
- 117 Brazil
- 30. Instituto Chico Mendes de Conservação da Biodiversidade (ICMBio), EQSW
- 119 103/104, Bloco C, Complexo Administrativo, 70670-350 Brasilia, Distrito
- 120 Federal, Brazil
- 31. Instituto de Tecnologia para o Desenvolvimento Institutos Lactec, Departamento
- de Recursos Ambientais (DPRA), Divisão de Meio Ambiente (DVMA), Rodovia
- BR-116, km 98, 8813, Jardim das Américas, 81531-980 Curitiba, Paraná, Brazil

- 32. Universidade Federal do Amapá (Unifap), Laboratório de Ecologia, Rod. JK, Km
- 2, Jardim Marco Zero, 68.903-419 Macapá, Amapá, Brazil
- 33. Universidade Federal de São João del Rei (UFSJ), Campus Sete Lagoas,
- Departamento de Ciências Agrárias, Rod. MG-424, km 48, 35.701-970 Sete
- 128 Lagoas, Minas Gerais, Brazil
- 34. Instituto de Bio y Geociencias del Noroeste Argentino (IBIGEO), CONICET
- 35. Universidade Vila Velha (UVV), Laboratório de Ecologia e Conservação de
- Biodiversidade, Programa de Pós-Graduação em Ecologia de Ecossistemas, R.
- 132 Comissário José Dantas de Melo, 21, Boa Vista, 29102-920 Vila Velha, Epírito
- Santo, Brazil
- 36. University of São Paulo (USP), Centre for Virology Research, Ribeirão Preto
- 135 Medical School
- 37. Universidade Federal do Espírito Santo (UFES), Centro Universitário Norte do
- Espírito Santo (CEUNES), Programa de Pós-graduação em Biodiversidade
- 138 Tropical, Rodovia BR 101 Norte, km 60, Litorâneo, 29932-540 São Mateus,
- 139 Espírito Santo, Brazil
- 38. R. Esmeralda, 43, CP142, 12960-000 Nazaré Paulista, São Paulo, Brazil
- 39. Instituto de Pesquisas Ecológicas (IPÊ), CP 47, 12960-000 Nazaré Paulista, São
- 142 Paulo, Brazil
- 40. Universidade Federal do Rio Grande do Norte (UFRN), Centro de Biociências,
- Departamento de Ecologia, 59072-970, Natal, Rio Grande do Norte, Brazil
- 41. Instituto de Pesquisa e Conservação de Tamanduás no Brasil
- 42. Universidade Estadual de Montes Claros (UNIMONTES), Programa de Pós-
- Graduação em Biodiversidade e Uso de Recursos Naturais (PPG-BURN),

148	Campus Universitario Professor Darcy Ribeiro, CP. 126, Vila Mauriceia, 39401-
149	090 Montes Claros, Minas Gerais, Brazil
150	43. Universidade Federal de Viçosa (UFV), Departamento de Engenharia Florestal,
151	Av. Purdue, s/nº, Campus Universitário, Edif. Reinaldo de Jesus Araújo, 36570-
152	900 Viçosa, Minas Gerais, Brazil
153	44. Universidade Federal de Goiás (UFG), Unidade Acadêmica Especial (UAE) de
154	Ciências Biológicas, Regional Jataí, Br364, km 192, n. 3800, Parque Industrial,
155	75801-615 Jataí, Goiás, Brazil
156	45. Parque Nacional Iguazú, Administracion de Parques Nacionales de Argentina
157	46. Universidade Federal do Paraná (UFPR), Departamento de Zoologia, Setor de
158	Ciências Biológicas, CP 19020, Jardim das Américas, 81531-980 Curitiba, Paraná
159	Brazil
160	47. University of Alberta, Department of Biological Sciences, 116 St. and 85 Ave,
161	Edmonton, Canada, T6G 2R3
162	48. Fundación de História Natural Félix de Azara, Argentina
163	49. Universidade do Estado do Rio de Janeiro (UERJ) Departamento de Ciências,
164	Faculdade de Formação de Professores, 24435-005 Rio de Janeiro, Rio de Janeiro,
165	Brazil
166	50. Bicho do Mato Instituto de Pesquisa, 30360-082 Belo Horizonte, Minas Gerais,
167	Brazil
168	51. Universidade Federal de Minas Gerais (UFMG), Departamento de Biologia Geral,
169	Av. Antonio Carlos, 6627, Belo Horizonte, Minas Gerais, Brazil
170	52. Centre for Ecology, Evolution and Conservation, School of Environmental
171	Sciences, University of East Anglia, Norwich NR4 7TJ, United Kingdom

- 53. Instituto Nacional de Pesquisas da Amazônia (INPA), Núcleo de Pesquisas de
- 173 Roraima (NPRR), 69.301-150 Boa Vista, Roraima, Brazil
- 54. Instituto Florestal, Rua do Horto, 931, 02377-000 São Paulo, São Paulo, Brazil
- 55. Instituto Nacional de Pesquisas da Amazônia (INPA), Amazonian Mammals
- 176 Research Group (AMRG), 69067-375 Manaus, Amazonas, Brazil
- 56. Universidade Estadual do Sudoeste da Bahia, Laboratório de Ecologia, Av. José
- Moreira Sobrinho, s/n, 45208-091 Jequié, Bahia, Brazil
- 57. Programa de Pós-Graduação em Ecologia e Evolução, Universidade Federal de
- 180 Goiás, 74690-900, Goiânia, Goiás, Brazil
- 58. Universidade Estadual de Mato Grosso (UNEMAT), Programa de Pós Graduação
- em Ciências Ambientais, Av. Santos Dumont, s/n, Cidade Universitária (Bloco
- II), 78280-000 Cáceres, Mato Grosso, Brazil
- 184 59. Universidade Federal de Mato Grosso do Sul (UFMS), Instituto de Biociências,
- 185 79070-900 Campo Grande, Mato Grosso do Sul, Brazil
- 60. Fundación Para La Tierra, Centro IDEAL, Pilar, Ñeembucú, Paraguay
- 187 61. University of Aberdeen, School of Biological Sciences, Aberdeen, Scotland,
- 188 United Kingdom
- 62. Instituto SerraDiCal de Pesquisa e Conservação, R. José Hemetério de Andrade,
- 190 570, 30.493-180 Belo Horizonte, Minas Gerais, Brazil.
- 191 63. Universidade Federal do Pará (UFPA), Museu Paraense Emílio Goeldi, Programa
- de Pós-graduação em Zoologia, Belém, Pará, Brazil
- 193 64. Universidade Estadual do Centro-Oeste do Paraná, Campus CEDETEG,
- 194 Laboratório de Biodiversidade de Mamíferos do Sul do Brasil, Departamento de
- Biologia, R. Simeão Camargo Varela de Sá, 03, Vila Carli, 85040-080
- 196 Guarapuava, Paraná, Brazil

197	65. Faculdade Guairaca, R. XV de novembro, 7050, Centro, 85.010-000 Guarapuava,
198	Paraná, Brazil
199	66. Centro Nacional de Pesquisa e Conservação de Primatas Brasileiros (CPB), Praça
200	Antenor Navarro, 5, Varadouro Centro Histórico, 58.010-480 João Pessoa,
201	Paraíba, Brazil
202	67. Departamento de Ecologia, Universidade Federal de Sergipe, Av. Marechal
203	Rondon, s/n. Rosa Elze, 49.100-000 São Cristóvão, Sergipe, Brazil
204	68. RUMO S.A Licenciamento Ambiental, Rua Emílio Bertolini, 100, Vila Oficinas
205	82920-030, Curitiba, Paraná, Brazil
206	69. Universidade Federal de Pernambuco, Departamento de Zoologia, Recife, 50670-
207	901, Brazil
208	70. Universidade Federal da Paraíba, Programa de Pós-graduação em Ciências
209	Biológicas João Pessoa, 58051-085, Brazil
210	71. Universidade Federal de Alfenas, Programa de Pós-Graduação em Ciências
211	Ambientais, Minas Gerais, Brazil
212	72. Institut universitaire et technologique d'Avignon, Université d'Avignon et des
213	Pays du Vaucluse, 337 chemin des Meinajaries, BP 1207, 84911 Avignon, cedex
214	9, France
215	73. Universidade Estadual de Campinas, Programa de Pós-Graduação em Ecologia
216	(PNPD/CAPES)
217	
218	* Correspondence and requests for materials should be addressed to Laurence
219	Culot (lculot@rc.unesp.br) and Milton C. Ribeiro
220	(miltinho.astronauta@gmail.com).

#### Introduction

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

Primates, the order that contains our closest biological relatives, are among the best studied mammals. They offer critical insights into human evolution, biology, behavior, and emerging infectious diseases, are important components of the cultures and religions of many societies, and play key roles in ecosystem functioning (Estrada et al. 2017). Non-human primates can also shape the structure of plant communities through the dispersal of small and large seeds (Lambert and Garber 1998, Chapman and Russo 2006, Bufalo et al. 2016, Chaves et al. in press) and affect plant growth and productivity through their feeding on leaves, bark, and flowers (Chapman et al. 2013). Although much less studied, evidence on the role of some primates as pollinators has been provided in Africa, Madagascar and in the Neotropics (Heymann 2011). Primates are also appealing animals: ecotourism through the observation of primates can be an important source of income for local populations (Fuentes 2012) and they are often chosen as flagship species in conservation programs (Kierulff et al. 2012, Supriatna and Ario 2015). While in the 1980's there was a consensus that there were around 160 primate species in the world, today, the most recent compilation of the IUCN/SSC Primate Specialist Group recognizes 496 species and 695 taxa (Mittermeier et al. 2013 updated September 30, 2014: http://www.primateonline on sg.org/primate\_diversity\_by\_region/). There are 211 primate taxa in the Neotropics. Twenty-seven of them have been described since 1990, in recent years, and it is expected that more have yet to be discovered (Mittermeier and Rylands 2018 updated online on August 1st, 2017: http://www.primate-sg.org/new\_species/). This marked increase in the number of Neotropical primates is mainly due to the use of molecular genetic techniques in taxonomic studies and to the increasing effort to study primates and their geographic distribution. Threats such as deforestation, habitat fragmentation, hunting, and infectious

disease outbreaks cause primate population declines (Estrada et al. 2017). For this reason, it is necessary to carry out reliable estimates of population size and species distribution to evaluate the local impact of anthropogenic activities and implement actions to mitigate more efficiently their negative effects (Rylands et al. 2008).

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270


Globally, it is estimated that 55% of primate species are now threatened with extinction and 75% have declining populations (Estrada et al. 2017). In the Neotropics, 36% of the primate species are threatened and 63% have declining populations. Brazil has more primate species than any other country (Estrada et al. 2017) and 26 species, 19 of which endemic, are native to the tropical and subtropical Atlantic Forests (Graipel et al. 2017). Habitat loss and fragmentation are the main threats to primate populations of the Atlantic Forest (Chiarello 2003, da Silva et al. 2015), but poaching (Cullen Jr. et al. 2000, Canale et al. 2012, Jorge et al. 2013, Graipel et al. 2016), roadkills (Bueno et al. 2015, Ciocheti et al. 2017), and infectious diseases can also be added to the list (Almeida et al. 2012, Agostini et al. 2015, Bicca-Marques et al. 2017). The repeated outbreaks of yellow fever in Brazil (also co-occurring in Argentina and Paraguay, Almeida et al. 2012, Agostini et al. 2015) are responsible for the local extinctions of primate species in many regions. The most recent outbreak (2016-2018) has already affected more than 2000 monkeys (Bicca-Marques et al. 2017, Ministério da Saúde 2017, 2018). However, exact numbers cannot be estimated, which highlights our lack of knowledge on primate distributions and population sizes, limiting our understanding of the impacts of such events.

The Atlantic forest was one of the largest rainforests of South America, originally covering around 150 million hectares along the Brazilian coast. Today, it is reduced to only 12% of its original area and is extremely fragmented (Ribeiro et al. 2009). The Atlantic Forest is considered one of the five major conservation hotspots in the world

given its high species diversity and endemism (Myers et al. 2000). A few large areas of continuous forests still remain, in the states of São Paulo, Rio de Janeiro, and Bahia, as well as in the Misiones province of Argentina, but 80% of all forest patches are smaller than 50 ha (Ribeiro et al. 2009), limiting the long-term persistence of many primate species.

There have been many studies of primate populations and communities in the Atlantic Forest, but a large proportion of them is not published or is available only as technical reports or theses, many of them in Portuguese or Spanish. We compiled published and unpublished information with data collected between 1815 and 2017. In total, we gathered 10,649 records of 8,121 occurrence and 714 quantitative data records of primate populations and 700 communities (with one to six records per community) of 26 native and 1 introduced (*Saimiri sciureus*) primate species, as well as hybrids. These data refer to 5,152 georeferenced locations (9933 records) in the Atlantic Forest of Brazil, Argentina, and Paraguay (Figure 1) and 320 georeferenced locations (716 records) in other biomes of species native from the Atlantic Forest. The dataset ATLANTIC PRIMATES is the largest inventory of primate communities and populations for the Neotropical region.

This data-paper is part of the work of the ATLANTIC SERIES initiative the objective of which is to compile information on the biodiversity of the Atlantic Forest and make it available publicly. Until now, six data papers of this series have been published: Atlantic Frugivory (Bello et al. 2017), Atlantic Camtraps (Lima et al. 2017), Atlantic Small Mammals (Bovendorp et al. 2017), Atlantic Bats (Muylaert et al. 2017), Atlantic Birds (Hasui et al. 2018) and Atlantic Mammal Traits (Gonçalves et al. 2018).



**Figure 1. Distribution of the primate records of the ATLANTIC-PRIMATES dataset in the Atlantic Forest.** Records are from 1815 to 2017; several populations may thus be extinct today. The gray colors show the domain of the Atlantic Forest and the green colors show the remaining Atlantic Forest patches (Ribeiro et al. 2009). Blue dots represent qualitative data of primate records (presence data only) and red dots represent quantitative data of primate records, i.e with an estimation of abundance and/or density.

302	METADATA
303	CLASS I. DATA SET DESCRIPTORS
304	A. Data set identity:
305	Title: ATLANTIC PRIMATES: A dataset of communities and occurrences of primates
306	in the Atlantic Forests of South America
307	B. Data set and metadata identification codes:
308	Suggested Data Set Identity Codes:
309	ATLANTIC-PR_References.csv,
310	ATLANTIC-PR_Quantitative.csv,
311	ATLANTIC-PR_Community.csv,
312	ATLANTIC-PR_Occurrence.csv
313	
314	C. Data set description
315	Principal Investigators:
316	1. Laurence Culot, Lucas Augusto Pereira, Lisieux Franco Fuzessy, and Anne
317	Sophie de Almeida e Silva
318	Universidade Estadual Paulista (UNESP), Instituto de Biociências, Departamento de
319	Zoologia, CP. 199, Rio Claro, São Paulo, 13506-900, Brazil
320	
321	2. André Luis Regolin, Milton Cezar Ribeiro, and Mauro Galetti
322	Universidade Estadual Paulista (UNESP), Instituto de Biociências, Departamento de
323	Ecologia, CP. 199, Rio Claro, São Paulo, 13506-900, Brazil

325 3. Andre Hirsch

Universidade Federal de São João del Rei (UFSJ), Departamento de Ciências

Agrárias, Rod. MG-424, km 48, 35.701-970 Sete Lagoas, Minas Gerais, Brazil

328

329

330

331

327

4. Míriam Plaza Pinto, and Adriana Almeida de Lima

Universidade Federal do Rio Grande do Norte (UFRN), Centro de Biociências,

Departamento de Ecologia, 59072-970, Natal, Rio Grande do Norte, Brazil

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

**Abstract:** Primates play an important role in ecosystem functioning and offer critical insights into human evolution, biology, behavior, and emerging infectious diseases. There are 26 primate species in the Atlantic Forests of South America, 19 of them endemic. We compiled a dataset of 5,472 georeferenced locations of 26 native and 1 introduced primate species, as hybrids in the genera *Callithrix* and *Alouatta*. The dataset includes 700 primate communities, 8,121 single species occurrences and 714 estimates of primate population sizes, covering most natural forest types of the tropical and subtropical Atlantic Forest of Brazil, Paraguay and Argentina and some other biomes. On average, primate communities of the Atlantic Forest harbor 2±1 species (range=1-6). However, about 40% of primate communities contain only one species. Alouatta guariba (N=2,188 records) and Sapajus nigritus (N=1,127) were the species with the most records. Callicebus barbarabrownae (N=35), Leontopithecus caissara (N=38), and Sapajus libidinosus (N=41) were the species with the least records. Recorded primate densities varied from 0.004 individuals/km² (Alouatta guariba at Fragmento do Bugre, Paraná, Brazil) to 400 individuals/km² (Alouatta caraya in Santiago, Rio Grande do Sul, Brazil). Our dataset reflects disparity between the numerous primate census conducted in the Atlantic Forest,

in contrast to the scarcity of estimates of population sizes and densities. With these data, researchers can develop different macroecological and regional level studies, focusing on communities, populations, species co-occurrence and distribution patterns. Moreover, the data can also be used to assess the consequences of fragmentation, defaunation, and disease outbreaks on different ecological processes, such as trophic cascades, species invasion or extinction, and community dynamics.

- D. Key words: biodiversity hotspot, forest fragmentation, Atelidae, Callitrichidae,
- 357 Cebidae, Pitheciidae, macroecology, defaunation.

# **Description**

The dataset comprises 10,649 independent historical and current records (from 1815 to 2017), of which 9,933 in Atlantic Forest and 716 in other biomes. All the numbers given below consider only the records in the Atlantic Forest (cf. "inside the 20km polygon" in the dataset). The records of the Atlantic Forest include most forest types of the Atlantic Forest domain (Dense Ombrophilous, Open Ombrophilous and Mixed Ombrophilous forest; Semideciduous and Deciduous forest; Altitude fields and Pioneer formations) in Brazil, Paraguay and Argentina (Ribeiro et al. 2009, Morrone 2014) as well as records in urban fragments, cabrucas (cacao plantations shaded by native and exotic tree species), and plantations of *Eucalyptus* spp. and *Pinus* spp. (Figure 1). Most of the records were in Ombrophilous (29%) and Semideciduous (49%) forests, which are the dominant vegetation types of Atlantic Forest (Ribeiro et al. 2009). About 71% of the records come from peer-reviewed articles or other published material such as theses and technical reports, and 29% come from unpublished data from the authors.






Figure 2. Distribution of the records of primate communities of the ATLANTIC-PRIMATES dataset in the Atlantic Forest. Records are from 1983 to 2017; several populations may thus be extinct today. Each colored dot indicates a primate community of 1 to 6 species. The gray colors show the domain of the Atlantic Forest and the green colors show the remaining Atlantic Forest patches (Ribeiro et al. 2009).

The Atlantic Forest records are divided into three sets of raw data: communities (N=2,037 records, quantitative or not, from 681 communities) (Figure 2), occurrences (N=7,442,


382 not quantitative), and quantitative data (N=700) (Figure 1). Quantitative data from studies 383 aiming to sample primate communities were repeated in the community dataset so that 384 the user can easily reconstitute the community from a single table. 385 Our dataset includes location records of 26 native species belonging to six genera (Figures 386 3 to 8), as well as one exotic species from the Amazonia, Saimiri sciureus (Table 1). We 387 gathered 891 records for Critically Endangered species, 2,144 for Endangered species, 388 1,013 for Vulnerable species and 1,845 for Near Threatened species. We also gathered 389 186 records of species out of their presumed original distribution ranges (Callithrix 390 penicillata, C. jacchus, and S. sciureus) or that were introduced within the original 391 distribution range but from where it has been extirpated, such as Leontopithecus 392 chrysopygus (cf. "allochtone" in the dataset). Finally, we compiled 30 records of hybrids, 393 from the Callithrix and Alouatta genus. Although the dataset results from the effort to 394 gather a maximum of current, and to a lesser extent, historical occurrence localities of the 395 Atlantic Forest primates, it cannot be considered as an exhaustive list of primate records. 396 The species with the most records of our dataset were *Alouatta guariba* (N=2,188 records) 397 and Sapajus nigritus (N=1,127), the two species with the largest distributions in the 398 Atlantic Forest. The species with the fewest records were Callicebus barbarabrownae 399 (N=35), Leontopithecus caissara (N=38), and Sapajus libidinosus (N=41) (Figure 9). The 400 low number of records results from the restricted distribution of these species. On 401 average, primate communities of the Atlantic Forest were composed of 2±1 species 402 (median=2, range=1-6). About 40% of primate communities contain only one species and 403 only seven communities contain six species (Figures 2 and 10). 404 Only 7% (700/9,933) of records present quantitative data, which means that the 405 abundances or densities of primate populations were estimated in few areas. Most of 406 population estimates (36%) were obtained through line transect method (see Buckland et al. 2010), with a sampling effort varying from 1.6 km to more than 618 km or surveys (12%), with sampling effort varying from 8.8 h to 32.3 h. Primate densities vary from 0.004 individuals / km² (*Alouatta guariba* in Fragmento do Bugre, Paraná, Brazil) 400 individuals/km² (*Alouatta caraya* in Santiago, Rio Grande do Sul, Brazil).




**Figure 3. Distribution of the records of the genera** *Alouatta* **of the ATLANTIC-PRIMATES dataset in the Atlantic Forest.** Records are from 1817 to 2017; several populations may thus be extinct today. The gray colors show the domain of the Atlantic Forest and the green colors show the remaining Atlantic Forest patches (Ribeiro et al. 2009). Hybrids and species registered as *Alouatta* sp. are not represented.




**Figure 4. Distribution of the records of the genera** *Brachyteles* **of the ATLANTIC-PRIMATES dataset in the Atlantic Forest.** Records are from 1815 to 2017; several populations may thus be extinct today. The gray colors show the domain of the Atlantic Forest and the green colors show the remaining Atlantic Forest patches (Ribeiro et al. 2009).



**Figure 5. Distribution of the records of the genera** *Sapajus* **of the ATLANTIC-PRIMATES dataset in the Atlantic Forest.** Records are from 1817 to 2017; several populations may thus be extinct today. The gray colors show the domain of the Atlantic Forest and the green colors show the remaining Atlantic Forest patches (Ribeiro et al. 2009). Species registered as *Sapajus* sp. are not represented.



**Figure 6. Distribution of the records of the genera** *Callicebus* **of the ATLANTIC-PRIMATES dataset in the Atlantic Forest.** Records are from 1820 to 2017; several populations may thus be extinct today. The gray colors show the domain of the Atlantic Forest and the green colors show the remaining Atlantic Forest patches (Ribeiro et al. 2009). Species registered as *Callicebus* sp. are not represented.



**Figure 7. Distribution of the records of the genera** *Callithrix* **of the ATLANTIC-PRIMATES dataset in the Atlantic Forest.** Records are from 1815 to 2017; several populations may thus be extinct today. The gray colors show the domain of the Atlantic Forest and the green colors show the remaining Atlantic Forest patches (Ribeiro et al. 2009). Hybrids and species registered as *Callithrix* sp. are not represented.




Figure 8. Distribution of the records of the genera *Leontopithecus* of the ATLANTIC-PRIMATES dataset in the Atlantic Forest. Records are from 1815 to 2017; several populations may thus be extinct today. The gray colors show the domain of the Atlantic Forest and the green colors show the remaining Atlantic Forest patches (Ribeiro et al. 2009).




Figure 9. Percentages of records of each primate species of the ATLANTIC-PRIMATES dataset. Species without confirmed identification (sp.) and hybrids are not represented. Colors refer to primate families. IUCN Conservation status is indicated as CR= Critically endangered, EN=Endangered, LC= Least Concern, NT= Near Threatened, VU=Vulnerable

453

454

455

456




Figure 10. Species richness of primate communities in the Atlantic Forest.

## CLASS II. RESEARCH ORIGIN DESCRIPTORS

## A. Overall project description

**Identity:** A compilation of records of primate occurrence and community composition in the Atlantic Forest of Brazil, Argentina and Paraguay.

**Period of Study:** Dates of source publications range from 1820–2017 (data collection from 1815 to 2017).

**Objectives:** Our objectives were: (1) to make unpublished data of primate occurrences and communities publicly available, together with published data available in the literature in Portuguese, Spanish, and English, (2) to summarize information about the distribution of the primate species of the Atlantic Forest, and (3) to allow the identification of gaps in primate studies in the Atlantic Forest to guide future sampling efforts. Our dataset is the first attempt to produce a large-scale primate inventory, with potential applications in macroecological studies, population and community ecology research, and establishment of conservation strategies.

**Abstract:** Same as above.

Sources of funding: The compilation of this dataset was supported by grants and scholarships from the Fundação de Amparo à Pesquisa do Estado de São Paulo (São Paulo Research Foundation; FAPESP) numbers 2014/14739-0 (LC), 2017/08440-0 (LAP), 2017/07954-0 (LFF), 2013/50421-2 (MCR) and 2014/01986-0 (MG) and by the Conselho Nacional de Desenvolvimento Científico e Tecnológico (Brazilian Research Council, CNPq) numbers 141813/2017-2 (AS). MG, MCR (process #312045/2013-1; #312292/2016-3), and AGC receive research grants and fellowships from CNPq. The studies compiled in our dataset were funded by grants, scholarships and fellowships given by CNPq (RCA, AGC, JCBM -303154/2009-8 and 303306/2013-0, CRB, RBM-503372/2014-5 and 150123/2018-3, SFF), Conservation Leadership Programme (RCA), Fundação Grupo Boticário de Proteção à Natureza (number 1037\_20151, WPM, CRB, FdOG, JSR and TCM-0939-20121, SFF), FACEPE (JPSA BCT- 0025.2.05/17), The Rufford Foundation (number 1966-1, ASF, JSR and TCM - 11495-1), Idea Wild (ASF, IA, MSDB, IH, MNBdR, RH, JSR, TCM), Comissão de Aperfeiçoamento Profissional

498 do Ensino Superior (Coordination for the Improvement of Higher Education Personnel, 499 CAPES) (ASF, MSCM, AP, MNBdR, RH, JCBM - PNPD 2755/2010, AAL, MCR -500 PROCAD/CAPES project # 88881.068425/2014-01, JPSA - PNPD 527091, RRDCA), 501 Fundação de Amparo à Pesquisa do Estado da Bahia (Bahia Research Foundation, 502 FAPESB; ASF-0156/2016, CC, JSR-2366/2012 and 1760/2013), Michelin plantations 503 Ltd. (ASF), Universidade Estadual de Santa Cruz (ASF), Fundação de Amparo ao Ensino 504 e Pesquisa (FAEP) (MSCM, AP), FAPESP (LLS-2014/02438-6, MNBdR, CCG-505 2012/14245-2, EFdL-2006/61778-5), Secretaria da Saúde do Rio Grande do Sul 506 (MABA), CONICET (the Argentinean Consejo Nacional de Investigaciones Científicas 507 y Técnicas - PIP 6318) (IA, MSDB, IH, MCB), Cleveland Metropark Zoo (Scott 508 Neotropical Fund) (IA, MSDB, IH), Primate Conservation Inc. (IA, MSDB, IH, RBM), 509 Conservation International (Primate Action Fund) (IA, MSDB, IH, RBM), International 510 Primatological Society (Conservation Grant) (IA, MSDB, IH), the Rowe Wright Primate 511 Fund (IA, MSDB, IH), American Society of Primatologists (Conservation Small Grant 512 Award) (IA, MSDB, IH), The Mohammed bin Zayed Species Conservation Fund (grant 513 #10251570) (IA, MSDB, IH) and grant 12055114 (RBM), WWF-Brasil (AGC), WWF-514 EFN (Professional Development Grant; MCB), National Geographic Society (AGC), 515 Fauna & Flora International (AGC), US Fish (RH), Wildlife Service (RH), Fundação de 516 Amparo à Pesquisa do Estado de Minas Gerais - FAPEMIG (RH, RGTC - Program BIOTA MINAS APQ 03549-09), Fundação de Amparo à Pesquisa do Estado do Rio 517 518 Grande do Sul - FAPERGS (JCBM), American Society of Primatologists (JCBM), 519 Pontifícia Universidade Católica do Rio Grande do Sul (JCBM), Petrobras (PCRF-520 PRH/PB211), Fundação de Amparo à Pesquisa e Inovação do Espírito Santo (FAPES) 521 0607/2015 510/2016), CNPq/CAPES/FAPs/PELD (ACSAand (CB-522 88887.140649/2017-00), Pró-Reitoria de Pesquisa e Pós-Graduação da Universidade

Estadual de Santa Cruz (PROPP/UESC; CC), Programa de Formação de Recursos Humanos da Petrobras-PRH-PB 211 (Petrobras Human Resources Training Program) number 6000.0071551.11.4 (TCM)), Conservation International do Brasil and PROBIO/MMA (Projeto de Conservação e Utilização Sustentável da Biodiversidade Biológica Brasileira – PROBIO – Subprojeto "Inventário Biológico nos Vales do Rio Jequitinhonha e Muriqui nos Estados de Minas Gerais e Bahia", Edital 02/2001 - process number 68.0033/02-5, FRdM), Instituto Chico Mendes de Conservação Biodiversidade – ICMBio (MMVM, GL, LJ, EM, GB, RBA).

531 .

### B. Specific subproject description

Site description: The Atlantic Forest was one of the largest rainforests in the world. It encompasses tropical and subtropical evergreen and semideciduous forests lying within the eastern coast of Brazil and small areas in northeastern Argentina and southeastern Paraguay (Morellato and Haddad 2000). As an important biodiversity hotspot in South America (Willis et al. 2007), the Atlantic Forest ecosystem supports up to 8% of all species in the world and presents one of the highest rates of endemism (Myers et al. 2000). The Atlantic Forest harbors 15,519 plant species (3,343 trees) (Zappi et al. 2015), 350 fishes (MMA 2010), 543 amphibians (Haddad et al. 2013), 200 reptiles (Bérnils and Costa 2015), 891 birds (Moreira-Lima 2014), and 321 mammals (Graipel et al. 2017). Nineteen (73%) of its 26 primate species are endemic to this forest (Graipel et al. 2017).

Currently, the Atlantic Forest covers <12% of its original area. More than 80% of its remnants are small fragments (<50 ha) (Ribeiro et al. 2009). Seventy-two percent of the Brazilian human population (~145 million people) lives within the Atlantic Forest domain (IBGE 2013), and the industrialization, agricultural and unplanned urban expansions are

the main causes of landscape fragmentation and ecosystem deterioration (Scarano and Ceotto 2015). The negative effects of anthropogenic impacts, including poaching, extirpated the large mammals - including primates - from 88% of Atlantic Forest fragments (Galetti et al. 2009, Jorge et al. 2013). The immediate conservation of the Atlantic Forest is critically urgent to stop ongoing local extinctions of primates and other large mammals.

553

554

555

556

557

558

559

560

561

562

563

564

565

566

567

568

569

570

571

547

548

549

550

551

552

Data compilation: We did an extensive literature search on Google Scholar to find published documents that report the geographic location of primate communities and populations in the Atlantic Forest using the following combination of keywords in English: "primates", "communities", "Atlantic Forest", "survey", "occurrence"; and their equivalent in Portuguese. We did not restrict the search to checklist papers such as papers related to species geographic distribution, distribution summaries or list of species. In the same way, we did not limit our search to specific years of publication or methods. Here, we compiled 654 papers and 41 book chapters published between 1820 to 2017. We also compiled 198 documents from the grey literature (using the same keywords as above) such as theses, dissertations, monographs, management plans, and congress abstracts. We carried out this search in online repositories of several Brazilian universities and in the database of management plans of ICMBio (Instituto Chico Mendes de Conservação da Biodiversidade), the agency that manages the federal system of protected areas in Brazil. Simultaneously, we created a collaborative network of researchers who had unpublished data on primate occurrence and community composition in the Atlantic Forest and invited them to share their data in this dataset. In addition, we collected following occurrence data in the museums and institutions: Museu Nacional/Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil (MNRJ), Museu

572 de Zoologia da Universidade de São Paulo, São Paulo, Brazil (MZUSP), Centro de 573 Primatologia do Rio de Janeiro, Rio de Janeiro, Brazil (CPRJ), Museu da Fauna, Rio de 574 Janeiro, Brazil (MFRJ), Museu Paraense "Emílio Goeldi", Pará, Brazil (MPEG), 575 Fundação Zoobotânica do Rio Grande do Sul (FZBRS), Museu de História Natural do 576 Capão da Imbuia, Paraná, Brazil (MHNCI), Centro Universitário Barra Mansa, Rio de 577 Janeiro, Brazil (CUBM), Pontíficia Universidade Católica do Rio Grande do Sul, Rio 578 Grande do Sul, Brazil (PUC-RS), Universidade Federal da Paraíba (UFPB), Paraíba, 579 Brazil, Universidade Federal do Rio Grande do Norte (UFRN), Rio Grande do Norte, 580 Brazil, Universidade Federal de Viçosa (UFV), Minas Gerais, Brazil, Universidade de 581 Brasília (UnB), Brasília, Brazil, Universidade Federal de Santa Catarina (UFSC), Santa 582 Catarina, Brazil, Museu Arquidiocesano Dom Joaquim, Santa Catarina, Brazil (MADJ), 583 Museu do Colégio Agrícola de Camboriú Gert Hering, Santa Catarina, Brazil (MCAGH), 584 Museu do Seminário Coração de Jesus, Santa Catarina, Brazil (MSCJ), Museu de 585 Ciências Naturais, Rio Grande do Sul, Brazil (MCN), Museu de História Natural, Lisbon, 586 Portugal (MHNL), Museu Bocage, Lisbon, Portugal (MBL), Museo de Historia Natural 587 de Valparaíso, Chile (MHNV), Museu Argentino de Ciências Naturais Bernardino 588 Rivadavia, Argentina (MACN), Museum Zoologicum Bogoriense (MZB), American 589 Museum of Natural History, New York (AMNH), Field Museum of Natural History, 590 Chicago (FMNH), British Museum (Natural History), London (BMNH), Smithsonian 591 Institution National Museum of Natural History, Washington, D. C. (USNM), and Kansas 592 University Natural History Museum, Lawrence, Kansas (KUNHM).

593

594

595

596

**Research Methods:** In this dataset, we included all studies that report the geographic location of primate communities or occurrences in the Atlantic Forest, regardless of year or sampling method. We converted the coordinates of all records to decimal degrees with

datum WGS 84. Some coordinates refer to specific localities such as municipalities, roads or farms and not to the sampling areas. These records belong mainly to historical occurrences and we labeled them as "Not precise" in the "PRECISION" column.

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

612

613

614

615

616

617

618

619

620

621

We defined the boundaries of the Atlantic Forest using the same procedure as Muylaert et al. (2017) and Hasui et al. (2018), and described as followed. We merged available geographic information from the main boundaries that inform the extent of the Atlantic Forest: the official boundary used by the Brazilian government (IBGE 2016), the Atlantic Forest Law initiative boundary (MMA 2006), the boundary used to extract the remaining Atlantic Forest (Ribeiro et al. 2009), and the boundary provided by Olson et al. (2001), that was also used by the WWF and that is available online (https://www.worldwildlife.org/publications/terrestrial-ecoregions-of-the-world). We made a subset of the Atlantic Forest and Atlantic Dry Forest categories inside and outside Brazil from the terrestrial ecosystem shapefile (Olson et al. 2001). We considered the records in the Atlantic Forest when they were within a 20-km buffer around the Atlantic Forest boundaries (see the BUFFER 20km variable in the "Variable information" tables). However, we did not exclude the records from other biomes of species naturally occurring in the Atlantic Forest. We extracted spatial and geographical information available in several databases using ArcGIS 10.5 and the "Spatial join" and "Extract values to points" functions to access the data of each primate record. We used data from IBGE (2016) for municipalities and states data, USGS (2001) for altitude data, WorldClim 1.4 (Hijmans et al. 2005) for annual mean rainfall and annual mean temperature data and Ribeiro et al. (2009) for type of vegetation.

We organized the entire dataset in three sub-datasets: Quantitative information, Community information and Occurrence information. Quantitative information (Table 3) contains all quantitative population data, such as abundance (individuals/10 km) and

density (individuals/km<sup>2</sup> or individuals/ha), obtained mainly by the linear transect method. Community information (Table 4) contains all records of natural communities in the Atlantic Forest, with or without quantitative data. When a species recorded in a community contains quantitative information, we included it, as well, in the quantitative dataset. The community dataset includes information recorded independently with several sampling methods (camera trap, interview, line transect, survey, playback, visualization, spontaneous vocalization) or combinations of them. Occurrence information (Table 5) contains all individual and occasional records of primate species without quantitative information. This occurrence dataset was also based on several sampling methods (camera trap, interview, line transect, museum, playback, road kill, survey, visualization, spontaneous vocalization) or a combination of them. When several records were available for a same study site (but from different years and/or different authors), we let them all in the datasets to enable temporal analysis. In addition, these records sometimes come from different places of a same study site, hence allowing the comparison of primate abundances, occurrences and/or communities. Missing information was labeled as "NA" in the dataset.

622

623

624

625

626

627

628

629

630

631

632

633

634

635

636

637

638

639

640

641

642

643

644

645

646

The following literature was used to compile the records:

Krieg 1948, Coimbra-Filho 1970, 1976, Milton 1984, Stallings et al. 1990, Silva and da Cruz 1993, Antonietto and Mendes 1994, Martuscelli et al. 1994, Valladares-Pádua and Cullen Jr 1994, Oliveira and Manzatti 1996, Fontes et al. 1996, Hill et al. 1997, Vieira and Mendes 1999, Chiarello 1999, 2000, Martins and Setz 2000, Cullen et al. 2000, Passos and Alho 2001, Simas et al. 2001, Grativol et al. 2001, Guimarães and Strier 2001, Keuroghlian and Passos 2001, Price et al. 2002, Vilela and Faria 2002, Buss and Romanowski 2002, Codenotti et al. 2002, de Souza et al. 2002, Hirsch et al. 2002b, Koehler et al. 2002, Kowalewski et al. 2002, Gheler-Costa et al. 2002, ICMBio 2002.

- 647 Lapenta et al. 2003, 2007, Medici et al. 2003, Pacheco et al. 2003, Rohe et al. 2003,
- 648 Amaral et al. 2003, Aguiar et al. 2003, Castro 2003, Aguiar et al. 2005, Cunha 2003,
- 649 Aguiar et al. 2007a, 2011, 2014, French et al. 2003, Cunha 2004, Lisboa et al. 2004,
- Mendes and Ades 2004, Miranda et al. 2004, 2006b, Oklander et al. 2004, Paim et al.
- 2004, Koch and Bicca-Marques 2004, Cáceres 2004, São Bernardo and Galetti 2004,
- Melo et al. 2004, Agostini and Visalberghi 2005, ICMBio 2005, Loretto and Rajão
- 653 2005, Mendes et al. 2005a, 2005b, Miller and Dietz 2005, Strier 2005, Strier and
- Ziegler 2005, Talebi and Soares 2005, Garcia 2005a, 2005b, Hankerson and Dietz 2005,
- 655 Martins 2005b, 2006, 2008, Rocha-Mendes et al. 2005, Vaz 2005, ICMBio 2006, IEF
- 656 2006a, 2006b, Jerusalinsky et al. 2006, Ludwig et al. 2006, Pontes et al. 2006, Negrão
- and Valladares-Pádua 2006, Rapaport and Ruiz-Miranda 2006, Ruiz-Miranda et al.
- 658 2006, Waga et al. 2006, Chaves et al. 2006, Strier and Boubli 2006, Lyra-Neves et al.
- 659 2007, Moura 2007, 2015, ICMBio 2007, Mourthe et al. 2007, Sabbatini et al. 2007,
- Bianchi and Mendes 2007, Büntge and Pyritz 2007, Franklin et al. 2007, Alfaro 2007,
- Hankerson et al. 2007b, Izar et al. 2007, Janson 2007, Júnior and Zara 2007, Martins et
- al. 2007, 2015, 2016, Kasper et al. 2007, Alves and Zaú 2007, Baldovino and Di Bitetti
- 2008, ICMBio 2008f, Modesto et al. 2008, Passamani 2008, Penter et al. 2008,
- Visalberghi et al. 2008, Wheeler 2008, 2009a, de Oliveira et al. 2008, Fagundes et al.
- 2008, Freitas et al. 2008, Cäsar and Young 2008, Fortes and Bicca-Marques 2008, de
- Souza Fialho and Fernandes Gonçalves 2008, Araújo et al. 2008, Moro-Rios et al. 2008,
- Moreira et al. 2008, Bicca-Marques et al. 2008, 2014, Modesto et al. 2008, Santana et
- al. 2008a, Angonesi et al. 2009, INEA 2009, Lapenta and Procopio-de-Oliveira 2009,
- Mannu and Ottoni 2009, Pavé et al. 2009, 2010, Pessôa et al. 2009, Plano de manejo da
- 670 RPPN Ave Lavrinha 2009, Talebi et al. 2009, Tiddi et al. 2009a, Bravo 2009, Ferreira et
- al. 2009, 2010, Guidorizzi and Raboy 2009, Cunha et al. 2009, Eduardo and Passamani

- 672 2009, Abreu Júnior and Köhler 2009, Costa et al. 2010, INEA 2010, Junior 2010,
- Monteiro et al. 2010, Bastos et al. 2010, Souza et al. 2010, Bianchi et al. 2010, Talebi
- and Lee 2010, Agostini et al. 2010a, Bruna et al. 2010, da Silva et al. 2010, 2013, 2016,
- 675 Ribeiro et al. 2010, Tonini et al. 2010, Nogueira et al. 2010, INEA 2011a, 2011b,
- Lavina et al. 2011, Ludwig 2011, Marques et al. 2011, Montenegro 2011, Nascimento
- and Schmidlin 2011, Nascimento et al. 2011a, 2014, Printes et al. 2011, Beltrao-Mendes
- et al. 2011, Souto et al. 2011, Spagnoletti et al. 2011, Gomes and Lima-Gomes 2011,
- Hilario and Ferrari 2011, 2015, Lopes and Bicca-Marques 2011, ICMBio 2012c, Maia
- and Dias 2012, Bruno et al. 2012, Casar et al. 2012a, 2012b, de Souza Fialho et al.
- 681 2012, Emidio and Goncalves-Ferreira 2012, Ferreyra et al. 2012, Holzmann et al. 2012,
- Costa et al. 2012, Penido and Zanzini 2012, Delciellos et al. 2012, Pires and
- Cademartori 2012, Brocardo et al. 2012, Pereira et al. 2013, Rangel et al. 2013,
- Tranquilin et al. 2013, Chaves and Bicca-Marques 2013, 2016, da Cunha and Byrne
- 685 2013, de Carvalho et al. 2013, 2014, dos Santos et al. 2013, Marques et al. 2013, Decker
- and Bicca-Marques 2013, Corsini and Moura 2014, Hack 2014, Laroque et al. 2014,
- Mendonca-Furtado et al. 2014, Rocha et al. 2014, Tisovec et al. 2014, Valenca-Silva et
- al. 2014, Vinhas and Souza-Alves 2014, Bogoni and Hernandez 2014, Carvalho et al.
- 689 2014a, 2014b, 2015, Ferreguetti et al. 2014, Caselli et al. 2014, Fialho et al. 2014,
- 690 Guimarães 2015, INEA 2015, Liebsch et al. 2015, Malukiewicz et al. 2015, Mangalam
- and Fragaszy 2015, Baiao et al. 2015, Pagno et al. 2015, Van Belle and Scarry 2015,
- 692 Culot et al. 2015, Aximoff et al. 2016, Aximoff and Vaz 2016, ICMBio 2016h,
- Machado et al. 2016, Santos et al. 2016, Silva et al. 2016, Bueno et al. 2017, Camaratta
- 694 et al. 2017, Galetti et al. 2017, Hue et al. 2017, Martins 2000, 2005a, Bobadilla and
- 695 Ferrari 2000, Strier and Ziegler 2000a, 2004, Valladares-Padua et al. 2000, Wallace et
- 696 al. 2000, Bravo and Zunino 2000, Castro 2000, Correa et al. 2000, Cruz et al. 2000, Di

- 697 Bitetti et al. 2000, Lisboa et al. 2000, Bales et al. 2001, 2005, Printes et al. 2001,
- 698 Steinmetz 2001a, 2005, Di Bitetti and Janson 2001, Flesher 2001, 2015, Rapaport and
- Ruiz-Miranda 2002, Rodrigues et al. 2002, Ruiz-Miranda et al. 2002, Strier et al. 2002,
- 700 2003, 2006, 2011, Fortes 2002, Melo et al. 2003, 2005, Miller et al. 2003, 2006,
- 701 Oliveira et al. 2003a, 2003b, 2010, Sousa 2003, Carvalho 2003, de Oliveira et al. 2003,
- Martins and Strier 2004, Miranda and Passos 2004, 2005, Moraes et al. 2004, Raboy
- and Dietz 2004, Siani et al. 2004, Boubli et al. 2004, 2011, 2015, Vleeschouwer et al.
- 704 2004, de Carvalho et al. 2004, Godoy et al. 2004, Henriques and Cavalcante 2004, Izar
- 705 2004, Miranda et al. 2005a, 2005b, 2006a, Paula et al. 2005, Rapaport and Ruiz-
- 706 Miranda 2005, Alfaro 2005, Di Bitetti 2005, Fortes et al. 2005, Almeida-Silva et al.
- 707 2005a, 2005b, Ludwig et al. 2005, 2015, Monteiro et al. 2006, 2007b, Rapaport 2006,
- 708 2011, Reginalio et al. 2006, Sabbatini et al. 2006, 2008, da Cunha and Byrne 2006,
- 709 Gregorin 2006, Kowalewski and Oklander 2006, Aguiar et al. 2007b, Assunção et al.
- 710 2007, Moura and McConkey 2007, Possamai et al. 2007, Rocha et al. 2007, 2015a,
- 711 Schmidt et al. 2007, Vilela 2007, Visalberghi et al. 2007, 2009, Aguiar et al. 2008,
- Burity et al. 2007, Camargo and Ferrari 2007, Hankerson et al. 2007a, Lokschin et al.
- 713 2007, Raboy et al. 2008, Sabatini and Ruiz-Miranda 2008, 2010, Santana et al. 2008b,
- 714 2014, Silva et al. 2008, Sousa et al. 2008, Tolentino et al. 2008, Burgoa and Pacheco
- 715 2008, Casar et al. 2008, 2013, Guedes et al. 2008, Lapenta and Procopio-de-Oliveira
- 716 2008, Lapenta et al. 2008, Milano and Monteiro-Filho 2009, Moro-Rios et al. 2009,
- 717 Peker et al. 2009, Raboy and Fontoura 2009, Tabacow et al. 2009a, 2009b, Catenacci et
- 718 al. 2009, da Silva et al. 2009, 2015, Flaiban et al. 2009, Ingberman et al. 2009, 2010,
- 719 Liu et al. 2009, 2011, Portela et al. 2010, Souza-Alves and Ferrari 2010, Tiddi et al.
- 720 2010, 2011b, 2015, Wheeler 2010a, 2010b, Brocardo et al. 2010, Chagas and Ferrari
- 721 2010, 2011, Demolin et al. 2010, Fontoura et al. 2010, Fragaszy et al. 2010a, 2013,

- Giordano and Ballard 2010, Hilario and Ferrari 2010a, Arnedo et al. 2010, Martins et al.
- 723 2011b, Nogueira et al. 2011, Sabatini et al. 2011, Slack and Rapaport 2011, Souza-
- Alves et al. 2011b, Valentin and Scarry 2011, Cardoso et al. 2011, Agostini et al. 2012,
- Massaro et al. 2012, Norris et al. 2012, Palmeira and Pianca 2012, Pave et al. 2012,
- 726 Scarry 2012, 2013, Scarry and Tujague 2012, Tokuda et al. 2012, 2014b, Tujague and
- 727 Scarry 2012, Bravo 2012, Câmara and Oliveira 2012, Coles et al. 2012, Alfaro et al.
- 728 2012, di Sorrentino et al. 2012, dos Santos et al. 2012, Duarte et al. 2012, Falcão et al.
- 729 2012, Alfaro et al. 2014, Gomes and Bicca-Marques 2012, Hilario et al. 2012, Lessa et
- 730 al. 2012, Batista et al. 2013, Teixeira et al. 2013, 2015, Verderane et al. 2013, Wehncke
- and Di Bitetti 2013, Bueno et al. 2013, Falotico and Ottoni 2013, 2014, Henry et al.
- 732 2013, Iurck et al. 2013, Meloro et al. 2014a, 2014b, Mikich and Liebsch 2014a,
- Oklander et al. 2014, Porfirio et al. 2014, Rodrigues and Martinez 2014, Bezerra et al.
- 734 2014, Santos et al. 2014, Talamoni et al. 2014, Caceres et al. 2014, Albuquerque et al.
- 735 2014, De Moraes et al. 2014, Ferrari and Hilario 2014, Fuzessy et al. 2014, Genty and
- Casar 2014, Gestich et al. 2014, Hankerson and Dietz 2014, Hannibal 2014, Haslam et
- al. 2014, Janson et al. 2014, Bastos et al. 2015, Camarotti et al. 2015, Estrela et al. 2015,
- Haslam and Falotico 2015, Jung et al. 2015, Strier and Fonseca 1997, Vieira 1944,
- 739 Cabrera 1958, Ruschi 1964, Coimbra-Filho 1969, 1995, Ávila-Pires 1969, Aguirre
- 740 1971, Ávila-Pires and Gouvêa 1977, Mittermeier et al. 1980, 1987, Silva Jr 1981,
- 741 Hershkovitz 1981, 1990, Mittermeier et al. 1982, Vaz 1983, 1998, Coimbra-Filho et al.
- 742 1983, 1992, Kinzey and Becker 1983, Milton and de Lucca 1984, Muskin 1984,
- Mittermeier and Oates 1985, da Fonseca 1985, Santos et al. 1987, Ferrari 1987,
- Langguth et al. 1987, Mittermeier et al. 1988, Rylands et al. 1988, 1991, 1997,
- 745 Bonvicino 1989, Bonvicino et al. 1989, Rylands 1989, 1995, Prates et al. 1990, Brown
- and Zunino 1990, Lemos de Sá et al. 1990, Lorini and Persson 1990, 1994, Ferrari and

- 747 Mendes 1991, Ferrari and Diego 1992, Pinto et al. 1993a, 1993b, Chiarello 1993a,
- 748 1993b, 2008, Cosenza 1993, Digby and Barreto 1993, Strier et al. 1993, 2001, Miller
- 749 1994, Olmos 1994, Passos 1994, Rylands and Nogueira Neto 1994, Santee and Arruda
- 750 1994, Valladares-Pádua et al. 1994, Galetti et al. 1994, Mallinson 1994, Müller 1995,
- 751 Passamani 1995, Pereira et al. 1995, 2008, Câmara 1995, Almeida et al. 1995, 2016,
- 752 Coutinho and Corrêa 1995, Cherem and Perez 1996, Gonzalez-Solis et al. 1996, Olmos
- et al. 1997, Peres 1997, Pinto and Rylands 1997, de Figueiredo and Longatti 1997,
- 754 Dietz et al. 1997, Auricchio 1997, Marinho-Filho and Veríssimo 1997, Martins and
- 755 Silva 1998, Brandão and Develey 1998, Cerqueira et al. 1998, Kierulff and Procópio-
- de-Oliveira 1998, Printes 1999, Flesher 1999, Kobayashi and Langguth 1999,
- Passamani and Rylands 2000a, 2000b, Ruiz-Miranda et al. 2000, Siemers 2000, Sousa
- 758 2000, Strier and Ziegler 2000b, Vasconcelos and Hirsch 2000, de Marques and Ades
- 759 2000, Dias and Strier 2000, 2003, Guedes et al. 2000, Auricchio and da Silva 2000,
- Lynch and Rímoli 2000a, 2000b, Mannu 2000, Silveira and Codenotti 2001, Steinmetz
- 761 2001b, Chiarello and de Melo 2001, Marroig and Sant'Anna 2001, González-Solís et al.
- 762 2001, Bales et al. 2002, 2006, Garcia and Andrade Filho 2002, Hirsch et al. 2002a,
- 763 2013, Heiduck 2002, Martins 2003, 2009, Monteiro et al. 2003, 2007a, Talebi 2003,
- Kierulff and Rylands 2003, Miller and Dietz 2004, Raboy et al. 2004, Vilela and Faria
- 765 2004, Cunha 2004, Miranda et al. 2005c, Ribeiro and Bicca-Marques 2005, Alves 2005,
- Alves and Andriolo 2005, Juárez et al. 2005, Kowalewski and Peker 2005, Talebi et al.
- 767 2005, Hankerson et al. 2006, Cunha et al. 2006, Zunino et al. 2007, Agostini et al. 2008,
- Mourthé et al. 2008, Prado et al. 2008, Ramirez-Llorens et al. 2008, Alfaro 2008,
- Ludwig et al. 2008, Nogueira et al. 2009, Podgaiski and Jardim 2009, Rocha and
- 770 Passamani 2009, Tiddi et al. 2009b, 2011a, Voltarelli et al. 2009, Wheeler 2009b,
- Canale et al. 2009, Pave et al. 2010, Presotto and Izar 2010, Pyritz et al. 2010, Valle et

- al. 2010, 2013, Ferrari et al. 2010, Fragaszy et al. 2010b, Hilario and Ferrari 2010b,
- 2010c, Martins and Galetti Jr. 2011, Norris et al. 2011, Souza-Alves et al. 2011a,
- Cherem et al. 2011, Marques et al. 2011, Caselli and Setz 2011, Nascimento et al.
- 775 2011b, Souza et al. 2012, Machado et al. 2012, 2017, Ferrari and Hilário 2012, Izar et
- al. 2012, Spagnoletti et al. 2012, Sirianni and Visalberghi 2013, Breves et al. 2013,
- 777 Wheeler and Hammerschmidt 2013, Correia et al. 2013, Culot et al. 2013, Fernandez et
- al. 2013, Mikich and Liebsch 2014b, Molina et al. 2014, Pereira and Bazilio 2014,
- 779 Svoboda et al. 2014, Tokuda et al. 2014a, Yamamoto et al. 2014, Zago et al. 2014, da
- 780 Silva et al. 2014, Juraszek et al. 2014, Magioli et al. 2014, Aximoff 2015, Monticelli
- and Morais 2015, Pinheiro and Mendes Pontes 2015, Rocha et al. 2015b, Sanchez-
- 782 Sarmiento et al. 2015, de Almeida and Silva 2015, Liebsch and Mikich 2015, Rocha-
- Mendes et al. 2015, Caselli et al. 2015, Aximoff et al. 2016, Rodrigues et al. 2016, Braz
- 784 et al. 2016, Caldano et al. 2016, Cavalcante et al. 2016, Sales et al. 2016, Silva et al.
- 785 2017, Vleeschouwer and Oliveira 2017, Petroni et al. 2017, zu Wied-Neuwied 1820,
- 786 Mikan et al. 1820, Spix 1823, von Pelzeln 1883, Crespo 1954, 1974, Hill 1962, Napier
- 787 1976, Hershkovitz 1977, Melhem 1979, Kinsey 1982, de Assumpção 1983, Stallings
- 788 1985, Tribe 1987, de Vivo 1988, 1991, Ferrari 1988, Hirsch 1988, Persson and Lorini
- 789 1990, Alves 1990, Lima 1990, 2008, Stallings and Robinson 1991, Hirsch et al. 1991,
- 790 Mendes 1991a, 1991b, 1993, 1997, Oliver and Santos 1991, Paccagnella 1991,
- 791 Marinho-Filho 1992, Petroni 1993, Rylands et al. 1993, 2002, Valladares-Pádua 1993,
- Kierulff 1993, Pinto 1994, Di Bitetti 1994, 2001, Corrêa 1995, Olmos and Martuscelli
- 793 1995, Cimardi and Brettas 1996, Gregorin 1996, Passamani 1996, Cullen Jr. 1997,
- 794 Gaspar 1997, 2005, Neri 1997, Cosenza and Melo 1998, Marinho-Filho et al. 1998,
- 795 Monteiro da Cruz 1998, Brandão 1999, Prado 1999, Melo 1999, 2004, Wallauer et al.
- 796 2000, Grelle 2000, Rocha 2001, 2014, Couto 2001, Bicca-Marques 2003, Chiarello

- 797 2003, Fontana et al. 2003, Lima et al. 2003, Affonso et al. 2004, Pianca 2004, Cherem
- 798 et al. 2004, 2007, Mikich and Bérnils 2004, Reis 2005, Cherem 2005, Jardim 2005,
- Koehler et al. 2005, Passos et al. 2006, Teixeira 2006, Aguiar 2006, Silva and Codenotti
- 800 2007, Graeff et al. 2007, Lorini 2007, Medeiros and Castro 2007, Mendes and Melo
- 801 2007, Azevedo and Bicca-Marques 2007, Trevelin et al. 2007, Barros 2008, Fortes
- 802 2008, Guidorizzi 2008, Neves 2008, Chagas 2009, Hilário 2009, 2013, Araújo 2009,
- Agostini et al. 2010b, Martins et al. 2011a, Mottin et al. 2011, Nicolaevsky and Mendes
- 2011, Oliveira et al. 2011, Pereira 2012, Brocardo and Cândido Júnior 2012, Buss 2012,
- Cherem and Salmoria 2012, Oliveira 2012, Spezia et al. 2013, Bogoni et al. 2013,
- Wolfart et al. 2013, Decker 2013, Srbek-Araujo and Chiarello 2013, Aguiar et al. 2014,
- Hass and Printes 2014, de Souza Mendes et al. 2015, Ingberman 2015, Holzmann et al.
- 2015, Preuss et al. 2016, Smith and Briggs 2016, Albuquerque 2016, Garbino et al.
- 2016, Kaizer et al. 2016, Pagoto 2016, Mendes Pontes et al. 2016, Ingberman et al.
- 810 2016, Nagy-Reis and Setz 2017, Gestich et al. 2017, Lima et al. 2017, Nagy-Reis et al.
- 811 2017, Smith et al. 2018, Braga et al. 2018, ICMBio 2008a, 2008b, 2008c, 2008d, 2008e,
- 812 2012a, 2012b, 2013a, 2013b, 2013c, 2014, 2015a, 2015b, 2016a, 2016b, 2016c, 2016d,
- 813 2016e, 2016f, 2016g, 2017, da Cunha Vieira 1955, IBDF/FBCN 1979, Servicio
- 814 Florestal Nacional 1982, Rylands and Costa 1988, SEMA 1996, 2006, 2008a, 2008b,
- 815 2008c, 2009, Venturini et al. 1996, Hirsch et al. 1996, Cosenza and Melo 1997, Hirsch
- and Subirá 1997, Ayres 1997, Rylands et al. 1998, Souza and Resende 1999, Esquivel
- 2001, Nogueira et al. 2001, IAP 2002a, 2002b, 2002c, 2002d, 2004, 2006a, 2006b,
- 818 2006c, 2006d, 2009a, 2009b, 2009c, 2015a, 2015b, 2015c, 2015d, MMA/IBAMA 2002,
- 819 2003, 2004, 2005, 2006, 2009, Fariña and Hostettler 2003, Alves et al. 2005, Instituto
- 820 Ambiental 2005, FATMA 2005, 2007, 2009, 2010, 2016, Black Lion Tamarin
- 821 Conservation Program 2006, Melo 2006, 2017, Conservação Internacional Brasil 2007,

822	Moraes and Melo 2007, Sociedade Chauá 2008, 2013a, 2013b, Becker and Mongelos
823	2008, Moraes et al. 2008, Oliveira et al. 2008, Dallacorte 2009, 2011, Associação
824	Patrimônio Natural do Rio de Janeiro 2009, 2012, Patrocinio et al. 2009, Redies 2010,
825	Simas et al. 2010, Zeller 2010, APREMAVI/ICMBio 2010, Rocha and Carvalho 2011,
826	Associação dos Proprietários de RPPN do Estado do Ceará 2011a, 2011b, 2012,
827	ICMBio/CPB 2011, Ecossistema Consultoria Ambiental Itda 2011, Faunativa
828	Consultoria Ltda 2011, Socioambiental Consultores Associados Ltda 2011, 2013,
829	Nordeste Ambiental Ltda 2016, Silva Júnior 2012, SPVS 2012, 2014, Ambientalis
830	Engenharia 2012, APREMAVI 2012, Hack 2012, D. M. P. e Associados 2012,
831	Oklander and Medrano 2012, Rhea Estudos e Projetos 2013, Estivalet 2013, Langa
832	2013, PBCM 2013, Pessoa 2013, Caiaffa 2014, Rabello et al. 2014, Velázquez and
833	Ramírez Pinto 2014, Flesher 2014, Arauco Florestal Arapoti e Instituto Ecofuturo 2014,
834	M. G. D. e Salvaterra 2015, Vale 2015, SAVE Projetos e Soluções Ambientais 2016,
835	Santos and Pessoa 2016, Guapyassú 2016, Travassos et al. in press.
836	
837	Taxonomic data: We used the taxonomy proscribed by Mittermeier et al. (2013).
838	Therefore, we changed the identity of some primate species to the most recent
839	nomenclature.
840	
841	Validation: Specialists checked the localities recorded for each primate species and
842	excluded the points that were erroneous. Due to changes in nomenclature, several records
843	of Sapajus robustus in Minas Gerais were registered as Sapajus nigritus. In addition,
844	further surveys confirmed the occurrence of Sapajus robustus in that region. We thus
845	corrected these data following Martins et al. (2017).
846	

## C. Data Limitations and Potential Enhancements

Although primates are one of the best studied mammal orders, assessing the fine-scale distribution of each species and estimating their population sizes in the Atlantic Forest is an unachievable task. Therefore, we recognize the massive effort of field biologists and primatologists who collected the data compiled here, the largest dataset of primate communities and occurrences in a tropical forest biome so far amassed.

One limitation of this dataset is the relatively small number of quantitative studies in comparison with the high number of occurrence data. Line transect sampling is the preferred method to estimate primate densities (Peres 1999, Buckland et al. 2010). However, it is limited by the need of a minimum number of sightings, a number that can be difficult to reach, especially in the case of more elusive primate species or when the population density is low. For these species, the combined use of line transects and playback is a useful option that gives good results (Gestich et al. 2017) and deserves to be more extensively used.

Another issue is the uneven distribution of the sampling effort across the Atlantic Forest. For instance, three Brazilian states account for more than 50% of the records: Bahia (N=2,132, 21.5%), São Paulo (N=1,849, 18.6%), and Minas Gerais (N=1,614, 16.3%). However, they are also the biggest states in the Atlantic Forest area, which partly explains this result. It is also important to note that our dataset gathers presence-only data and not presence-absence data, which needs to be considered by the user when analyzing the data.

The occurrence of *Callithrix* hybrids of unknown parentage is another limitation of the dataset. We kept the records as *Callithrix* sp. with the observation "hybrid" in the species origin column.

Another important limitation is the low geographical accuracy reported by some studies. For instance, some coordinates refer to cities instead of to the sampled fragments. We tried to correct these coordinates using satellite images or directly contacted the authors. Otherwise, we kept the original coordinates as provided.

Study duration also varied widely, ranging from days to years. Additionally, the data collection of some longer-lasting studies was heterogeneously distributed in time with irregular inter-sample intervals.

It is known that ongoing habitat loss and fragmentation (Chiarello 2000), poaching (Galetti et al. 2009), road kills (Bueno et al. 2015), and infectious diseases (Bicca-Marques and Freitas 2010) influence the presence and size of primate populations in fragments (Chiarello 2003, da Silva et al. 2015). Therefore, the pattern of occurrence of a species at any given landscape reflects a dynamic balance of population extirpation and recolonization that is influenced by the aforementioned factors and others. The ongoing (2016-current as of February 2018) outbreak of sylvatic yellow fever in Brazil is an unambiguous example of the rapid local population extirpation or shrinking that an infectious disease can cause in a fragmented landscape such as the Atlantic Forest (Bicca-Marques et al. 2017). In addition, attention must be paid to the dates of records, ranging from 1815 to 2017. We did not determine, for each record, if the mentioned population still exists or not, since this analysis would go well beyond our objectives. However, we indicated that the population was extinct when this information was specifically provided by the authors.

Despite these limitations, this dataset is the largest and broadest that exists on the distribution of Atlantic Forest primates. We expect that the users of this dataset will be able to: 1) detect patterns of species distribution; 2) determine priority areas for primate conservation; 3) point out temporal and spatial variation of populations; 4) identify the

896	species with the highest need of study; 5) indicate localities or regions requiring more
897	sampling, and 6) fulfill many other conservation-related knowledge gaps.
898	
899	CLASS III. DATA SET STATUS AND ACCESSIBILITY
900	A. Status
901	Latest update: August 2018
902	Latest Archive date: August 2018
903	Metadata status: Last update 19 August 2018, version submitted
904	Data verification: Data from published and unpublished sources. We searched for
905	extreme values, corrected any transcription errors and homogenized the taxonomic
906	information.
907	
908	B. Accessibility
909	1. Storage location and medium
910	The dataset can be access on the GitHub Inc. repository
911	(https://github.com/LEEClab/Atlantic_series) in .csv format.
912	2. Contact persons: Laurence Culot, Universidade Estadual Paulista (UNESP), Instituto
913	de Biociências, Departamento de Zoologia, Rio Claro (SP), 13506-900, Brazil. E-mail:
914	lculot@rc.unesp.br; Milton C. Ribeiro, Universidade Estadual Paulista (UNESP),
915	Instituto de Biociências, Departamento de Ecologia, Rio Claro (SP), 13506-900, Brazil.
916	E-mail: miltinho.astronauta@gmail.com.
917	Copyright restrictions: None.

- 918 **Proprietary restrictions:** Please cite this data paper when the data are used in
- 919 publications. We also request that researchers and teachers inform us of how they are
- 920 using the data.
- 921 **Costs:** None.

- 923 CLASS IV. DATA STRUCTURAL DESCRIPTORS
- 924 A. Data Set File
- 925 **Identity:**
- 926 ATLANTIC-PR\_References.csv,
- 927 ATLANTIC-PR\_Quantitative.csv,
- 928 ATLANTIC-PR\_Community.csv,
- 929 ATLANTIC-PR\_Occurrence.csv
- 930 **Size:** 10649 records, 3545 KB
- 931 Format and storage mode: comma-separated values (.csv)
- 932 **Header information:** See column descriptions in section B.
- 933 **Alphanumeric attributes:** Mixed.
- **Data Anomalies:** If no information is available for a given record, this is indicated as
- 935 'NA'.

936

- 937 **B. Variable information**
- 938 1) Table 2. Reference Information
- 939 **2) Table 3. Quantitative Information**
- 940 **3) Table 4. Community Information**
- 941 3) Table 5. Occurrence Information

943	
944	CLASS V. SUPPLEMENTAL DESCRIPTORS
945	A. Data acquisition
946	1. Data request history: None
947	2. Data set updates history: None
948	3. Data entry/verification procedures
949	G. History of data set usage
950	
951	
952	ACKNOWLEDGMENTS
953	This paper is part of the ATLANTIC initiative. We thank the companies that provided
954	sources: AES Tietê Energia S.A, Casa da Floresta Ambiental SS, CMA Costa, Bahia
955	Specialty Cellulose/Copener (and their staff: BF Rosa, EF de Lima, RA Nobre, LS
956	Morais, JK Felipe, MB Oliveira), Eldorado Brasil, Fibria Celulose, FJ Paula, IG Vieira,
957	Instituto de Pesquisas e Estudos Florestais, Klabin, Vale S.A, Veracel Celulose, VL
958	Camargos, SN Paiva, Suzano Papel e Celulose, TC Rech, and Y Matsuda. This paper is
959	dedicated to Adelmar Coimbra-Filho, Anthony Rylands and Russel Mittermeier for their
960	long contribution to Neotropical primatology and for inspiring and training generations
961	of young primatologists.
962	

## **TABLES**

**Table 1. Species information.** Family, IUCN conservation status and number of records of the primate species reported in the ATLANTIC PRIMATES dataset. Only the records within the 20 km buffer around the Atlantic Forest boundaries were considered here. Species without confirmed identification (sp.) and hybrids were not included in the species counting. CR= Critically Endangered, EN=Endangered, LC= Least Concern, NT= Near Threatened, VU=Vulnerable

Family	Species	IUCN	Number
		<b>Status</b>	of
			records
Atelidae	Alouatta guariba	LC	2188
	Alouatta caraya	LC	196
	Alouatta belzebul	VU	90
	Brachyteles arachnoides	EN	293
	Brachyteles hypoxanthus	CR	333
Cebidae	Sapajus flavius	CR	42
	Sapajus libidinosus	LC	41
	Sapajus nigritus	NT	1127
	Sapajus robustus	EN	248
	Sapajus xanthosternos	CR	443
	Sapajus cay	LC	67
	Saimiri sciureus	LC	3
Pitheciidae	Callicebus coimbrai	EN	182
	Callicebus melanochir	VU	212
	Callicebus nigrifrons	NT	423
	Callicebus personatus	VU	200
	Callicebus barbarabrownae	CR	35
Callitrichidae	Callithrix penicillata	LC	440
	Callithrix aurita	VU	511
	Callithrix flaviceps	EN	219
	Callithrix geoffroyi	LC	522
	Callithrix jacchus	LC	320
	Callithrix kuhlii	NT	295
	Leontopithecus caissara	CR	38
	Leontopithecus chrysomelas	EN	897
	Leontopithecus chrysopygus	EN	96
	Leontopithecus rosalia	EN	209

**Table 2. Reference information.** Description of the fields related to references.

Type of information	Field	Description	Levels	Example
	REF_ID	Reference identification that links the references to a specific record in the dataset	REF0001 - REF0894	REF0648
REFERENCE	PUB_TYPE	Type of the publication: "Thesis" refer to theses, dissertations and monographs; "Technical document" refer to reports and wildlife management programs	Article  Book  Congress abstract  Technical document  Thesis  Unpublished data	Book
	REFERENCE	Study reference in <i>Ecology</i> style	856 references	Rylands, A. B., Coimbra-Filho, A. F., and Mittermeier, R. A. 1993. Systematics, geographic distribution, and some notes on the conservation status of the Callitrichidae. In: Rylands, A. B. (ed.). Marmosets and tamarins: Systematics, behaviour, and ecology. Oxford University Press. 11-77.

978	
979	

Type of information	Field	Description	Levels	Example
	REF_ID	Reference identification that links the references to a specific record in the dataset	REF0001 - REF0894, and unpublished data	REF0001
			Agostini_etal_1 - Agostini_etal_19 Almeida_AS_plan_1_7 -	
			Almeida_AS_plan_1_13 7	
			CarvalhoM_etal_1 - CarvalhoM_etal_15	
			CPB_48	
			EduardoC_FernandoP_33 -	
			EduardoC_FernandoP_84	
		Identification code of each species record. Each code is	GabrielaH_1 – GabrielaH_13	
		exclusive and represents the record	Gestich_3 – Gestich_22	
	ORDEMBD	in the sampling area. Records made in the same area in	HirschA_663 – HirschA_3942	LaurenceC _1
QUANTITATIVE INFORMATION		different studies received different codes.	KnoggeC_21 - KnoggeC_41	
			LaurenceC_1 - LaurenceC_377	
			LimaF_etal_125 – LimaF_etal_136	
			MarquesSantosP&Gontijo NRG_1 -	
			MarquesSantosP&Gontijo NRG_19	
			Mendes-Pontes_A_1 - Mendes-Pontes_A_35	
			MoraesA_plan_1_1 - MoraesA_plan_1_4	

			<del>                                     </del>
		New_Refs_1 – New_Refs_56  OliveiraL_1 –	
		OliveiraL_39	
		PassamaniM_1 – PssamaniM_13	
		PlazaM_9 – PlazaM_1531	
		RenatoH_1	
		RochaA_29 - RochaA_31	
		SetzE_etal_1 - SetzE_etal_6	
		Souza-AlvesC_1 – Souza-AlvesC_3	
		Srbek-AraujoAC_et_34 – Srbek-AraujoAC_etal_37	
		ZagoL_30	
STUDY_AIM	Information about the objective of the study. ABD: the objective of the study was to obtain quantitative population data (abundance, density) of a given species; ABD-COMM: the objective of the study was to inventory the entire primate community in a given area, in addition to obtaining quantitative population data of all or some of the species.	ABD-COMM	ABD- COMM
SPECIES	Species name in that sampling area		Alouatta guariba
SP_ORIGIN	Information about the origin of that species in that	Autochtone Allochtone	Autochtone
	sampling area. Autochtone: if the	Hybrid	

UC	the protection of the sampling area. Yes:	Yes - No	Yes
TIC.	Information about	X7	**
	area.		
	paper mismatches with the sampling		
	the coordinates provided by the		
	the municipality of the sampling area, or		
PRECISION	precise: if the coordinate is from	Precise - Not precise	Precise
	sampling area; Not		
	coordinate reported is from the exactly		
	of the sampling site. Precise: if the		
	Coordinate precision		
LATITUDE_Y	Latitude corrected and transformed into decimal degrees (datum WGS84).	Decimal degree	-22.5
	decimal degrees (datum WGS84).		3
LONGITUDE_X	Longitude corrected and transformed into	Decimal degree	52.3333333
COUNTRY	sampling site.	Brazil	Brazil
	Country of the	Argentina	
STATE	State or province of the sampling site.	17 states/provinces	São Paulo
MUNICIPALITY	Municipality of the sampling site.		Teodoro Sampaio
AREA_HA	provided by the reference paper.	0.9 - 150000	35800
ADEA III	Area of the sampling site in hectares	0.0. 150000	25000
	reference paper.		Diabo
SITE	sampling area provided by the		Estadual Morro do
	Name of the		Parque
	between species in the sampling area.		
	hybridization		
	result of		
	individuals are the		
	sampling area. Hybrid: If		
	or exotic in that		
	species is introduced		
	Allochtone: if the		
	that sampling area.		

AN	NNUAL_TEMP	if the area is a conservation unit or is within a conservation unit; No: If the area is not a conservation unit.  Annual temperature WorldClim v. 1.4., in Celsius degrees, available in http://www.worldclim.org/version1. Access on May 5th, 2017	16.2 – 27.5	25.1
AN	NNUAL_RAIN	Annual rainfall WorldClim v. 1.4., in mm, available in http://www.worldcli m.org/version1. Access on May 5th, 2017	607 - 2452	164
AL	LTITUDE	Altitude in meters above sea level, from the Hydro-1K dataset (United States Geological Survey – USGS, 2001. HYDRO 1K: Elevation Derivative Database. Available from: <a href="http://edc.usgs.gov/products/elevation/gt">http://edc.usgs.gov/products/elevation/gt</a> opo30/hydro/nameric a.html>) on May 5th.	1 - 1826	469
VE	EG_TYPE	Type of vegetation of the Atlantic Forest where the sampling area is located, provided by the reference paper.	Araucaria forest  Araucaria forest – Mixed Ombrophilous forest  Atlantic Forest  - Semideciduous forest  Deciduous Forest  Dense Evergreen forest - Semideciduous transition  Dense Ombrophilous forest	Semidecidu ous forest

		Dense Ombrophilous forest - Exotic and Native Plantations  Lowland Evergreen forest  Montane Dense Ombrophilous forest  Montane forest  Ombrophilous forest  Open Ombrophilous forest  Restinga  Savanna  Semideciduous forest  Semideciduous forest - Savanna transition	
BUFFER_20KM	Indicates whether the record is within a buffer of 20km	Submontane Dense Ombrophilous forest  inside the 20km polygon	inside the 20 km
OLSONECONA ME	ECO_NAME column of the shapefile wwf_terr_ecos, available in WWF website.	Alto Parana Atlantic Forests  Araucaria moist forests  Atlantic Coast restingas  Bahia coastal forests  Bahia interior forests  Caatinga  Campos Rupestres montane savanna  Cerrado  Humid Chaco  Pernambuco coastal forests	Alto Parana Atlantic Forests

		Pernambuco interior forests  Serra do Mar coastal forests  Southern Atlantic mangroves  Tocantins/Pindare moist forests  Uruguayan savanna  Xingu-Tocantins-	
OLSONG200R	Olson bioregions (Olson et al, 2001), represented by G200_REGIO column of the shapefile wwf_terr_ecos	Araguaia moist forests  Atlantic Forests  Cerrado Woodlands and Savannas	Atlantic Forests
RIBEIROVEG	Type of vegetation	Areas das Formacoes Pioneiras  Areas de Tensao Ecologica  Estepe  Floresta Estacional Decidual  Floresta Estacional Semidecidual  Floresta Ombrofila Aberta  Floresta Ombrofila Densa  Floresta Ombrofila Mista  Refugio Ecologico  Savana  Savana Estepica	Floresta Estacional Semidecidu al
BSRS	Type of biogeographical subregions in the Atlantic Forest (BSRs) sensu Ribeiro et al (2009).	Bahia  Brejos Nordestinos  Diamantina	Florestas de Interior

			Florestas de Araucaria	
			Florestas de Interior	
			Pernambuco	
			Serra do Mar	
			Interview	
			Line transect	
		Sampling method	Museum	Line
	METHOD	described in the reference paper.	Playback	transect
			Survey	
			Survey	
		Month when data	Visualization	
	COL_STRT_MO	collection started	January - December	May
	COL_STRT_YR	Year when data collection started.	1815 - 2016	1996
	COL_END_MO	Month when data collection ended.	January - December	December
	COL_END_YR	Year when data collection ended.	1986 - 2017	1996
		Effort in kilometers		-10
	LTR_EFF	walked on transects in the sampling area.	1.6 – 618	618
		Line transect		
	LTR_ABD_10K	abundance. Calculated as the	0.04 – 19.61	0.32
	M	number of		
		individuals/10km. Line transect density.		
	LTR_DENS_KM	Calculated as the	0.1 – 264	0.28
	2	number of individuals/km².	0.1 204	0.20
		Line transect density.		
	LTR_DENS_HA	Calculated as the number of	0.07 - 7.1	7.1
		individuals/hectare.		
		Survey effort in the	8.8h – 24.3h	
	SURV_EFF	sampling area. Measured in hours or	0.05101 0.00101	24.1h
		kilometers walked.	0.2512km – 3.3912km	
	SURV_ABD	Survey abundance. Calculated as the		
		number of	0.28 - 22.5	12.8
		individuals/10km. Survey density.	0.0038 – 400	
	CLIDA DENG	Calculated as the	0.0030 - 400	6.79
	SURV_DENS	number of	1.97 groups/km – 12	0.19
		individuals/km² or	groups/km	

	the number of	
	groups/km	

Type of information	Field	Description	Levels	Example
	REF_ID	Reference identification that links the references to a specific record in the dataset.	REF0001 – REF0894, and unpublished data	REF0011
COMMUNITY INFORMATION	ORDEMBD	Identification code of each species record. Each code is exclusive and represents the record in the sampling area. Records made in the same area in different studies received different codes.	Agostini_etal_2 - Agostini_etal_20  Almeida_AS_2_1 - Almeida_AS_2_31  Almeida_AS_plan _1_7 - Almeida_AS_plan _1_233  AraujoR_1 - AraujoR_59  Beltrao- MendesR_etal_1 - Beltrao- MendesR_etal_41  BrocardoC_1 - BrocardoC_23  CamilaC_1 - CamilaC_20  CanaleG_etal_1 - CanaleG_etal_198  CarvalhoM_etal_9 - CarvalhoM_etal_9 - CarvalhoM_etal_15  CheremJ_4 - CheremJ_80  ChristineS_etal_1 - ChristineS_etal_9  CPB_45 - CPB_55	LaurenceC_126

EduardoC_Fernand oP_1 - EduardoC_Fernand
oP_82 FerreiraA_1 -
FerreiraA_21 FlorestaC_1 -
FlorestaC_620 IzarP_1 – IzarP_87
KnoggeC_4 - KnoggeC_32
LaurenceC_1 -
LaurenceC_830 LimaF_etal_14 -
LimaF_etal_136  Mendes-
Pontes_A_1 - Mendes- Pontes_A_35
MoraesA_plan_2_ 6 - MoraesA_plan_2_
22 New_Refs_1 - New_Refs_56
PagliaA_1 - PagliaA_38
RenatoH_1 - RenatoH_44
RezendeG_Garbin oG_29 - RezendeG_Garbin oG_32
RochaA_1 - RochaA_31
Sabino- SantosG_La_Serra _1 - Sabino- SantosG_La_Serra
_3

I	I	I	, , , , , , , , , , , , , , , , , , , ,
		SetzE_etal_1 - SetzE_etal_37	
		SmithR_11 – SmithR_16	
		Souza-AlvesC_1 – Souza-AlvesC_3	
		ZagoL_1 - ZagoL_49	
STUDY_AIM	Information about the objective of the study. COMM: the objective of the study was to inventory the entire primate community in a given area; ABD-COMM: the objective of the study was to inventory the entire primate community in a given area, in addition to obtaining quantitative population data of each species.	COMM ABD-COMM	ABD-COMM
SPECIES	Species name in		Leontopithecus rosalia
SP_ORIGIN	Information about the origin of that species in that sampling area. Autochtone: if the species is native to that sampling area. Allochtone: if the species is introduced or exotic in that sampling area. Hybrid: If individuals are the result of hybridization between species in the sampling area.	Autochtone Allochtone Hybrid	Autochtone
SITE	Name of the sampling area provided by the reference paper.		Reserva Biologica de Poco das Antas

AREA_HA	Area of the sampling site in hectares provided by the reference paper.	2 - 150700	3215
MUNICIPALITY	Municipality of the sampling site.		SILVA JARDIM
STATE	State or province of the sampling site.	16 states/provinces	RIO DE JANEIRO
COUNTRY	Country of the sampling site.	Argentina  Brazil  Paraguay	Brazil
LONGITUDE_X	Longitude corrected and transformed into decimal degrees (datum WGS84).	Decimal degree	-42.28038889
LATITUDE_Y	Latitude corrected and transformed into decimal degrees (datum WGS84).	Decimal degree	-22.53969444
PRECISION	Coordinate precision of the sampling site. Precise: if the coordinate reported is from the exactly sampling area; Not precise: if the coordinate is from the municipality of the sampling area, or the coordinates provided by paper mismatches with the sampling area.	Precise  Not precise	Precise
UC	Information about the protection of the sampling area. Yes: if the area is a conservation unit or is within a conservation unit; No: If the area is not a conservation unit.	Yes No	Yes
ANNUAL_TEMP	Annual temperature. WorldClim v. 1.4., in Celsius degrees,	11.5 – 27.5	25.7

	'1 1 1 '		
	available in http://www.worldcl im.org/version1. Access on May 5th, 2017		
ANNUAL_RAIN	Annual rainfall. WorldClim v. 1.4., in mm, available in http://www.worldcl im.org/version1. Access on May 5th, 2017	498 - 2627	151
ALTITUDE	Altitude in meters above sea level, from the Hydro-1K dataset (United States Geological Survey – USGS, 2001. HYDRO 1K: Elevation Derivative Database. Available from: <a href="http://edc.usgs.gov/products/elevation/gtopo30/hydro/namerica.html">http://edc.usgs.gov/products/elevation/gtopo30/hydro/namerica.html</a> ) on May 5th.	1 - 2534	63
VEG_TYPE	Type of vegetation of the Atlantic Forest where the sampling area is located, provided by the reference paper.	Araucaria forest; Deciduous  Araucaria forest; Deciduous  Araucaria forest; Grasslands  Araucaria forest; Grasslands; Semideciduous  Araucaria forest; Mangrove; Restinga  Araucaria forest; Mixed Ombrophilous forest  Araucaria forest; Semideciduous  Atlantic Forest  Cacao Agroforest	Dense Ombrophilous forest

Cerradão; Semideciduous
Deciduous forest
Dense Evergreen forest - Semideciduous transition
Dense Ombrophilous forest
Dense Ombrophilous forest; Mixed Ombrophilous forest
Eucaliptus forest
Lowland Evergreen forest
Mangrove; Restinga
Mixed Ombrophilous forest
Montane and Submontane Dense Ombrophilous forest
Montane Dense Ombrophilous forest
Montane forest
Ombrophilous forest
Ombrophilous forest; Semideciduous forest
Open Ombrophilous forest

Open Ombrophilous forest; Dense Ombrophilous forest Pense	<u> </u>		T	<u> </u>
Restinga Sand forest Semideciduous, Aluvial forest Semideciduous forest Semideciduous forest; Mangrove Semideciduous forest; Mixed Ombrophilous forest; Mixed Ombrophilous forest; Estinga Submontane Dense Ombrophilous forest Tropical Dry forest; Semideciduous forest Alto Parana Altantic Forest Alto Parana Altantic Forests Coumn of the shapefile wwf_terr_ccos, available in WWF website Atlantic Coast  Altantic Coast			Ombrophilous forest; Dense Ombrophilous	
Sand forest  Semideciduous, Aluvial forest  Semideciduous forest Semideciduous forest; Mangrove Semideciduous forest; Mixed Ombrophilous forest Semideciduous forest Semideciduous forest Testinga Submontane Dense Ombrophilous forest Tropical Dry forest; Semideciduous forest; Restinga  Submontane Dense Ombrophilous forest; Tabuleiro forest Semideciduous forest; Mixed Ombrophilous forest; Restinga Submontane Dense Ombrophilous forest Na  Tropical Dry forest; Semideciduous Tropical Dry forest; Tabuleiro forest inside the 20km polygon NA  Alto Parana Atlantic Forests Atlantic Forests Atlantic Forests Atlantic Coast Atlantic Coast			Pine forest	
Semideciduous, Aluvial forest  Semideciduous forest; Mangrove  Semideciduous forest; Mixed Ombrophilous forest  Semideciduous forest; Mixed Ombrophilous forest  Semideciduous Forest; Restinga  Submontane Dense Ombrophilous Forest  Tropical Dry Forest; Semideciduous Tropical Dry Forest; Semideciduous Forest  Tropical Dry Forest; Semideciduous Forest  Alto Parana Atlantic Forests Column of the shapefile wwf_terr_ecos, available in WWF Website  Atlantic Coast  Atlantic Coast  Serria do Mar Coastal forests Atlantic Coast			Restinga	
Aluvial forest  Semideciduous forest; Mangrove  Semideciduous forest; Mixed Ombrophilous forest; Mixed Ombrophilous forest; Restinga  Submontane Dense Ombrophilous forest  Tropical Dry forest; Semideciduous  Tropical Wet forest; Semideciduous  Tropical Wet forest; Tabuleiro forest  Tropical Wet forest; Tabuleiro forest  BUFFER_20KM  Indicates whether the record is within a buffer of 20km around the Atlantic Forest boundaries  ECO_NAME column of the shapefile wwf_terr_ecos, available in WWF  Website  OLSONECONAM  E  OLSONECONAM  E  Alto Parana Atlantic Forests column of the shapefile wwf_terr_ecos, available in WWF  Website  Atlantic Coast  Serria do Mar coastal forests Atlantic Coast			Sand forest	
Semideciduous forest; Mangrove  Semideciduous forest; Mixed Ombrophilous forest  Semideciduous forest  Semideciduous forest  Semideciduous forest  Semideciduous forest  Tropical Dry forest; Semideciduous  Tropical Dry forest; Semideciduous  Tropical Wet forest; Tabuleiro forest; Tabuleiro forest  Indicates whether the record is within a buffer of 20km around the Atlantic Forest boundaries  OLSONECONAM E  OLSONECONAM E  OLSONECONAM E  Wwf_terr_ecos, available in WWF  Website  Altantic Coast  Altantic Coast  Altantic Coast				
Semideciduous   forest; Mixed   Ombrophilous   forest; Mixed   Ombrophilous   forest   Semideciduous   forest; Restinga   Submontane Dense   Ombrophilous   forest				
forest; Mixed Ombrophilous forest  Semideciduous forest; Restinga  Submontane Dense Ombrophilous forest  Tropical Dry forest; Semideciduous  Tropical Wet forest; Tabuleiro forest  Indicates whether the record is within a buffer of 20km around the Atlantic Forest boundaries  OLSONECONAM E  OLSONECONAM E  OLSONECONAM E  OLSONECONAM E  Alto Parana Atlantic Forests column of the shapefile wwf_terr_ecos, available in WWF wabsite Atlantic Coast  Atlantic Coast				
BUFFER_20KM  OLSONECONAM E  Topical Dry forest; Semideciduous  Indicates whether the record is within a buffer of 20km around the Atlantic Forest boundaries  ECO_NAME column of the shapefile wwf_terr_ecos, available in WWF usebeite  Atlantic Coast  Submontane Dense Ombrophilous forest  Iropical Wet forest; Tabuleiro forest inside the 20km polygon NA  Alto Parana Atlantic Forests Araucaria moist forests Atlantic Coast Atlantic Coast Atlantic Coast			forest; Mixed Ombrophilous	
Ombrophilous forest  Tropical Dry forest; Semideciduous  Tropical Wet forest; Tabuleiro forest  Indicates whether the record is within a buffer of 20km around the Atlantic Forest boundaries  OLSONECONAM E  OLSONECONAM E  OLSONECONAM E  Alto Parana Atlantic Forests  Araucaria moist forests  Araucaria moist forests  Araucaria moist forests  Atlantic Coast  Atlantic Coast				
BUFFER_20KM  Indicates whether the record is within a buffer of 20km around the Atlantic Forest boundaries  OLSONECONAM E  OLSONECONAM E  Wwf_terr_ecos, available in WWF  Website  Indicates whether the record is within a buffer of 20km around the Atlantic Forest boundaries  Indicates whether the record is within a buffer of 20km polygon  NA  Inside the 20km polygon  NA  Alto Parana Atlantic Forests  Araucaria moist forests  Serra do Mar coastal forests  Atlantic Coast  Atlantic Coast			Ombrophilous	
BUFFER_20KM  Indicates whether the record is within a buffer of 20km around the Atlantic Forest boundaries  OLSONECONAM E  OLSONECONAM E  Alto Parana Atlantic Forests  Araucaria moist forests  Araucaria moist forests  Atlantic Coast  Atlantic Coast			forest;	
the record is within a buffer of 20km around the Atlantic Forest boundaries  BUFFER_20KM  BUFFER_20KM  a buffer of 20km around the Atlantic Forest boundaries  NA  Alto Parana Atlantic Forests  Column of the shapefile wwf_terr_ecos, available in WWF website  Atlantic Coast  Atlantic Coast			forest; Tabuleiro	
Forest boundaries  Alto Parana Atlantic Forests  COLSONECONAM E  OLSONECONAM E  OLSONECONAM E  Araucaria moist forests  Araucaria moist forests  Atlantic Coast  Atlantic Coast	BUFFER_20KM	the record is within a buffer of 20km	polygon	
OLSONECONAM E  OLSONECONAM E  OUSONECONAM E  OUSONECONAM E  Serra do Mar gravailable in WWF  Website  Atlantic Forests  Araucaria moist forests  Atlantic Coast  Atlantic Forests  Araucaria moist forests  Atlantic Coast				
wwi_terr_ecos, available in WWF website  Atlantic Coast		column of the shapefile	Atlantic Forests  Araucaria moist	
	Е	available in WWF	Atlantic Coast	Coastai iotests

		Atlantic dry forests	
		Bahia coastal forests	
		Bahia interior forests	
		Caatinga	
		Caatinga Enclaves moist forests	
		Campos Rupestres montane savanna	
		Cerrado	
		Pernambuco coastal forests	
		Pernambuco interior forests	
		Serra do Mar coastal forests	
		Southern Atlantic mangroves	
		Uruguayan savanna	
	Olson bioregions (Olson et al, 2001),	Atlantic Dry Forests	
OLSONG200R	represented by G200_REGIO column of the	Atlantic Forests	Atlantic Forests
	shapefile wwf_terr_ecos	Cerrado Woodlands and Savannas	
		Areas das Formacoes Pioneiras	
		Areas de Tensao Ecologica	
RIBEIROVEGTY PE	Type of vegetation sensu Ribeiro et al. (2009).	Estepe	Floresta Ombrofila Densa
		Floresta Estacional Decidual	
		Floresta Estacional Semidecidual	

		Floresta Ombrofila Aberta  Floresta Ombrofila Densa  Floresta Ombrofila Mista  Refugio Ecologico  Savana  Savana Estepica	
		Agua Bahia	
BSRS	Type of biogeographical sub-regions in the Atlantic Forest (BSRs) sensu Ribeiro et al (2009).	Brejos Nordestinos  Diamantina  Florestas de Araucaria  Florestas de Interior  Pernambuco  Sao Francisco  Serra do Mar	Serra do Mar
METHOD	Sampling method described in the reference paper to sample primates.	Camera trap Interview Line transect Line transect and Camera trap Line transect and Interview Playback Playback Playback and Visualization Survey Survey and Camera trap	Line transect

		Survey and Interview Survey and Playback Visualization Vocalization	
COL_STRT_MO	Month when data collection started.	January - December	December
COL_STRT_YR	Year when data collection started.	1985 - 2017	2003
COL_END_MO	Month when data collection ended.	January - December	January
COL_END_YR	Year when data collection ended.	1983 - 2017	2005
LTR_EFF	Effort, in kilometers walked on transects in the sampling area.	0.8 - 618	194.8
CAM_EFF	Camera trap effort, measured in days.	112 trap*day	112trap*day
SURV_EFF	Survey effort spent in the sampling area. Measured in days or hours.	1 day – 15 days 720 hours	3 days

Type of information	Field	Description	Levels	Example
mormation	REF_ID	Reference identification that links the reference to a specific record in the dataset.	REF0011 – REF0886, and unpublished data	REF0019
OCCURRENCE INFORMATION	ORDEMBD	Identification code of each species record. Each code is exclusive and represents the record in the sampling area. Records made in the same area in different studies received different codes.	Agostini_etal_5 - Agostini_etal_68  Almeida_AS_plan_1_ 1 - Almeida_AS_plan_1_ 241  AlmeidaM_etal_1 - AlmeidaM_etal_698  BagerA_1 - BagerA_148  Bicca-Marques_JC_1 - Bicca-Marques_JC_39  BragaC- GoncalvesP_1 - BragaC- GoncalvesP_58  CampeloA_1 - CampeloA_13  CarvalhoM_etal_7 - CarvalhoM_etal_10  Cherem_Graipel_1 - Cherem_Graipel_1 - Cherem_Graipel_106  CheremJ_1 - CheremJ_79  CPB_27 - CPB_87  daCunhaRGT_1 - daCunhaRGT_59  EduardoC_FernandoP_11 -	LaurenceC_156

EduardoC_Fernand173 FerreiraA_22 GabrielaH_14 -	oP
FerreiraA_22	
GabrielaH_14 -	
GabrielaH_17	
GestichC_1 – GestichC_16	
HackR_1 - HackR_	13
HirschA_1 - HirschA_4001	
IzarP_1 – IzarP_98	
KnoggeC_1 - KnoggeC_58	
LaurenceC_149 - LaurenceC_827	
LimaF_etal_1 - LimaF_etal_116	
MarquesSantosP&C ntijoNRG_2 – MarquesSantosP&C ntijoNRG_24	
MartinsA_Miranda 3 – MartinsA_Miranda 6	
MoraesA_plan_1_2 MoraesA_plan_1_1	7
MoraesA_plan_2_1 MoraesA_plan_2_3	
Nagy-ReisM_1 – Nagy-ReisM_72	
OliveiraL_2 - OliveiraL_40	
PagotoA_1 – PagotoA_30	
PassamaniM_41 – PassamaniM_108	

			PlazaM_1 -	
			PlazaM_1550	
			RezendeG_GarbinoG	
			RezendeG_GarbinoG _34	
			RochaA_2 - RochaA_36	
			RUMO_1 – RUMO_289	
			Sabino- SantosG_La_Serra_4 - Sabino- SantosG_La_Serra_29	
			SilvaL_1 - SilvaL_35	
			SmithR_1 - SmithR_35	
			Souza-AlvesC_4 – Souza-AlvesC_5	
			SouzaR_1 - SouzaR_66	
			Srbek- AraujoAC_etal_1 – Srbek- AraujoAC_etal_89	
	STUDY_AIM	Information about the objective of the study. OCCUR: the objective of the study was to confirm the presence of a primate species in the sampling area, but not the entire community.	OCCUR	OCCUR
	SPECIES	Species name in that sampling area.		Alouatta belzebul
	an one	Information about the origin of that species in that	Autochtone	
	SP_ORIGIN	sampling area. Autochtone: if the species is native to that sampling area.	Allochtone Hybrid	Autochtone
L	I	camping area.	1	I .

	Allochtone: if the species is introduced or exotic in that sampling		
	area. Hybrid: If individuals are the result of		
	hybridization between species in the sampling area.		
DOD STATUS	Information about the conservation status of the populations. Extinct: the population is	Extinct	
POP_STATUS	extinct; Probably extinct: the population is probably extinct, but a confirmation is necessary.	Probably extinct	Extinct
SITE	Name of the sampling area provided by the reference paper.		Cajarana-Aguas Claras
AREA_HA	Area of the sampling site in hectares provided by the reference paper.	0.4 - 150373	40
MUNICIPALITY	Municipality of the sampling site.		RIO TINTO
STATE	State or province of the sampling site.	28 states/provinces	PARAIBA
COUNTRY	Country of the sampling site.	Argentina  Bolivia  Brazil  Paraguay	Brazil
LONGITUDE_X	Longitude corrected and transformed into decimal degrees (datum WGS84).	Decimal degree	-35.08458333
LATITUDE_Y	Latitude corrected and transformed into decimal degrees (datum WGS84).	Decimal degree	-6.646611111
PRECISION	Coordinate precision of the sampling site. Precise: if the	Precise  Not precise	Precise

				<del>                                     </del>
		coordinate reported		
		is from the exactly		
		sampling area; Not		
		precise: if the		
		coordinate is from		
		the municipality of		
		the sampling area,		
		or the coordinates		
		provided by the		
		paper mismatches		
		with the sampling		
		areas.		
		Information about		
		the protection of the		
		sampling area. Yes:		
		if the area is a	Yes	
	UC		168	No
	-	conservation unit or	Ma	No
		is within a	No	
		conservation unit;		
		No: If the area is not		
		a conservation unit.		
		Annual temperature.		
		WorldClim v. 1.4.,		
		in Celsius degrees,		
	ANNUAL_TEMP	available in	10.0 00.0	26.6
		http://www.worldcli	12.2 - 29.3	26.6
		m.org/version1.		
		Access on May 5th,		
		2017.		
		Mean monthly		
		rainfall. WorldClim		
		v. 1.4., in mm,		
	ANNUAL_RAIN	available in	472 - 3233	77
		http://www.worldcli		
		m.org/version1.		
		Access on May 5th,		
		2017.		
		Altitude in meters		
		above sea level,		
		from the Hydro-1K		
		dataset (United		
	ALTITUDE	States Geological		
		Survey – USGS,		
		2001. HYDRO 1K:		
		Elevation		
		Derivative	1 - 2534	62
		Database. Available		
		from:		
		<a href="http://edc.usgs.gov">http://edc.usgs.gov</a>		
	/products/elevation/			
		gtopo30/hydro/nam		
		erica.html>) on May		
		5th.		
	VEG_TYPE	Type of vegetation	Araucaria forest	Ombrophilous
	- <u>-</u>	of the Atlantic		forest
<u>.                                      </u>		· · · ·		

T	Τ_	T
	Forest where the	Araucaria forest;
	sampling area is	Grasslands
	located, provided by	A managaria famaga
	the reference paper.	Araucaria forest; Mangrove; Restinga
		wiangiove, Kestinga
		Araucaria forest;
		Mixed Ombrophilous
		forest
		Araucaria forest;
		Semideciduous
		Atlantic Forest
		Atlantic Forest –
		Grassland transistion
		Grassiana transistion
		Atlantic Forest –
		Ombrophilous Forest
		Atlantic Forest;
		Rubber Agroforest
		Atlantic Forest –
		Semideciduous Forest
		Caatinga
		Caatinga
		Cabruca forest
		Cabruca forest;
		Ombrophilous forest
		Deciduous forest
		Dense Ombrophilous
		forest
		10200
		Dense Ombrophilous
		forest; Restinga
		Eucaliptus Forest
		Exotic and Native Plantations
		r tantations
		Flooded savanna
		1 100000 Burumu
		Forest
		Grasslands
		Livestock

		Mangrove	
		Mangrove; Restinga	
		Mixed Ombrophilous forest	
		Mixed ombrophilous forest – Dense ombrophilous forest transition	
		Mixed ombrophilous forest – Semideciduous forest transition	
		Montane Dense Ombrophilous forest	
		Montane forest	
		Montane Mixed Ombrophilous forest	
		Ombrophilous forest	
		Ombrophilous forest; Semideciduous forest	
		Pine forest	
		Restinga	
		Riparian forest	
		Savanna	
		Semideciduous forest	
		Semideciduous forest; Savanna transition	
		Semideciduous forest; Palmital	
		Urban forest Patches	
BUFFER_20KM	Indicates whether the record is within a buffer of 20km around the Atlantic	inside the 20km polygon NA	inside the 20 km polygon
OLSONECONA ME	Forest boundaries ECO_NAME column of the shapefile	Alto Parana Atlantic Forests	Pernambuco interior forests

Ι .	
wwf_terr_ecos,	Amazon-Orinoco-
available in WWF	Southern Caribbean
website.	mangroves
	Araucaria moist
	forests
	Atlantic Coast
	restingas
	restingus
	Atlantia dury formata
	Atlantic dry forests
	D.1.
	Bahia coastal forests
	Bahia interior forests
	Beni savanna
	Caatinga
	Campos Rupestres
	montane savanna
	montane savanna
	Cerrado
	Cerrado
	Chimite and the format
	Chiquitano dry forests
	Dry Chaco
	Guianan piedmont
	and lowland moist
	forests
	Humid Chaco
	Madeira-Tapajos
	moist forests
	1110101 1010010
	Marajo várzea
	wiarajo varzea
	Maranhao Babacu
	forests
	Mato Grosso seasonal
	forests
	Northeastern Brazil
	restingas
	Pantanal
	Parana flooded
	savanna
	Sur minu
1	

		Pernambuco coastal forests  Pernambuco interior forests  Serra do Mar coastal forests  Southern Atlantic mangroves  Southern Cone Mesopotamian savanna  Tapajos-Xingu moist forests  Tocantins/Pindare moist forests  Uatuma-Trombetas moist forests  Uruguayan savanna  Xingu-Tocantins-	
OLSONG200R	Olson bioregions (Olson et al, 2001), represented by G200_REGIO column of the shapefile wwf_terr_ecos	Araguaia moist forests Amazon River and Flooded Forests  Amazon-Orinoco- Southern Caribbean mangroves  Atlantic Dry Forests  Atlantic Forests  Cerrado Woodlands and Savannas  Chiquitano Dry Forests  Guianan Highlands Moist Forests  Pantanal Flooded Savannas  Southwestern Amazonian Moist Forests	Atlantic Forests

RIBEIROVEGTY PE	Type of vegetation sensu Ribeiro et al. (2009).	Areas das Formacoes Pioneiras  Areas de Tensao Ecologica  Estepe  Floresta Estacional Decidual  Floresta Estacional Semidecidual  Floresta Ombrofila Aberta  Floresta Ombrofila Densa  Floresta Ombrofila Densa  Floresta Ombrofila Semidecidual  Agua	Floresta Estacional Semidecidual
BSRS	Type of biogeographical sub-regions in the Atlantic Forest (BSRs) sensu Ribeiro et al (2009).	Bahia Brejos Nordestinos Diamantina Florestas de Araucaria Florestas de Interior Pernambuco Sao Francisco Serra do Mar Camera trap	Pernambuco
METHOD	Sampling method described in the reference paper used to sample primates.	Camera trap and Visualization  Interview  Interview and Camera trap	Survey and Interview

			Interview and Survey	
			Interview and Vocalization	
			Interview, Survey and Playback	
			Interview, Vocalization and Visualization	
			Line transect	
			Museum	
			Playback	
			Playback and Interview	
			Playback and Visualization	
			Rail kill	
			Road kill	
			Survey	
			Survey and Camera trap	
			Survey and Interview	
			Survey and Playback	
			Visualization	
			Vocalization	
			AMNH	
			BMNH	
		Name of the	CPRJ	
INS	INST_NAME	institution (museum or university) where the specimen was deposited.	CUBM	UnB
			FMNH	
		acposited.	FZBRS	
			KUNHM	
			MACN	

		MADJ	
		MBL	
		MCAGH	
		MCN	
		MCZ	
		MFRJ	
		MHNCI	
		MHNL	
		MHNV	
		MNHN	
		MNRJ	
		MPEG	
		MSCJ	
		MZB	
		MZUSP	
		PUC-RS	
		UFPB	
		UFRN	
		UFSC	
		UFV	
		UnB	
		USNM	
COL_STRT_MO	Month when the data collection started.	January – December	May
COL_STRT_YR	Year when the data collection started.	1815 - 2017	2006
COL_END_MO	Month when the data collection ended.	January – December	April
COL_END_YR	Year when the data collection ended.	1901 – 2017	2009

LTR_EFF	Effort, in kilometers walked on transects in the sampling area.	1 – 98.2	12
CAM_EFF	Camera trap effort, measured in days.	0 - 3749	2915
SURV_EFF	Survey effort in the sampling area. Measured in hours, kilometers or number of playbacks.	1161h 2km – 8.3km 1playback – 6playbacks	2.1km

## 991 Literature Cited

- 992 Abreu Júnior, E. F., and A. Köhler. 2009. Mastofauna de médio e grande porte na RPPN
- 993 da UNISC, RS, Brasil. Biota Neotropica 9:169–174.
- 994 Affonso, A. G., C. R. Ruiz-Miranda, and B. B. Beck. 2004. Interações Ecológicas entre
- 995 mico leão dourado (Leontopithecus rosalia Linnaeus, 1766) reintroduzido e mico estrela
- 996 (Callithrix jacchus Linnaeus, 1758) introduzido em fragmentos de mata Atlântica, RJ.
- 997 Pages 123-134 in S. L. Mendes and A. G. Chiarello, editors. A primatologia no Brasil -
- 998 8
- 999 Agostini, I., and E. Visalberghi. 2005. Social influences on the acquisition of sex-typical
- 1000 foraging patterns by juveniles in a group of wild tufted Capuchin monkeys (Cebus
- nigritus). American Journal of Primatology 65:335–351.
- 1002 Agostini, I., I. Holzmann, and M. S. Di Bitetti. 2008. Infant hybrids in a newly formed
- 1003 mixed-species group of howler monkeys (Alouatta guariba clamitans and Alouatta
- 1004 caraya) in northeastern Argentina. Primates 49:304–307.
- 1005 Agostini, I., I. Holzmann, and M. S. Di Bitetti. 2010a. Are Howler Monkey Species
- 1006 Ecologically Equivalent? Trophic Niche Overlap in Syntopic Alouatta guariba clamitans
- and Alouatta caraya. American Journal of Primatology 72:173–186.
- 1008 Agostini, I., I. Holzmann, and M. S. Di Bitetti. 2010b. Ranging Patterns of Two Syntopic
- 1009 Howler Monkey Species (Alouatta guariba and A. caraya) in Northeastern Argentina.
- 1010 International Journal of Primatology 31:363–381.
- 1011 Agostini, I., I. Holzmann, and M. S. Di Bitetti. 2012. Influence of seasonality, group size,
- and presence of a congener on activity patterns of howler monkeys. Journal of
- 1013 Mammalogy 93:645–657.
- 1014 Agostini, I., I. Pizzio, C. De Angelo, and M. S. Di Bitetti. 2015. Population status of
- Primates in the Atlantic Forest of Argentina. International Journal of Primatology 36:
- 1016 244–258.
- 1017 Aguiar, L M; Tonetto, J; Bicca-Marques, J. C. 2014. Novas zonas de contato entre
- 1018 Alouatta caraya (Humboldt, 1812) e A. guariba clamitans Cabrera, 1940 no sul do Brasil.
- 1019 Pages 338–344 in F. C. Passos and J. M. D. Miranda, editors. A Primatologia no Brasil -
- 1020 13.
- 1021 Aguiar, L. D. M. 2006. Os primatas do corredor do Alto Rio Paraná (Região de Porto
- 1022 Rico, Estados do Paraná e Mato Grosso do Sul): ocorrência, georreferenciamento e
- parâmetros populacionais. Universidade Federal do Paraná.
- 1024 Aguiar, L. M., D. M. Mellek, K. C. Abreu, T. G. Boscarato, I. P. Bernardi, J. M. D.
- 1025 Miranda, and F. C. Passos. 2007b. Sympatry between Alouatta caraya and Alouatta
- 1026 clamitans and the rediscovery of free-ranging potential hybrids in Southern Brazil.
- 1027 Primates 48:245–248.
- 1028 Aguiar, L. M., G. Ludwig, C. L. S. Hilst, L. S. Malanski, and F. C. Passos. 2005. Tentativa
- 1029 de infanticídio por um macho dominante de Alouatta caraya (Humboldt) (Primates,

- 1030 Atelidae) em um infante extra-grupo devido a influência do observador. Revista
- 1031 Brasileira de Zoologia 22:1201–1203.
- 1032 Aguiar, L. M., G. Ludwig, J. J. Roper, W. K. Svoboda, I. T. Navarro, and F. C. Passos.
- 1033 2011. Howler and Capuchin Monkey densities in riparian forests on islands and adjacent
- shores on the Upper Paraná river, southern Brazil. Neotropical Primates 18:39–43.
- 1035 Aguiar, L. M., G. Ludwig, W. K. Svoboda, C. L. S. Hilst, I. T. Navarro, and F. C. Passos.
- 1036 2007a. Occurrence, local extinction and conservation of Primates in the corridor of the
- 1037 Upper Parana River, with notes on other mammals. Revista Brasileira De Zoologia
- 1038 24:898–906.
- Aguiar, L. M., M. R. Pie, and F. C. Passos. 2008. Wild mixed groups of howler species
- 1040 (Alouatta caraya and Alouatta clamitans) and new evidence for their hybridization.
- 1041 Primates 49:149–152.
- 1042 Aguiar, L. M., N. R. Reis, G. Ludwig, and V. J. Rocha. 2003. Dieta, área de vida,
- 1043 vocalizações e estimativas populacionais de Alouatta guariba em um remanescente
- florestal no norte do estado do Paraná. Neotropical Primates 11:78–86.
- 1045 Aguiar, L. M., R. M. Cardoso, J. P. Back, E. C. Carneiro, A. Suzin, and E. B. Ottoni.
- 1046 2014. Tool use in urban populations of capuchin monkeys Sapajus spp. (Primates:
- 1047 Cebidae). Zoologia (Curitiba) 31:516–519.
- 1048 Aguirre, A. C. 1971. O Mono Brachyteles arachnoides (E. Geoffroy). Situação Atual da
- 1049 Espécie no Brasil. Academia Brasileira de Ciências:1–18.
- Albuquerque, M. N. D. 2016. Densidade e preferências de habitat de mamíferos em um
- fragmento de Mata Atlântica no Nordeste do Brasil. Universidade Federal do Sergipe.
- Albuquerque, N. M., S. M. Silvestre, T. S. Cardoso, J. M. Ruiz-Esparza, P. A. Rocha, R.
- Beltrão-Mendes, and S. F. Ferrari. 2014. Capture of a Common Marmoset (Callithrix
- 1054 jacchus) by a Capuchin Monkey (Sapajus SP.) in the Ibura National Forest, Sergipe
- 1055 (Brazil). Neotropical Primates 21:219–221.
- Alfaro, J. L. 2008. Scream-embrace displays in wild black-horned capuchin monkeys.
- 1057 American Journal of Primatology 70:551–559.
- Alfaro, J. W. L. 2005. Male mating strategies and reproductive constraints in a group of
- wild tufted capuchin monkeys (Cebus apella nigritus). American Journal of Primatology
- 1060 67:313–328.
- 1061 Alfaro, J. W. L. 2007. Subgrouping patterns in a group of wild Cebus apella nigritus.
- 1062 International Journal of Primatology 28:271–289.
- Alfaro, J. W. L., J. P. Boubli, L. E. Olson, A. Di Fiore, B. Wilson, G. A. Gutierrez-
- Espeleta, K. L. Chiou, M. Schulte, S. Neitzel, V. Ross, D. Schwochow, M. T. T. Nguyen,
- 1065 I. Farias, C. H. Janson, and M. E. Alfaro. 2012. Explosive Pleistocene range expansion
- leads to widespread Amazonian sympatry between robust and gracile capuchin monkeys.
- 1067 Journal of Biogeography 39:272–288.
- Alfaro, J. W. L., P. Izar, and R. G. Ferreira. 2014. Capuchin Monkey Research Priorities
- and Urgent Issues. American Journal of Primatology 76:705–720.

- 1070 Almeida, M. A. B., E. d. Santos, J. d. C. Cardoso, D. F. d. Fonseca, C. A Noll, V. R.
- 1071 Silveira, A. Y. Maeda, R. P. d. Souza, C. Kanamura, and R. A. Brasil. 2012. Yellow fever
- outbreak affecting Alouatta populations in southern Brazil (Rio Grande do Sul State),
- 1073 2008–2009. American Journal of Primatolology, 74: 68–76.
- Almeida, M. A. B., J. D. Cardoso, E. dos Santos, A. P. M. Romano, J. O. Chiang, L. C.
- 1075 Martins, P. F. C. Vasconcelos, and J. C. Bicca-Marques. 2016. Immunity to yellow fever,
- oropouche and saint louis viruses in a wild howler monkey. Neotropical Primates 23.
- 1077 Almeida, R. T., D. S. Pimentel, and E. M. S. Silva. 1995. The red-handed howling
- monkey in the state of Pernambuco, north-east Brazil. Neotropical Primates 3:174–176.
- 1079 Almeida-Silva, B., A. A. Cunha, J. P. Boubli, S. L. Mendes, and K. B. Strier. 2005a.
- 1080 Population density and vertical stratification of four primate species at the Estação
- Biológica de Caratinga/RPPN-FMA, Minas Gerais, Brazil. Neotropical Primates 13:25–
- 1082 29.
- Almeida-Silva, B., P. G. Guedes, J. P. Boubli, and K. B. Strier. 2005b. Deslocamento
- 1084 terrestre e o comportamento de beber em um grupo de Barbados (Alouatta guariba
- clamitans Cabrera, 1940) em Minas Gerais, Brasil. Neotropical Primates 13:1–3.
- Alves, L. C. P. S., and A. Andriolo. 2005. Camera traps used on the mastofaunal survey
- of Araras Biological Reserve, IEF-RJ. Revista Brasileira de Zoociências 7:231–246.
- Alves, M. C. 1990. The role of cacao plantations in the conservation of the Atlantic Forest
- of Southern Bahia, Brazil. University of Florida.
- 1090 Alves, S. L. 2005. Records of Primates at Itatiaia National Park, Brazil. Neotropical
- 1091 Primates 13:36–37.
- Alves, S. L., A. S. Zaú, and S. P. Silva. 2005. Ocorrência de primatas em Unidades de
- 1093 Conservação na região do Médio Vale do Rio Paraíba do Sul, Rio de Janeiro. Page VII
- 1094 Congresso de Ecologia do Brasil.
- Alves, S., and A. Zaú. 2007. Aspectos ecológicos de Alouatta guariba clamitans Cabrera,
- 1096 1940 na Área de Relevante Interesse Ecológico Floresta da Cicuta, Rio de Janeiro, Brasil.
- 1097 Page Neotropical Primates.
- Amaral, A. T. N., F. Prado, and C. B. Valladares-Padua. 2003. Estimativa do tamanho
- populacional de mico-leões-da-cara-preta (Leontopithecus caissara) na Ilha de Superagui,
- 1100 Guaraqueçataba, PR, Brasil. In: Simpósio Sobre Mico-leões. Livro de Resumos.
- 1101 Teresópolis, Rio de Janeiro, BR, p. 64
- Ambientalis Engenharia. 2012. Plano de manejo do Parque Estadual do Ibitiriá.
- Angonesi, P. S., B. Almeida-Silva, S. L. Mendes, and A. S. Pyrrho. 2009. Endoparasitos
- em Muriquis-Do-Norte, Brachyteles hypoxanthus, Isolados em Pequeno Fragmento de
- 1105 Mata Atlântica. Neotropical Primates 16:15–18.
- 1106 Antonietto, L. A., and F. D. C. Mendes. 1994. São Francisco Xavier: a new site for
- primatological research and conservation in the Brazilian Atlantic Forest. Neotropical
- 1108 Primates 2:3–4.

- 1109 APREMAVI. 2012. Plano de Manejo da RPPN Serra do Lucindo.
- APREMAVI/ICMBio. 2010. Plano de manejo Parque Nacional das Araucárias. ICMBio.
- 1111 Arauco Florestal Arapoti e Instituto Ecofuturo. 2014. Plano de Manejo da Reserva
- 1112 Particular do Patrimônio Natural Barra Mansa.
- 1113 Araújo, R. M. 2009. Ocorrência e densidade populacional de bugio (Alouatta guariba
- 1114 Lacépède, 1799) e macaco-prego (Cebus nigritus Erxleben, 1777) em fragmentos de mata
- atlântica no estado do Rio de Janeiro. Universidade Estadual do Norte Fluminense.
- Araújo, R. M. de, M. B. de Souza, and C. R. Ruiz-Miranda. 2008. Densidade e tamanho
- populacional de mamíferos cinegéticos em duas Unidades de Conservação do Estado do
- 1118 Rio de Janeiro, Brasil. Iheringia. Série Zoologia 98:391–396.
- Arnedo, L. F., F. D. C. Mendes, and K. B. Strier. 2010. Sex Differences in Vocal Patterns
- in the Northern Muriqui (Brachyteles hypoxanthus). American Journal of Primatology
- 1121 72:122–128.
- 1122 Associação dos Proprietários de RPPN do Estado do Ceará. 2011a. Plano de Manejo da
- 1123 Reserva Particular do Patrimônio Natural Serra da Pacavira.
- 1124 Associação dos Proprietários de RPPN do Estado do Ceará. 2011b. Plano de Manejo da
- 1125 Reserva Particular do Patrimônio Natural Sítio Palmeiras.
- 1126 Associação dos Proprietários de RPPN do Estado do Ceará. 2012. Plano de manejo RPPN
- 1127 Monte Alegre.
- 1128 Associação Patrimônio Natural do Rio de Janeiro. 2009. Plano de manejo da RPPN São
- 1129 Benedito.
- 1130 Associação Patrimônio Natural do Rio de Janeiro. 2012. Plano de Manejo RPPN Fazenda
- 1131 Suspiro, Teresópolis, Rio de Janeiro, Brasil.
- Assunção, M. L., S. L. Mendes, and K. B. Strier. 2007. Grandmaternal Infant Carrying in
- Wild Northern Muriquis (Brachyteles hypoxanthus). Neotropical Primates 14:120–122.
- Auricchio, P. 1997. A new locality for Brachyteles arachnoides and the urgency of finding
- new directions for muriqui conservation. Neotropical primates 5:78-80.
- Auricchio, P., and M. A. F. da Silva. 2000. Nova Ocorrência de Brachyteles arachnoides
- no Parque Estadual da Serra do Mar, São Paulo, Brasil. Neotropical Primates 8:30–31.
- 1138 Ávila-Pires, F. D. de. 1969. Taxonomia e zoogeografia do gênero "Callithrix" (Primates,
- 1139 Callitrichidae). Revista Brasileira de Biologia 29:49–64.
- 1140 Ávila-Pires, F. D., and É. Gouvêa. 1977. Mamíferos do Parque Nacional do Itatiaia.
- 1141 Boletim do Museu Nacional: Zoologia.
- 1142 Aximoff, I. A. 2015. Confirmação da ocorrência do muriqui-do-norte (Primates,
- 1143 Atelidae) no Parque Nacional do Itatiaia, Estado do Rio de Janeiro, sudeste do Brasil.
- 1144 Oecologia Australis 18.

- 1145 Aximoff, I., and S. M. Vaz, 2016. Bugio-ruivo (Primates, Atelidae) em campos de altitude
- e com anomalia na coloração no Parque Nacional do Itatiaia, sudeste do Brasil. Oecologia
- 1147 Australis 20:122-127.
- 1148 Aximoff, I., H. M. Soares, A. Pissinati, and C. Bueno. 2016. Registros de Callithrix aurita
- 1149 (Primates, Callitrichidae) e seus híbridos no parque nacional do Itatiaia. Oecologia
- 1150 Australis 20:520–525.
- Ayres, J. M. 1997. Abordagens inovadoras para conservação da biodiversidade do Brasil:
- os corredores ecológicos das florestas neotropicais do Brasil. Ministério do Meio
- 1153 Ambiente.
- 1154 Azevedo, R. B., and J. C. Bicca-Marques. 2007. Posturas de alimentação e tipos de
- locomoção utilizados por bugios-ruivos (Alouatta guariba clamitans Cabrera, 1940).
- Pages 375–385 in J. C. Bicca-Marques, editor. A Primatologia no Brasil 10. SBPr/PUC
- 1157 RS.
- Baiao, S. A. A., F. B. A. Correia, and S. F. Ferrari. 2015. Dietary differences have
- 1159 contrasting effects on the seed dispersal potential of the titi monkey Callicebus coimbrai
- in north-eastern Brazil. Journal of Tropical Ecology 31:175–181.
- Baldovino, M. C., and M. S. Di Bitetti. 2008. Allonursing in tufted capuchin monkeys
- (Cebus nigritus): Milk or pacifier? Folia Primatologica 79:79–92.
- Bales, K. L., J. A. French, C. M. Hostetler, and J. M. Dietz. 2005. Social and reproductive
- factors affecting cortisol levels in wild female golden lion tamarins (Leontopithecus
- rosalia). American Journal of Primatology 67:25–35.
- Bales, K. L., J. A. French, J. McWilliams, R. A. Lake, and J. M. Dietz. 2006. Effects of
- social status, age, and season on androgen and cortisol levels in wild male golden lion
- tamarins (Leontopithecus rosalia). Hormones and Behavior 49:88–95.
- Bales, K., J. A. French, and J. M. Dietz. 2002. Explaining variation in maternal care in a
- 1170 cooperatively breeding mammal. Animal Behaviour 63:453–461.
- Bales, K., M. O'Herron, A. J. Baker, and J. M. Dietz. 2001. Sources of variability in
- numbers of live births in wild golden lion tamarins (Leontopithecus rosalia). American
- Journal of Primatology 54:211–221.
- Barros, R. S. M. 2008. Levantamento e estimativas populacionais de mamíferos de médio
- e grande porte num fragmento de mata atlântica em área urbana no sudeste do Brasil.
- 1176 Universidade Federal de Juiz de Fora.
- Bastos, H. B., E. C. Goncalves, S. F. Ferrari, A. Silva, and M. P. C. Schneider. 2010.
- 1178 Genetic structure of red-handed howler monkey populations in the fragmented landscape
- of Eastern Brazilian Amazonia. Genetics and Molecular Biology 33:774–780.
- Bastos, M., A. Souto, G. Jones, P. Eason, C. Bione, N. Schiel, and B. Bezerra. 2015.
- Vocal repertoire of wild blonde capuchins (Sapajus flavius) and contextual use of calls.
- American Journal of Primatology 77:605–617.
- Batista, P. M., R. Andreotti, P. S. de Almeida, A. C. Marques, S. G. Rodrigues, J. O.
- 1184 Chiang, and P. F. D. Vasconcelos. 2013. Detection of arboviruses of public health interest

- in free-living New World primates (Sapajus spp.; Alouatta caraya) captured in Mato
- 1186 Grosso do Sul, Brazil. Revista Da Sociedade Brasileira De Medicina Tropical 46:684–
- 1187 690.
- Becker, L., and R. Mongelos. 2008. Plano de Manejo da Reserva Particular do Patrimônio
- 1189 Natural Rancho Mira-Serra.
- Bello, C., M. Galetti, D. Montan, M. A. Pizo, T. C. Mariguela, L. Culot, F. Bufalo, F.
- Labecca, F. Pedrosa, R. Constantini, C. Emer, W. R. Silva, F. R. da Silva, O. Ovaskainen,
- and P. Jordano. 2017. Atlantic frugivory: a plant-frugivore interaction data set for the
- 1193 Atlantic Forest. Ecology 98:1729-1729.
- Beltrao-Mendes, R., A. A. Cunha, and S. F. Ferrari. 2011. New localities and perspectives
- on the sympatry between two endangered primates (Callicebus coimbrai and Cebus
- 1196 xanthosternos) in northeastern Brazil. Mammalia 75:103–105.
- Bérnils, R. S., and H. C. Costa. 2015. Brazilian reptiles. in R. S. Bérnils and H. C. Costa,
- editors. List of species. Sociedade Brasileira de Herpetologia, São Paulo.
- Bezerra, B. M., M. Bastos, A. Souto, M. P. Keasey, P. Eason, N. Schiel, and G. Jones.
- 2014. Camera Trap Observations of Nonhabituated Critically Endangered Wild Blonde
- 1201 Capuchins, Sapajus flavius (Formerly Cebus flavius). International Journal of
- 1202 Primatology 35:895–907.
- Bianchi, R. D., and S. L. Mendes. 2007. Ocelot (Leopardus pardalis) predation on
- 1204 primates in Caratinga Biological Station, Southeast Brazil. American Journal of
- 1205 Primatology 69:1173–1178.
- 1206 Bianchi, R. D., S. L. Mendes, and P. De Marco. 2010. Food habits of the ocelot,
- 1207 Leopardus pardalis, in two areas in southeast Brazil. Studies on Neotropical Fauna and
- 1208 Environment 45:111–119.
- Bicca-Marques, J. C. 2003. How do howler monkeys cope with habitat fragmentation?
- Pages 283–303 in L. K. Marsh and C. A. Chapman, editors. Primates in fragments.
- 1211 Springer.
- 1212 Bicca-Marques, J. C., C. Calegaro-Marques, A. B. Rylands, K. B. Strier, R. A.
- 1213 Mittermeier, M. A. B. Almeida, P. H. G. Castro, O. M. Chaves, L. P. Ferraz, V. B. Fortes,
- 1214 Z. M. B. Hirano, L. Jerusalinsky, M. Kowalewski, W. P. Martins, F. R. Melo, S. L.
- Mendes, L. G. Neves, F. C. Passos, M. Port-Carvalho, S. Ribeiro, A. P. M. Romano, C.
- 1216 R. Ruiz-Miranda, E. O. Santos, J. C. Souza Jr., and D. Teixeira. 2017. Yellow fever
- threatens Atlantic Forest primates. Science Advances 3.
- Bicca-Marques, J. C., and D. S. Freitas. 2010. The role of monkeys, mosquitoes, and
- humans in the occurrence of a yellow fever outbreak in a fragmented landscape in south
- Brazil: protecting Howler monkeys is a matter of public health. Tropical Conservation
- 1221 Science 3:78-89.
- Bicca-Marques, J. C., H. M. Prates, F. R. C. de Aguiar, and C. B. Jones. 2008. Survey of
- Alouatta caraya, the black-and-gold howler monkey, and Alouatta guariba clamitans, the

- brown howler monkey, in a contact zone, State of Rio Grande do Sul, Brazil: evidence
- for hybridization. Primates 49:246–252.
- Bicca-Marques, J. C., I. R. R. I. Silveira, L. de Souza Martins, and R. M. Rabelo. 2014.
- 1227 Artificial nest predation by brown howler monkeys (Alouatta guariba clamitans).
- 1228 European Journal of Wildlife Research 60:109–112.
- 1229 Black Lion Tamarin Conservation Program. 2006. Black lion tamarin (Leontopithecus
- chrysopygus) as an umbrella species in biodiversity conservation in fragments of Interior
- 1231 Atlantic Forest in São Paulo. IPÊ Instituto de Pesquisas Ecológicas, Nazaré Paulista -
- 1232 SP.
- Bobadilla, U. L., and S. F. Ferrari. 2000. Habitat use by Chiropotes satanas utahicki and
- 1234 syntopic platyrrhines in eastern Amazonia. American Journal of Primatology 50:215–
- 1235 224
- Bogoni, J. A., and M. I. M. Hernandez. 2014. Attractiveness of Native Mammal's Feces
- of Different Trophic Guilds to Dung Beetles (Coleoptera: Scarabaeinae). Journal of Insect
- 1238 Science 14:7.
- Bogoni, J. A., T. C. Bogoni, M. E. Graipel, and J. R. Marinho. 2013. The Influence of
- 1240 Landscape and Microhabitat on the Diversity of Large-and Medium-Sized Mammals in
- 1241 Atlantic Forest Remnants in a Matrix of Agroecosystem and Silviculture. ISRN Forestry
- 1242 2013:1–13.
- Bonvicino, C. R. 1989. Ecologia e comportamento de Alouatta belzebul (Primates:
- 1244 Cebidae) na mata atlântica. Revista Nordestina de Biologia 6:149–179.
- Bonvicino, C. R., A. Langguth, and R. A. Mittermeier. 1989. A study of pelage color and
- 1246 geographic distribution in Alouatta belzebul (Primates: Cebidae). Revista Nordestina de
- 1247 Biologia 6:139–148.
- Boubli, J. P., C. Ribas, J. W. L. Alfaro, M. E. Alfaro, M. N. F. da Silva, G. M. Pinho, and
- 1249 I. P. Farias. 2015. Spatial and temporal patterns of diversification on the Amazon: A test
- of the riverine hypothesis for all diurnal primates of Rio Negro and Rio Branco in Brazil.
- Molecular Phylogenetics and Evolution 82:400–412.
- Boubli, J. P., F. R. Couto-Santos, and K. B. Strier. 2011. Structure and floristic
- 1253 composition of one of the last forest fragments containing the critically endangered
- Northern Muriqui (Brachyteles hypoxanthus, Primates). Ecotropica 17:53–69.
- Boubli, J. P., I. M. Mourthe, and K. B. Strier. 2004. Moving between patches: Foraging
- patterns in the northern muriquis, Brachyteles hypoxanthus, at the Estacao Biologica de
- 1257 Caratinga, MG, Brazil. Folia Primatologica 75:98.
- Bovendorp, R. S., N. Villar, E. F. de Abreu-Junior, C. Bello, A. L. Regolin, A. R.
- 1259 Percequillo, and M. Galetti. 2017. Atlantic small-mammal: a dataset of communities of
- rodents and marsupials of the Atlantic forests of South America. Ecology 98:2226-2226.
- Braga, C., L. C. L. Pinto, M. B. Mateus, and M. R. S. Pires. 2018. Ethnozoology as
- complementary method to inventory medium and large-bodied mammals: the case study
- of Serra do Ouro Branco (Minas Gerais, Brazil). Oecologia Australis in press.

- Brandão, L. D. 1999. Distribuição altitudinal e ambiente preferencial de Callithrix aurita
- 1265 Humboldt, 1812 (Callitrichidae, Primates) na Estação Ecológica de Bananal, Serra da
- 1266 Bocaina, São Paulo, Brasil. Universidade de São Paulo.
- Brandão, L. D., and P. F. Develey. 1998. Distribution and conservation of the buffy-
- 1268 tufted-ear marmoset, Callithrix aurita, in lowland coastal Atlantic forest, south-east
- 1269 Brazil. Neotropical Primates 6:86–88.
- Bravo, S. P. 2009. Implications of Behavior and Gut Passage for Seed Dispersal Quality:
- 1271 The Case of Black and Gold Howler Monkeys. Biotropica 41:751–758.
- Bravo, S. P. 2012. The impact of seed dispersal by black and gold howler monkeys on
- forest regeneration. Ecological Research 27:311–321.
- Bravo, S. P., and G. E. Zunino. 2000. Germination of seeds from three species dispersed
- by black howler monkeys (Alouatta caraya). Folia Primatologica 71:342–345.
- Braz, A. G., D. T. C. Rosa, M. M. Vale, and L. P. Costa. 2016. New southernmost records
- of Callithrix Geoffroyi (Primates, Callitrichidae) expand the species known range, in
- 1278 Southeastern Brazil. Oecologia Australis 20:128–133.
- Breves, P., A. S. A. Dias, A. Pissinatti, and J. P. Boubli. 2013. Uso do Chão por
- Brachyteles arachnoides no Parque Nacional Serra dos Órgãos, Teresópolis, Brasil.
- 1281 Neotropical Primates 20:52–54.
- Brocardo, C. R., and J. F. Cândido Júnior. 2012. Persistência de mamíferos de médio e
- 1283 grande porte em fragmentos de floresta ombrófila mista no estado do Paraná, Brasil.
- 1284 Revista Árvore 36:301–310.
- Brocardo, C. R., H. S. Gonçalves, V. B. Zipparro, and M. Galetti. 2010. Predation of adult
- palms by black-capuchin monkeys (Cebus nigritus) in the Brazilian Atlantic Forest.
- 1287 Neotropical Primates 17:70–74.
- Brocardo, C. R., R. Rodarte, R. da S. Bueno, L. Culot, and M. Galetti. 2012. Non-volant
- 1289 mammals of Carlos Botelho State Park, Paranapiacaba Forest Continuum. Biota
- 1290 Neotropica 12:198–208.
- Brown, A. D., and G. E. Zunino. 1990. Dietary variability in Cebus apella in extreme
- habitats: evidence for adaptability. Folia primatologica 54:187–195.
- Bruna, E. M., J. F. Guimarães, C. T. Lopes, P. Duarte, A. C. L. Gomes, S. C. S. Belentani,
- 1294 R. Pacheco, K. G. Facure, F. G. Lemos, and H. L. Vasconcelos. 2010. Mammalia, Estacao
- 1295 Ecologica do Panga, a Cerrado protected area in Minas Gerais state, Brazil. Check List
- 1296 6:668–675.
- Bruno, G., C. Milozzi, and M. D. Mudry. 2012. Alouatta caraya: Nuevo Sitio De Estudio
- 1298 En Argentina. Neotropical Primates 19:44–45.
- Buckland, S. T., A. J. Plumptre, L. Thomas, and E. A. Rexstad. 2010. Design and
- analysis of line transect surveys for primates. International Journal of Primatology
- 1301 **31**:833-847.

- Bueno, M. G., J. L. Catão-Dias, P. O. Laroque, S. A. Vasconcellos, J. S. F. Neto, S. M.
- Gennari, F. Ferreira, M. D. Laurenti, E. S. Umezawa, N. Kesper, K. Kirchgatter, L. O.
- Guimarães, H. J. Pavanato, and M. M. Valença-Montenegro. 2017. Infectious Diseases
- in Free-Ranging Blonde Capuchins, Sapajus flavius, in Brazil. International Journal of
- 1306 Primatology 38: 1017–1031.
- Bueno, R. S., R. Guevara, M. C. Ribeiro, L. Culot, F. S. Bufalo, and M. Galetti. 2013.
- 1308 Functional Redundancy and Complementarities of Seed Dispersal by the Last Neotropical
- 1309 Megafrugivores. Plos One 8.
- Bueno, C., C. O. M. Sousa, and S. R. Freitas. 2015. Habitat or matrix: which is more
- relevant to predict road-kill of vertebrates? Brazilian Journal of Biology 75:228-238.
- Bufalo, F. S., M. Galetti, and L. Culot. 2016. Seed Dispersal by Primates and Implications
- for the Conservation of a Biodiversity Hotspot, the Atlantic Forest of South America.
- 1314 International Journal of Primatology 37:333-349.
- Büntge, A. B. S., and L. W. Pyritz. 2007. Sympatric Occurrence of Alouatta caraya and
- 1316 Alouatta sara at the Río Yacuma in the Beni Department, Northern Bolivia. Neotropical
- 1317 Primates 14:82–83.
- Burgoa, N., and L. F. Pacheco. 2008. Densidad de población y uso de hábitat de Cebus
- 1319 libidinosus (primates, cebidae) en un bosque yungueño de Bolivia. Mastozoología
- 1320 Neotropical 15:273–283.
- Burity, C. H. F., L. D. Cruz, V. L. Rocha, N. B. Conceição, D. E. Luz, D. S. Santos, D.
- 1322 C. Campos, and A. Pissinatti. 2007. Golden Lion Tamarins, Leontopithecus rosalia
- 1323 (Linnaeus, 1766) in the Taquara Municipal Natural Park (Duque deCaxias, RJ): A
- Southern Extension of the Known Range. Neotropical Primates 14:30–31.
- Buss, G. 2012. Conservação do bugio-ruivo (Alouatta guariba clamitans) (Primates,
- 1326 Atelidae) no entorno do Parque Estadual de Itapuã, Viamão, RS. Universidade Federal
- do Rio Grande do Sul.
- Buss, G., and H. P. Romanowski. 2002. Estudo preliminar do monitoramento do bugio
- 1329 ruivo, Alouatta guariba clamitans, através de contagem de bolos fecais no Parque
- Estadual de Itapuã, Rio Grande do Sul, Brasil. Neotropical Primates 10:76–79.
- Cabrera, A. 1958. Catálogo de los mamíferos de América del Sur. Revista del Museo
- 1332 Argentino de Ciencias Naturales "Bernardino Rivadavia" 4:1–307.
- 1333 Cáceres, N. C. 2004. Occurrence of Conepatus chinga (Molina) (Mammalia, Carnivora,
- Mustelidae) and other terrestrial mammals in the Serra do Mar, Paraná, Brazil. Revista
- 1335 Brasileira de Zoologia 21:577–579.
- Caceres, N., C. Meloro, F. Carotenuto, F. Passaro, J. Sponchiado, G. L. Melo, and P. Raia.
- 1337 2014. Ecogeographical variation in skull shape of capuchin monkeys. Journal of
- 1338 Biogeography 41:501–512.
- 1339 Caiaffa, N. A. 2014. Plano de Manejo da Reserva particular do Patrimônio Natural RPPN
- 1340 Guarirú, Varzedo Bahia.

- 1341 Caldano, L., C. Monticelli, and P. Galetti. 2016. Demography of the black lion tamarin
- 1342 (Leontopithecus chrysopygus, Mikan) in Capão Bonito national forest (state of São
- 1343 Paulo). Neotropical Primates 23:40.
- 1344 Câmara, E. M. V. C., and L. C. Oliveira. 2012. Mammals of Serra do Cipó National Park,
- southeastern Brazil. Check List 8:355–359.
- 1346 Câmara, I. de G. 1995. Muriquis in the Itatiaia National Park, Brazil. Neotropical Primates
- 1347 3:19.
- 1348 Camaratta, D., Ó. M. Chaves, and J. C. Bicca-Marques. 2017. Fruit availability drives the
- distribution of a folivorous-frugivorous primate within a large forest remnant. American
- 1350 Journal of Primatology 79: e22626.
- 1351 Camargo, C. C., and S. F. Ferrari. 2007. Observations of daytime births in two groups of
- red-handed howlers (Alouatta belzebul) on an island in the tucurui reservoir in eastern
- Brazilian Amazonia. American Journal of Primatology 69:1075–1079.
- 1354 Camarotti, F. L. M., V. L. da Silva, and M. A. B. de Oliveira. 2015. The effects of
- introducing the Amazonian squirrel monkey on the behavior of the northeast marmoset.
- 1356 Acta Amazonica 45:29–34.
- 1357 Canale, G. R., C. E. Guidorizzi, M. C. M. Kierulff, and C. Gatto. 2009. First Record of
- 1358 Tool Use by Wild Populations of the Yellow-Breasted Capuchin Monkey (Cebus
- 1359 xanthosternos) and New Records for the Bearded Capuchin (Cebus libidinosus).
- 1360 American Journal of Primatology 71:366–372.
- Canale, G. R., C. A. Peres, C. E. Guidorizzi, C. A. F. Gatto, and C. M. Kierulff. 2012.
- Pervasive defaunation of forest remnants in a tropical biodiversity hotspot. PlosOne
- 1363 7:e41671
- 1364 Cardoso, N. A., Y. Le Pendu, M. J. Lapenta, and B. E. Raboy. 2011. Frugivory patterns
- and seed dispersal by golden-headed lion tamarins (Leontopithecus chrysomelas) in Una
- 1366 Biological Reserve, Bahia, Brazil. Mammalia 75:327–337.
- 1367 Carvalho, O. C. J. 2003. Primates in a forest fragment in eastern Amazonia. Neotropical
- 1368 Primates 11:100–103.
- 1369 Carvalho, V. M., R. E. T. Vanstreels, C. D. Paula, C. K. M. Kolesnikovas, M. C. C.
- Ramos, S. D. Coutinho, C. S. Martins, A. Pissinatti, and J. L. Catao-Dias. 2014a. Nasal,
- oral and rectal microbiota of Black lion tamarins (Leontopithecus chrysopygus). Brazilian
- 1372 Journal of Microbiology 45:1531–1539.
- 1373 Carvalho, W. D., A. R. Pedrozo, T. Biavatti, L. M. Costa, and C. E. L. Esbérard. 2014b.
- 1374 Predação ou necrofagia de Alouatta guariba clamitans por Leopardus pardalis?
- 1375 Neotropical Primates 21:212–214.
- 1376 Carvalho, W. D., B. S. Xavier, and C. E. L. Esbérard. 2015. Primatas do Parque Estadual
- da Serra do Papagaio e RPPNs adjacentes, estado de Minas Gerais. Neotropical Primates
- 1378 22:25–31.
- 1379 Cäsar, C., and R. J. Young. 2008. A case of adoption in a wild group of black-fronted titi
- monkeys (Callicebus nigrifrons). Primates 49:146–148.

- 1381 Casar, C., E. S. Franco, G. D. N. Soares, and R. J. Young. 2008. Observed case of
- maternal infanticide in a wild group of black-fronted titi monkeys (Callicebus nigrifrons).
- 1383 Primates 49:143–145.
- 1384 Casar, C., K. Zuberbuhler, R. J. Young, and R. W. Byrne. 2013. Titi monkey call
- sequences vary with predator location and type. Biology Letters 9.
- 1386 Casar, C., R. Byrne, R. J. Young, and K. Zuberbuhler. 2012b. The alarm call system of
- 1387 wild black-fronted titi monkeys, Callicebus nigrifrons. Behavioral Ecology and
- 1388 Sociobiology 66:653–667.
- Casar, C., R. W. Byrne, W. Hoppitt, R. J. Young, and K. Zuberbuhler. 2012a. Evidence
- for semantic communication in titi monkey alarm calls. Animal Behaviour 84:405–411.
- Caselli, C. B., and E. Z. F. Setz. 2011. Feeding ecology and activity pattern of black-
- fronted titi monkeys (Callicebus nigrifrons) in a semideciduous tropical forest of southern
- 1393 Brazil. Primates 52:351.
- Caselli, C. B., D. J. Mennill, C. C. Gestich, E. Z. F. Setz, and J. C. Bicca-Marques. 2015.
- 1395 Playback responses of socially monogamous black-fronted titi monkeys to simulated
- solitary and paired intruders. American Journal of Primatology 77:1135–1142.
- 1397 Caselli, C. B., D. J. Mennill, J. C. Bicca-Marques, and E. Z. F. Setz. 2014. Vocal behavior
- of black-fronted titi monkeys (Callicebus nigrifrons): Acoustic properties and behavioral
- 1399 contexts of loud calls. American Journal of Primatology 76:788–800.
- 1400 Castro, C. 2000. Ecology and behavior of the common marmoset, Callithrix jacchus.
- 1401 Neotropical Primates 8:50–51.
- Castro, C. S. S. de. 2003. Tamanho da área de vida e padrão de uso do espaço em grupos
- de sagüis, Callithrix jacchus (Linnaeus) (Primates, Callitrichidae). Revista Brasileira de
- 1404 Zoologia 20:91–96.
- 1405 Catenacci, L. S., K. M. De Vleeschouwer, and S. L. G. Nogueira. 2009. Seed Dispersal
- 1406 by Golden-headed Lion Tamarins Leontopithecus chrysomelas in Southern Bahian
- 1407 Atlantic Forest, Brazil. Biotropica 41:744–750.
- 1408 Cavalcante, T., A. De Souza Jesus, and K. B. Strier. 2016. Unusual intergroup movement
- of young males in a male philopatric society. Neotropical Primates 23.
- 1410 Cerqueira, R., G. Marroig, and L. Finder. 1998. Marmosets and lion-tamarins distribution
- 1411 (Callitrichidae, Primates) in Rio de Janeiro state, south-eastern Brazil. Mammalia
- 1412 62:213–226.
- 1413 Chagas, R. R. D. 2009. Levantamento das populações de Callicebus coimbrai Kobayashi
- Langguth 1999 em fragmentos de Mata Atlântica no sul do estado de Sergipe, Brasil.
- 1415 Universidade Federal do Sergipe.
- 1416 Chagas, R. R. D., and S. F. Ferrari. 2010. Habitat use by Callicebus coimbrai (Primates:
- 1417 Pitheciidae) and sympatric species in the fragmented landscape of the Atlantic forest of
- 1418 southern Sergipe, Brazil. Zoologia 27:853–860.

- 1419 Chagas, R. R. D., and S. F. Ferrari. 2011. Population parameters of the endangered titi
- 1420 monkey, Callicebus coimbrai Kobayashi and Langguth, 1999, in the fragmented
- landscape of southern Sergipe, Brazil. Brazilian Journal of Biology 71:569–575.
- 1422 Chapman, C. A., T. Bonnell, J. Gogarten, J. Lambert, P. Omeja, D. Twinomugisha, M.
- 1423 Wasserman, and J. Rothman. 2013. Are Primates Ecosystem Engineers? International
- 1424 Journal of Primatology 34:1-14.
- 1425 Chapman, C. A., and S. E. Russo. 2006. Primate seed dispersal: linking behavioral
- ecology with forest community structure. Pages 510-525 in C. J. Campbell, A. Fuentes,
- 1427 K. C. MacKinnon, M. Panger, and K. Bearder, editors. Primates in perspective. Oxford
- 1428 University Press, Oxford, UK.
- 1429 Chaves, O. M., and J. C. Bicca-Marques. 2013. Dietary Flexibility of the Brown Howler
- 1430 Monkey Throughout Its Geographic Distribution. American Journal of Primatology
- 1431 75:16–29.
- 1432 Chaves, Ó. M., and J. C. Bicca-Marques. 2016. Feeding Strategies of Brown Howler
- Monkeys in Response to Variations in Food Availability. PLOS ONE 11: e0145819.
- 1434 Chaves, Ó. M., J.-C. Bicca-Marques, and C. A. Chapman. In press. Quantity and quality
- of seed dispersal by a large arboreal frugivore in small and large Atlantic forest fragments.
- 1436 PLoS ONE.
- 1437 Chaves, P. B., M. F. Paes, S. L. Mendes, K. B. Strier, I. D. Louro, and V. Fagundes. 2006.
- Noninvasive genetic sampling of endangered muriqui (Primates, Atelidae): Efficiency of
- 1439 fecal DNA extraction. Genetics and Molecular Biology 29:750–754.
- 1440 Cherem, J. J. 2005. Registros de mamíferos não voadores em estudos de avaliação
- ambiental no sul do Brasil. Biotemas 18:169–202.
- 1442 Cherem, J. J., and D. M. Perez. 1996. Mamíferos terrestres de floresta de araucária no
- município de Três Barras, Santa Catarina, Brasil. Biotemas 9:29–46.
- 1444 Cherem, J. J., and V. Salmoria. 2012. Fisiografia, Flora e Fauna do Rio Irani. ETS:
- 1445 Energia, Transporte e Saneamento, Florianópolis.
- 1446 Cherem, J. J., M. E. Graipel, M. A. Tortato, S. L. Althoff, F. Brüggemann, J. Z. Matos, J.
- 1447 C. Voltolini, R. R. de Freitas, R. Illenseer, and F. Hoffmann. 2011. Mastofauna terrestre
- do Parque Estadual da Serra do Tabuleiro, estado de Santa Catarina, sul do Brasil.
- 1449 Biotemas 24:73–84.
- 1450 Cherem, J. J., M. Kammers, I. R. Ghizoni-Jr, and A. Martins. 2007. Mamíferos de médio
- e grande porte atropelados em rodovias do Estado de Santa Catarina, sul do Brasil.
- 1452 Biotemas 20:81–96.
- 1453 Cherem, J. J., P. C. Simões-Lopes, S. Althoff, and M. E. Graipel. 2004. Lista dos
- mamíferos do estado de Santa Catarina, sul do Brasil. Mastozoología neotropical 11:151–
- 1455 184.

- 1456 Chiarello, A. G. 1993a. Home range of the brown howler monkey, Alouatta fusca, in a
- 1457 forest fragment of southeastern Brazil. Folia Primatologica 60:173–175.
- 1458 Chiarello, A. G. 1993b. Activity pattern of the brown howler monkeyAlouatta fusca,
- Geoffroy 1812, in a forest fragment of southeastern Brazil. Primates 34:289–293.
- 1460 Chiarello, A. G. 1999. Effects of fragmentation of the Atlantic forest on mammal
- 1461 communities in south-eastern Brazil. Biological Conservation 89:71–82.
- 1462 Chiarello, A. G. 2000. Conservation value of a native forest fragment in a region of
- extensive agriculture. Revista Brasileira de Biologia 60:237–247.
- 1464 Chiarello, A. G. 2000. Density and Population Size of Mammals in Remnants of Brazilian
- 1465 Atlantic Forest. Conservation Biology 14:1649-1657.
- 1466 Chiarello, A. G. 2003. Primates of the Brazilian Atlantic forest: the influence of forest
- fragmentation on survival. Pages 99–121 in L. K. Marsh and C. A. Chapman, editors.
- 1468 Primates in fragments. Springer.
- 1469 Chiarello, A. G. 2008. Density and Population Size of Mammals in Remnants of Brazilian
- 1470 Atlantic Forest. Conservation Biology 14:1649–1657.
- 1471 Chiarello, A. G., and F. R. de Melo. 2001. Primate population densities and sizes in
- 1472 Atlantic forest remnants of northern Espirito Santo, Brazil. International Journal of
- 1473 Primatology 22:379–396.
- 1474 Cimardi, A. V, and E. P. Brettas. 1996. Mamíferos de Santa Catarina. Fatma.
- 1475 Ciocheti, G., J. C. Assis, J. W. Ribeiro, and M. C. Ribeiro. 2017. Highway widening
- and underpass effects on vertebrate road mortality. Biotropica 49:765-769.
- 1477 Codenotti, T. L., V. M. Silva, V. J. Albuquerque, E. V Camargo, and R. M. M. Silveira.
- 1478 2002. Distribuição e situação atual de conservação de Alouatta caraya (Humboldt, 1812)
- no Rio Grande do Sul, Brasil. Neotropical Primates 10:132–141.
- 1480 Coimbra-Filho, A. F. 1969. Mico-leão, Leontideus rosalia (Linnaeus, 1766), situação
- 1481 atual da espécie no Brasil (Callitrichidae-Primates). Anais da Academia Brasileira de
- 1482 Ciência 41:29–52.
- 1483 Coimbra-Filho, A. F. 1970. Considerações gerais e situação atual dos micos-leões
- escuros, Leontideus chrysomelas (Kuhl, 1820) e Leontideus chrysopygus (Mikan, 1823)
- 1485 (Callitrichidae, Primates). Revista Brasileira de Biologia 30:249–268.
- 1486 Coimbra-Filho, A. F. 1976. Leontopithecus rosalia chrysopygus (Mikan, 1823), o mico-
- leão do Estado de São Paulo (Callitrichidae-Primates). Silvicultura 10:1–36.
- 1488 Coimbra-Filho, A. F. 1995. On the geographic distribution of the red-handed howling
- monkey, Alouatta belzebul, in north-east Brazil. Neotropical Primates 3:176–179.
- 1490 Coimbra-Filho, A. F., A. B. Rylands, A. Pissinatti, and I. B. Santos. 1992. The distribution
- and conservation of the buff-headed capuchin monkey, Cebus xanthosternos, in the
- 1492 Atlantic forest region of eastern Brazil. Primate Conservation 12:24–30.

- 1493 Coimbra-Filho, A. F., R. Rocha e Silva, and A. Pissinatti. 1983. Sobre a dieta de
- 1494 Callithrichidae em cativeiro. Revista Bioterios:83–93.
- 1495 Coles, R. C., P. C. Lee, and M. Talebi. 2012. Fission-Fusion Dynamics in Southern
- 1496 Muriquis (Brachyteles arachnoides) in Continuous Brazilian Atlantic Forest.
- 1497 International Journal of Primatology 33:93–114.
- 1498 Conservação Internacional Brasil. 2007. Plano de manejo RPPN Estação Veracel.
- 1499 Corrêa, H. K. M. 1995. Ecologia e Comportamento Alimentar de um Grupo de Saguis-
- da-Serra-Escuros (Callithrix aurita E. Geoffroy 1812) no Parque Estadual da Serra do
- 1501 Mar, Núcleo Cunha, São Paulo. Universidade Federal de Minas Gerais.
- 1502 Correa, H. K. M., P. E. G. Coutinho, and S. F. Ferrari. 2000. Between-year differences in
- 1503 the feeding ecology of highland marmosets (Callithrix aurita and Callithrix flaviceps) in
- southeastern Brazil. Journal of Zoology 252:421–427.
- 1505 Correia, F. B. A., S. A. A. Baião, and S. F. Ferrari. 2013. Agonistic Competition for Fruit
- 1506 Among Members of a Titi Monkey (Callicebus coimbrai) Group During a Severe
- 1507 Drought. Neotropical Primates 20:57–58.
- 1508 Corsini, C. F., and A. C. A. Moura, 2014. Census of the Blond Titi Monkey Callicebus
- 1509 barbarabrownae (Pitheciidae) in the Semi-Deciduous Atlantic Forest of Chapada
- 1510 Diamantina, Brazil. Neotropical Primates 21:177-182.
- 1511 Cosenza, B. A. P. 1993. Primatas do município de Carangola. Boletim do Museu
- 1512 Municipal, Carangola, Minas Gerais, série Zoologia 1:1–17.
- 1513 Cosenza, B. A. P., and F. R. de Melo. 1998. Primates of the Serra do Brigadeiro State
- 1514 Park, Minas Gerais, Brazil. Neotropical Primates 6:18–20.
- 1515 Cosenza, B. A. P., and F. R. Melo. 1997. Inventário faunístico na Parque Estadual da
- 1516 Serra do Brigadeiro, Minas Gerais. Inventário de primatas: relatório parcial de atividades.
- 1517 Costa, M. D., F. A. B. Fernandes, R. R. Hilário, A. V. Gonçalves, and J. M. de Souza.
- 1518 2012. Densidade, tamanho populacional e conservação de primatas em fragmento de
- 1519 Mata Atlântica no sul do Estado de Minas Gerais, Brasil. Iheringia. Série Zoologia 102:5–
- 1520 10.
- 1521 Coutinho, P. E. G., and K. M. Corrêa. 1995. Polygyny in a free-ranging group of buffy-
- tufted-ear marmosets, Callithrix aurita. Folia primatologica 65:25–29.
- 1523 Couto, R. G. 2001. Atlas das unidades de conservação da natureza do estado do Rio de
- 1524 Janeiro. Metalivros, São Paulo.
- 1525 Crespo, J. A. 1954. Presence of the reddish howling monkey (Alouatta guariba clamitans
- 1526 Cabrera) in Argentina. Journal of Mammalogy 35:117–118.
- 1527 Crespo, J. A. 1974. Comentarios sobre nuevas localidades de mamíferos de Argentina y
- de Bolivia. Revista de Museo Argentino de Ciencias Naturales Bernardino Rivadavia
- 1529 11:1–31.

- 1530 Cruz, A. C. M. S., J. T. Borda, E. M. Patiño, L. Gómez, and G. E. Zunino. 2000. Habitat
- 1531 fragmentation and parasitism in howler monkeys (Alouatta caraya). Neotropical Primates
- 1532 8:146–148.
- 1533 Cullen Jr., L. 1997. Hunting and Biodiversity in Atlantic Forest Fragments, Sao Paulo,
- 1534 Brazil. University of Florida.
- 1535 Cullen, L., R. E. Bodmer, and C. Valladares Pádua. 2000. Effects of hunting in habitat
- fragments of the Atlantic forests, Brazil. Biological Conservation 95:49–56.
- 1537 Culot, L., E. Bovy, F. Z. Vaz-de-Mello, R. Guevara, and M. Galetti. 2013. Selective
- defaunation affects dung beetle communities in continuous Atlantic rainforest. Biological
- 1539 Conservation 163:79–89.
- 1540 Culot, L., J. Griese, C. Knogge, M. Tonini, M. M. dos Santos, C. G. Estevam, B. P. Lopes,
- B. M. da Cunha, A. B. Silva, and B. H. S. do Prado. 2015. New records, reconfirmed sites
- and proposals for the conservation of black lion tamarin (Leontopithecus chrysopygus) in
- the middle and upper Paranapanema. Neotropical Primates 22:32–39.
- 1544 Cunha, A. A. 2003. Primates in the Serra dos Órgãos National Park: new records.
- 1545 Neotropical Primates 11:49–51.
- 1546 Cunha, A. A. 2004. Additional records of primates in the Serra dos Órgãos National Park.
- 1547 Neotropical Primates 12:30–31.
- 1548 Cunha, A. A. 2004. Conservação de mamíferos na Serra dos Órgãos: passado, presente e
- 1549 futuro. In IV Congresso Brasileiro de Unidades de Conservação. Anais. Unidades de
- 1550 Conservação. FBPN e Rede PróUC. 213-224
- 1551 Cunha, A. A., C. E. Viveiros Grelle, and J. P. Boubli. 2009. Distribution, population size
- and conservation of the endemic muriquis (brachyteles spp.) of the arazilian Atlantic
- 1553 forest. ORYX 43:254–257.
- 1554 Cunha, A. A., M. V Vieira, and C. E. V Grelle. 2006. Preliminary observations on habitat,
- support use and diet in two non-native primates in an urban Atlantic forest fragment: The
- capuchin monkey (Cebus sp.) and the common marmoset (Callithrix jacchus) in the
- 1557 Tijuca forest, Rio de Janeiro. Urban Ecosystems 9:351–359.
- 1558 D. M. P. e Associados. 2012. Plano de Manejo RPPN Céu do Mar.
- da Cunha Vieira, C. O. 1955. Lista remissiva dos mamíferos do Brasil. Departmento de
- 1560 Zoologia da Secretaria da Agricultura.
- da Cunha, R. G. T., and R. W. Byrne. 2006. Roars of black howler monkeys (Alouatta
- caraya): evidence for a function in inter-group spacing. Behaviour 143:1169–1199.
- da Cunha, R. G. T., and R. W. Byrne. 2013. Age-Related Differences in the Use of the
- 1564 "Moo" Call in Black Howlers (Alouatta caraya). International Journal of Primatology
- 1565 34:1105–1121.
- 1566 da Fonseca, G. A. B. 1985. The vanishing Brazilian Atlantic forest. Biological
- 1567 Conservation 34:17–34.

- da Silva, L. G., M. C. Ribeiro, É. Hasui, C. A. da Costa, and R. G. T. da Cunha. 2015.
- 1569 Patch Size, Functional Isolation, Visibility and Matrix Permeability Influences
- 1570 Neotropical Primate Occurrence within Highly Fragmented Landscapes. Plos ONE
- 1571 10:e0114025.
- da Silva, M. A., E. R. Steinberg, G. A. Paskulin, F. dos S. Teixeira, A. de S. Jesus, M. D.
- 1573 Mudry, and J. C. Bicca-Marques. 2016. Two cases of polydactyly in wild brown howler
- monkeys (Alouatta guariba clamitans). Journal of Medical Primatology 45:47–51.
- da Silva, R. C., G. P. Machado, T. M. D. Cruvinel, C. A. Cruvinel, and H. Langoni. 2013.
- 1576 Frequency of Toxoplasma gondii antibodies in tufted capuchin monkeys (Cebus apella
- nigritus) from an ecological station in the State of Sao Paulo, Brazil. Pesquisa Veterinaria
- 1578 Brasileira 33:251–253.
- da Silva, R. C., G. P. Machado, T. M. D. Cruvinel, C. A. Cruvinel, and H. Langoni. 2014.
- 1580 Detection of antibodies to Toxoplasma gondii in wild animals in Brazil. Journal of
- 1581 Venomous Animals and Toxins Including Tropical Diseases 20.
- da Silva, W. M., F. R. de Melo, L. S. Moreira, E. F. Barbosa, and J. A. A. Meira-Neto.
- 1583 2010. Structure of Brazilian Atlantic forests with occurrence of the woolly spider monkey
- 1584 (Brachyteles hypoxanthus). Ecological Research 25:25–32.
- da Silva, W. M., J. A. A. Meira-Neto, F. M. D. Carmo, F. R. de Melo, L. S. Moreira, E.
- 1586 F. Barbosa, L. G. Dias, and C. A. D. Peres. 2009. Habitat Quality of the Woolly Spider
- 1587 Monkey (Brachyteles hypoxanthus). Folia Primatologica 80:295–308.
- Dallacorte, F. 2009. Plano de Manejo da RPPN Rio das Lontras São Pedro de Alcântara
- 1589 e Águas Mornas, Santa Catarina.
- 1590 Dallacorte, F. 2011. Plano de Manejo RPPN Caetezal.
- de Almeida, A. S., and J. C. V Silva. 2015. Predação de ninhos artificiais em dois
- 1592 fragmentos urbanos de Mata Atlântica no Sudeste do Brasil. Revista Biociências 21:19–
- 1593 37.
- de Assumpção, C. T. 1983. An ecological study of the primates of Southeastern Brazil
- with a reappraisal of Cebus apella races. University of Edinburgh.
- de Carvalho, I. D., R. de Oliveira, A. dos Santos Pires, I. D. de Carvalho, R. de Oliveira,
- and A. dos Santos Pires. 2014. Medium and large-sized mammals of the Reserva
- 1598 Ecológica de Guapiaçú, Cachoeiras de Macacu, RJ. Biota Neotropica 14.
- de Carvalho, S., S. F. Ferrari, and K. B. Strier. 2004. Diet of a muriqui group (Brachyteles
- arachnoides) in continuous primary forest. Primates 45:201–204.
- de Carvalho, W. D., M. S. de Macedo Godoy, C. H. Adania, and C. E. L. Esbérard. 2013.
- Assembleia de mamíferos não voadores da reserva biológica serra do Japi, Jundiaí, São
- Paulo, sudeste do Brasil. Bioscience Journal 29.
- de Figueiredo, R. A., and C. A. Longatti. 1997. Ecological aspects of the dispersal of a
- 1605 melastomataceae by marmosets and howler monkeys (Primates: Platyrrhini) in a

- semideciduous forest of Southeastern Brazil. Revue d ecologie La Terre et La Vie 52:3–
- 1607 8
- de Marques, A. A. B., and C. Ades. 2000. Male care in a group of wild Alouatta fusca
- 1609 clamitans in Southern Brazil. Folia Primatologica 71:409–412.
- De Moraes, B. L. C., A. D. Souto, and N. Schiel. 2014. Adaptability in Stone Tool Use
- by Wild Capuchin Monkeys (Sapajus libidinosus). American Journal of Primatology
- 1612 76:967–977.
- de Oliveira, C. R., C. R. Ruiz-Miranda, D. G. Kleiman, and B. B. Beck. 2003. Play
- behavior in juvenile golden lion tamarins (Callitrichidae: Primates): Organization in
- relation to costs. Ethology 109:593–612.
- de Oliveira, V. B., A. M. Linares, G. L. C. Correa, and A. G. Chiarello. 2008. Predation
- on the black capuchin monkey Cebus nigritus (Primates: Cebidae) by domestic dogs
- 1618 Canis lupus familiaris (Carnivora: Canidae), in the Parque Estadual Serra do Brigadeiro,
- 1619 Minas Gerais, Brazil. Revista Brasileira De Zoologia 25:376–378.
- de Souza Fialho, M., and G. Fernandes Gonçalves. 2008. Primates Da Rppn Gargaú,
- 1621 Paraíba, Brasil. Neotropical Primates 15:50–54.
- de Souza Fialho, M., R. C. Printes, M. A. B. de Almeida, P. de Oliveira Laroque, E. dos
- Santos, and L. Jerusalinsky. 2012. Avaliação do impacto da epizootia de Febre Amarela
- sobre as populações de primatas não humanos nas unidades de conservação do Rio
- 1625 Grande do Sul, Brasil. Biotemas 25:217–225.
- de Souza Mendes, C. L., B. de O. dos Santos, W. P. de Laia, and L. A. de Souza. 2015.
- Diversidade de mamíferos de médio e grande porte da reserva particular do patrimônio
- 1628 natural da Mata do Sossego e seu entorno, Minas Gerais. Revista Brasileira de
- 1629 Zoociências 16:27–41.
- de Souza, L. L., S. F. Ferrari, M. L. da Costa, and D. C. Kern. 2002. Geophagy as a
- 1631 correlate of folivory in red-handed howler monkeys (Alouatta belzebul) from eastern
- Brazilian Amazonia. Journal of Chemical Ecology 28:1613–1621.
- de Vivo, M. 1988. Sistemática de Callithrix Erxleben, 1777. Universidade de São Paulo.
- de Vivo, M. 1991. Taxonomia de Callithrix Erxleben, 1777 (Callitrichidae, Primates).
- 1635 Fundação Biodiversitas.
- Decker, E. B. 2013. Ecologia e comportamento do bugio-ruivo (Alouatta guariba
- 1637 clamitans) em um fragmento florestal no limite sul da distribuição: testando predições de
- modelos socioecológicos. Pontíficia Universidade Católica do Rio Grande do Sul.
- Decker, E. B., and J. C. Bicca-Marques. 2013. Extragroup Copulation in a Small and
- 1640 Isolated Alouatta guariba clamitans Population. Neotropical Primates 20:58–60.
- Delciellos, A. C., R. L. M. Novaes, M. F. de C. Loguercio, L. Geise, R. T. Santori, R. D.
- F. Souza, B. S. Papi, D. Raíces, N. R. Vieira, S. Felix, N. Detogne, C. C. S. Da Silva, H.
- D. G. Bergallo, and O. Rocha-Barbosa. 2012. Mammals of Serra da Bocaina National
- Park, state of Rio de Janeiro, southeastern Brazil. Check List 8:675.

- Demolin, D., C. Ades, and F. D. C. Mendes. 2010. Prosodic features in Northern Muriquis
- vocalizations. Evolution of Language, Proceedings:91–98.
- Di Bitetti, M. S. 1994. Conservation and population status of the brown howling monkey
- 1648 (Alouatta fusca clamitans) in Argentina. Neotropical Primates 2:1–4.
- Di Bitetti, M. S. 2001. Home-range use by the tufted capuchin monkey (Cebus apella
- nigritus) in a subtropical rainforest of Argentina. Journal of Zoology 253:33–45.
- Di Bitetti, M. S. 2005. Food-associated calls and audience effects in tufted capuchin
- monkeys, Cebus apella nigritus. Animal Behaviour 69:911–919.
- Di Bitetti, M. S., and C. H. Janson. 2001. Reproductive socioecology of tufted capuchins
- 1654 (Cebus apella nigritus) in Northeastern Argentina. International Journal of Primatology
- 1655 22:127–142.
- Di Bitetti, M. S., E. M. L. Vidal, M. C. Baldovino, and V. Benesovsky. 2000. Sleeping
- site preferences in tufted capuchin monkeys (Cebus apella nigritus). American Journal of
- 1658 Primatology 50:257–274.
- di Sorrentino, E. P., G. Schino, B. Tiddi, and F. Aureli. 2012. Scratching as a Window
- into the Emotional Responses of Wild Tufted Capuchin Monkeys. Ethology 118:1072–
- 1661 1084.
- Dias, L. G., and K. B. Strier. 2000. Agonistic encounter between muriquis, Brachyteles
- arachnoides hypoxanthus (Primates, Cebidae), and other animals at the Estação Biológica
- de Caratinga, Minas Gerais, Brazil. Neotropical Primates 8:138–141.
- Dias, L. G., and K. B. Strier. 2003. Effects of group size on ranging patterns in
- Brachyteles arachnoides hypoxanthus. International Journal of Primatology 24:209–221.
- Dietz, J. M., C. A. Peres, and L. Pinder. 1997. Foraging ecology and use of space in wild
- golden lion tamarins (Leontopithecus rosalia). American journal of primatology 41:289.
- Digby, L. J., and C. E. Barreto. 1993. Social organization in a wild population of
- 1670 Callithrix jacchus. Folia primatologica 61:123–134.
- dos Santos, G. P., C. Galvao, and R. Young. 2012. The diet of wild black-fronted titi
- monkeys Callicebus nigrifrons during a bamboo masting year. Primates 53:265–272.
- dos Santos, G., E. Bianchini, and N. R. dos Reis. 2013. Seasonal variation of consumption
- of the species used as fruit source by brown howler monkeys (Alouatta clamitans) in
- southern Brazil. Biota Neotropica 13:148–153.
- Duarte, M., J. Hanna, E. Sanches, Q. Liu, and D. Fragaszy. 2012. Kinematics of bipedal
- locomotion while carrying a load in the arms in bearded capuchin monkeys (Sapajus
- libidinosus). Journal of Human Evolution 63:851–858.
- 1679 Ecossistema Consultoria Ambiental Ltda. 2011. Plano de Manejo da Reserva Natural
- 1680 Salto Morato, Guaraqueçaba, PR.
- 1681 Eduardo, A. A., and M. Passamani. 2009. Mammals of medium and large size in Santa
- Rita do Sapucaí, Minas Gerais, southeastern Brazil. Check List 5:399.

- 1683 Emidio, R. A., and R. Goncalves-Ferreira. 2012. Energetic Payoff of Tool Use for
- 1684 Capuchin Monkeys in the Caatinga: Variation by Season and Habitat Type. American
- 1685 Journal of Primatology 74:332–343.
- 1686 Esquivel, E. 2001. Mamíferos de la Reserva Natural del Bosque Mbaracayú. Fundación
- 1687 Moises Bertoni.
- 1688 Estivalet, C. 2013. Plano de Manejo RPPN Bosque de Canela.
- 1689 Estrada, A., P. A. Garber, A. B. Rylands, C. Roos, E. Fernandez-Duque, A. Di Fiore, K.
- 1690 A.-I. Nekaris, V. Nijman, E. W. Heymann, J. E. Lambert, F. Rovero, C. Barelli, J. M.
- 1691 Setchell, T. R. Gillespie, R. A. Mittermeier, L. V. Arregoitia, M. de Guinea, S. Gouveia,
- R. Dobrovolski, S. Shanee, N. Shanee, S. A. Boyle, A. Fuentes, K. C. MacKinnon, K. R.
- Amato, A. L. S. Meyer, S. Wich, R. W. Sussman, R. Pan, I. Kone, and B. Li. 2017.
- 1694 Impending extinction crisis of the world's primates: Why primates matter. Science
- 1695 Advances 3.
- 1696 Estrela, D. da C., D. C. de Souza, J. M. de Souza, and A. L. da S. Castro. 2015. Medium
- and large-sized mammals in a Cerrado area of the state of Goiás, Brazil. Check List
- 1698 11:1690.
- Fagundes, V., M. F. Paes, P. B. Chaves, S. L. Mendes, C. D. Possamai, J. P. Boubli, and
- 1700 K. B. Strier. 2008. Genetic structure in two northern muriqui populations (Brachyteles
- 1701 hypoxanthus, Primates, Atelidae) as inferred from fecal DNA. Genetics and Molecular
- 1702 Biology 31:166–171.
- 1703 Falcão, F. C., D. H. A. Guanaes, and A. Paglia. 2012. Medium and large-sized mammals
- of RPPN Estação Veracel, southernmost Bahia, Brazil. Check List 8:929–934.
- 1705 Falotico, T., and E. B. Ottoni. 2013. Stone Throwing as a Sexual Display in Wild Female
- 1706 Bearded Capuchin Monkeys, Sapajus libidinosus. Plos One 8:6.
- 1707 Falotico, T., and E. B. Ottoni. 2014. Sexual bias in probe tool manufacture and use by
- wild bearded capuchin monkeys. Behavioural Processes 108:117–122.
- 1709 Fariña, R., and T. Hostettler. 2003. Vertebrados de la Reserva Natural del Bosque
- 1710 Mbaracayú Checklist. Fundación Moises Bertoni.
- 1711 FATMA. 2005. Plano de Manejo do Parque Estadual Fritz Plaumann. Fundação do Meio
- 1712 Ambiente de Santa Catarina Socioambiental Consultores Associados.
- 1713 FATMA. 2007. Plano de Manejo do Parque Estadual Rio Canoas Encarte 3 (Análise da
- 1714 Unidade de Conservação). Fundação do Meio Ambiente de Santa Catarina -
- 1715 Socioambiental Consultores Associados.
- 1716 FATMA. 2009. Plano de Manejo Reserva Biológica Aguaí. Fundação do Meio Ambiente
- 1717 de Santa Catarina Socioambiental Consultores Associados.
- 1718 FATMA. 2010. Plano de Manejo do Parque Estadual da Serra Furada. Fundação do Meio
- 1719 Ambiente de Santa Catarina Socioambiental Consultores Associados.
- 1720 FATMA. 2016. Plano de Manejo do Parque Estadual das Araucárias Fase II. Fundação
- do Meio Ambiente de Santa Catarina APREMAVI.

- 1722 Faunativa Consultoria Ltda. 2011. Plano de manejo da Floresta Nacional de Pacotuba.
- 1723 ICMBio.
- 1724 Fernandez, V. A., M. Kowalewski, and G. E. Zunino. 2013. Who is coordinating
- 1725 collective movements in black and gold howler monkeys? Primates 54:191–199.
- 1726 Ferrari, S. F. 1987. Social organization and behaviour and of the marmoset Callithrix
- 1727 flaviceps. International Journal of Primatology 8:492.
- 1728 Ferrari, S. F. 1988. The Behaviour and Ecology of the Buffy-Headed Marmoset,
- 1729 Callithrix flaviceps (O. Thomas, 1903). University College London.
- 1730 Ferrari, S. F., and R. R. Hilário. 2012. Use of water sources by buffy-headed marmosets
- 1731 (Callithrix flaviceps) at two sites in the Brazilian Atlantic Forest. Primates 53:65–70.
- 1732 Ferrari, S. F., and R. R. Hilario. 2014. Seasonal Variation in the Length of the Daily
- 1733 Activity Period in Buffy-Headed Marmosets (Callithrix Flaviceps): An Important
- 1734 Consideration for the Analysis of Foraging Strategies in Observational Field Studies of
- 1735 Primates. American Journal of Primatology 76:385–392.
- 1736 Ferrari, S. F., and S. L. Mendes. 1991. Buffy-headed marmosets 10 years on. Oryx
- 1737 25:105–109.
- 1738 Ferrari, S. F., and V. H. Diego. 1992. Long-term changes in a wild marmoset group. Folia
- 1739 Primatologica 58:215–218.
- 1740 Ferrari, S. F., R. R. D. Chagas, and J. P. Souza-Alves. 2010. Line Transect Surveying of
- 1741 Arboreal Monkeys: Problems of Group Size and Spread in a Highly Fragmented
- 1742 Landscape. American Journal of Primatology 72:1100–1107.
- 1743 Ferreguetti, A. C., M. F. Rocha, and R. L. Martins. 2014. Non-volant mammals from
- Domingos Martins municipality, state of Espírito Santo, southeastern Brazil. Check List
- 1745 10:829–834.
- 1746 Ferreira, R. G., L. Jerusalinsky, T. C. F. Silva, M. D. Fialho, A. D. Roque, A. Fernandes,
- and F. Arruda. 2009. On the occurrence of Cebus flavius (Schreber 1774) in the Caatinga,
- and the use of semi-arid environments by Cebus species in the Brazilian state of Rio
- 1749 Grande do Norte. Primates 50:357–362.
- 1750 Ferreira, R. G., R. A. Emidio, and L. Jerusalinsky. 2010. Three Stones for Three Seeds:
- Natural Occurrence of Selective Tool Use by Capuchins (Cebus libidinosus) Based on an
- 1752 Analysis of the Weight of Stones Found at Nutting Sites. American Journal of
- 1753 Primatology 72:270–275.
- 1754 Ferreyra, H., H. Argibay, M. A. Rinas, and M. Uhart. 2012. Squirrel Monkey
- 1755 Cytomegalovirus Antibodies in Free-ranging Black Howler Monkeys (Alouatta caraya),
- 1756 Misiones, Argentina. Journal of Wildlife Diseases 48:512–513.
- Fialho, M. de S., M. M. Valença-Montenegro, T. C. F. da Silva, J. G. Ferreira, and P. de
- 1758 O. Laroque. 2014. Ocorrência de Sapajus flavius e Alouatta belzebul no Centro de
- 1759 Endemismo Pernambuco. Neotropical Primates 21:214–218.
- 1760 Flaiban, K., K. A. H. Spohr, L. S. Malanski, W. K. Svoboda, M. M. Shiozawa, C. L. S.
- Hilst, L. M. Aguiar, G. Ludwig, F. C. Passos, I. T. Navarro, J. A. N. Lisboa, and M. R. S.

- Balarin. 2009. Hematologic values of free-ranging black-and-gold howlers monkeys
- 1763 (Alouatta caraya) from the region of Upper Parana River, Southern Brazil. Arquivo
- 1764 Brasileiro De Medicina Veterinaria E Zootecnia 61:628–634.
- 1765 Flesher, K. 1999. Primates of Ituberá Forest Complex, Brazil. Neotropical Primates
- 1766 7:127–131.
- 1767 Flesher, K. 2001. Primates of the Chapada das Mangabeiras, Piauí, Brasil: a northern
- extension to the range of Alouatta caraya. Neotropical Primates 9:19–22.
- 1769 Flesher, K. M. 2014. Plano de Manejo da Reserva Particular do Patromônio Natural Ouro
- 1770 Verde.
- 1771 Flesher, K. M. 2015. The Distribution, Habitat Use, and Conservation Status of Three
- 1772 Atlantic Forest Monkeys (Sapajus xanthosternos, Callicebus melanochir, Callithrix sp.)
- in an Agroforestry/Forest Mosaic in Southern Bahia, Brazil. International Journal of
- 1774 Primatology 36:1172–1197.
- 1775 Fontana, C. S., G. A. Bencke, and R. E. Reis. 2003. Livro vermelho da fauna ameaçada
- 1776 de extinção no Rio Grande do Sul. Edipucrs.
- 1777 Fontes, M. A. L., A. T. Oliveira Filho, and M. Galetti. 1996. The Muriqui in the Parque
- 1778 Estadual de Ibitipoca, Minas Gerais.
- 1779 Fontoura, T., E. Cazetta, W. do Nascimento, L. Catenacci, K. De Vleeschouwer, and B.
- 1780 Raboy. 2010. Diurnal frugivores on the Bromeliaceae Aechmea depressa LB Sm. from
- Northeastern Brazil: the prominent role taken by a small forest primate. Biota Neotropica
- 1782 10:351–354.
- 1783 Fortes, V. B. 2002. Um caso de rapto ou transferência acidental de um infante entre
- bandos vizinhos de Alouatta guariba clamitans. Neotropical Primates 10:122–124.
- Fortes, V. B. 2008. Ecologia e comportamento do bugio-ruivo Alouatta guariba clamitans
- 1786 (Cabrera, 1940) em fragmentos florestais na depressão central do Rio Grande do Sul,
- 1787 Brasil. Pontifícia Universidade Católica do Rio Grande do Sul.
- 1788 Fortes, V. B., and J. C. Bicca-Marques. 2008. Abnormal Pelage Color in an Isolated
- Population of Alouatta guariba clamitans Cabrera, 1940 in South Brazil. International
- 1790 Journal of Primatology 29:717.
- Fortes, V. B., F. C. Alves, and J. Arpini. 2005. New Locality for the Black-and-Gold
- Howler Monkey, Alouatta caraya (Humboldt, 1812), in Southern Brazil. Neotropical
- 1793 Primates 13:34–36.
- 1794 Fragaszy, D. M., Q. Liu, B. W. Wright, A. Allen, C. W. Brown, and E. Visalberghi. 2013.
- 1795 Wild Bearded Capuchin Monkeys (Sapajus libidinosus) Strategically Place Nuts in a
- 1796 Stable Position during Nut-Cracking. Plos One 8:9.
- 1797 Fragaszy, D. M., R. Greenberg, E. Visalberghi, E. B. Ottoni, P. Izar, and Q. Liu. 2010a.
- How wild bearded capuchin monkeys select stones and nuts to minimize the number of
- strikes per nut cracked. Animal Behaviour 80:205–214.

- 1800 Fragaszy, D., T. Pickering, Q. Liu, P. Izar, E. Ottoni, and E. Visalberghi. 2010b. Bearded
- capuchin monkeys' and a human's efficiency at cracking palm nuts with stone tools: field
- 1802 experiments. Animal Behaviour 79:321–332.
- 1803 Franklin, S. P., K. E. Miller, A. J. Baker, and J. M. Dietz. 2007. Do cavity-nesting
- primates reduce scent marking before retirement to avoid attracting predators to sleeping
- sites? American Journal of Primatology 69:255–266.
- Freitas, C. H. de, E. Z. F. Setz, A. R. B. Araújo, and N. Gobbi. 2008. Agricultural crops
- in the diet of bearded capuchin monkeys, Cebus libidinosus Spix (Primates: Cebidae), in
- 1808 forest fragments in southeast Brazil. Revista Brasileira de Zoologia 25:32–39.
- 1809 French, J. A., K. L. Bales, A. J. Baker, and J. M. Dietz. 2003. Endocrine monitoring of
- 1810 wild dominant and subordinate female Leontopithecus rosalia. International Journal of
- 1811 Primatology 24:1281–1300.
- Fuentes, A. 2012. Ethnoprimatology and the Anthropology of the Human-Primate
- 1813 Interface. Annual Review of Anthropology 41:101-117.
- Fuzessy, L. F., I. D. Silva, J. Malukiewicz, F. F. R. Silva, M. D. Ponzio, V. Boere, and R.
- 1815 R. Ackermann. 2014. Morphological Variation in Wild Marmosets (Callithrix penicillata
- and C-geoffroyi) and Their Hybrids. Evolutionary Biology 41:480–493.
- 1817 Galetti, M., C. R. Brocardo, R. A. Begotti, L. Hortenci, F. Rocha-Mendes, C. S. S.
- Bernardo, R. S. Bueno, R. Nobre, R. S. Bovendorp, R. M. Marques, F. Meirelles, S. K.
- 1819 Gobbo, G. Beca, G. Schmaedecke, and T. Siqueira. 2017. Defaunation and biomass
- 1820 collapse of mammals in the largest Atlantic forest remnant. Animal Conservation 20:270–
- 1821 281.
- 1822 Galetti, M., H. C. Giacomini, R. S. Bueno, C. S. S. Bernardo, R. M. Marques, R. S.
- Bovendorp, C. E. Steffler, P. Rubim, S. K. Gobbo, C. I. Donatti, R. A. Begotti, F.
- Meirelles, R. d. A. Nobre, A. G. Chiarello, and C. A. Peres. 2009. Priority areas for the
- 1825 conservation of Atlantic forest large mammals. Biological Conservation 142:1229-1241.
- Galetti, M., F. Pedroni, and M. Paschoal. 1994. Infanticide in the brown howler monkey,
- 1827 Alouatta fusca. Neotropical Primates 2:6–7.
- 1828 Garbino, G. S. T., G. C. Rezende, and C. Valladares-Pádua. 2016. Pelage variation and
- distribution of the black lion tamarin, Leontopithecus chrysopygus. Folia Primatologica
- 1830 87:244–261.
- Garcia, V. L. A. 2005a. Survey and Status of the Muriquis (Brachyteles arachnoides) in
- the Serra Dos Órgãos National Park, Rio de Janeiro. Neotropical Primates 13:79–84.
- Garcia, V. L. A. 2005b. Status of the muriqui (Brachyteles) populations remaining in the
- 1834 State of Rio de Janeiro, Brazil: Projeto Muriqui-Rio. Neotropical Primates 13(suppl):73–
- 1835 78.
- 1836 Garcia, V. L. A., and J. M. Andrade Filho. 2002. Muriquis no Parque Nacional da Serra
- dos Órgãos. Neotropical Primates 10:97.

- 1838 Gaspar, D. A. 1997. Ecologia e comportamento do Bugio Ruivo, (Alouatta fusca
- 1839 Geoffroy, 1812, Primates: Cebidae), em fragmento de Mata de Campinas, SP.
- 1840 Universidade Estadual Paulista "Júlio de Mesquita Filho."
- 1841 Gaspar, D. D. 2005. Comunidade de mamíferos não-voadores de um fragmento de
- 1842 Floresta Atlântica semidecídua do município de Campinas-SP. Universidade Estadual de
- 1843 Campinas.
- 1844 Genty, E., and C. Casar. 2014. Abduction and potential case of predation of an infant
- 1845 howler monkey (Alouatta guariba clamitans) by a tufted capuchin monkey (Sapajus
- 1846 nigritus). Mammalia 78:401–404.
- 1847 Gestich, C. C., C. B. Caselli, and E. Z. F. Setz. 2014. Behavioural Thermoregulation in a
- 1848 Small Neotropical Primate. Ethology 120:331–339.
- Gestich, C. C., C. B. Caselli, M. B. Nagy-Reis, E. Z. F. Setz, and R. G. T. da Cunha.
- 1850 2017. Estimating primate population densities: the systematic use of playbacks along
- transects in population surveys. American Journal of Primatology 79:1–9.
- Gheler-Costa, C., L. M. Verdade, and Á. F. de Almeida. 2002. Mamíferos não-voadores
- do campus "Luiz de Queiroz", Universidade de São Paulo, Piracicaba, Brasil. Revista
- 1854 Brasileira de Zoologia 19:203–214.
- Giordano, A. J., and W. B. Ballard. 2010. Noteworthy record of a black howler monkey
- 1856 (Alouatta caraya) from the central dry chaco of paraguay. Neotropical Primates 17:74–
- 1857 75.
- 1858 Godoy, K. C. I., A. Odalia-Rímoli, and J. Rímoli. 2004. Infecção por endoparasitas em
- um grupo de Bugios-Pretos (Alouatta caraya) em um fragmento florestal no estado do
- 1860 Mato Grosso do Sul, Brasil. Neotropical Primates 12:63–68.
- Gomes, D. F., and J. C. Bicca-Marques. 2012. Capuchin monkeys (Cebus nigritus) use
- spatial and visual information during within-patch foraging. American Journal of
- 1863 Primatology 74:58–67.
- 1864 Gomes, F. B. R., and R. C. Lima-Gomes. 2011. Registro Ocasional da Predação da
- 1865 Pomba-De-Bando (Zenaida auriculata Des Murs, 1847) Pelo Sagüi-Do-Cerrado
- 1866 (Callithrix penicillata É. Geoffroy, 1812) No Interior De São Paulo, SP. Neotropical
- 1867 Primates 18:68–70.
- 1868 Gonçalves, F., R. S. Bovendorp, G. Beca, C. Bello, R. Costa-Pereira, R. L. Muylaert, R.
- 1869 R. Rodarte, N. Villar, R. Souza, M. E. Graipel, J. J. Cherem, D. Faria, J. Baumgarten, M.
- 1870 R. Alvarez, E. M. Vieira, N. Cáceres, R. Pardini, Y. L. R. Leite, L. P. Costa, M. A. R.
- Mello, E. Fischer, F. C. Passos, L. H. Varzinczak, J. A. Prevedello, A. P. Cruz-Neto, F.
- 1872 Carvalho, A. R. Percequillo, A. Paviolo, A. Nava, J. M. B. Duarte, N. U. de la Sancha, E.
- 1873 Bernard, R. G. Morato, J. F. Ribeiro, R. G. Becker, G. Paise, P. S. Tomasi, F. Vélez-
- 1874 Garcia, G. L. Melo, J. Sponchiado, F. Cerezer, M. A. S. Barros, A. Q. S. de Souza, C. C.
- dos Santos, G. A. F. Giné, P. Kerches-Rogeri, M. M. Weber, G. Ambar, L. V. Cabrera-
- 1876 Martinez, A. Eriksson, M. Silveira, C. F. Santos, L. Alves, E. Barbier, G. C. Rezende, G.
- 1877 S. T. Garbino, É. O. Rios, A. Silva, A. T. A. Nascimento, R. S. de Carvalho, A. Feijó, J.
- 1878 Arrabal, I. Agostini, D. Lamattina, S. Costa, E. Vanderhoeven, F. R. de Melo, P. de

- 1879 Oliveira Laroque, L. Jerusalinsky, M. M. Valença-Montenegro, A. B. Martins, G.
- Ludwig, R. B. de Azevedo, A. Anzóategui, M. X. da Silva, M. Figuerêdo Duarte Moraes,
- 1881 A. Vogliotti, A. Gatti, T. Püttker, C. S. Barros, T. K. Martins, A. Keuroghlian, D. P.
- Eaton, C. L. Neves, M. S. Nardi, C. Braga, P. R. Gonçalves, A. C. Srbek-Araujo, P.
- Mendes, J. A. de Oliveira, F. A. M. Soares, P. A. Rocha, P. Crawshaw, M. C. Ribeiro,
- and M. Galetti. 2018. ATLANTIC MAMMAL TRAITS: a data set of morphological
- traits of mammals in the Atlantic Forest of South America. Ecology 99:498-498.
- 1886 Gonzalez-Solis, J., E. Mateos, S. Manosa, M. Ontanon, M. González-Martín, and J. C.
- 1887 Guix. 1996. Abundance estimates of primates in an Atlantic rainforest area of
- southeastern Brazil. Mammalia 60:488–491.
- González-Solís, J., J. C. Guix, E. Mateos, and L. Llorens. 2001. Population density of
- primates in a large fragment of the Brazilian Atlantic rainforest. Biodiversity &
- 1891 Conservation 10:1267–1282.
- 1892 Graeff, V. C., J. C. Bicca-Marques, and L. V Astarita. 2007. Viabilidade e germinação de
- sementes de esporão-de-galo, Celtis iganaea (Jacq.) Sargent., ingeridas pelo bugio-ruivo
- Alouatta guariba clamitans Corera, 1940. Pages 363–374 in J. C. Bicca-Marques, editor.
- 1895 A Primatologia no Brasil 10. SBPr/PUC RS.
- 1896 Graipel M. E., J. J. Cherem, J. A. Bogoni, and J. S. R. Pires. 2016. Características
- 1897 associadas ao risco de extinção nos mamíferos terrestres da Mata Atlântica. Oecologia
- 1898 Australis 20: 81-108.
- Graipel M. E., J. J. Cherem, E. L. A. Monteiro-Filho, and A. P. Carmignotto. 2017.
- 1900 Mamíferos da Mata Atlântica. Pages 391-482 in E. L. A. Monteiro-Filho, C. E. (Orgs.).
- 1901 Revisões em Zoologia: Mata Atlântica. Editora UFPR, Curitiba.
- 1902 Grativol, A. D., J. D. Ballou, and R. C. Fleischer. 2001. Microsatellite variation within
- and among recently fragmented populations of the golden lion tamarin (Leontopithecus
- 1904 rosalia). Conservation Genetics 2:1–9.
- 1905 Gregorin, R. 1996. Variação geográfica e taxonomia das espécies brasileiras do gênero
- 1906 Alouatta Lacépède, 1799 (Primates, Atelidae). Universidade de São Paulo.
- 1907 Gregorin, R. 2006. Taxonomy and geographic variation of species of the genus Alouatta
- 1908 Lacepede (Primates, Atelidae) in Brazil. Revista Brasileira De Zoologia 23:64–144.
- 1909 Grelle, C. D. V. 2000. Areografia dos primatas endêmicos da Mata Atlântica. Museu
- 1910 Nacional, Universidade Federal do Rio de Janeiro.
- 1911 Guapyassú, M. 2016. Plano de Manejo da Reserva Particular do Patrimônio Natural
- 1912 Florescer.
- 1913 Guedes, D., R. J. Young, and K. B. Strier. 2008. Energetic costs of reproduction in female
- 1914 northern muriquis, Brachyteles hypoxanthus (Primates: Platyrrinhi: Atelidae). Revista
- 1915 Brasileira De Zoologia 25:587–593.

- 1916 Guedes, P. G., S. S. P. Silva, A. R. Camardella, M. F. G. Abreu, D. M. Borges-Nojosa,
- 1917 Silva, J. A. G. Silva, and A. A. Silva. 2000. Diversidade de mamíferos do Parque Nacional
- de Ubajara (Ceará, Brasil). Journal of Neotropical Mammalogy 7:95–100.
- 1919 Guidorizzi, C. E. 2008. Ecologia e comportamento do mico-leão-da-cara-dourada,
- 1920 Leontopithecus chrysomelas (Kuhl, 1820) (Primates, Callitrichidae), em um fragmento
- de floresta semidecidual em Itororó, Bahia, Brasil. Universidade Estadual de Santa Cruz.
- 1922 Guidorizzi, C. E., and B. E. Raboy. 2009. Fur-rubbing with plant exudates in wild
- 1923 Golden-Headed Lion Tamarins (Leontopithecus chrysomelas). American Journal of
- 1924 Primatology 71:75.
- 1925 Guimarães, T. C. S. 2015. Espécies exóticas invasoras da fauna em unidades de
- 1926 conservação federais no Brasil: sistematização do conhecimento e implicações para o
- manejo. Dissertation, Universidade de Brasília.
- 1928 Guimarães, V. D., and K. B. Strier. 2001. Adult male-infant interactions in wild muriquis
- 1929 (Brachyteles arachnoides hypoxanthus). Primates 42:395–399.
- 1930 Hack, R. O. E. 2012. Relatório Ambiental Simplificado LT 138kV, Mandaguari São
- 1931 Pedro do Ivaí, Paraná Mastofauna. Institutos Lactec.
- Hack, R.O.E. 2014. Mastofauna. In: Institutos Lactec (2014). EIA/RIMA Complexo
- 1933 Eólio-Elétrico (CEE) Campos Gerais. Curitiba, Paraná. p. 480-514
- Haddad, C. F. B., L. F. Toledo, C. P. A. Prado, D. Loebmann, J. L. Gasparini, and I.
- 1935 Sazima. 2013. Guia dos Anfíbios da Mata Atlântica Diversidade e Biologia. Anolis
- 1936 Books, São Paulo.
- Hankerson, S. J., and J. M. Dietz. 2005. Sleeping site selection in the golden lion tamarin,
- 1938 Leontopithecus rosalia. American Journal of Primatology 66:114–115.
- Hankerson, S. J., and J. M. Dietz. 2014. Predation rate and future reproductive potential
- explain home range size in golden lion tamarins. Animal Behaviour 96:87–95.
- Hankerson, S. J., J. M. Dietz, and B. E. Raboy. 2006. Associations between golden-
- headed lion tamarins and the bird community in the Atlantic Forest of southern Bahia.
- 1943 International Journal of Primatology 27:487–495.
- Hankerson, S. J., S. P. Franklin, and J. M. Dietz. 2007a. Tree and forest characteristics
- influence sleeping site choice by golden lion tamarins. American Journal of Primatology
- 1946 69:976–988.
- Hankerson, S., M. Pitts, J. Dietz, and B. Raboy. 2007b. A test of exploitative and
- 1948 interference competition in wild golden-headed lion tamarins (Leontopithecus
- 1949 chrysomelas). American Journal of Primatology 69:57.
- 1950 Hannibal, W. 2014. Mammals of medium and large size from a fragmented seasonal
- 1951 forest landscape in Mato Grosso do Sul state, central-western Brazil. Check List 10:1430–
- 1952 1434.
- Haslam, M., and T. Falotico. 2015. Nasal probe and toothpick tool use by a wild female
- bearded capuchin (Sapajus libidinosus). Primates 56:211–214.

- Haslam, M., R. M. Cardoso, E. Visalberghi, and D. Fragaszy. 2014. Stone Anvil Damage
- by Wild Bearded Capuchins (Sapajus libidinosus) during Pounding Tool Use: A Field
- 1957 Experiment. Plos One 9:8.
- Hass, G., and R. C. Printes. 2014. Levantamento populacional de Alouatta clamitans
- 1959 Cabrera, 1940 e de Sapajus nigritus (Godfuss, 1809) em fragmentos de Mata com
- 1960 Araucária, Caxias do Sul, Rio Grande do Sul, Brasil. Pages 65-78 in J. M. D. Miranda
- and F. C. Passos, editors. A Primatologia no Brasil 13.
- Hasui, É., J. P. Metzger, R. G. Pimentel, L. F. Silveira, A. A. de Abreu Bovo, A. C.
- 1963 Martensen, A. Uezu, A. L. Regolin, A. Â. B. de Oliveira, C. A. F. R. Gatto, C. Duca, C.
- B. Andretti, C. Banks-Leite, D. Luz, D. Mariz, E. R. Alexandrino, F. M. de Barros, F.
- 1965 Martello, I. M. da Silva Pereira, J. N. da Silva, K. M. P. M. de Barros Ferraz, L. N. Naka,
- 1966 L. dos Anjos, M. A. Efe, M. A. Pizo, M. Pichorim, M. S. S. Gonçalves, P. H. C. Cordeiro,
- 1967 R. A. Dias, R. de Lara Muylaert, R. C. Rodrigues, T. Vernaschi Vieira da Costa, V.
- 1968 Cavarzere, V. R. Tonetti, W. R. Silva, C. N. Jenkins, M. Galetti, and M. C. Ribeiro. 2018.
- 1969 ATLANTIC BIRDS: a dataset of bird species from the Brazilian Atlantic Forest. Ecology
- 1970 99:497.
- Heiduck, S. 2002. The use of disturbed and undisturbed forest by masked titi monkeys
- 1972 Callicebus personatus melanochir is proportional to food availability. Oryx 36:133–139.
- 1973 Henriques, R. P. B., and R. J. Cavalcante. 2004. Survey of a gallery forest primate
- 1974 community in the Cerrado of the Distrito Federal, central Brazil. Neotropical Primates
- 1975 12:78–83.
- Henry, M. D., S. J. Hankerson, J. M. Siani, J. A. French, and J. M. Dietz. 2013. High rates
- of pregnancy loss by subordinates leads to high reproductive skew in wild golden lion
- tamarins (Leontopithecus rosalia). Hormones and Behavior 63:675–683.
- Hershkovitz, P. 1977. Living New World primates (Platyrrhini), with an introduction to
- 1980 primates. Chicago: University of Chicago Press.
- Hershkovitz, P. 1981. Comparative anatomy of platyrrhine mandibular cheek teeth dpm4,
- 1982 pm4, m1 with particular reference to those of Homunculus (Cebidae), and comments on
- 1983 platyrrhine origins. Folia Primatologica 35:179–217.
- 1984 Hershkovitz, P. 1990. Titis, new world monkeys of the genus Callicebus (Cebidae,
- 1985 Platyrrhini): a preliminary taxonomic review. Fieldiana, Zoology, New Series, Field
- 1986 Museum of Natural History, Chicago 55:1–109.
- 1987 Heymann, E. W. 2011. Florivory, nectarivory and pollination a review of primate-flower
- interactions Ecotropica 17:41-52.
- Hijmans, R. J., S. E. Cameron, J. L. Parra, P. G. Jones, and A. Jarvis. 2005. Very high
- resolution interpolated climate surfaces for global land areas. International Journal of
- 1991 Climatology 25:1965-1978.

- Hilário, R. R. 2009. Padrão de atividades, dieta e uso do habitat por Callithrix flaviceps
- na Reserva Biológica Augusto Ruschi, Santa Teresa, ES. Universidade Federal de Minas
- 1994 Gerais.
- 1995 Hilário, R. R. 2013. Determinantes ambientais da densidade de Callicebus coimbrai em
- 1996 fragmentos florestais no nordeste brasileiro e implicações para a sua conservação.
- 1997 Universidade Federal da Paraíba.
- 1998 Hilario, R. R., and S. F. Ferrari. 2010a. Double infanticide in a free-ranging group of
- buffy-headed marmosets, Callithrix flaviceps. Journal of Ethology 28:195–199.
- 2000 Hilario, R. R., and S. F. Ferrari. 2010b. Feeding Ecology of a Group of Buffy-Headed
- 2001 Marmosets (Callithrix flaviceps): Fungi as a Preferred Resource. American Journal of
- 2002 Primatology 72:515–521.
- Hilario, R. R., and S. F. Ferrari. 2010c. Four Breeding Females in a Free-Ranging Group
- of Buffy-Headed Marmosets (Callithrix flaviceps). Folia Primatologica 81:31–40.
- Hilario, R. R., and S. F. Ferrari. 2011. Why Feed on Fungi? The Nutritional Content of
- 2006 Sporocarps Consumed by Buffy-Headed Marmosets, Callithrix flaviceps (Primates:
- 2007 Callitrichidae), in Southeastern Brazil. Journal of Chemical Ecology 37:145–149.
- 2008 Hilario, R. R., and S. F. Ferrari. 2015. Dense Understory and Absence of Capuchin
- 2009 Monkeys (Sapajus xanthosternos) Predict Higher Density of Common Marmosets
- 2010 (Callithrix jacchus) in the Brazilian Northeast. American Journal of Primatology 77:425–
- 2011 433.
- Hilario, R. R., F. H. G. Rodrigues, A. G. Chiarello, and I. Mourthe. 2012. Can Roads Be
- 2013 Used as Transects for Primate Population Surveys? Folia Primatologica 83:47–55.
- 2014 Hill, K., J. Padwe, C. Bejyvagi, A. Bepurangi, F. Jakugi, R. Tykuarangi, and T.
- 2015 Tykuarangi. 1997. Impact of Hunting on Large Vertebrates in the Mbaracayu Reserve,
- 2016 Paraguay. Conservation Biology 11:1339–1353.
- 2017 Hill, W. C. O. 1962. Primates Comparative Anatomy and Taxonomy IV Cebidae.
- 2018 Edinburgh University Press.
- 2019 Hirsch, A. 1988. Estudo Comparativo das Espécies do Gênero Alouatta Lacépède, 1799
- 2020 (Platyrrhini, Cebidae) e sua Distribuição Geográfica. Universidade Federal do Rio
- 2021 Grande do Sul.
- Hirsch, A., and R. J. Subirá. 1997. Levantamento e distribuição dos primatas no Parque
- 2023 Estadual do Ibitipoca. Instituto Estadual de Florestas ENGEVIX, Belo Horizonte MG.
- 2024 Hirsch, A., E. C. Landau, A. D. M. Tedeschi, and J. O. Menegheti. 1991. Estudo
- 2025 comparativo das espécies do gênero Alouatta Lacépède, 1799 (Platyrrhini, Atelidae) e
- sua distribuição geográfica na América do Sul. Pages 239–262 in A. B. Rylands and A.
- 2027 T. Bernardes, editors. A Primatologia no Brasil 3. Fundação Biodiversitas.
- Hirsch, A., L. G. Dias, L. de O. Martins, R. F. Campos, E. C. Landau, and N. A. T.
- 2029 Resende. 2002a. Bdgeoprim Database of Geo-Referenced Localities of Neotropical
- 2030 Primates. Neotropical Primates 10:79–84.

- Hirsch, A., L. G. Dias, W. P. Martins, and S. Porfírio. 2002b. Rediscovery of Brachyteles
- 2032 arachnoides hypoxanthus at the Fazenda Córrego de Areia, Minas Gerais, Brazil.
- 2033 Neotropical Primates 10:119–121.
- Hirsch, A., P. P. Toledo, B. F. A. Brito, and A. B. Rylands. 1996. Levantamento e Status
- 2035 de Conservação de Primatas em Remanescentes de Mata Atlântica nos Vales dos Rios
- 2036 Doce, Manhuaçu e Piracicaba Relatório Técnico Final. FUNDEP UFMG e FAPEMIG.
- Hirsch, B. T., M. P. Tujague, Y. E. Di Blanco, M. S. Di Bitetti, and C. H. Janson. 2013.
- 2038 Comparing capuchins and coatis: causes and consequences of differing movement
- 2039 ecology in two sympatric mammals. Animal Behaviour 86:331–338.
- 2040 Holzmann, I., I. Agostini, and M. Di Bitetti. 2012. Roaring Behavior of Two Syntopic
- Howler Species (Alouatta caraya and A. guariba clamitans): Evidence Supports the Mate
- 2042 Defense Hypothesis. International Journal of Primatology 33:338–355.
- Holzmann, I., I. Agostini, K. DeMatteo, J. I. Areta, M. L. Merino, and M. S. Di Bitetti.
- 2044 2015. Using Species Distribution Modeling to Assess Factors that Determine the
- 2045 Distribution of Two Parapatric Howlers (Alouatta spp.) in South America. International
- 2046 Journal of Primatology 36:18–32.
- Hue, T., M. Caubet, and A. C. A. Moura. 2017. Howlers and marmosets in Pacatuba: an
- 2048 overcrowded existence in a semi-deciduous Atlantic forest fragment? Mammalia 81:
- 2049 339–348
- 2050 IAP. 2002a. Plano de Manejo do Parque Estadual Rio Guarani. Instituto Ambiental do
- 2051 Paraná STCP.
- 2052 IAP. 2002b. Plano de Manejo do Parque Estadual do Guartelá. Instituto Ambiental do
- 2053 Paraná.
- 2054 IAP. 2002c. Plano de Manejo do Parque Estadual das Lauráceas. Instituto Ambiental do
- 2055 Paraná-SILVICONSULT Engenharia.
- 2056 IAP. 2002d. Plano de Manejo Parque Estadual do Monge. Instituto Ambiental do Paraná
- 2057 STCP.
- 2058 IAP. 2004. Plano de Manejo Parque Estadual de Vila Velha. Instituto Ambiental do
- 2059 Paraná FUNPAR.
- 2060 IAP. 2006a. Plano de Manejo do Refúgio de Vida Silvestre do Pinhão. Instituto
- 2061 Ambiental do Paraná STCP.
- 2062 IAP. 2006b. Plano de Manejo do Parque Estadual da Cabeça do Cachorro. Instituto
- 2063 Ambiental do Paraná-STCP.
- 2064 IAP. 2006c. Plano de Manejo da Estação Ecológica do Rio dos Touros. Instituto
- 2065 Ambiental do Paraná-STCP.
- 2066 IAP. 2006d. Plano de Manejo do Parque Estadual de São Camilo.
- 2067 IAP. 2009a. Delineamentos para manejo do macaco-prego (Cebus nigritus) no Paraná.
- 2068 IAP-Projeto Paraná Biodiversidade.

- 2069 IAP. 2009b. Planos de Conservação para Aves e Mamíferos ameaçados no Paraná.
- 2070 Instituto Ambiental do Paraná Projeto Paraná Biodiversidade.
- 2071 IAP. 2009c. Revisão do Plano de Manejo da Estação Ecológica do Caiuá. Instituto
- 2072 Ambiental do Paraná, Diretoria de Biodiversidade e Áreas Protegidas.
- 2073 IAP. 2015a. Plano de Manejo do Parque Estadual de Ibiporã. Instituto Ambiental do
- 2074 Paraná-IGPlan.
- 2075 IAP. 2015b. Plano de Manejo do Parque Estadual de Amaporã. Instituto Ambiental do
- 2076 Paraná-IGPlan.
- 2077 IAP. 2015c. Plano de Manejo do Parque Estadual Mata de São Francisco. Instituto
- 2078 Ambiental do Paraná Detzel Consulting.
- 2079 IAP. 2015d. Plano de Manejo do Parque Estadual do Rio da Onça PR. Instituto
- 2080 Ambiental do Paraná-IGPlan.
- 2081 IBDF/FBCN. 1979. Plano de manejo Parque Nacional Monte Pascoal.
- 2082 IBGE. 2013. Atlas do censo demografico 2011. Ministério do Planejamento, Orçamento
- 2083 e Gestão. Fundação Instituto Brasileiro de Geografia e Estatística, Rio de Janeiro.
- 2084 IBGE. 2016. Mapa de Biomas e de Vegetação Ministério do Planejamento, Orçamento e
- 2085 Gestão. http://mapas.ibge.gov.br/.
- 2086 ICMBio 2002. Plano de Manejo do Parque Nacional da Serra da Bocaina. 1023p.
- 2087 ICMBio 2005. Plano de Manejo da Reserva Biológica de Poço das Antas. 667p.
- 2088 ICMBio 2006. Plano de Manejo Arie da ESEC Tamoios. 1023p.
- 2089 ICMBio 2007. Plano de Manejo APA Petrópolis. 1023p.
- 2090 ICMBio. 2008a. Plano de manejo Parque Nacional da Serra do Itajaí.
- 2091 ICMBio. 2008b. Plano de manejo da Estação Ecológica Aracuri.
- 2092 ICMBio. 2008c. Plano de manejo Parque Nacional da Serra dos Órgãos.
- 2093 ICMBio. 2008d. Plano de manejo Parque Nacional da Tijuca.
- 2094 ICMBio. 2008e. Plano de Manejo da Floresta Nacional do Ibirama.
- 2095 ICMBio 2008f. Plano de Manejo APA Bacia do Rio São João. 1023p.
- 2096 ICMBio. 2012a. Plano de manejo Reserva Biológica das Perobas.
- 2097 ICMBio. 2012b. Plano de manejo Floresta Nacional Nísia Floresta, Rio Grande do Norte.
- 2098 ICMBio 2012c. Plano de Manejo da Estação Ecológica da Guanabara. 272p.
- 2099 ICMBio. 2013a. Plano de Manejo RPPN Fazenda Palmital, Itapoá, Santa Catarina.
- 2100 ICMBio. 2013b. Plano de manejo da Floresta Nacional de Irati.
- 2101 ICMBio. 2013c. Plano de manejo do Parque Nacional do Itatiaia.

- 2102 ICMBio. 2014. Plano de manejo do Parque Nacional do Descobrimento.
- 2103 ICMBio. 2015a. Plano de manejo ARIE Serra da Abelha.
- 2104 ICMBio. 2015b. Plano de manejo do Parque Nacional do Caparaó.
- 2105 ICMBio. 2016a. Plano de manejo Parque Nacional do Pau Brasil.
- 2106 ICMBio. 2016b. Plano de manejo Floresta Nacional de Lorena.
- 2107 ICMBio. 2016c. Plano de Manejo da Floresta Nacional do Ibura.
- 2108 ICMBio. 2016d. Plano de Manejo Floresta Nacional de Piraí do Sul, Paraná.
- 2109 ICMBio. 2016e. Plano de Manejo Refúgio de Vida Silvestre dos Campos de Palmas.
- 2110 ICMBio. 2016f. Plano de Manejo da Floresta Nacional de Três Barras.
- 2111 ICMBio. 2016g. Plano de manejo Parque Nacional Serra de Itabaiana.
- 2112 ICMBio 2016h. Plano de Manejo Arie da Floresta da Cicuta. 1023p.
- 2113 ICMBio. 2017. Revisão do plano de manejo da Floresta Nacional de Ipanema.
- 2114 ICMBio/CPB. 2011. Plano de Ação Nacional para a Conservação dos Primatas do
- 2115 Nordeste.
- 2116 IEF 2006a. Plano de Manejo do Parque Estadual da Chacrinha. 355p.
- 2117 IEF 2006b. Plano de Manejo do Parque Estadual do Grajaú. 531p.
- 2118 INEA 2009. Plano de Manejo do Parque Estadual do Três Picos. 627p.
- 2119 INEA 2010. Plano de Manejo da Estação Ecológica de Guaxindiba. 355p.
- 2120 INEA 2011a. Plano de Manejo do Parque Estadual da Ilha Grande. 355p.
- 2121 INEA 2011b. Plano de Manejo do Parque Estadual da Pedra Branca. 355p.
- 2122 INEA 2015. Plano de Manejo do Parque Estadual da Serra da Tiririca. 531p.
- 2123 Ingberman, B. 2015. Fatores ecológicos de influência na distribuição geográfica de
- 2124 Muriqui (Brachyteles Spix 1823) e bases para formulação de uma estratégia de
- 2125 conservação para o sul do Brasil. Universidade Federal do Paraná.
- 2126 Ingberman, B., N. Kaminski, R. Fusco-Costa, and E. L. A. Monteiro-Filho. 2016. A new
- 2127 population of the endangered Brachyteles arachnoides (É. Geoffroy, 1806) (Primates:
- 2128 Atelidae) in the state of Paraná, southern Brazil. Check List 12:1906.
- 2129 Ingberman, B., R. Fusco-Costa, and E. L. D. Monteiro-Filho. 2009. Population Survey
- 2130 and Demographic Features of a Coastal Island Population of Alouatta clamitans in
- 2131 Atlantic Forest, Southeastern Brazil. International Journal of Primatology 30:1–14.
- 2132 Ingberman, B., R. Fusco-Costa, C. C. Cheida, E. C. Nakano-Oliveira, R. G. Rodrigues,
- and E. L. A. Monteiro-Filho. 2010. Was There Ever a Muriqui (Brachyteles) Population
- in the Ilha do Cardoso State Park in Southeastern Brazil? Neotropical Primates 17:21–24.

- 2135 Instituto Ambiental. 2005. Plano de Manejo e Zoneamento da Reserva Particular do
- 2136 Patrimônio Natural El Nagual.
- 2137 Iurck, M. F., M. G. Nowak, L. C. M. Costa, S. L. Mendes, S. M. Ford, and K. B. Strier.
- 2138 2013. Feeding and Resting Postures of Wild Northern Muriquis (Brachyteles
- 2139 hypoxanthus). American Journal of Primatology 75:74–87.
- 2140 Izar, P. 2004. Female social relationships of Cebus apella nigritus in a southeastern
- 2141 Atlantic Forest: An analysis through ecological models of primate social evolution.
- 2142 Behaviour 141:71–99.
- 2143 Izar, P., E. D. Ramos-Da-Silva, B. D. de Resende, and E. B. Ottoni. 2007. A case of
- 2144 infanticide in tufted capuchin monkeys (Cebus nigritus). Mastozoologia Neotropical
- 2145 14:73–76.
- 2146 Izar, P., M. P. Verderane, L. Peternelli-dos-Santos, O. Mendonça-Furtado, A. Presotto,
- 2147 M. Tokuda, E. Visalberghi, and D. Fragaszy. 2012. Flexible and conservative features of
- 2148 social systems in tufted capuchin monkeys: comparing the socioecology of Sapajus
- 2149 libidinosus and Sapajus nigritus. American Journal of Primatology 74:315–331.
- Janson, C. H. 2007. Experimental evidence for route integration and strategic planning in
- wild capuchin monkeys. Animal Cognition 10:341–356.
- Janson, C. H., J. Monzon, and M. C. Baldovino. 2014. Experimental analysis of predator
- and prey detection abilities in rainforest: who has the advantage? Behaviour 151:1491–
- 2154 1512.
- 2155 Jardim, M. M. A. 2005. Ecologia populacional do bugio-ruivo nos municípios de Porto
- 2156 Alegre e Viamão, RS, Brasil. Universidade Estadual de Campinas.
- Jerusalinsky, L., M. M. Oliveira, R. F. Pereira, V. Santana, P. C. R. Bastos, and S. F.
- 2158 Ferrari. 2006. Preliminary evaluation of the conservation status of *Callicebus coimbrai*
- 2159 Kobayashi & Langguth, 1999 in the Brazilian state of Sergipe. Primate Conservation
- 2160 21:25–32.
- 2161 Jorge, M. L. S. P., M. Galetti, M. C. Ribeiro, and K. M. P. M. B. Ferraz. 2013. Mammal
- 2162 defaunation as surrogate of trophic cascades in a biodiversity hotspot. Biological
- 2163 Conservation 163:49-57.
- 2164 Juárez, C. P., R. Dvoskin, and E. Fernández-Duque. 2005. Structure and composition of
- wild Black Howler troops (Alouatta caraya) in gallery forests of the Argentinean chaco.
- 2166 Neotropical Primates 13:19–22.
- Jung, L., I. Mourthe, C. E. V Grelle, K. B. Strier, and J. P. Boubli. 2015. Effects of Local
- 2168 Habitat Variation on the Behavioral Ecology of Two Sympatric Groups of Brown Howler
- 2169 Monkey (Alouatta clamitans). Plos One 10.
- Junior, M. M. M. 2010. Os saguis (Callithrix spp., Erxleben, 1777) exóticos invasores na
- 2171 Bacia do Rio São João, Rio de Janeiro: biologia populacional e padrão de distribuição em
- 2172 uma paisagem fragmentada. Dissertation, Universidade Estadual do Norte Fluminense.
- Júnior, T. A. M., and F. J. Zara. 2007. Black-tufted-ear Marmoset Callithrix penicillata
- 2174 (Primates: Callitrichidae) Following the Army Ant Labidus praedator (Formicidae:

- 2175 Ecitoninae) in the Cerrado and the Atlantic Forest, Brazil. Neotropical Primates 14:32–
- 2176 33.
- 2177 Juraszek, A., S. Bazilio, and C. Golec. 2014. Levantamento de mamíferos de médio e
- 2178 grande porte na RPPN Federal Corredor do Iguaçu na região Centro-oeste do Paraná.
- 2179 Acta Iguazu 3:113–123.
- 2180 Kaizer, M. da C., A. Z. Coli, A. Clyvia, and D. S. Ferraz. 2016. New northern muriqui
- 2181 group discovered in Brazil's Caparaó National Park. Oryx 50:201.
- 2182 Kasper, C. B., F. D. Mazim, J. B. G. Soares, T. G. de Oliveira, and M. E. Fabián. 2007.
- 2183 Composição e abundância relativa dos mamíferos de médio e grande porte no Parque
- 2184 Estadual do Turvo, Rio Grande do Sul, Brasil. Revista Brasileira de Zoologia 24:1087-
- 2185 1100.
- 2186 KEUROGHLIAN, A., and F. C. PASSOS. 2001. Prey foraging behavior, seasonality and
- 2187 time-budgets in black lion tamarins, Leontopithecus chrysopygus (Mikan 1823)
- 2188 (Mammalia, Callitrichidae). Brazilian Journal of Biology 61:455–459.
- 2189 Kierulff, M. C. M. 1993. Avaliação das populações selvagens de mico-leão-dourado,
- 2190 Leontopithecus rosalia, e propostas de estratégia para sua conservação. Universidade
- 2191 Federal de Minas Gerais.
- 2192 Kierulff, M. C. M., and P. Procópio-de-Oliveira. 1998. Reserva Biológica Fazenda União,
- 2193 Rio de Janeiro. Neotropical Primates 6:51.
- Kierulff, M. C. M., and A. B. Rylands. 2003. Census and distribution of the golden lion
- 2195 tamarin (Leontopithecus rosalia). American Journal of Primatology 59:29–44.
- 2196 Kierulff, M. C. M., C. R. Ruiz-Miranda, P. Oliveira-Procópio, B. B. Beck, A. Martins, J.
- 2197 M. Dietz, D. M. Rambaldi, and A. J. Baker. 2012. The Golden lion tamarin
- 2198 Leontopithecus rosalia: a conservation success story. International Zoo Yearbook 46:36–
- 2199 45.
- 2200 Kinsey, W. G. 1982. Distribution of some neotropical primates and the model of
- 2201 Pleistocene refugia. in G. T. Prance, editor. The Biological Model of Diversification in
- the Tropics. Columbia University Press, New York.
- 2203 Kinzey, W. G., and M. Becker. 1983. Activity pattern of the masked titi monkey,
- 2204 Callicebus personatus. Primates 24:337–343.
- 2205 Kobayashi, S., and A. Langguth. 1999. A new species of titi monkey, Callicebus Thomas,
- 2206 from north-eastern Brazil (Primates, Cebidae). Revista Brasileira de Zoologia 16:531–
- 2207 551.
- Koch, F., and J. C. Bicca-Marques. 2004. Substrate manipulation by Alouatta guariba
- clamitans in solving locomotor problem. Neotropical Primates 12:138–139.
- 2210 Koehler, A. B., L. C. M. Pereira, P. A. Nicola, A. C. Ângelo, and K. S. Weber. 2005. The
- 2211 Southern muriqui, Brachyteles arachnoides, in the State of Paraná: current distribution,
- ecology, and the basis for a conservation strategy. Neotropical Primates 13:67–72.

- Koehler, A., L. C. M. Pereira, and P. A. Nicola. 2002. New locality for the woolly spider
- 2214 monkey Brachyteles arachnoides (E. Geoffroy, 1806) in Paraná State and the urgency of
- strategies for conservation. Estudos de Biologia 24:25–28.
- 2216 Kowalewski, M. M., and L. L. Oklander. 2006. Genetic structure of two populations of
- 2217 alouatta caraya in continuous and fragmented habitats. American Journal of Primatology
- 2218 68:64.
- 2219 Kowalewski, M., and S. Peker. 2005. Male mating behavior in black and gold howler
- 2220 monkeys (Alouatta caraya) in northern Argentina. American Journal of Physical
- 2221 Anthropology:132.
- 2222 Kowalewski, M., C. Alvarez, D. Pereyra, E. Violi, and G. Zunino. 2002. A Preliminary
- 2223 study of positional behavior in Alouatta caraya in northern Argentina. American Journal
- of Physical Anthropology:97.
- Krieg, H. 1948. Zwischen Anden und Atlantik: Reisen eines Biologen in Südamerika. C.
- 2226 Hanser.
- Lambert, J. E., and P. A. Garber. 1998. Evolutionary and ecological implications of
- primate seed dispersal. American Journal of Primatology 45:9-28.
- 2229 Langa, R. 2013. Plano de Manejo da RPPN Emílio Fiorentino Battistella.
- Langguth, A., D. M. Teixeira, R. A. Mittermeier, and C. Bonvicino. 1987. The red-handed
- howler monkey in Northeastern Brazil. Primate Conservation 8:36–39.
- Lapenta, M. J., and P. Procopio-de-Oliveira. 2008. Some aspects of seed dispersal
- 2233 effectiveness of golden lion tamarins (Leontopithecus rosalia) in a Brazilian Atlantic
- forest. Tropical Conservation Science 1:122–139.
- 2235 Lapenta, M. J., and P. Procopio-de-Oliveira. 2009. The Fate of Seeds Dispersed by
- 2236 Golden Lion Tamarins (Leontopithecus rosalia) in an Atlantic Forest Fragment, Brazil.
- 2237 Tropical Conservation Science 2:266–281.
- Lapenta, M. J., P. P. de Oliveira, and P. Nogueira-Neto. 2007. Daily activity period, home
- 2239 range and sleeping sites of golden lion tamarins (Leontopithecus rosalia) translocated to
- the Uniao Biological Reserve, RJ-Brazil. Mammalia 71:131–137.
- Lapenta, M. J., P. Procopio-de-Oliveira, M. C. M. Kierulff, and J. C. Motta. 2008.
- Frugivory and seed dispersal of golden lion tamarin (Leontopithecus rosalia (Linnaeus,
- 2243 1766)) in a forest fragment in the Atlantic Forest, Brazil. Brazilian Journal of Biology
- 2244 68:241–249.
- Lapenta, M. J., R. P. De Oliveira, M. C. M. Kierluff, and J. C. Motta. 2003. Fruit
- 2246 exploitation by Golden Lion Tamarins (Leontopithecus rosalia) in the Uniao Biological
- Reserve, Rio das Ostras, RJ Brazil. Mammalia 67:41–46.
- Laroque, P. O., M. M. Valenca-Montenegro, D. R. A. Ferreira, J. O. Chiang, M. T.
- 2249 Cordeiro, P. F. C. Vasconcelos, and J. C. R. Silva. 2014. Epidemiologic survey for
- 2250 arbovirus in Galician capuchin monkeys (Cebus flavius) free living in Paraiba and captive
- 2251 capuchin monkey (Cebus libidinosus) from Northeast Brazil. Pesquisa Veterinaria
- 2252 Brasileira 34:462–468.

- Lavina, M. S., A. P. Souza, J. C. Souza, V. Bellato, A. A. Sartor, and A. B. Moura. 2011.
- Ocurrence of Amblyomma aureolatum (Pallas, 1772) and A. ovale (Kock, 1844) (Acari:
- 2255 Ixodidae) parasitizing Alouatta clamitans Cabrera, 1940 (Primates: Atelidae) in the North
- of Santa Catarina State, Brazil. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia
- 2257 63:266–269.
- Lemos de Sá, R. M., T. R. Pope, K. E. Glander, T. T. Struhsaker, and G. A. B. da Fonseca.
- 2259 1990. A pilot study of genetic and morphological variation in the muriqui (Brachyteles
- arachnoides). Primate Conservation 11:26–30.
- 2261 Lessa, L. G., H. Alves, L. Geise, and R. M. F. Barreto. 2012. Mammals of medium and
- 2262 large size in a fragmented cerrado landscape in northeastern Minas Gerais state, Brazil.
- 2263 Check List 8:192–196.
- Liebsch, D., and S. B. Mikich. 2015. First record of Eucalyptus spp. Bark-stripping by
- brown-capuchin monkeys (Sapajus nigritus, Primates: Cebidae). Ciencia Florestal
- 2266 25:501–505.
- Liebsch, D., S. B. Mikich, E. B. de Oliveira, and J. Moreira. 2015. Pinus taeda bark
- 2268 stripping by capuchin monkeys (Sapajus nigritus): type and intensity of damage and its
- impact on tree growth. Scientia Forestalis 43:37–49.
- Lima, E. F. D. 2008. Levantamento e censo de primatas em fragmentos florestais de mata
- 2271 atlântica na região de Sousas e Joaquim Egídio, Campinas, SP. Universidade Estadual
- 2272 Paulista "Júlio de Mesquita Filho."
- 2273 Lima, F. S., I. C. da Silva, C. S. Martins, and C. Valladares-Pádua. 2003. On the
- occurrence of the black lion tamarin (Leontopithecus chrysopygus) in Buri, Sao Paulo,
- 2275 Brazil. Neotropical Primates 11:76–77.
- Lima, F., G. Beca, R. L. Muylaert, C. N. Jenkins, M. L. L. Perilli, A. M. O. Paschoal, R.
- L. Massara, A. P. Paglia, A. G. Chiarello, M. E. Graipel, J. J. Cherem, A. L. Regolin, L.
- 2278 G. R. Oliveira Santos, C. R. Brocardo, A. Paviolo, M. S. Di Bitetti, L. M. Scoss, F. L.
- Rocha, R. Fusco-Costa, C. A. Rosa, M. X. Da Silva, L. Hufnagell, P. M. Santos, G. T.
- Duarte, L. N. Guimarães, L. L. Bailey, F. H. G. Rodrigues, H. M. Cunha, F. M. Fantacini,
- 2281 G. O. Batista, J. A. Bogoni, M. A. Tortato, M. R. Luiz, N. Peroni, P. V. De Castilho, T.
- B. Maccarini, V. P. Filho, C. D. Angelo, P. Cruz, V. Quiroga, M. E. Iezzi, D. Varela, S.
- 2283 M. C. Cavalcanti, A. C. Martensen, E. V. Maggiorini, F. F. Keesen, A. V. Nunes, G. M.
- Lessa, P. Cordeiro-Estrela, M. G. Beltrão, A. C. F. De Albuquerque, B. Ingberman, C. R.
- 2285 Cassano, L. C. Junior, M. C. Ribeiro, and M. Galetti. 2017. ATLANTIC-CAMTRAPS: a
- 2286 dataset of medium and large terrestrial mammal communities in the Atlantic Forest of
- 2287 South America. Ecology 98:2979-2979.
- Lima, M. D. 1990. Uma proposta para a conservação dos primates da Mata Atlântica do
- 2289 sul da Bahia. Universidade Federal da Paraíba.
- Lima, M. G. M., J. C. Buckner, J. S. Silva-Júnior, A. Aleixo, A. B. Martins, J. P. Boubli,
- A. Link, I. P. Farias, M. N. da Silva, F. Röhe, H. Queiroz, K. L. Chiou, A. Di Fiore, M.
- E. Alfaro, and J. W. Lynch Alfaro. 2017. Capuchin monkey biogeography: understanding

- 2293 Sapajus Pleistocene range expansion and the current sympatry between Cebus and
- 2294 Sapajus. Journal of Biogeography 44:810–820.
- Lisboa, C. V, J. Dietz, A. J. Baker, N. N. Russel, and A. M. Jansen. 2000. Trypanosoma
- 2296 cruzi infection in Leontopithecus rosalia at the reserva biologica de Poco das Antas, Rio
- de Janeiro, Brazil. Memorias Do Instituto Oswaldo Cruz 95:445–452.
- Lisboa, C. V, R. H. Mangia, N. R. C. De Lima, A. Martins, J. Dietz, A. J. Baker, C. R.
- Ramon-Miranda, L. F. Ferreira, O. Fernandes, and A. M. Jansen. 2004. Distinct patterns
- 2300 of Trypanosoma cruzi infection in Leontopithecus rosalia in distinct Atlantic coastal
- rainforest fragments in Rio de Janeiro-Brazil. Parasitology 129:703–711.
- 2302 Liu, Q., D. Fragaszy, B. Wright, K. Wright, P. Izar, and E. Visalberghi. 2011. Wild
- bearded capuchin monkeys (Cebus libidinosus) place nuts in anvils selectively. Animal
- 2304 Behaviour 81:297–305.
- Liu, Q., K. Simpson, P. Izar, E. Ottoni, E. Visalberghi, and D. Fragaszy. 2009. Kinematics
- 2306 and Energetics of Nut-Cracking in Wild Capuchin Monkeys (Cebus libidinosus) in Piaui,
- 2307 Brazil. American Journal of Physical Anthropology 138:210–220.
- 2308 Lokschin, L. X., R. C. Printes, J. N. H. Cabral, and G. Buss. 2007. Power Lines and
- 2309 Howler Monkey conservation in Porto Alegre, Rio Grande do Sul, Brazil. Neotropical
- 2310 Primates 14:76–80.
- 2311 Lopes, K. G. D., and J. C. Bicca-Marques. 2011. Extragroup Copulations in Alouatta
- 2312 Guariba Clamitans. Neotropical Primates 18:52–53.
- 2313 Loretto, D., and H. Rajão. 2005. Novos Registros de Primatas no Parque Nacional do
- 2314 Itatiaia, com Ênfase em Brachyteles arachnoides (Primates, Atelidae). Neotropical
- 2315 Primates 13:28–30.
- 2316 Lorini, M. L. 2007. Abordagem hierárquica e multiescalar para análises de distribuição
- 2317 geográfica da biodiversidade: sistemas quaternários costeiros da Mata Atlântica como
- 2318 estudo de caso. Universidade Federal do Rio de Janeiro.
- 2319 Lorini, M. L., and V. G. Persson. 1990. Nova espécie de Leontopithecus Lesson, 1840,
- 2320 do sul do Brasil (Primates, Callitrichidae). Boletim do Museu Nacional, Nova Série,
- 2321 Zoologia 338:1–14.
- 2322 Lorini, M. L., and V. G. Persson. 1994. Status of field research on Leontopithecus
- caissara: The black-faced lion tamarin project. Neotropical Primates 2:52–55.
- Ludwig, G. 2011. Padrão de atividade, Hábito alimentar, Área de vida e Uso do espaço
- 2325 do mico-leão-de-cara-preta (Leontopithecus caissara Lorini & Persson 1990) (Primates,
- 2326 Callitrichidae) no Parque Nacional do Superagui, Guaraqueçaba, Estado do Paraná.
- Thesis. Universidade Federal do Paraná, Curitiba, PR, Brazil.
- 2328 Ludwig, G., L. M. Aguiar, and F. C. Passos. 2015. GPS as an effective tool for study of
- 2329 the home range of black-and-gold howlers (Alouatta caraya) in riparian forests, southern
- 2330 Brazil. Neotropical Primates 22:19–24.

- Ludwig, G., L. M. Aguiar, and V. J. Rocha. 2005. Uma Avaliação da Dieta, da Área de
- Vida e das Estimativas Populacionais de Cebus nigritus (Goldfuss, 1809) em um
- 2333 Fragmento Florestal no Norte do Estado do Paraná. Neotropical Primates 13:12–18.
- 2334 Ludwig, G., L. M. Aguiar, and V. J. Rocha. 2006. Acquisition behavior of Manihot
- 2335 esculenta Crantz (Euphorbiaceae), cassava, by Cebus nigritus (Goldfuss) (Primates,
- 2336 Cebidae) as a feeding adaptation on scarcity periods. Revista Brasileira De Zoologia
- 2337 23:888–890.
- Ludwig, G., L. M. Aguiar, W. K. Svoboda, C. L. S. Hilst, I. T. Navarro, J. R. S. Vitule,
- and F. C. Passos. 2008. Comparison of the diet of Alouatta caraya (Primates: Atelidae)
- between a riparian island and mainland on the Upper Parana River, southern Brazil.
- 2341 Revista Brasileira de Zoologia 25:419–426.
- Lynch, J. W., and J. Rímoli. 2000a. Demography and social structure of group of Cebus
- 2343 apella nigritus (Goldfuss, 1809, Primates/Cebidae) at Estação Biológica de Caratinga,
- 2344 Minas Gerais. Neotropical Primates 8:44–49.
- Lynch, J. W., and J. Rímoli. 2000b. Demography of a group of tufted capuchin monkeys
- 2346 (Cebus apella nigritus) at the Estação Biológica da Caratinga, Minas Gerais, Brazil.
- Neotropical Primates 8:44–49.
- Lyra-Neves, R. M. de, M. A. B. Oliveira, W. R. Telino-Júnior, and E. M. dos Santos.
- 2349 2007. Comportamentos interespecíficos entre Callithrix jacchus (Linnaeus) (Primates,
- 2350 Callitrichidae) e algumas aves de Mata Atlântica, Pernambuco, Brasil. Revista Brasileira
- 2351 de Zoologia 24:709–716.
- 2352 M. G. D. e Salvaterra. 2015. Plano de Manejo da Reserva Particular do Patrimônio
- 2353 Natural O Bosque, Gramado, RS.
- Machado, F. S., A. F. Almeida, D. A. Barros, J. A. A. Pereira, R. A. Silva, and A. A. S.
- 2355 Pereira. 2016. Diversity of medium-sized and large mammals from Atlantic Forest
- remnants in southern Minas Gerais state, Brazil. Check List 12:1–7.
- 2357 Machado, F. S., A. S. Moura, K. K. Santos, P. B. Mendes, T. C. K. Abreu, and M. A. L.
- Fontes. 2017. Registros ocasionais de mamíferos de médio e grande porte na microrregião
- 2359 de Lavras e São João del Rei, Campo das Vertentes, Minas Gerais. Revista
- 2360 Agrogeoambiental 9.
- Machado, G. P., J. Antunes, W. Uieda, A. W. Biondo, T. M. D. Cruvinel, A. P. Kataoka,
- 2362 L. F. A. Martorelli, D. de Jong, J. M. G. Amaral, E. G. L. Hoppe, G. G. Neto, and J.
- 2363 Megid. 2012. Exposure to rabies virus in a population of free-ranging capuchin monkeys
- 2364 (Cebus apella nigritus) in a fragmented, environmentally protected area in southeastern
- 2365 Brazil. Primates 53:227–231.
- 2366 Magioli, M., K. Ferraz, and M. Rodrigues. 2014. Medium and large-sized mammals of
- 2367 an isolated Atlantic Forest remnant, southeast São Paulo State, Brazil. Check List 10:850-
- 2368 856.
- 2369 Maia, B., and P. H. S. Dias. 2012. Registros De Juvenis Perdidos De Alouatta fusca
- 2370 (Geoffroy Saint-Hilaire, 1812) (Primates: Atelidae) No Parque Nacional Da Serra Dos
- 2371 Órgãos. Neotropical Primates 19:47–49.

- 2372 Mallinson, J. J. C. 1994. The Lion Tamarins of Brazil Fund: with reference to
- 2373 International Management Committees for Leontopithecus. Neotropical Primates 2:4–7.
- Malukiewicz, J., V. Boere, L. F. Fuzessy, A. D. Grativol, I. D. E. Silva, L. C. M. Pereira,
- 2375 C. R. Ruiz-Miranda, Y. M. Valenca, and A. C. Stone. 2015. Natural and Anthropogenic
- 2376 Hybridization in Two Species of Eastern Brazilian Marmosets (Callithrix jacchus and C.
- penicillata). Plos One 10:22.
- 2378 Mangalam, M., and D. M. Fragaszy. 2015. Wild Bearded Capuchin Monkeys Crack Nuts
- 2379 Dexterously. Current Biology 25:1334–1339.
- 2380 Mannu, M. 2000. Twinning in semi-free-ranging capuchin monkeys (Cebus apella).
- Neotropical Primates 8:114–115.
- 2382 Mannu, M., and E. B. Ottoni. 2009. The Enhanced Tool-Kit of Two Groups of Wild
- 2383 Bearded Capuchin Monkeys in the Caatinga: Tool Making, Associative Use, and
- 2384 Secondary Tools. American Journal of Primatology 71:242–251.
- 2385 Marinho-Filho, J. 1992. Os mamíferos da Serra do Japi. Pages 264–286 in L. P. C.
- 2386 Morellato, editor. História natural da Serra do Japi: ecologia e preservação de uma área
- florestal no Sudeste do Brasil. Editora da UNICAMP/FAPESP, Campinas.
- 2388 Marinho-Filho, J., and E. W. Veríssimo. 1997. The rediscovery of Callicebus personatus
- barbarabrownae in northeastern brazil with a new western limit for its distribution.
- 2390 Primates 38:429–433.
- 2391 Marinho-Filho, J., F. H. G. Rodrigues, M. M. Guimarães, and M. L. Reis. 1998. Os
- 2392 mamíferos da Estação Ecológica de Águas Emendadas, Planaltina, DF. Pages 34–63 in J.
- 2393 Marinho-Filho, F. H. G. Rodrigues, and M. M. Guimarães, editors. Vertebrados da
- 2394 Estação Ecológica de Águas Emendadas: história natural e ecologia em um fragmento de
- 2395 cerrado do Brasil central. Universidade de Brasília.
- 2396 Marques, E. L. N., L. Jerusalinsky, J. C. A. G. Rocha, P. M. Santos, R. Beltrão-Mendes,
- and S. F. Ferrari. 2013. Primates, Pitheciidae, Callicebus coimbrai Kobayashi and
- 2398 Langguth, 1999: new localities for an endangered titi monkey in eastern Sergipe, Brazil.
- 2399 Check List 9:696.
- 2400 Marques, R. V, C. V Cademartori, and S. M. Pacheco. 2011. Mastofauna no Planalto das
- 2401 Araucárias, Rio Grande do Sul, Brasil. Revista Brasileira de Biociências 9:278.
- 2402 Marroig, G., and A. Sant'Anna. 2001. The Occurrence of Muriquis (Brachyteles
- arachnoides) in the Itatiaia National Park, Brazil. Neotropical Primates 9:75.
- Martins, J. N., R. C. Printes, and A. E. Schäfer. 2011a. Área de vida e dinâmica do uso
- 2405 do espaço por um grupo de Alouatta guariba clamitans Cabrera, 1940 (Primates,
- 2406 Atelidae), num fragmento de mata com espécies alóctones na Serra Gaúcha. Pages 85–
- 2407 101 in J. M. D. Miranda and Z. M. B. Hirano, editors. A Primatologia no Brasil 12.
- 2408 UFPR/SBPr, Curitiba.
- 2409 Martins, M. M. 2000. Foraging over army ants by Callithrix aurita (Primates:
- 2410 Callitrichidae): Seasonal occurence? Revista De Biologia Tropical 48:261–262.

- 2411 Martins, M. M. 2003. Forest fragments in Barreiro Rico, southeastern Brazil: the need for
- 2412 conservation action. Neotropical Primates 11:55–56.
- 2413 Martins, M. M. 2005a. The Southern Muriqui, Brachyteles arachnoides: Ecology of a
- 2414 Population in a SemideciduousForest Fragment. Neotropical Primates 13:61–65.
- 2415 Martins, M. M. 2005b. Density of Primates in Four Semi-deciduous Forest Fragments of
- 2416 São Paulo, Brazil. Biodiversity & Conservation 14:2321–2329.
- 2417 Martins, M. M. 2006. Comparative seed dispersal effectiveness of sympatric Alouatta
- 2418 guariba and Brachyteles arachnoides in southeastern Brazil. Biotropica 38:57–63.
- 2419 Martins, M. M. 2008. Fruit diet of Alouatta guariba and Brachyteles arachnoides in
- 2420 Southeastern Brazil: comparison of fruit type, color, and seed size. Primates 49:1–8.
- 2421 Martins, M. M. 2009. Lianas as a food resource for brown howlers (Alouatta guariba) and
- southern muriquis (Brachyteles arachnoides) in a forest fragment. Animal biodiversity
- 2423 and Conservation 32:51–58.
- 2424 Martins, M. M., A. T. A. Nascimento, C. Nali, G. O. Velastin, P. B. Mangini, C. B.
- 2425 Valladares-Padua, and P. M. Galetti. 2011b. Genetic Analysis Reveals Population
- 2426 Structuring and a Bottleneck in the Black-Faced Lion Tamarin (Leontopithecus caissara).
- 2427 Folia Primatologica 82:197–211.
- 2428 Martins, M. M., and A. H. Silva. 1998. Temporal and acoustic properties of long-distance
- calls of masked titi monkey, Callicebus personatus. Neotropical Primates 6:46–48.
- 2430 Martins, M. M., and E. Z. F. Setz. 2000. Diet of buffy tufted-eared marmosets (Callithrix
- 2431 aurita) in a forest fragment in southeastern Brazil. International Journal of Primatology
- 2432 21:467–476.

2444

- 2433 Martins, M. M., and P. M. Galetti Jr. 2011. Informative microsatellites for genetic
- 2434 population studies of black-faced lion tamarins (Leontopithecus caissara). Genetics and
- 2435 Molecular Biology 34:173–175.
- 2436 Martins, T. de O., S. P. Bunhuolo, H. O. Filho, and T. E. Lacher Jr. 2016. Large and
- 2437 medium-sized mammals in the urban park Cinturão Verde, Cianorte, northwestern
- 2438 Paraná. Check List 12:1851.
- 2439 Martins, V., O. M. Chaves, M. B. Neves, and J. C. Bicca-Marques. 2015. Parturition and
- potential infanticide in free-ranging Alouatta guariba clamitans. Primates 56:119–125.
- 2441 Martins, W. P., J. Lynch Alfaro, and A. B. Rylands. 2017. Reduced range of the
- 2442 endangered crested capuchin monkey (*Sapajus robustus*) and a possible hybrid zone with
- 2443 Sapajus nigritus. American Journal of Primatology 79:e22696.
- 2445 Martins, W. P., and K. B. Strier. 2004. Age at first reproduction in philopatric female
- muriquis (Brachyteles arachnoides hypoxanthus). Primates 45:63–67.
- 2447 Martins, W. P., V. de Oliveira Guimarães, and K. B. Strier. 2007. A case of infant
- swapping by wild northern muriquis (Brachyteles hypoxanthus). Primates 48:324–326.

- 2449 Martuscelli, P., L. M. Petroni, and F. Olmos. 1994. Fourteen New Localities for the
- 2450 Muriqui Brachyteles arachnoides.
- 2451 Massaro, L., Q. Liu, E. Visalberghi, and D. Fragaszy. 2012. Wild bearded capuchin
- 2452 (Sapajus libidinosus) select hammer tools on the basis of both stone mass and distance
- 2453 from the anvil. Animal Cognition 15:1065–1074.
- 2454 Medeiros, L. M., and C. S. S. Castro. 2007. Substituição de indivíduos reprodutores em
- 2455 um grupo de sagui (Callithrix jacchus) em ambiente natural. Pages 495-509 in J. C.
- 2456 Bicca-Marques, editor. A Primatologia no Brasil 10. SBPr/PUC RS.
- 2457 Medici, E. P., C. B. Valladares-Pádua, A. B. Rylands, and C. S. Martins. 2003.
- 2458 Translocation as a Metapopulation Management Tool for the Black Lion Tamarin,
- 2459 Leontopithecus chrysopygus. Primate Conservation 19:23–31.
- 2460 Melhem, S. A. M. 1979. Contribuição ao estudo craniométrico dos macacos brasileiros
- do gênero Alouatta (Primates, Cebidae). Universidade de São Paulo.
- 2462 Melo, F. D. 1999. Caracterização molecular de Callithrix aurita, C. flaviceps, C. geoffroyi
- e seus prováveis híbridos (Primates, Callitrichinae). Universidade Federal de Viçosa.
- Melo, F. R. 2004. Primatas e áreas prioritárias para a conservação da biodiversidade no
- vale do rio Jequitinhonha, Minas Gerais. Universidade Federal de Minas Gerais.
- Melo, F. R. 2006. Densidade populacional e status de conservação de três espécies de
- primatas criticamente ameaçadas de extinção nos vales dos rios Pardo e Jequitinhonha,
- 2468 Minas Gerais e Bahia. Fundação Biodiversitas.
- Melo, F. R., A. G. Chiarello, M. B. Faria, P. A. Oliveira, R. L. A. Freitas, F. S. Lima, and
- D. S. Ferraz. 2004. Novos Registros de Muriqui-do-Norte (Brachyteles Hypoxanthus) no
- Vale do Rio Jequitinhonha, Minas Gerais e Bahia. Neotropical Primates 12:139–143.
- 2472 Melo, F. R., B. A. P. Cosenza, D. S. Ferraz, S. L. F. Souza, M. S. Nery, and M. J. R.
- 2473 Rocha. 2005. The near extinction of a population of Northern Muriquis (Brachyteles
- 2474 hypoxanthus) in Minas Gerais, Brazil. Neotropical Primates 13:10–14.
- 2475 Melo, L., A. R. Mendes, and M. A. O. da Cruz. 2003. Infanticide and cannibalism in wild
- 2476 common marmosets. Folia Primatologica 74:48–50.
- 2477 Melo, M. D. V. C. 2017. Plano de Manejo da Esec de Murici.
- 2478 Meloro, C., N. Caceres, F. Carotenuto, F. Passaro, J. Sponchiado, G. L. Melo, and P. Raia.
- 2479 2014a. Ecogeographical variation in skull morphometry of howler monkeys (Primates:
- 2480 Atelidae). Zoologischer Anzeiger 253:345–359.
- Meloro, C., N. Caceres, F. Carotenuto, J. Sponchiado, G. L. Melo, F. Passaro, and P. Raia.
- 2482 2014b. In and Out the Amazonia: Evolutionary Ecomorphology in Howler and Capuchin
- 2483 Monkeys. Evolutionary Biology 41:38–51.
- 2484 Mendes Pontes, A. R., A. C. M. Beltrão, I. C. Normande, A. de J. R. Malta, A. P. Silva
- Júnior, and A. M. M. Santos. 2016. Mass Extinction and the Disappearance of Unknown
- 2486 Mammal Species: Scenario and Perspectives of a Biodiversity Hotspot's Hotspot. PLOS
- 2487 ONE 11:e0150887.

- 2488 Mendes, C. L. S., and F. R. Melo. 2007. Situação atual do sagüi-da-serra (Callithrix
- 2489 flaviceps) em fragmentos florestais da Zona da Mata de Minas Gerais. Pages 163–180 in
- 2490 J. C. Bicca-Marques, editor. A Primatologia no Brasil 10. SBPr/PUC RS.
- Mendes, F. D. C., and C. Ades. 2004. Vocal sequential exchanges and intragroup spacing
- 2492 in the Northern Muriqui Brachyteles arachnoides hypoxanthus. Anais Da Academia
- 2493 Brasileira De Ciencias 76:399–404.
- 2494 Mendes, S. L. 1991a. Current situation of primates in the forest reserves in the State of
- 2495 Espírito Santo. Pages 347-356 in A. B. Rylands and A. T. Bernardes, editors. A
- 2496 Primatologia no Brasil 3. Fundação Biodiversitas.
- 2497 Mendes, S. L. 1991b. Situação atual dos primatas em reservas florestais do estado do
- 2498 Espírito Santo. Pages 347-356 in A. B. Rylands and A. T. Bernardes, editors. A
- 2499 primatologia no Brasil 3. Fundação Biodiversitas.
- 2500 Mendes, S. L. 1993. Distribuição geográfica e estado de conservação de Callithrix
- 2501 flaviceps (Primates: Callitrichidae). Pages 139–154 in M. E. Yamamoto and M. B. C. de
- 2502 Sousa, editors. A primatologia no Brasil 4.
- 2503 Mendes, S. L. 1997. Padrões Biogeográficos e Vocais em Callithrix do Grupo jacchus
- 2504 (Primates, Callitrichidae). Universidade Estadual de Campinas.
- 2505 Mendes, S. L., F. R. Melo, J. P. Boubli, L. G. Dias, K. B. Strier, L. P. S. Pinto, V.
- 2506 Fagundes, B. Cosenza, and P. De Marco Jr. 2005a. Directives for the conservation of the
- 2507 northern Muriqui, Brachyteles hypoxanthus (Primates, Atelidae). Neotropical Primates
- 2508 13:7–18.
- 2509 Mendes, S. L., R. R. Santos, and L. P. Carmo. 2005b. Conserving the northern muriqui
- in Santa Maria de Jetibá, Espírito Santo. Neotropical Primates 13:31–35.
- 2511 Mendonca-Furtado, O., M. Edaes, R. Palme, A. Rodrigues, J. Siqueira, and P. Izar. 2014.
- 2512 Does hierarchy stability influence testosterone and cortisol levels of bearded capuchin
- 2513 monkeys (Sapajus libidinosus) adult males? A comparison between two wild groups.
- 2514 Behavioural Processes 109:79–88.
- 2515 Miiller, K. H. 1994. Capture and radio-telemetry of masked titi monkeys (Callicebus
- 2516 personatus melanochir, Cebidae, Primates) in tropical rain forest. Neotropical Primates
- 2517 2:7–8.
- 2518 Mikan, J. C., W. Sandler, J. Knapp, and A. Strauss. 1820. Delectus florae et faunae
- 2519 Brasiliensis.
- 2520 Mikich, S. B., and D. Liebsch. 2014a. Assessment of food supplementation and
- surveillance as techniques to reduce damage caused by black capuchin monkeys Sapajus
- 2522 nigritus to forest plantations. Current Zoology 60:581–590.
- 2523 Mikich, S. B., and D. Liebsch. 2014b. Damage to forest plantations by tufted capuchins
- 2524 (Sapajus nigritus): Too many monkeys or not enough fruits? Forest Ecology and
- 2525 Management 314:9–16.
- 2526 Mikich, S. B., and R. S. Bérnils. 2004. Livro vermelho da fauna ameaçada no Estado do
- 2527 Paraná. Instituto ambiental do Paraná.

- 2528 Milano, M. Z., and E. L. A. Monteiro-Filho. 2009. Predation on Small Mammals by
- 2529 Capuchin Monkeys, Cebus cay. Neotropical Primates 16:78–80.
- 2530 Miller, K. E., and J. M. Dietz. 2004. Fruit yield, not DBH or fruit crown volume,
- 2531 correlates with time spent feeding on fruits by wild Leontopithecus rosalia. International
- 2532 Journal of Primatology 25:27–39.
- 2533 Miller, K. E., and J. M. Dietz. 2005. Effects of individual and group characteristics on
- 2534 feeding behaviors in wild Leontopithecus rosalia. International Journal of Primatology
- 2535 26:1291–1319.
- 2536 Miller, K. E., K. L. Bales, J. H. Ramos, and J. M. Dietz. 2006. Energy intake, energy
- expenditure, and reproductive costs of female wild golden lion tamarins (Leontopithecus
- 2538 rosalia). American Journal of Primatology 68:1037–1053.
- 2539 Miller, K. E., K. Laszlo, and J. M. Dietz. 2003. The role of scent marking in the social
- communication of wild golden lion tamarins, Leontopithecus rosalia. Animal Behaviour
- 2541 65:795–803.
- 2542 Milton, K. 1984. Habitat, diet, and activity patterns of free-ranging woolly spider
- 2543 monkeys (Brachyteles arachnoides E. Geoffroy 1806). International Journal of
- 2544 Primatology 5:491–514.
- 2545 Milton, K., and C. de Lucca. 1984. Population estimate for Brachyteles at Fazenda
- 2546 Barreiro Rico, Sao Paulo State, Brazil. IUCN/SSC Primate Specialist Group Newsletter
- 2547 4:27–28.
- 2548 Ministério da Saúde. 2017. informe nº 07 | 2017/2018 Monitoramento do Período
- 2549 Sazonal da Febre Amarela Brasil 2017/2018. 11p.
- 2550 Ministério da Saúde. 2018. informe nº 14 | 2017/2018 Monitoramento do Período
- 2551 Sazonal da Febre Amarela Brasil 2017/2018. 13p.
- 2552 Miranda, J. M. D., and F. C. Passos. 2004. Hábito alimentar de Alouatta guariba
- 2553 (Humboldt) (Primates, Atelidae) em Floresta de Araucária, Paraná, Brasil. Revista
- 2554 Brasileira de Zoologia 21:821–826.
- 2555 Miranda, J. M. D., and F. C. Passos. 2005. Composition and dynamics of Alouatta guariba
- 2556 clamitans Cabrera, groups (Primates, Atelidae) on an Araucaria Pine Forest remnant on
- 2557 Parana State, Brazil. Revista Brasileira De Zoologia 22:99–106.
- 2558 Miranda, J. M. D., I. P. Bernardi, K. C. Abreu, and F. C. Passos. 2005b. Predation on
- 2559 Alouatta guariba clamitans Cabrera (Primates, Atelidae) by Leopardus pardalis
- 2560 (Linnaeus) (Carnivora, Felidae). Revista Brasileira De Zoologia 22:793–795.
- 2561 Miranda, J. M. D., I. P. Bernardi, R. F. Moro-Rios, and F. C. Passos. 2006a. Antipredator
- behavior of brown howlers attacked by black hawk-eagle in southern Brazil. International
- 2563 Journal of Primatology 27:1097–1101.
- 2564 Miranda, J. M. D., I. P. Bernardi, R. F. Moro-Rios, and F. C. Passos. 2006b. Three years
- on demography of a group of Alouatta guariba clamitans Cabrera (Primates, Atelidae):
- 2566 growth and fragmentation. Revista Brasileira de Zoologia 23:703–706.

- 2567 Miranda, J. M. D., I. P. Bernardi, R. F. Moro-Rios, L. M. Aguiar, G. Ludwig, and F. C.
- Passos. 2004. Social structure of Alouatta guariba clamitans: a group with a dominant
- 2569 female. Neotropical Primates 12:135–138.
- 2570 Miranda, J. M. D., L. M. Aguiar, G. Ludwig, R. F. Moro-Rios, and F. C. Passos. 2005a.
- 2571 The first seven months of an infant of Alouatta guariba (Humboldt) (Primates, Atelidae):
- 2572 interactions and the development of behavioral patterns. Revista Brasileira De Zoologia
- 2573 22:1191–1195.
- 2574 Miranda, J. M. D., M. F. Moro-Rios, I. P. Bernardi, and F. C. Passos. 2005c. Formas Não
- 2575 Usuais pa ra a Obtenção de Água por Alouatta guariba clamitans em Ambiente de Floresta
- 2576 com Araucária no Sul do Brasil. Neotropical Primates 13:21–23.
- 2577 Mittermeier, R. A., A. B. Rylands, and A. F. Coimbra-Filho. 1988. Systematics: species
- and subspecies an update. Pages 13-75 in R. A. Mittermeier, A. B. Rylands, A. F.
- 2579 Coimbra-Filho, and G. A. B. Fonseca, editors. Ecology and behaviour of Neotropical
- 2580 Primates. Academia Brasileira de Ciências, Rio de Janeiro, RJ.
- 2581 Mittermeier, R. A., A. B. Rylands, and D. E. Wilson, editors. 2013. Handbook of the
- 2582 Mammals of the World. Vol. 3: Primates. Lynx Edicions, Barcelona.
- 2583 Mittermeier, R. A., A. F. Coimbra-Filho, and I. D. Constable. 1980. Range Extension for
- an Endangered Marmoset. Oryx 15:380.
- 2585 Mittermeier, R. A., A. F. Coimbra-Filho, I. D. Constable, A. B. Rylands, and C. Valle.
- 2586 1982. Conservation of primates in the Atlantic forest region of eastern Brazil.
- 2587 International Zoo Yearbook 22:2–17.
- 2588 Mittermeier, R. A., and J. F. Oates. 1985. Primate diversity: the world's top countries.
- 2589 Primate Conservation 5:41–48.
- 2590 Mittermeier, R. A., C. M. C. Valle, M. C. Alves, I. B. Santos, C. A. M. Pinto, K. B. Strier,
- 2591 A. L. Young, E. M. Veado, I. D. Constable, and S. G. Paccagnella. 1987. Current
- 2592 distribution of the muriqui in the Atlantic forest region of eastern Brazil. Primate
- 2593 Conservation 8:143–149.
- 2594 MMA. 2006. MMA Lei n° 11.428, de 22 de dezembro de 2006.
- 2595 http://www.mma.gov.br/biomas/mata-atlantica/mapa-da-area-de-aplicacao. Downloaded
- 2596 on 15 March 2017.
- 2597 MMA, M. d. M. A. d. E. d. S. P. 2010. Inventário da Fauna do Município de São Paulo
- 2598 2010. Diário Oficial da Cidade de São Paulo, São Paulo.
- 2599 MMA/IBAMA. 2002. Plano de Manejo do Parque Nacional do Iguaçu.
- 2600 MMA/IBAMA. 2003. Plano de manejo da Reserva Biológica Guaribas.
- 2601 MMA/IBAMA. 2004. Plano de manejo Parque Nacional de Aparados da Serra e Serra
- 2602 Geral.
- 2603 MMA/IBAMA. 2005. Plano de manejo da Floresta Nacional de Ritápolis.
- 2604 MMA/IBAMA. 2006. Plano de manejo Reserva Biológica do Tinguá.

- 2605 MMA/IBAMA. 2009. Plano de Manejo da Floresta Nacional de Passa Quatro .
- 2606 Modesto, T. C., F. S. Pessôa, M. C. Enrici, N. Attias, T. Jordão-Nogueira, L. de M. Costa,
- 2607 H. G. Albuquerque, and H. de G. Bergallo. 2008. Mamíferos do Parque Estadual do
- 2608 Desengano, Rio de Janeiro, Brasil. Biota Neotropica 8:153–159.
- 2609 Modesto, T. C., F. S Pessôa, T. Jordão-Nogueira, M. C. Enrici, L. M. Costa, N. Attias,
- and C. E. Esbérard. 2008. Mammals, Serra da Concórdia, state of Rio de Janeiro,
- 2611 Brazil. Check list 4:341-348.
- Molina, C. V, J. L. Catao-Dias, J. S. F. Neto, S. A. Vasconcellos, S. M. Gennari, R. D.
- do Valle, G. O. de Souza, Z. M. de Morais, S. N. Vitaliano, R. D. Strefezzi, and M. G.
- 2614 Bueno. 2014. Sero-epidemiological survey for brucellosis, leptospirosis, and
- 2615 toxoplasmosis in free-ranging Alouatta caraya and Callithrix penicillata from Sao Paulo
- 2616 State, Brazil. Journal of Medical Primatology 43:197–201.
- 2617 Monteiro da Cruz, M. A. O. 1998. Dinâmica reprodutiva de uma população do sagui-do-
- 2618 nordeste (Callithrix jacchus) na Estação Ecológica do Tapacurá, Pernambuco.
- 2619 Universidade de São Paulo.
- 2620 Monteiro, R. V, A. M. I. Jansen, and R. M. Pinto. 2003. Coprological helminth screening
- 2621 in Brazilian free ranging golden lion tamarins, Leontopithecus rosalia (L., 1766)
- 2622 (Primates, Callithrichidae). Brazilian Journal of Biology 63:727–729.
- 2623 Monteiro, R. V, J. Baldez, J. Dietz, A. Baker, C. V Lisboa, and A. M. Jansen. 2006.
- 2624 Clinical, biochemical, and electrocardiographic aspects of Trypanosoma cruzi infection
- 2625 in free-ranging golden lion tamarins (Leontopithecus rosalia). Journal of Medical
- 2626 Primatology 35:48–55.
- 2627 Monteiro, R. V, J. M. Dietz, and A. M. Jansen. 2010. The impact of concomitant
- 2628 infections by Trypanosoma cruzi and intestinal helminths on the health of wild golden
- and golden-headed lion tamarins. Research in Veterinary Science 89:27–35.
- 2630 Monteiro, R. V, J. M. Dietz, B. B. Beck, A. J. Baker, A. Martins, and A. M. Jansen. 2007a.
- 2631 Prevalence and intensity of intestinal helminths found in free-ranging golden lion
- tamarins (Leontopithecus rosalia, Primates, Callitrichidae) from Brazilian Atlantic forest.
- 2633 Veterinary Parasitology 145:77–85.
- Monteiro, R. V, J. M. Dietz, B. Raboy, B. Beck, K. De Vleeschouwer, A. Baker, A.
- 2635 Martins, and A. M. Jansen. 2007b. Parasite community interactions: Trypanosoma cruzi
- and intestinal helminths infecting wild golden lion tamarins Leontopithecus rosalia and
- 2637 golden-headed lion tamarins L-chrysomelas (Callitrichidae, L., 1766). Parasitology
- 2638 Research 101:1689–1699.
- 2639 Montenegro, M. M. V. 2011. Ecologia de Cebus flavius (Schreber, 1774) em
- 2640 remanescentes de Mata Atlântica no estado da Paraíba. Thesis. Esalq/USP, Piracicaba,
- 2641 SP, Brazil.
- 2642 Monticelli, C., and L. H. Morais. 2015. Impactos antrópicos sobre uma população de
- Alouatta clamitans (Cabrera, 1940) em um fragmento de Mata Atlântica no Estado de São
- 2644 Paulo: apontamento de medidas mitigatórias. Revista Biociências 21:14–26.

- Moraes, A. M., and F. R. Melo. 2007. Caça e status de conservação do Muriqui-do-Norte
- 2646 (Brachyteles hypoxanthus) no lado capixaba do Parque Nacional do Caparaó. Page XII
- 2647 Congresso Brasileiro de Primatologia.
- 2648 Moraes, A. M., C. P. Neves, and F. R. Melo. 2008. Levantamento de primatas em
- 2649 fragmentos florestais no entorno do Parque Nacional do Caparaó, Minas Gerais, Brasil.
- 2650 Page XXVII Congresso Brasileiro de Zoologia.
- 2651 Moraes, P. L. R., R. Monteiro, and R. Vencovsky. 2004. Intrapopulation genetic structure
- in Cryptocarya moschata Nees (Lauraceae). Revista Brasileira de Botânica 27:475–487.
- 2653 Moreira-Lima, L. 2014. Aves da Mata Atlântica: riqueza, composição, status,
- 2654 endemismos e conservação. Universidade de São Paulo, São Paulo.
- 2655 Moreira, J. C., E. G. Manduca, P. R. Gonçalves, R. Stumpp, C. G. C. Pinto, and G. Lessa.
- 2008. Mammals, Volta Grande Environmental Unity, Triângulo Mineiro, states of Minas
- 2657 Gerais and São Paulo, Southeastern Brazil. Check List 4:349.
- 2658 Morellato, L. P. C., and C. F. B. Haddad. 2000. Introduction: The Brazilian Atlantic
- 2659 Forest. Biotropica 32:786-792.
- 2660 Moro-Rios, R. F., C. S. Serur-Santos, J. M. D. Miranda, and F. C. Passos. 2008. Obtenção
- 2661 de água por um grupo de Alouatta clamitans (Primates: Atelidae), em Floresta com
- 2662 Araucária: variações sazonais, sexo-etárias e circadianas. Revista Brasileira de Zoologia
- 2663 25:558–562.
- 2664 Moro-Rios, R. F., J. M. D. Miranda, and F. C. Passos. 2009. Relações sociais, emigração
- 2665 e fissão de um grupo de Alouatta guariba clamitans em um remanescente de floresta
- 2666 ombrófila mista. Neotropical Primates 16:57–60.
- 2667 Morrone, J. J. 2014. Biogeographical regionalisation of the Neotropical region. Zootaxa
- 2668 3782:1-110.
- 2669 Mottin, V., M. A. Selusniaki, J. M. D. Miranda, and F. C. Passos. 2011. Comportamento
- alimentar de Alouatta clamitans Cabrera, 1940 (Primates: Atelidae), em um fragmento de
- Floresta com Araucária no Paraná, Brasil. Pages 220–233 in J. M. D. Miranda and Z. M.
- 2672 B. Hirano, editors. A Primatologia no Brasil 12. UFPR/SBPr, Curitiba.
- 2673 Moura, A. 2007. Primate group size and abundance in the caating dry forest, northeastern
- 2674 Brazil. International Journal of Primatology 28:1279–1297.
- 2675 Moura, A. C. D. 2015. Hand Preference during Tool Use in Wild Bearded Capuchins.
- 2676 Folia Primatologica 86:411–419.
- Moura, A. C. D., and K. R. McConkey. 2007. The Capuchin, the Howler, and the
- 2678 Caatinga: Seed dispersal by monkeys in a threatened Brazilian forest. American Journal
- 2679 of Primatology 69:220–226.
- 2680 Mourthe, I. M. C., D. Guedes, J. Fidelis, J. P. Boubli, S. L. Mendes, and K. B. Strier.
- 2681 2007. Ground use by northern muriquis (Brachyteles hypoxanthus). American Journal of
- 2682 Primatology 69:706–712.

- 2683 Mourthé, I. M. C., K. B. Strier, and J. P. Boubli. 2008. Seed Predation of Mabea fistulifera
- 2684 (Euphorbiaceae) by Northern Muriquis (Brachyteles hypoxanthus). Neotropical Primates
- 2685 15:40–45.
- 2686 Müller, K. H. 1995. Ranging in masked titi monkeys (Callicebus personatus) in Brazil.
- Folia Primatologica 65:224–228.
- 2688 Muskin, A. 1984. Field notes and geographic distribution of Callithrix aurita in Eastern
- 2689 Brazil. American Journal of Primatology 7:377–380.
- 2690 Muylaert, R. d. L., R. D. Stevens, C. E. L. Esbérard, M. A. R. Mello, G. S. T. Garbino,
- L. H. Varzinczak, D. Faria, M. d. M. Weber, P. Kerches Rogeri, A. L. Regolin, H. F. M.
- d. Oliveira, L. d. M. Costa, M. A. S. Barros, G. Sabino-Santos, M. A. Crepaldi de Morais,
- V. S. Kavagutti, F. C. Passos, E.-L. Marjakangas, F. G. M. Maia, M. C. Ribeiro, and M.
- 2694 Galetti. 2017. ATLANTIC BATS: a data set of bat communities from the Atlantic Forests
- 2695 of South America. Ecology 98:3227-3227.
- 2696 Myers, N., R. A. Mittermeier, C. G. Mittermeier, G. A. da Fonseca, and J. Kent. 2000.
- 2697 Biodiversity hotspots for conservation priorities. Nature 403:853-858.
- Nagy-Reis, M. B., and E. Z. F. Setz. 2017. Foraging strategies of black-fronted titi
- 2699 monkeys (Callicebus nigrifrons) in relation to food availability in a seasonal tropical
- 2700 forest. Primates 58:149–158.
- Nagy-Reis, M. B., C. A. Estevo, E. Z. F. Setz, M. C. Ribeiro, A. G. Chiarello, and J. D.
- 2702 Nichols. 2017. Relative importance of anthropogenic landscape characteristics for
- Neotropical frugivores at multiple scales. Animal Conservation 20:520–531.
- Napier, P. H. 1976. Catalogue of Primates in the British Museum (Natural History). Part
- 2705 I: Families Callitrichidae and Cebidae. British Museum (Natural History), London.
- Nascimento, A. T. A., and L. A. J. Schmidlin. 2011. Habitat selection by, and carrying
- 2707 capacity for, the Critically Endangered black-faced lion tamarin Leontopithecus caissara
- 2708 (Primates: Callitrichidae). Oryx 45:288–295.
- 2709 Nascimento, A. T. A., C. Nali, and G. A. B. da Fonseca. 2014. Dispersal, Group
- 2710 Formation and Kinship in the Black-Faced Lion Tamarin (Leontopithecus caissara). Folia
- 2711 Primatologica 85:216–227.
- Nascimento, A. T. A., F. Prado, C. B. Valladares-Padua, and P. de Marco Jr. 2011a.
- 2713 Population Density of Black-Faced Lion Tamarin (Leontopithecus caissara). Neotropical
- 2714 Primates 18:17–21.
- 2715 Nascimento, A. T. A., L. A. J. Schmidlin, C. B. Valladares-Padua, E. R. Matushima, and
- 2716 L. M. Verdade. 2011b. A comparison of the home range sizes of mainland and island
- 2717 populations of black-faced lion tamarins (Leontopithecus caissara) using different spatial
- analysis. American Journal of Primatology 73:1114–1126.
- 2719 Negrão, M. de F. F., and C. Valladares-Pádua. 2006. Registros de mamíferos de maior
- 2720 porte na Reserva Florestal do Morro Grande, São Paulo. Biota Neotropica 6:0–0.

- Neri, F. M. 1997. Manejo de Callicebus personatus, Geoffroy 1802, resgatados: uma
- 2722 tentativa de reintrodução e estudos ecológicos de um grupo silvestre na Reserva do
- 2723 Patrimônio Natural Galheiro Minas Gerais. Universidade Federal de Minas Gerais.
- Neves, L. G. 2008. Distribuição geográfica e conservação de Callithrix kuhlii (Coimbra-
- Filho, 1985) (Primates, Callitrichidae) no sul da Bahia, Brasil. Universidade Estadual de
- 2726 Santa Cruz.
- Nicolaevsky, B., and S. L. Mendes. 2011. Comportamento alimentar do sagüi-da-cara-
- branca, Callithrix geoffroyi (É. Geoffroy in Humboldt, 1812) (Primates, Callitrichidae),
- em ambiente urbano. Pages 52-61 in J. M. D. Miranda and Z. M. B. Hirano, editors. A
- 2730 Primatologia no Brasil 12. UFPR/SBPr, Curitiba.
- Nogueira, C. P., A. P. Paglia, F. A. Pimenta, R. L. Dias, L. O. Martins, and W. L. Cabral.
- 2732 2001. Levantamento e distribuição de Sauás, Callicebus nigrifrons, e Sagui-de-tufos-
- 2733 pretos, Callithrix penicillata em fragmentos florestais na região de Lavras, MG. Page X
- 2734 Congresso Brasileiro de Primatologia. Belém PA.
- Nogueira, D. F., D. da S. Ferraz, A. F. Oliveira, F. P. Tabacow, S. M. de S. Amâncio, and
- 2736 F. R. de Melo. 2010. Occorrência de Primatas No Parque Estadual do Ibitipoca e Entorno,
- 2737 Estado de Minas Gerais, Brasil. Neotropical Primates 17:67–70.
- Nogueira, D. F., D. da Silva Ferraz, and F. R. de Melo. 2009. Situação atual do muriqui-
- 2739 do-norte-Brachyteles hypoxanthus kuhl (1820) no entorno do Parque Estadual do
- 2740 Ibitipoca, Lima Duarte, Minas Gerais. MG Biota 1:4–17.
- Nogueira, D. M., A. M. R. Ferreira, B. Goldschmidt, A. Pissinatti, J. B. Carelli, and C. E.
- Verona. 2011. Cytogenetic study in natural hybrids of Callithrix (Callitrichidae: Primates)
- 2743 in the Atlantic forest of the state of Rio de Janeiro, Brazil. Iheringia Serie Zoologia
- 2744 101:156–160.
- Nordeste Ambiental Ltda. 2016. Plano de Manejo da RPPN Fazenda Lontra/Saudade.
- Norris, D., F. Rocha-Mendes, R. Marques, R. D. Nobre, and M. Galetti. 2011. Density
- and Spatial Distribution of Buffy-tufted-ear Marmosets (Callithrix aurita) in a Continuous
- 2748 Atlantic Forest. International Journal of Primatology 32:811–829.
- Norris, D., J. M. Ramirez, C. Zacchi, and M. Galetti. 2012. A survey of mid and large
- 2750 bodied mammals in Nucleo Caraguatatuba, Serra do Mar State Park, Brazil. Biota
- 2751 Neotropica 12:127–133.
- Oklander, L. I., and R. Medrano. 2012. Estudios en monos caí silvestres (Cebus (Sapajus)
- 2753 nigritus) en el corredor Biológico Urugua-í-Foerster en el Noreste argentino. Page II Latin
- 2754 American Congress Mastozoology.
- Oklander, L. I., M. Kowalewski, and D. Corach. 2014. Male Reproductive Strategies in
- 2756 Black and Gold Howler Monkeys (Alouatta caraya). American Journal of Primatology
- 2757 76:43–55.
- Oklander, L. I., M. Marino, G. E. Zunino, and D. Corach. 2004. Preservation and
- 2759 extraction of DNA from feces in howler monkeys (Alouatta caraya). Neotropical Primates
- 2760 12:59–63.

- Oliveira, A. B. L. 2012. Presença ou ausência do Callithrix aurita em fragmentos de Mata
- 2762 Atlântica. Formando uma estratégia de conservação da biodiversidade para o Município
- 2763 de Sapucaia RJ Brasil. Instituto Superior de Agronomia.
- Oliveira, L. C., E. M. V. C. Câmara, A. Hirsch, A. M. O. Paschoal, R. M. Alvarenga, and
- 2765 B. M.G. 2003a. Callithrix geoffroyi (Primates: Callithrichidae) and Alouatta caraya
- 2766 (Primates: Atelidae) in the Serra do Cipó National Park, Minas Gerais, Brazil.
- Neotropical Primates 11:86–89.
- Oliveira, L. C., L. G. Neves, B. Raboy, and J. M. Dietz. 2011. Abundance of Jackfruit
- 2769 (Artocarpus heterophyllus) Affects Group Characteristics and Use of Space by Golden-
- 2770 Headed Lion Tamarins (Leontopithecus chrysomelas) in Cabruca Agroforest.
- 2771 Environmental Management 48:248–262.
- Oliveira, L. C., S. J. Hankerson, J. M. Dietz, and B. E. Raboy. 2010. Key tree species for
- 2773 the golden-headed lion tamarin and implications for shade-cocoa management in southern
- 2774 Bahia, Brazil. Animal Conservation 13:60–70.
- 2775 Oliveira, M. F., and L. Manzatti. 1996. New location for the muriqui (Brachyteles
- arachnoides) in the state of São Paulo, Brazil. Neotropical Primates 4:84–85.
- Oliveira, P. P., A. D. Grativol, and C. R. Ruiz-Miranda. 2008. Conservação do mico leão-
- 2778 dourado: enfrentando os desafios de uma paisagem fragmentada. Universidade Estadual
- 2779 do Norte Fluminense Campus dos Goytacazes.
- 2780 Oliveira, R. C. R., A. S. Coelho, and F. R. Melo. 2003b. Estimativa de densidade e
- 2781 tamanho populacional de Sauá (Callicebus nigrifrons) em um fragmento de mata em
- 2782 regeneração, Viçosa, Minas Gerais, Brasil. Neotropical Primates 11:91–94.
- Oliver, W. L. R., and I. B. Santos. 1991. Threatened endemic mammals of the Atlantic
- forest region of south-east Brazil. Jersey Wildlife Preservation Trust.
- 2785 Olmos, F. 1994. Jaguar predation on muriqui Brachyteles arachnoides. Neotropical
- 2786 Primates 2:16.
- Olmos, F., and P. Martuscelli. 1995. Habitat and distribution of buffy tufted-ear marmoset
- 2788 Callithrix aurita in São Paulo State, Brazil, with notes on its natural history. Neotropical
- 2789 Primates 3:75–79.
- Olmos, F., G. A. D. C. Franco, and P. Auricchio. 1997. Biometry and stomach contents
- of some Atlantic Forest primates, with a note on Brachyteles tooth replacement. Neotrop
- 2792 Primates 5:36–39.
- Olson, D. M., E. Dinerstein, E. D. Wikramanayake, N. D. Burgess, G. V. N. Powell, E.
- 2794 C. Underwood, J. A. D'Amico, I. Itoua, H. E. Strand, J. C. Morrison, C. J. Loucks, T. F.
- Allnutt, T. H. Ricketts, Y. Kura, J. F. Lamoreux, W. W. Wettengel, P. Hedao, and K. R.
- 2796 Kassem. 2001. Terrestrial Ecoregions of the World: A New Map of Life on Earth.
- 2797 Bioscience 51:933-938.
- 2798 Paccagnella, S. G. 1991. Censo da população de monos (Brachyteles arachnoides) do
- 2799 Parque Estadual Carlos Botelho, estado de Sao Paulo. Pages 225–233 in A. B. Rylands
- and A. T. Bernardes, editors. A primatologia no Brasil 3. Fundação Biodiversitas.

- Pacheco, L. R., F. M. Neri, V. T. Frahia, and A. L. Melo. 2003. Parasitismo Natural em
- 2802 Sauás, Callicebus nigrifrons (Spix, 1823): Variação na Eliminação de Ovos de Nematoda
- 2803 e Cestoda. Neotropical Primates 11:29–32.
- Paglia, A. P., G. A. B. da Fonseca, A. B. Rylands, G. Herrmann, L. M. S. Aguiar, A. G.
- 2805 Chiarello, Y. L. R. Leite, L. P. Costa, S. Siciliano, M. C. M. Kierulff, S. L. Mendes, V.
- 2806 C. Tavares, R. A. Mittermeier, and J. Patton. 2012. Lista anotada dos mamíferos do Brasil.
- 2807 Occasional Papers in Conservation Biology 6:1-76.
- 2808 Pagno, L., J. F. Cândido Jr, and C. R. Brocardo. 2015. Seed predation of Araucaria
- 2809 angustifolia by Sapajus nigritus. Neotropical Primates 22:1–6.
- 2810 Pagoto, A. 2016. Ocorrência de Callithrix aurita e as representações sociais de moradores:
- 2811 contribuições às políticas públicas. Universidade de Mogi das Cruzes.
- Paim, F. P., M. F. Iurck, S. L. Mendes, and K. B. Strier. 2004. A Muriqui (Brachyteles
- 2813 hypoxanthus) with a Broken Leg at the Estação Biológica de Caratinga, Minas Gerais,
- 2814 Brazil. Neotropical Primates 12:68–70.
- Palmeira, F. B. L., and C. C. Pianca. 2012. Predation attempt on a roadkilled brown-eared
- 2816 woolly opossum (Caluromys lanatus) by a black-horned capuchin (Sapajus nigritus).
- Neotropical Primates 19:36–38.
- 2818 Passamani, M. 1995. Vertical stratification of small mammals in Atlantic Hill forest.
- 2819 Mammalia 59:276–279.
- 2820 Passamani, M. 1996. Ecologia e comportamento de um grupo de sagüi-da-cara-branca
- 2821 (Callithrix geoffroyi) em um fragmento de Mata Atlântica no Espírito Santo.
- 2822 Universidade Federal de Minas Gerais.
- 2823 Passamani, M. 2008. Densidade e tamanho de grupo de primatas na Mata Atlântica
- 2824 serrana do sudoeste do Espírito Santo. Revista brasileira de zoociencias 10.
- 2825 Passamani, M., and A. B. Rylands. 2000a. Feeding behavior of Geoffroy's marmoset
- 2826 (Callithrix geoffroyi) in an Atlantic forest fragment of south-eastern Brazil. Primates
- 2827 41:27–38.
- Passamani, M., and A. B. Rylands. 2000b. Home range of a Geoffroy's marmoset group,
- 2829 Callithrix geoffroyi (Primates, Callitrichidae) in South-eastern Brazil. Revista Brasileira
- 2830 de Biologia 60:275–281.
- Passos, F. C. 1994. Behavior of the black lion tamarin, Leontopithecus chrysopygus, in
- 2832 different forest levels in the Caetetus Ecological Station, São Paulo, Brazil. Neotropical
- 2833 Primates 2.
- Passos, F. C., and C. J. R. Alho. 2001. Microhabitats importance in prey foraging behavior
- of black lion tamarin, Leontopithecus chrysopygus (Mikan) (Mammalia, Callitrichidae).
- 2836 Revista Brasileira de Zoologia 18:335–342.
- Passos, F. C., J. M. D. Miranda, L. de M. Aguiar, G. Ludwig, I. P. Bernardi, and R. F.
- 2838 Moro-Rios. 2006. Distribuição e ocorrência de primatas no Estado do Paraná, Brasil.

- 2839 Pages 119–150 in J. C. Bicca-Marques, editor. A Primatologia no Brasil 10. SBPr/PUC
- 2840 RS.
- Patrocinio, D. N. M., R. O. E. Hack, and M. Moura-Britto. 2009. Avaliação do status de
- 2842 invasão de Callithrix penicillata e C. jacchus, no município de Curitiba, Paraná, Brasil.
- 2843 Page XIII Congresso Brasileiro de Primatologia. Blumenau SC.
- Paula, H. M. G. de, R. S. Távora, M. V. de Almeida, L. S. Pelegrini, G. V. da Silva, R. L.
- 2845 Zaganini, and A. Lucindo. 2005. Estudos Preliminares da Presença de Sagüis no
- 2846 Município de Bauru, São Paulo, Brasil. Neotropical Primates 13:6–11.
- Pavé, R., M. M. Kowalewski, and G. E. Zunino. 2010. Adoption of an orphan infant in
- 2848 wild black and gold howler monkeys (Alouatta caraya). Mastozoologia Neotropical
- 2849 17:171–174.
- Pave, R., M. M. Kowalewski, P. A. Garber, G. E. Zunino, V. A. Fernandez, and S. M.
- Peker. 2012. Infant Mortality in Black-and-Gold Howlers (Alouatta caraya) Living in a
- 2852 Flooded Forest in Northeastern Argentina. International Journal of Primatology 33:937–
- 2853 957.
- Pave, R., M. M. Kowalewski, S. M. Peker, and G. E. Zunino. 2010. Preliminary study of
- 2855 mother-offspring conflict in black and gold howler monkeys (Alouatta caraya). Primates
- 2856 51:221–226.
- Pavé, R., S. M. Peker, M. Raño, C. R. Orjuela, G. E. Zunino, and M. M. Kowalewski.
- 2858 2009. Nectar Feeding on an Exotic Tree (Grevillea robusta) by Alouatta caraya and its
- 2859 Possible Role in Flower Pollination. Neotropical Primates 16:61–64.
- 2860 PBCM. 2013. Plano de Manejo da RPPN Santuário do Caraça, Minas Gerais.
- Peker, S., M. M. Kowalewski, R. E. Pave, and G. E. Zunino. 2009. Births in Wild Black
- and Gold Howler Monkeys (Alouatta caraya) in Northern Argentina. American Journal
- 2863 of Primatology 71:261–265.
- Penido, G., and A. C. da S. Zanzini. 2012. Checklist of large and medium-sized mammals
- 2865 of the Estação Ecológica Mata do Cedro, an Atlantic forest remnant of central Minas
- 2866 Gerais, Brazil. Check List 8:712.
- Penter, C., M. E. Fabián, and S. M. Hartz. 2008. Inventário rápido da fauna de mamíferos
- do Morro Santana, Porto Alegre, RS. Revista Brasileira de Biociências 6.
- 2869 Pereira, A. D., and S. Bazilio. 2014. Caracterização faunística de mamíferos de médio e
- 2870 grande porte na Floresta Nacional de Irati, Paraná, Brasil. Acta Iguazu 3:57–68.
- 2871 Pereira, A. M. 2012. Composição, distribuição, densidade e riqueza de primatas em
- 2872 fragmentos florestais no município de Viçosa-MG. Universidade Federal de Viçosa.
- Pereira, S. N., D. Dias, I. P. D. Lima, A. C. S. Maas, M. A. Martins, D. P. Bolzan, and
- 2874 M. D. F. S. Ferreira, 2013. Mamíferos de um fragmento florestal em Volta Redonda,
- 2875 estado do Rio de Janeiro. Bioscience Journal 29:4
- 2876 Pereira, D. G., M. E. A. de Oliveira, and C. R. Ruiz-Miranda. 2008. Interações entre
- 2877 calitriquídeos exóticos e nativos no Parque Nacional da Serra dos Órgãos-RJ. Revista
- 2878 Espaço e Geografia 11:67–94.

- Pereira, R. F., A. M. Gonçalves, F. R. Melo, and R. N. Feio. 1995. Primates from the
- vicinity of Viçosa, Minas Gerais, Brazil. Neotropical Primates 3:171–173.
- Peres, C. A. 1997. Effects of habitat quality and hunting pressure on arboreal folivore
- densities in neotropical forests: a case study of howler monkeys (Alouatta spp.). Folia
- 2883 Primatologica 68:199–222.
- Peres, C. A. 1999. General guidelines for standardizing line-transect surveys of tropical
- 2885 forest primates. Neotropical Primates, 7:11–16.
- 2886 Persson, V. G., and M. L. Lorini. 1990. Contribuição ao conhecimento mastofaunístico
- da porção centro-sul do Estado do Paraná. Acta Biologica Leopoldensia 12:277–282.
- 2888 Pessôa, F. S., T. C. Modesto, H. G. Albuquerque, N. Attias, and H. G. Bergallo. 2009.
- 2889 Non-volant mammals, Reserva Particular do Patrimônio Natural (RPPN) Rio das Pedras,
- 2890 municipality of Mangaratiba, state of Rio de Janeiro, Brazil. Check List 5:577–586.
- 2891 Pessoa, H. R. 2013. Plano de Manejo da Reserva Ecológica Amadeu Botelho.
- 2892 Petroni, L. M. 1993. Aspectos da Ecologia e Comportamento do mono-carvoeiro
- 2893 (Brachyteles arachnoides E. Geoffroy 1806 Cebidae, Primates) na Fazenda Intervales,
- 2894 Serra da Paranapiacaba, São Paulo. Pontifícia universidade católica do Rio Grande do
- 2895 Sul.
- 2896 Petroni, L. M., M. A. Huffman, and E. Rodrigues. 2017. Medicinal plants in the diet of
- 2897 woolly spider monkeys (Brachyteles arachnoides, E. Geoffroy, 1806) a bio-rational for
- 2898 the search of new medicines for human use? Revista Brasileira de Farmacognosia
- 2899 27:135–142.
- 2900 Plano de manejo da RPPN Ave Lavrinha. 2009. Available in
- 2901 http://www.avelavrinha.com.br/arquivos/planodemanejo.pdf
- 2902 Pianca, C. C. 2004. A caça e seus efeitos sobre a ocorrência de mamíferos de médio e
- 2903 grande porte em áreas preservadas de Mata Atlântica na Serra de Paranapiacaba (SP).
- 2904 Escola Superior de Agricultura Luiz de Queiroz.
- 2905 Pinheiro, H. L. N., and A. R. Mendes Pontes. 2015. Home range, diet, and activity
- 2906 patterns of common marmosets (Callithrix jacchus) in very small and isolated fragments
- of the Atlantic Forest of northeastern Brazil. International Journal of Ecology 2015:1–13.
- 2908 Pinto, L. D. S. 1994. Distribuição Geográfica, População e Estado de Conservação do
- 2909 Mico-Leão-da-Cara-Dourada, Leontopithecus chrysomelas (Callitrichidae, Primates).
- 2910 Universidade Federal de Minas Gerais.
- 2911 Pinto, L. P. S., and A. B. Rylands. 1997. Geographic distribution of the golden-headed
- 2912 lion tamarin, Leontopithecus chrysomelas: implications for its management and
- 2913 conservation. Folia Primatologica 68:161–180.
- 2914 Pinto, L. P. S., C. M. R. Costa, K. B. Strier, and G. A. B. da Fonseca. 1993b. Habitat,
- 2915 density and group size of primates in a Brazilian tropical forest. Folia Primatologica
- 2916 61:135–143.

- 2917 Pinto, L. P. S., C. M. R. Costa, K. B. Strier, and G. A. B. Fonseca. 1993a. Habitats,
- 2918 density, and group size of primates of the Reserva Biologica Augusto Ruschi (Nova
- 2919 Lombardia), Santa Teresa, Brazil. Folia Primatologica 61:135–143.
- 2920 Pires, D. P. de S., and C. V. Cademartori. 2012. Medium and large sized mammals of a
- semideciduous forest remnant in southern Brazil. Biota Neotropica 12:239–245.
- 2922 Podgaiski, L. R., and M. M. A. Jardim. 2009. Early Behavioral Development of a Free-
- 2923 Ranging Howler Monkey Infant (Alouatta guariba clamitans) in Southern Brazil.
- 2924 Neotropical Primates 16:27–30.
- 2925 Pontes, A. R. M., A. J. R. Malta, and P. H. Asfora. 2006. A new species of capuchin
- 2926 monkey, genus Cebus Erxleben (Cebidae, Primates): found at the very brink of extinction
- in the Pernambuco Endemism Centre. Zootaxa 1200:1-12.
- 2928 Porfirio, G., P. Sarmento, N. L. X. Filho, J. Cruz, and C. Fonseca. 2014. Medium to large
- size mammals of southern Serra do Amolar, Mato Grosso do Sul, Brazilian Pantanal.
- 2930 Check List 10:473–482.
- 2931 Portela, R. D. Q., E. M. Bruna, and F. A. M. dos Santos. 2010. Are protected areas really
- 2932 protecting populations? A test with an Atlantic rain forest palm. Tropical Conservation
- 2933 Science 3:361–372.
- 2934 Possamai, C. B., R. J. Young, S. L. Mendes, and K. B. Strier. 2007. Socio-sexual behavior
- 2935 of female northern muriquis (Brachyteles hypoxanthus). American Journal of
- 2936 Primatology 69:766–776.
- 2937 Prado, F. 1999. Ecologia, comportamento e conservação do mico-leão-de-cara-preta
- 2938 (Leontopithecus caissara) no Parque nacional do Superagui, Guaraqueçaba, PR.
- 2939 Universidade Estadual Paulista "Júlio de Mesquita Filho."
- 2940 Prado, M. R., E. C. Rocha, and G. M. Lessa del Giudice. 2008. Mamíferos de médio e
- 2941 grande porte em um fragmento de mata atlântica, Minas Gerais, Brasil. Revista Árvore
- 2942 32:741–749.
- 2943 Prates, J. C., S. M. P. Gayer, L. F. Kunz Jr, and G. Buss. 1990. Feeding habits of the
- brown howler monkey Alouatta fusca clamitans (Cabrera, 1940) (Cebidae, Alouattinae)
- in the Itapuã State Park: A preliminary report. Acta Biologica Leopoldensia 12:175–188.
- 2946 Presotto, A., and P. Izar. 2010. Spatial reference of black capuchin monkeys in Brazilian
- 2947 Atlantic Forest: egocentric or allocentric? Animal Behaviour 80:125–132.
- 2948 Preuss, F. J., G. B. Pfeifer, J. F. Toral, and S. J. Bressan. 2016. Levantamento rápido de
- 2949 mamíferos em um remanescente de Mata Atlântica do sul do Brasil. Unoesc & Ciência-
- 2950 ACBS 7:89–96.
- 2951 Price, E. C., H. M. Piedade, and D. Wormell. 2002. Population densities of primates in a
- 2952 Brazilian Atlantic forest. Folia Primatologica 73:54–56.
- 2953 Printes, R. C. 1999. The Lami Biological Reserve, Rio Grande do Sul, Brazil, and the
- 2954 danger of power lines to howlers in urban reserves. Neotropical Primates 4:135–136.

- 2955 Printes, R.C., A.B. Rylands, and J.C. Bicca-Marques. 2011. Distribution and status of the
- 2956 critically endangered blond titi monkey Callicebus barbarabrownae of north-east Brazil.
- 2957 Oryx 45: 439-443.
- 2958 Printes, R. C., M. V. A. Liesenfeld, and L. Jerusalinky. 2001. Alouatta guariba clamitans
- 2959 Cabrera, 1940: a new southern limit for the species and for neotropical primates.
- 2960 Neotropical Primates 9:118–121.
- 2961 Pyritz, L. W., A. B. S. Buntge, S. K. Herzog, and M. Kessler. 2010. Effects of Habitat
- 2962 Structure and Fragmentation on Diversity and Abundance of Primates in Tropical
- 2963 Deciduous Forests in Bolivia. International Journal of Primatology 31:796–812.
- 2964 Rabello, H., G. de Souza, N. I. Calegário, and P. R. Oliveira. 2014. Plano de Manejo da
- 2965 RPPN Mata da Serra, Vargem Alta, Espírito Santo.
- 2966 Raboy, B. E., and J. M. Dietz. 2004. Diet, foraging, and use of space in wild golden-
- 2967 headed lion tamarins. American Journal of Primatology 63:1–15.
- 2968 Raboy, B. E., and T. Fontoura. 2009. Bromeliad use in wild golden-headed lion tamarins
- 2969 (Leontopithecus chrysomelas): continued evidence of their mutually beneficial
- relationship. American Journal of Primatology 71:43.
- 2971 Raboy, B. E., G. R. Canale, and J. M. Dietz. 2008. Ecology of Callithrix kuhlii and a
- review of eastern Brazilian marmosets. International Journal of Primatology 29:449–467.
- 2973 Raboy, B. E., M. C. Christman, and J. M. Dietz. 2004. The use of degraded and shade
- 2974 cocoa forests by endangered golden-headed lion tamarins Leontopithecus chrysomelas.
- 2975 Oryx 38:75–83.
- 2976 Ramirez-Llorens, P., M. S. Di Bitetti, M. C. Baldovino, and C. H. Janson. 2008.
- 2977 Infanticide in black capuchin monkeys (Cebus apella nigritus) in Iguazu National Park,
- 2978 Argentina. American Journal of Primatology 70:473–484.
- 2979 Rangel, C. H., J. G. V Adler, G. C. Heliodor, A. Santos Jr., and C. E. Verona. 2013. Relato
- 2980 de Caso de Morte por Agressao Entre Macacos-Prego Sapajus nigritus (Primates:
- 2981 Cebidae) no Jardim Botânico do Rio de Janeiro. Neotropical Primates 20:9–16.
- 2982 Rapaport, L. G. 2006. Provisioning in wild golden lion tamarins (Leontopithecus rosalia):
- benefits to omnivorous young. Behavioral Ecology 17:212–221.
- 2984 Rapaport, L. G. 2011. Progressive parenting behavior in wild golden lion tamarins.
- 2985 Behavioral Ecology 22:745–754.
- 2986 Rapaport, L. G., and C. R. Ruiz-Miranda. 2002. Tutoring in wild golden lion tamarins.
- 2987 International Journal of Primatology 23:1063–1070.
- 2988 Rapaport, L. G., and C. R. Ruiz-Miranda. 2005. Provisioning of young in two populations
- 2989 of wild golden lion tamarins (Leontopithecus rosalia). American Journal of Primatology
- 2990 66:50.
- 2991 Rapaport, L. G., and C. R. Ruiz-Miranda. 2006. Ontogeny of provisioning in two
- 2992 populations of wild golden lion tamarins (Leontopithecus rosalia). Behavioral Ecology
- 2993 and Sociobiology 60:724–735.

- 2994 Redies, H. 2010. Plano de Manejo RPPN Mãe-da-lua.
- 2995 Reginalio, R. L., M. C. De Sousa, J. C. Pieczarka, and C. Y. Nagamachi. 2006. Karyotypic
- 2996 study of Callicebus coimbrai: a rare and threatened primate species from Brazil.
- 2997 Caryologia 59:248–252.
- 2998 Reis, N. R. 2005. Mamíferos da Fazenda Monte Alegre-Paraná. Eduel.
- 2999 Rhea Estudos e Projetos. 2013. Plano de manejo da Floresta Nacional de Goytacazes.
- 3000 ICMBio.
- Ribeiro, L. F., L. O. M. Conde, and M. Tabarelli. 2010. Predação e remoção de sementes
- 3002 de cinco espécies de palmeiras por Guerlinguetus ingrami (Thomas, 1901) em um
- fragmento urbano de Floresta Atlântica Montana. Revista Árvore 34:637–649.
- Ribeiro, M. C., J. P. Metzger, A. C. Martensen, F. Ponzoni, and M. M. Hirota. 2009.
- 3005 Brazilian Atlantic forest: how much is left and how is the remaining forest distributed?
- 3006 Implications for conservation. Biological Conservation 142:1141-1153.
- Ribeiro, S., and J. C. Bicca-Marques. 2005. Landscape characteristics and their influence
- on the occurrence of brown howling monkeys (Alouatta guariba clamitans Cabrera, 1940;
- 3009 Primates, Atelidae) in forest fragments in the Vale do Taquari, RS-Brazil. Natureza &
- 3010 Conservação 3:168–181.
- Rocha, A. 2014. Sensibilidade ambiental fluvial a derrames de óleo e biocombustível:
- 3012 vulnerabilidade e impactos à mastofauna. Universidade Estadual Paulista "Júlio de
- 3013 Mesquita Filho."
- Rocha, A., and S. Carvalho. 2011. Comportamento alimentar de Callithrix penicillata em
- 3015 fragmento urbano no município de Campinas-SP: implicações etológicas. Page X
- 3016 Congresso de Ecologia do Brasil. São Lourenço MG.
- Rocha, E., K. Soares, and I. Pereira. 2015a. Medium- and large-sized mammals in Mata
- 3018 Atlântica State Park, southeastern Goiás, Brazil. Check List 11:1801.
- Rocha, J. M. D., K. M. De Vleeschouwer, P. P. Reis, C. E. D. Grelle, and L. C. Oliveira.
- 3020 2015b. Do Habitat Use and Interspecific Association Reflect Predation Risk for the
- 3021 Golden-Headed Lion Tamarin (Leontopithecus chrysomelas)? International Journal of
- 3022 Primatology 36:1198–1215.
- Rocha, J. M. D., P. P. dos Reis, and L. D. Oliveira. 2014. Play Behavior of the Golden-
- Headed Lion Tamarin in Brazilian Cocoa Agroforests. Folia Primatologica 85:192–199.
- Rocha, M. F., and M. Passamani. 2009. Uso do espaço por um grupo de saguis-da-cara-
- 3026 branca (Callithrix geoffroyi) no sudeste do Brasil. Boletim do Museu de Biologia Mello
- 3027 Leitão 26:47-58.
- 3028 Rocha, V. J. 2001. Ecologia de mamíferos de médio e grande porte do Parque Estadual
- 3029 Mata dos Godoy, Londrina (PR). Universidade Federal do Paraná.
- 3030 Rocha, V. J., L. M. Aguiar, G. Ludwig, C. L. S. Hilst, G. M. Teixeira, W. K. Svoboda,
- 3031 M. M. Shiozawa, L. S. Malanski, I. T. Navarro, J. H. F. Marino, and F. C. Passos. 2007.

- 3032 Techniques and trap models for capturing wild tufted capuchins. International Journal of
- 3033 Primatology 28:231–243.
- Rocha-Mendes, F., C. L. Neves, R. de A. Nobre, R. M. Marques, G. V Bianconi, and M.
- 3035 Galetti. 2015. Non-volant mammals from Núcleo Santa Virgínia, Serra do Mar State Park,
- 3036 São Paulo, Brazil. Biota Neotropica 15:1–9.
- Rocha-Mendes, F., S. B. Mikich, G. V. Bianconi, and W. A. Pedro. 2005. Mamíferos do
- 3038 município de Fênix, Paraná, Brasil: etnozoologia e conservação. Revista Brasileira de
- 3039 Zoologia 22:991–1002.
- Rodrigues, F. H. G., L. Silveira, A. T. A. Jácomo, A. P. Carmignotto, A. M. R. Bezerra,
- 3041 D. C. Coelho, H. Garbogini, J. Pagnozzi, and A. Hass. 2002. Composition and
- 3042 characterization of the mammal fauna of Emas National Park, Goiás, Brasil. Revista
- 3043 Brasileira de Zoologia 19:589–600.
- Rodrigues, N. N., and R. A. Martinez. 2014. Wildlife in our backyard: interactions
- 3045 between Wied's marmoset Callithrix kuhlii (Primates: Callithrichidae) and residents of
- 3046 Ilheus, Bahia, Brazil. Wildlife Biology 20:91–96.
- Rodrigues, S. B. M., B. L. Gagetti, and A. J. Piratelli. 2016. First record of Leontopithecus
- 3048 chrysopygus (Primates: Callitrichidae) in carlos botelho state park, São miguel arcanjo,
- 3049 São paulo, Brazil. Mammalia 80:121–124.
- Rohe, F., A. P. Antunes, and C. F. Tófoli. 2003. The discovery of a new population of
- 3051 black lion tamarins (Leontopithecus chrysopygus) in the Serra de Paranapiacaba, São
- 3052 Paulo, Brazil. Neotropical Primates 11:75–76.
- Ruiz-Miranda, C. R., A. G. Affonso, A. Martins, and B. Beck. 2000. Distribuição do sagui
- 3054 (Callithrix jacchus) nas áreas de ocorrência do mico-leão-dourado (Leontopithecus
- rosalia) no estado do Rio de Janeiro. Neotropical Primates 8:89–101.
- Ruiz-Miranda, C. R., A. G. Affonso, M. M. de Morais, C. E. Verona, A. Martins, and B.
- 3057 B. Beck. 2006. Behavioral and ecological interactions between reintroduced golden lion
- 3058 tamarins (Leontopithecus rosalia Linnaeus, 1766) and introduced marmosets (Callithrix
- spp, Linnaeus, 1758) in Brazil's Atlantic coast forest fragments. Brazilian Archives of
- 3060 Biology and Technology 49:99–109.
- Ruiz-Miranda, C. R., C. A. Archer, and D. G. Kleiman. 2002. Acoustic differences
- between spontaneous and induced long calls of golden lion tamarins, Leontopithecus
- 3063 rosalia. Folia Primatologica 73:124–131.
- Ruschi, A. 1964. Macacos do Espírito Santo. Boletim do Museu de Biologia Mello Leitão
- 3065 23:1–23.
- 3066 Rylands, A. B. 1989. Sympatric Brazilian callitrichids: The Black Tufted-Ear Marmoset,
- 3067 Callithrix kuhli, and the Golden-headed Lion Tamarin, Leontopithecus chrysomelas.
- 3068 Journal of Human Evolution 18:679–695.
- Rylands, A. B. 1995. A species list for the New World primates (Platyrrhini): distribution
- 3070 by country, endemism, and conservation status according to the Mace-Lande system.
- 3071 Neotropical Primates supplement.

- 3072 Rylands, A. B., A. F. Coimbra-Filho, and R. A. Mittermeier. 1993. Systematics,
- 3073 geographic distribution, and some notes on the conservation status of the Callitrichidae.
- Pages 11–77 in A. B. Rylands, editor. Marmosets and tamarins: Systematics, behaviour,
- 3075 and ecology. Oxford University Press.
- Rylands, A. B., and C. M. R. Costa. 1988. Observações preliminares sobre as populações
- 3077 de Callithrix geoffroyi (Humboldt, 1912) na Estação de Pesquisa e Desenvolvimento
- 3078 Ambiental de Peti, MG. Companhia Energética de Minas Gerais CEMIG.
- Rylands, A. B., E. A Williamson, M. Hoffmann, and R. A. Mittermeier. Primate surveys
- and conservation assessments. Oryx 42:313-314.
- 3081 Rylands, A. B., and P. Nogueira Neto. 1994. Conservation units and the protection of
- 3082 Atlantic forest lion tamarins. Neotropical Primates 2:12–14.
- Rylands, A. B., I. B. Santos, and R. A. Mittermeier. 1991. Distribution and status of the
- 3084 golden-headed lion tamarin, Leontopithecus chrysomelas, in the Atlantic forest of
- 3085 southern Bahia, Brazil. Primate Conservation:12–13.
- 3086 Rylands, A. B., M. C. M. Kierulff, and L. P. de S. Pinto. 2002. Distribution and status of
- 3087 lion tamarins. Pages 42–70 in D. G. Kleiman and A. B. Rylands, editors. Lion tamarins:
- 3088 biology and conservation. Smithsonian Institution Press.
- 3089 Rylands, A. B., R. A. Mittermeier, and E. Rodriguez-Luna. 1997. Conservation of
- 3090 neotropical primates: threatened species and an analysis of primate diversity by country
- and region. Folia Primatologica 68:134–160.
- Rylands, A. B., V. L. Tornizielo, I. B. dos Santos, M. C. Kierulff, W. R. Spironello, and
- 3093 R. Lemos de Sá. 1988. Primates of the Jequitinhonha Valley, Minas Gerais, Brazil.
- 3094 Primate Conservation 9:100–109.
- Rylands, A., K. Strier, R. Mittermeier, J. Borovansky, and U. S. Seal. 1998. Population
- and habitat viability assessment workshop for the muriqui (Brachyteles arachnoides).
- 3097 IUCN-SSC Conservation Breeding Specialist Group.
- 3098 Sabatini, V., and C. R. Ruiz-Miranda. 2008. Acoustical aspects of the propagation of long
- 3099 calls of wild Leontopithecus rosalia. International Journal of Primatology 29:207–223.
- 3100 Sabatini, V., and C. R. Ruiz-Miranda. 2010. Does the golden lion tamarin, Leontopithecus
- 3101 rosalia (Primates: Callitrichidae), select a location whithin the forest strata for long
- 3102 distance communication? Zoologia 27:179–183.
- 3103 Sabatini, V., C. R. Ruiz-Miranda, and T. Dabelsteen. 2011. Degradation characteristics
- of golden lion tamarin Leontopithecus rosalia two-phrase long calls: implications for call
- 3105 detection and ranging in the evergreen forest. Bioacoustics-the International Journal of
- 3106 Animal Sound and Its Recording 20:137–158.
- 3107 Sabbatini, G., M. Staininati, M. C. H. Tavares, and E. Visalberghi. 2008. Behavioral
- 3108 flexibility of a group of bearded capuchin monkeys (Cebus libidinosus) in the National
- Park of Brasilia (Brazil): consequences of cohabitation with visitors. Brazilian Journal of
- 3110 Biology 68:685–693.

- 3111 Sabbatini, G., M. Stammati, M. C. H. Tavares, and E. Visalberghi. 2007. Response toward
- 3112 novel stimuli in a group of tufted capuchins (Cebus libidinosus) in Brasilia National Park,
- 3113 Brazil. American Journal of Primatology 69:457–470.
- 3114 Sabbatini, G., M. Stammati, M. C. H. Tavares, M. V Giuliani, and E. Visalberghi. 2006.
- 3115 Interactions between humans and capuchin monkeys (Cebus libidinosus) in the Parque
- 3116 Nacional de Brasilia, Brazil. Applied Animal Behaviour Science 97:272–283.
- 3117 Sales, L. P., M. W. Hayward, and M. Passamani. 2016. Local vs landscape drivers of
- primate occupancy in a Brazilian fragmented region. Mammal Research 61:73–82.
- 3119 Sanchez-Sarmiento, A. M., T. Zwarg, R. C. Fernandes-Santos, T. Guimarães-Luiz, A.
- 3120 Genoy-Puerto, and E. R. Matushima. 2015. Hematological Parameters and the Variations
- Resulting from Stress of Alouatta caraya During a Wildlife Rescue Program in Brazil.
- 3122 American Journal of Primatology 77:246–253.
- Santana, B. E. M. M., M. R. do Prado, G. Lessa, E. C. Rocha, and F. R. de Melo. 2008a.
- 3124 Densidade, tamanho populacional e abundância dos primatas em um fragmento de
- 3125 floresta atlântica em Minas Gerais, Brasil. Revista Árvore 32:1009–1117.
- 3126 Santana, B., M. R. do Prado, G. Lessa, E. C. Rocha, and F. R. de Melo. 2008b. DENSITY,
- 3127 Density, population size, and abundance of primate populations in an atlantic forest
- fragment in Minas Gerais, Brazil. Revista Arvore 32:1109–1117.
- 3129 Santana, M. M., J. P. Souza-Alves, and S. F. Ferrari. 2014. Twinning in Titis (Callicebus
- 3130 coimbrai): Stretching the Limits of Biparental Infant Caregiving? Neotropical Primates
- 3131 21:190–192.
- 3132 Santee, D. P., and M. F. Arruda. 1994. The Nisia Floresta common marmoset research
- 3133 station. Neotropical Primates 2:8–11.
- 3134 Santos, G. J. R., and R. Pessoa. 2016. Plano de manejo RPPN Rio Capitão.
- 3135 Santos, I. B., R. A. Mittermeier, A. B. Rylands, and C. M. de C. Valle. 1987. The
- 3136 distribution and conservation status of primates in southern Bahia, Brazil. Primate
- 3137 Conservation 8:126–142.
- 3138 Santos, J. L., A. M. O. Paschoal, R. L. Massara, and A. G. Chiarello. 2014. High
- 3139 consumption of primates by pumas and ocelots in a remnant of the Brazilian Atlantic
- Forest. Brazilian Journal of Biology 74:632–641.
- 3141 Santos, K. K., G. S. M. Pacheco, and M. Passamani. 2016. Medium-sized and large
- 3142 mammals from Quedas do Rio Bonito Ecological Park, Minas Gerais, Brazil. Check List
- 3143 12:1830.
- São Bernardo, C. S., and M. Galetti. 2004. Densidade e tamanho populacional de primatas
- em um fragmento florestal no sudeste do Brasil. Revista Brasileira de Zoologia 21:827–
- 3146 832.
- 3147 SAVE Projetos e Soluções Ambientais. 2016. Plano de Manejo da Reserva Particular do
- 3148 Patrimônio Natural Perna do Pirata.

- 3149 Scarano, F. R., and P. Ceotto. 2015. Brazilian Atlantic forest: impact, vulnerability, and
- adaptation to climate change. Biodiversity and Conservation 24:2319-2331.
- 3151 Scarry, C. 2012. Variable participation in intergroup aggression by female tufted
- 3152 capuchin mankeys (Cebus apella nigritus). American Journal of Primatology 74:28.
- 3153 Scarry, C. J. 2013. Between-group contest competition among tufted capuchin monkeys,
- 3154 Sapajus nigritus, and the role of male resource defence. Animal Behaviour 85:931–939.
- 3155 Scarry, C. J., and M. P. Tujague. 2012. Consequences of Lethal Intragroup Aggression
- 3156 and Alpha Male Replacement on Intergroup Relations and Home Range Use in Tufted
- Capuchin Monkeys (Cebus apella nigritus). American Journal of Primatology 74:804–
- 3158 810.
- 3159 Schmidt, D. A., M. M. Kowalewski, M. R. Ellersieck, G. E. Zunino, M. Stacewicz-
- 3160 Sapuntzakis, T. C. Chen, and M. F. Holick. 2007. Serum nutritional profiles of free-
- ranging Alouatta caraya in northern Argentina: Lipoproteins; amino acids; vitamins a, d,
- and e; carotenoids; and minerals. International Journal of Primatology 28:1093–1107.
- 3163 SEMA. 1996. Plano de Manejo do Parque Estadual de Itapuã. Secretaria da Agricultura
- e Abastecimento Departamento de Recursos Naturais Renováveis.
- 3165 SEMA. 2006. Plano de Manejo do Parque Estadual de Itapeva. Secretaria Estadual de
- 3166 Meio Ambiente do Rio Grande do Sul Fundação Zoobotânica do Rio Grande do Sul.
- 3167 SEMA. 2008a. Plano de Manejo da Estação Ecológica Estadual de Aratinga. Secretaria
- 3168 Estadual de Meio Ambiente do Rio Grande do Sul Fundação Zoobotânica do Rio Grande
- 3169 do Sul.
- 3170 SEMA. 2008b. Plano de Manejo da Reserva Biológica Estadual da Serra Geral. Secretaria
- 3171 Estadual de Meio Ambiente do Rio Grande do Sul Fundação Zoobotânica do Rio Grande
- 3172 do Sul.
- 3173 SEMA. 2008c. Plano de Manejo do Parque Estadual do Tainhas. Secretaria Estadual de
- 3174 Meio Ambiente do Rio Grande do Sul Fundação Zoobotânica do Rio Grande do Sul.
- 3175 SEMA. 2009. Plano de Manejo da Área de Proteção Ambiental da Serra da Esperança.
- 3176 Secretaria Estadual do Meio Ambiente e Recursos Hídricos, Instituto Ambiental do
- 3177 Paraná.
- 3178 Servicio Florestal Nacional. 1982. Guía de algunos vertebrados del Parque Nacional
- 3179 Ybycuí. Ministerio de Agricultura y Ganaderia.
- 3180 Siani, J. M., K. L. Bales, A. J. Baker, and J. M. Dietz. 2004. Relationships between age,
- weight, and sex ratio in wild golden lion tamarins (Leontopithecus rosalia). American
- 3182 Journal of Primatology 62:61–62.
- 3183 Siemers, B. M. 2000. Seasonal variation in food resource and forest strata use by brown
- 3184 capuchin monkeys (Cebus apella) in a disturbed forest fragment. Folia Primatologica
- 3185 71:181–184.
- 3186 Silva Jr, E. C. da. 1981. A preliminary survey of brown howler monkeys (Alouatta fusca)
- at the Cantareira Reserve (São Paulo, Brazil). Revista Brasileira de Biologia 41:897–909.

- 3188 Silva Júnior, P. A. 2012. Plano de Manejo da RPPN Reserva Natural Brejo.
- 3189 Silva, A. S. A., V. B. Fortes, and J. C. Voltolini. 2017. Influência da paisagem na presença
- e abundância do bugio-ruivo Alouatta guariba clamitans (Cabrera, 1940) em fragmentos
- 3191 florestais no sudeste do Brasil. Mastozoología Neotropical 24:323–331.
- 3192 Silva, G. S., and M. A. M. da Cruz. 1993. Comportamento e composição de um grupo de
- 3193 Callithrix jacchus Erxleben (Primates, Callitrichidae) na mata de Dois Irmãos, Recife,
- 3194 Pernambuco, Brasil. Revista Brasileira de Zoologia 10:509–520.
- 3195 Silva, I. O., A. B. B. Alvarenga, and V. Boere. 2008. Occasional Field Observations of
- 3196 the Predation on Mice, Dove and Ants by Black-Tufted-Ear Marmosets (Callithrix
- 3197 penicillata). Neotropical Primates 15:59–62.
- 3198 Silva, V. X., M. Sacramento, E. Hasui, R. G. T. da Cunha, and F. N. Ramos. 2016.
- 3199 Taxonomic groups with lower movement capacity may present higher beta diversity.
- 3200 Iheringia, Série Zoologia, 107: e2017005.
- 3201 Silva, V. M., and T. L. Codenotti. 2007. Mapeamento das áreas de ocorrência de Alouatta
- caraya em fragmentos florestais de Tupanciretã, Rio Grande do Sul. Pages 181–191 in J.
- 3203 C. Bicca-Marques, editor. A Primatologia no Brasil 10. SBPr/PUC RS.
- 3204 Silveira, R. M. M., and T. L. Codenotti. 2001. Interações sociais e dieta do bugio-ruivo,
- 3205 Alouatta guariba clamitans, no Parque Estadual de Itapuã, Rio Grande do Sul, Brasil.
- 3206 Neotropical Primates 9:15–19.
- 3207 Simas, F. N. B., N. G. Simas, and C. A. B. Simas. 2010. Plano de Manejo RPPN Mitra
- 3208 do Bispo.
- 3209 Simas, N. K., S. F. Ferrari, S. N. Pereira, and G. G. Leitao. 2001. Chemical ecological
- 3210 characteristics of herbivory of Siparuna guianensis seeds by buffy-headed marmosets
- 3211 (callithrix flaviceps) in the Atlantic forest of southeastern Brazil. Journal of Chemical
- 3212 Ecology 27:93–107.
- 3213 Sirianni, G., and E. Visalberghi. 2013. Wild Bearded Capuchins Process Cashew Nuts
- Without Contacting Caustic Compounds. American Journal of Primatology 75:387–393.
- 3215 Slack, A., and L. G. Rapaport. 2011. Coforaging in wild golden lion tamarins
- 3216 (Leontopithecus rosalia) in the União reserve, RJ, Brazil. American Journal of
- 3217 Primatology 73:62.
- 3218 Smith, R. L., and E. Briggs. 2016. Using camera traps to determine group demography in
- 3219 a Paraguayan population of Sapajus cay. Neotropical Primates 22:81–88.
- 3220 Smith, R. L., P. Smith, and S. Bethel. 2018. First Observation of Tool Use in a Wild
- Population of Sapajus cay in the Paraguayan Atlantic Forest in press.
- 3222 Sociedade Chauá. 2008. Plano de Manejo da RPPN Corredeiras do Rio Itajaí Itaiópolis,
- 3223 SC.
- 3224 Sociedade Chauá. 2013a. Plano de manejo RPPN Taipa Rio do Couro.
- 3225 Sociedade Chauá. 2013b. Plano de manejo RPPN Taipa do Rio Itajaí.

- 3226 Socioambiental Consultores Associados Ltda. 2011. Plano de manejo da Floresta
- 3227 Nacional de Passo Fundo. ICMBio.
- 3228 Socioambiental Consultores Associados Ltda. 2013. Plano de manejo da Floresta
- 3229 Nacional de Chapecó. ICMBio.
- 3230 Sousa, M. C. 2003. Distribuição do Guigó (Callicebus coimbrai) no Estado de Sergipe.
- 3231 Neotropical Primates 11:89–91.
- 3232 Sousa, M. C. de. 2000. New localities for Coimbra-Filhos titi monkey, Callicebus
- 3233 coimbrai. Neotropical Primates 8:151.
- 3234 Sousa, M. C., S. S. Santos, and M. C. M. Valente. 2008. Distribuição e Variação na
- 3235 Pelagem de Callicebus coimbrai (Primates, Pitheciidae) nos Estadosde Sergipe e Bahia,
- 3236 Brasil. Neotropical Primates 15:54–59.
- 3237 Souto, A., C. B. C. Bione, M. Bastos, B. M. Bezerra, D. Fragaszy, and N. Schiel. 2011.
- 3238 Critically endangered blonde capuchins fish for termites and use new techniques to
- accomplish the task. Biology Letters 7:532–535.
- 3240 Souza, A. L., and J. L. P. Resende. 1999. Plano de Manejo da Floresta Nacional do Rio
- 3241 Preto-ES.
- 3242 Souza, D. D., C. Magalhaes, F. M. Vieira, and S. de Souzalima. 2010. Occurrence of
- 3243 Trypanoxyuris (Trypanoxyuris) minutus (Schneider, 1866) (Nematoda, Oxyuridae) in
- 3244 Alouatta guariba clamitans Cabrera, 1940 (Primates, Atelidae) in Minas Gerais, Brazil.
- 3245 Revista Brasileira De Parasitologia Veterinaria 19:124–126.
- 3246 Souza, F., A. A. Alfieri, A. F. Alfieri, E. Lorenzetti, S. A. Headley, F. Passos, T. Silvestre,
- 3247 L. Zago, V. Mottin, F. Montiani-Ferreira, R. Lange, W. Svoboda, and E. Gomes. 2012.
- 3248 The evaluation of enteric viruses in asymptomatic free-ranging non-human primates
- 3249 (Alouatta guariba clamitans, Alouatta caraya, Callithrix spp., Callithrix penicillata, and
- Leontopithecus caissara) in southern Brazil. Journal of Medical Primatology 41:304–308.
- 3251 Souza-Alves, J. P., and S. F. Ferrari. 2010. Responses of wild titi monkeys, Callicebus
- 3252 coimbrai (Primates: Platyrrhini: Pitheciidae), to the habituation process. Zoologia
- 3253 27:861–866.
- 3254 Souza-Alves, J. P., I. P. Fontes, and S. F. Ferrari. 2011b. Use of sleeping sites by a titi
- group (Callicebus coimbrai) in the Brazilian Atlantic Forest. Primates 52:155–161.
- 3256 Souza-Alves, J. P., I. P. Fontes, R. R. D. Chagas, and S. F. Ferrari. 2011a. Seasonal
- Versatility in the Feeding Ecology of a Group of Titis (Callicebus coimbrai) in the
- 3258 Northern Brazilian Atlantic Forest. American Journal of Primatology 73:1199–1209.
- 3259 Spagnoletti, N., E. Visalberghi, E. Ottoni, P. Izar, and D. Fragaszy. 2011. Stone tool use
- 3260 by adult wild bearded capuchin monkeys (Cebus libidinosus). Frequency, efficiency and
- tool selectivity. Journal of Human Evolution 61:97–107.
- 3262 Spagnoletti, N., E. Visalberghi, M. P. Verderane, E. Ottoni, P. Izar, and D. Fragaszy.
- 3263 2012. Stone tool use in wild bearded capuchin monkeys, Cebus libidinosus. Is it a strategy
- to overcome food scarcity? Animal Behaviour 83:1285–1294.

- 3265 Spezia, M. B., D. Grasel, and G. Miranda. 2013. Inventário rápido de mamíferos não
- 3266 voadores em um fragmento florestal do bioma mata atlântica. Unoesc & Ciência-ACBS
- 3267 4:145–154.
- 3268 Spix, J. B. von. 1823. Reise in Brasilien auf Befehl Sr. Majestät Maximilian Joseph I.,
- 3269 Königs von Baiern, in den Jahren 1817 bis 1820 gemacht und beschrieben (v. 1). Page
- 3270 (M. Lindauer, Ed.). München.
- 3271 SPVS. 2012. Revisão dos Planos de Manejo das Reservas Naturais Morro da Mina, Rio
- 3272 Cachoeira e Serra Itaqui Paraná.
- 3273 SPVS. 2014. Plano de manejo RPPN Uru.
- 3274 Srbek-Araujo, A. C., and A. G. Chiarello. 2013. Influence of camera-trap sampling design
- on mammal species capture rates and community structures in southeastern Brazil. Biota
- 3276 Neotropica 13:51-62.
- 3277 Stallings, J. R. 1985. Distribution and Status of Primates in Paraguay. Primate
- 3278 Conservation 6:51–58.
- 3279 Stallings, J. R., and J. G. Robinson. 1991. Disturbance, forest heterogeneity and primate
- 3280 communities in a Brazilian Atlantic forest park. Pages 357–368 in A. B. Rylands and A.
- 3281 T. Bernardes, editors. A primatologia no Brasil 3. Fundação Biodiversitas.
- 3282 Stallings, J. R., G. A. B. da Fonseca, L. P. de S. Pinto, L. M. de S. Aguiar, and E. L.
- 3283 Sábato. 1990. Mamíferos do Parque Florestal Estadual do Rio Doce, Minas Gerais, Brasil.
- 3284 Revista Brasileira de Zoologia 7:663–677.
- 3285 Steinmetz, S. 2001a. Drinking by howler monkeys (Alouatta fusca) and its seasonality at
- 3286 the Intervales State Park, São Paulo, Brazil. Neotropical Primates 9:111–112.
- 3287 Steinmetz, S. 2001b. Densidade e conservação do bugio (Alouatta fusca) no Parque
- 3288 Estadual Intervales. Neotropical Primates 9:69–73.
- 3289 Steinmetz, S. 2005. Vocalizações de Longo Alcance como Comunicação Intra-grupal nos
- 3290 Bugios (Alouatta guariba). Neotropical Primates 13:11–15.
- 3291 Strier, K. B. 2005. Reproductive Biology and Conservation of Muriquis. Neotropical
- 3292 Primates 13:41–46.
- 3293 Strier, K. B., and G. A. B. Fonseca. 1997. The Endangered Muriqui in Brazil's Atlatic
- 3294 Forest. Primate Conservation 17:131–137.
- 3295 Strier, K. B., and J. P. Boubli. 2006. A History of Long-term Research and Conservation
- 3296 of Northern Muriquis (Brachyteles hypoxanthus) at the Estação Biológica de
- 3297 Caratinga/RPPN-FMA. Primate Conservation 20:53–63.
- 3298 Strier, K. B., and T. E. Ziegler. 2000a. Lack of pubertal influences on female dispersal in
- 3299 muriqui monkeys, Brachyteles arachnoides. Animal Behaviour 59:849–860.
- 3300 Strier, K. B., and T. E. Ziegler. 2000b. Hormonal and social correlates of life history in
- 3301 male muriquis (Brachyteles arachnoides). American Journal of Physical
- 3302 Anthropology:295.

- 3303 Strier, K. B., and T. E. Ziegler. 2004. How hormones help: Deciphering the reproductive
- 3304 patterns of wild northern muriquis (Brachyteles hypoxanthus). American Journal of
- 3305 Primatology 62:121.
- 3306 Strier, K. B., and T. E. Ziegler. 2005. Variation in the resumption of cycling and
- 3307 conception by fecal androgen and estradiol levels in female northern muriquis
- 3308 (Brachyteles hypoxanthus). American Journal of Primatology 67:69–81.
- 3309 Strier, K. B., F. D. C. Mendes, J. Rímoli, and A. O. Rímoli. 1993. Demography and social
- 3310 structure of one group of muriquis (Brachyteles arachnoides). International Journal of
- 3311 Primatology 14:513–526.
- 3312 Strier, K. B., J. P. Boubli, V. O. Guimarães, and S. L. Mendes. 2002. The Muriqui
- 3313 population of the Estação Biológica de Caratinga, Minas Gerais, Brazil: updates.
- 3314 Neotropical Primates 10:115–119.
- 3315 Strier, K. B., J. R. Boubli, C. B. Possamai, and S. L. Mendes. 2006. Population
- demography of northern muriquis (Brachyteles hypoxanthus) at the Estacao Biologica de
- 3317 Caratinga/Reserva Particular do Patrimonio Natural-Feliciano Miguel Abdala, Minas
- 3318 Gerais, Brazil. American Journal of Physical Anthropology 130:227–237.
- 3319 Strier, K. B., J. W. Lynch, and T. E. Ziegler. 2003. Hormonal changes during the mating
- 3320 and conception seasons of wild northern muriquis (Brachyteles arachnoides
- 3321 hypoxanthus). American Journal of Primatology 61:85–99.
- 3322 Strier, K. B., P. B. Chaves, S. L. Mendes, V. Fagundes, and A. Di Fiore. 2011. Low
- paternity skew and the influence of maternal kin in an egalitarian, patrilocal primate.
- 3324 Proceedings of the National Academy of Sciences of the United States of America
- 3325 108:18915–18919.
- 3326 Strier, K. B., S. L. Mendes, and R. R. Santos. 2001. Timing of births in sympatric brown
- 3327 howler monkeys (Alouatta fusca clamitans) and northern muriquis (Brachyteles
- arachnoides hypoxanthus). American Journal of Primatology 55:87–100.
- 3329 Supriatna, J., and A. Ario. 2015. Primates as Flagships for Conserving Biodiversity and
- 3330 Parks in Indonesia: Lessons Learned from West Java and North Sumatra. Primate
- 3331 Conservation 29:123-131.
- 3332 Svoboda, W. K., L. C. Martins, L. D. Malanski, M. M. Shiozawa, K. A. H. Spohr, C. L.
- 3333 S. Hilst, L. M. Aguiar, G. Ludwig, F. D. Passos, L. R. da Silva, S. A. Headley, and I. T.
- Navarro. 2014. Serological evidence for Saint Louis encephalitis virus in free-ranging
- New World monkeys and horses within the upper Parana River basin region, Southern
- 3336 Brazil. Revista Da Sociedade Brasileira De Medicina Tropical 47:280–286.
- Tabacow, F. P., C. B. Possamai, F. R. Melo, S. L. Mendes, and K. B. Strier. 2009b. New
- 3338 Sightings of Northern Muriqui (Brachyteles hypoxanthus) Females in Forest Fragments
- 3339 Surrounding the Estação Biológica De Caratinga-Rppn Feliciano Miguel Abdala, Minas
- 3340 Gerais, Brasil. Neotropical Primates 16:67–69.
- Tabacow, F. P., S. L. Mendes, and K. B. Strier. 2009a. Spread of a Terrestrial Tradition
- in an Arboreal Primate. American Anthropologist 111:238–249.

- Talamoni, S. A., B. D. Amaro, D. A. Cordeiro-Júnior, and C. E. M. A. Maciel. 2014.
- 3344 Mammals of Reserva Particular do Patrimônio Natural Santuário do Caraça, state of
- 3345 Minas Gerais, Brazil. Check List 10:1005–1013.
- Talebi, M. 2003. Dietary strategies and digestive efficiency of the southern muriqui
- 3347 (Brachyteles arachnoides). American Journal of Physical Anthropology: 206.
- Talebi, M. G., and P. C. Lee. 2010. Activity Patterns of Brachyteles arachnoides in the
- 3349 Largest Remaining Fragment of Brazilian Atlantic Forest. International Journal of
- 3350 Primatology 31:571–583.
- Talebi, M. G., R. Beltrao-Mendes, and P. C. Lee. 2009. Intra-Community Coalitionary
- Lethal Attack of an Adult Male Southern Muriqui (Brachyteles arachnoides). American
- 3353 Journal of Primatology 71:860–867.
- Talebi, M., A. Bastos, and P. C. Lee. 2005. Diet of Southern Muriquis in Continuous
- 3355 Brazilian Atlantic Forest. International Journal of Primatology 26:1175–1187.
- 3356 Talebi, M., and P. Soares. 2005. Conservation research on the southern muriqui
- 3357 (Brachyteles arachnoides) in São Paulo State, Brazil. Neotropical Primates 13:53–59.
- Teixeira, B., A. Hirsch, V. Goulart, L. Passos, C. P. Teixeira, P. James, and R. Young.
- 3359 2015. Good neighbours: distribution of black-tufted marmoset (Callithrix penicillata) in
- an urban environment. Wildlife Research 42:579–589.
- Teixeira, F. Z., R. C. Printes, J. C. G. Fagundes, A. C. Alonso, and A. Kindel. 2013.
- 3362 Canopy bridges as road overpasses for wildlife in urban fragmented landscapes. Biota
- 3363 Neotropica 13:117–123.
- Teixeira, R. N. C. 2006. A importância de remanescentes de Mata Atlântica na ocorrência
- dos Muriquis (Brachyteles hypoxanthus E. Geoffroy) no Estado do Espírito Santo.
- 3366 Universidade Federal de Viçosa.
- 3367 Tiddi, B., B. C. Wheeler, and M. Heistermann. 2015. Female behavioral proceptivity
- functions as a probabilistic signal of fertility, not female quality, in a New World primate.
- 3369 Hormones and Behavior 73:148–155.
- 3370 Tiddi, B., E. P. di Sorrentino, F. Aureli, C. H. Janson, and G. Schino. 2009b. Grooming
- for tolerance? Behavioural interchange in wild tufted capuchin monkeys (Cebus apella
- nigritus). American Journal of Physical Anthropology:255.
- 3373 Tiddi, B., F. Aureli, and G. Schino. 2009a. Do Tufted Capuchin Monkeys (Cebus apella
- nigritus) Trade Grooming for Infant Handling? Folia Primatologica 80:146.
- 3375 Tiddi, B., F. Aureli, and G. Schino. 2010. Grooming for infant handling in tufted capuchin
- monkeys: a reappraisal of the primate infant market. Animal Behaviour 79:1115–1123.
- 3377 Tiddi, B., F. Aureli, E. P. di Sorrentino, C. H. Janson, and G. Schino. 2011b. Grooming
- 3378 for tolerance? Two mechanisms of exchange in wild tufted capuchin monkeys.
- 3379 Behavioral Ecology 22:663–669.
- Tiddi, B., F. Aureli, G. Schino, and B. Voelkl. 2011a. Social Relationships Between Adult
- Females and the Alpha Male in Wild Tufted Capuchin Monkeys. American Journal of
- 3382 Primatology 73:812–820.

- Tisovec, K. C., C. R. Cassano, J. P. Boubli, and R. Pardini. 2014. Mixed-species Groups
- of Marmosets and Tamarins Across a Gradient of Agroforestry Intensification. Biotropica
- 3385 46:248–255.
- Tokuda, M., J. P. Boubli, I. Mourthe, P. Izar, C. B. Possamai, and K. B. Strier. 2014a.
- 3387 Males Follow Females During Fissioning of a Group of Northern Muriquis. American
- 3388 Journal of Primatology 76:529–538.
- Tokuda, M., J. P. Boubli, P. Izar, and K. B. Strier. 2012. Social cliques in male northern
- muriquis Brachyteles hypoxanthus. Current Zoology 58:342–352.
- Tokuda, M., M. M. Martins, and P. Izar. 2014b. Transferability of microsatellites for
- 3392 studies on the social behavior of the tufted capuchin monkey (genus Sapajus). Genetics
- 3393 and Molecular Research 13:9910–9914.
- 3394 Tolentino, K., J. J. Roper, F. C. Passos, and K. B. Strier. 2008. Mother-offspring
- 3395 associations in northern muriquis, Brachyteles hypoxanthus. American Journal of
- 3396 Primatology 70:301–305.
- Tonini, J. F. R., L. de M. Carão, I. deSouza Pinto, J. L. Gasparini, Y. L. R. Leite, and L.
- P. Costa. 2010. Non-volant tetrapods from Reserva Biológica de Duas Bocas, State of
- 3399 Espírito Santo, Southeastern Brazil. Biota Neotropica 10:339–351.
- 3400 Tranquilin, M. V, R. C. Lehmkuhl, A. Maron, L. R. Silva, L. Ziliotto, M. C. Seki, G. R.
- 3401 Salomon, and A. O. T. Carrasco. 2013. First report of yellow fever virus in non-human
- primates in the State of Paraná, Brazil. Revista da Sociedade Brasileira de Medicina
- 3403 Tropical 46:522–524.
- 3404 Travassos et al. *in press*. Living and lost mammals of Rio de Janeiro's largest biological
- 3405 reserve: an updated species list of Tinguá. Biota Neotropica
- 3406 Trevelin, L. C., M. Port-Carvalho, M. Silveira, and E. Morell. 2007. Abundance, habitat
- 3407 use and diet of Callicebus nigrifrons Spix (Primates, Pitheciidae) in Cantareira State Park,
- 3408 São Paulo, Brazil. Revista Brasileira de Zoologia 24:1071–1077.
- 3409 Tribe, C. J. 1987. A mastofauna do Estado do Rio de Janeiro, com especial referenda a
- 3410 Ordem Polyprotodontia (Marsupiais). Universidade Federal do Rio de Janeiro.
- 3411 Tujague, M. P., and C. Scarry. The role of the alpha male in group coordination in
- capuchin mankeys (Cebus apella nigritus). American Journal of Primatology 74:37.
- 3413 USGS. 2001. United States Geological Survey USGS. HYDRO 1K: Elevation
- 3414 Derivative Database. Available from:
- 3415 http://edc.usgs.gov/products/elevation/gtopo30/hydro/namerica.html on May 5th 2017.
- 3416 Vale. 2015. Plano de manejo RPPN Poço Fundo.
- Valenca-Silva, G., F. G. Maciel, R. L. Zaganini, A. S. Lucindo, S. Caramaschi, and H.
- 3418 M. G. de Paula. 2014. Reporting social behaviours of mixed-species troops formed by
- 3419 Callithrix jacchus and Callithrix penicillata (Primate, Callitrichidae). Brazilian Journal of
- 3420 Biology 74:607–611.

- Valentin, E. G., and C. J. Scarry. 2011. Effects of female reproductive status on activity
- budget, ingestion rates and energy intake in tufted capuchin monkeys (Cebus apella).
- 3423 American Journal of Primatology 73:57.
- Valladares-Pádua, C. B. 1993. The Ecology, Behavior and Conservation of the Black
- Lion Tamarins (Leontopithecus chrysopygus Mikan, 1823). University of Florida.
- Valladares-Pádua, C. B., and L. Cullen Jr. 1994. Distribution, abundance and minimum
- viable metapopulation of the black lion tamarin (Leontopithecus chrysopygus). Dodo
- 3428 30:80–88.
- Valladares-Pádua, C., C. S. Martins, D. Wormell, and E. Z. F. Setz. 2000. Preliminary
- evaluation of the reintroduction of a mixed wild-captive group of black lion tamarins
- 3431 Leontopithecus chrysopygus. Dodo 36:30–38.
- Valladares-Pádua, C., S. M. Pádua, and L. Cullen Jr. 1994. The conservation biology of
- 3433 the black lion tamarin, Leontopithecus chrysopygus: first ten years' report. Neotropical
- 3434 Primates 2:36–39.
- Valle, L. G. E., H. F. Vogel, B. M. Sugayama, R. Metri, J. Gazarini, and C. H. Zawadzki.
- 3436 2013. Mamíferos de Guarapuava, Paraná, Brasil. Revista Brasileira de Zoociências
- 3437 13:151–162.
- Valle, L. G. E., H. F. Vogel, R. Metri, and C. H. Zawadzki. 2010. Contribuições sobre a
- 3439 distribuição geográfica do bugio-ruivo, Allouata guariba clamitans (Cabrera, 1940)
- 3440 (Primates, Atelidae), para a região Centro-Sul do estado do Paraná, Brasil. Ambiência
- 3441 6:313–320.
- Van Belle, S., and C. J. Scarry. 2015. Individual participation in intergroup contests is
- 3443 mediated by numerical assessment strategies in black howler and tufted capuchin
- monkeys. Philosophical Transactions of the Royal Society B-Biological Sciences 370:10.
- Vasconcelos, M. F., and A. Hirsch. 2000. A new locality for the masked titi monkey,
- 3446 Callicebus personatus nigrifrons, in a protected area in Minas Gerais, Brazil. Neotropical
- 3447 Primates 8:153–154.
- Vaz, S. M. 1983. Contribuição ao estudo da fauna de mamíferos da Reserva Biológica de
- Poço das Antas. Brasil Florestal, Brasília 55:33–35.
- 3450 Vaz, S. M. 1998. Primates in the Desengano State Park, Rio de Janeiro, Brazil.
- Neotropical primates 6:127–128.
- Vaz, S. M. 2005. Mamíferos coletados em Pedra Branca, município de Paraty, Rio de
- Janeiro, Brasil. Revista Brasileira de Zoologia 22:1164–1169.
- Velázquez, M., and F. Ramírez Pinto. 2014. Guía de los Mamíferos de la Reserva Natural
- 3455 Tapytá. Fundación Moises Bertoni.
- Venturini, A. C., A. M. S. Ofranti, J. B. M. Varejão, and P. R. Paz. 1996. Aves e
- 3457 mamíferos na restinga Parque Estadual Paulo César Vinha, Setiba Gurapari-ES.
- 3458 Secretaria de Estado de Desenvolvimento Sustentável SEDESU.

- Verderane, M. P., P. Izar, E. Visalberghi, and D. M. Fragaszy. 2013. Socioecology of
- wild bearded capuchin monkeys (Sapajus libidinosus): an analysis of social relationships
- among female primates that use tools in feeding. Behaviour 150:659–689.
- Vieira, C. da C. 1944. Os símios do estado de São Paulo. Papéis Avulsos de Zoologia,
- 3463 São Paulo 4:1–31.
- Vieira, L. A., and S. L. Mendes. 1999. Presence of the muriqui Brachyteles hypoxanthus
- in a rural property in the vicinity of the Augusto Ruschi Biological Reserve, Santa Teresa,
- 3466 Espírito Santo. Neotropical Primates 13:37–39.
- 3467 Vilela, S. L. 2007. Sympatry and diet of Callithrix penicillata (Hershkovitz)
- 3468 (Callitrichidae) and Cebus libidinosus (Spix) (Cebidae) in gellery forests from Distrito
- 3469 Federal, Brasil. Revista Brasileira De Zoologia 24:601–607.
- 3470 Vilela, S. L., and D. S. de Faria. 2002. Dieta do Callithrix penicillata (Primates,
- 3471 Callitrichidae) em áreas de cerrado no Distrito Federal, Brasil. Neotropical Primates
- 3472 10:17–20.
- Vilela, S. L., and D. S. de Faria. 2004. Seasonality of the activity pattern of Callithrix
- 3474 penicillata (Primates, Callitrichidae) in the cerrado (scrub savanna vegetation). Brazilian
- 3475 Journal of Biology 64:363–370.
- Vinhas, L., and J. P. Souza-Alves. 2014. Predation of Birds by an Endangered Primate
- 3477 Species, Callicebus coimbrai, in the Brazilian Atlantic Forest. Neotropical Primates
- 3478 21:196–199.
- Visalberghi, E., D. Fragaszy, E. Ottoni, P. Izar, M. G. de Oliveira, and F. R. D. Andrade.
- 3480 2007. Characteristics of hammer stones and anvils used by wild bearded Capuchin
- 3481 monkeys (Cebus libidinosus) to crack open palm nuts. American Journal of Physical
- 3482 Anthropology 132:426–444.
- Visalberghi, E., G. Sabbatini, N. Spagnoletti, F. R. D. Andrade, E. Ottoni, P. Izar, and D.
- Fragaszy. 2008. Physical properties of palm fruits processed with tools by wild bearded
- 3485 capuchins (Cebus libidinosus). American Journal of Primatology 70:884–891.
- 3486 Visalberghi, E., N. Spagnoletti, E. D. R. da Silva, F. R. D. Andrade, E. Ottoni, P. Izar,
- and D. Fragaszy. 2009. Distribution of potential suitable hammers and transport of
- hammer tools and nuts by wild capuchin monkeys. Primates 50:95–104.
- 3489 Vleeschouwer, K. M., and L. C. Oliveira. 2017. Report on the presence of a group of
- 3490 golden-headed lion tamarins (Leontopithecus chrysomelas), an endangered primate
- species in a rubber plantation in southern Bahia, Brazil. Primate Biology 4:61.
- Vleeschouwer, K., J. S. Santos, K. Leus, and L. Van Elsacker. 2004. A sighting of
- 3493 Muriquis (Brachyteles) in Una Biological Reserve, Bahia, Brazil. Neotropical Primates
- 3494 12:96–97.
- Voltarelli, E. M., S. Arraes, T. F. Perles, M. V. C. Lonardoni, U. Teodoro, and T. G. V
- 3496 Silveira. 2009. Serological survey for Leishmania sp infection in wild animals from the
- 3497 municipality of Maringa, Paraná, Brazil. Journal of Venomous Animals and Toxins
- 3498 Including Tropical Diseases 15:732–744.

- von Pelzeln, A. 1883. Brasilische säugethiere: resultate von Johann Natterer's Reisen in
- 3500 den Jahren 1817 bis 1835. A. Hölder.
- Waga, I. C., A. K. Dacier, P. S. Pinha, and M. C. H. Tavares. 2006. Spontaneous tool use
- 3502 by wild Capuchin monkeys (Cebus libidinosus) in the cerrado. Folia Primatologica
- 3503 77:337–344.
- Wallace, R. B., L. E. Painter, D. I. Rumiz, and A. B. Taber. 2000. Primate diversity,
- 3505 distribution and relative abundances in the Rios Blanco y Negro Wildlife Reserve, Santa
- 3506 Cruz Department, Bolivia. Neotropical Primates 8:24–28.
- Wallauer, J. P., M. Becker, L. G. Martins-Sá, L. M. Liermann, S. H. Perretto, and V.
- 3508 Schermack. 2000. Levantamento dos mamíferos da Floresta Nacional de Três Barras-
- 3509 Santa Catarina. Biotemas 13:103–127.
- Wehncke, E. V, and M. S. Di Bitetti. 2013. Cebus nigritus impact the seedling assemblage
- 3511 below their main sleeping sites. Studies on Neotropical Fauna and Environment 48:142–
- 3512 146.
- Wheeler, B. C. 2008. Selfish or altruistic? An analysis of alarm call function in wild
- 3514 capuchin monkeys, Cebus apella nigritus. Animal Behaviour 76:1465–1475.
- Wheeler, B. C. 2009a. Monkeys crying wolf? Tufted capuchin monkeys use anti-predator
- calls to usurp resources from conspecifics. Proceedings of the Royal Society B-Biological
- 3517 Sciences 276:3013–3018.
- Wheeler, B. C. 2009b. The Ontogeny of Snake Recognition in Wild Tufted Capuchin
- 3519 Monkeys (Cebus apella nigritus). Folia Primatologica 80:149.
- Wheeler, B. C. 2010a. Production and perception of situationally variable alarm calls in
- 3521 wild tufted capuchin monkeys (Cebus apella nigritus). Behavioral Ecology and
- 3522 Sociobiology 64:989–1000.
- Wheeler, B. C. 2010b. Decrease in Alarm Call Response Among Tufted Capuchins in
- 3524 Competitive Feeding Contexts: Possible Evidence for Counterdeception. International
- 3525 Journal of Primatology 31:665–675.
- Wheeler, B. C., and K. Hammerschmidt. 2013. Proximate Factors Underpinning Receiver
- 3527 Responses to Deceptive False Alarm Calls in Wild Tufted Capuchin Monkeys: Is It
- 3528 Counterdeception? American Journal of Primatology 75:715–725.
- Willis, K. J., M. B. Araujo, K. D. Bennett, B. Figueroa-Rangel, C. A. Froyd, and N.
- 3530 Myers. 2007. How can a knowledge of the past help to conserve the future? Biodiversity
- 3531 conservation and the relevance of long-term ecological studies. Philosophical
- 3532 Transactions of the Royal Society B-Biological Sciences 362:175-186.
- Wolfart, M. R., M. Da Fré, E. M. Lucas, and G. B. Miranda. 2013. Mamíferos terrestres
- em um remanescente de Mata Atlântica, Paraná, Brasil. Biotemas 26:111–119.
- 3535 Yamamoto, M. E., A. Araujo, M. D. Arruda, A. K. M. Lima, J. D. Siqueira, and W. T.
- Hattori. 2014. Male and female breeding strategies in a cooperative primate. Behavioural
- 3537 Processes 109:27–33.

- Zago, L., J. Miranda, C. Santos, F. Passos, and P. Simões-Lopes. 2014. Composição de
- grupos, conflitos intergrupais e uso do espaço em Callithrix penicillata (Geoffroy, 1812)
- introduzidos em um fragmento urbano. Biotemas 27:193–201.
- Zappi, D. C., F. L. R. Filardi, P. Leitman, V. C. Souza, B. M. T. Walter, J. R. Pirani, M.
- P. Morim, L. P. Queiroz, T. B. Cavalcanti, V. F. Mansano, R. C. Forzza, M. C. Abreu, P.
- 3543 Acevedo-Rodríguez, M. F. Agra, E. B. Almeida Jr, G. S. S. Almeida, R. F. Almeida, F.
- 3544 M. Alves, M. Alves, A. Alves-Araujo, M. C. E. Amaral, A. M. Amorim, B. Amorim, I.
- 3545 M. Andrade, R. H. P. Andreata, C. O. Andrino, E. A. Anunciação, L. Y. S. Aona, Y.
- 3546 Aranguren, J. L. M. Aranha Filho, A. O. Araújo, A. A. M. Araújo, D. Araujo, M. M.
- 3547 Arbo, L. Assis, M. C. Assis, V. A. Assunção, S. M. Athiê-Souza, C. O. Azevedo, J. B.
- Baitello, F. F. V. A. Barberena, M. R. V. Barbosa, F. Barros, L. A. V. Barros, M. J. F.
- Barros, J. F. A. Baumgratz, L. C. Bernacci, P. E. Berry, N. C. Bigio, L. Biral, V. Bittrich,
- R. A. X. Borges, R. L. C. Bortoluzzi, C. P. Bove, M. G. Bovini, J. M. A. Braga, D. M.
- 3551 Braz, J. B. A. Bringel Jr, C. P. Bruniera, C. V. Buturi, E. Cabral, F. N. Cabral, M. K.
- 3552 Caddah, C. S. Caires, L. S. B. Calazans, M. F. Calió, R. A. Camargo, L. Campbell, T. S.
- 5552 Caudan, C. S. Canes, L. S. B. Carazans, W. F. Cano, R. A. Camargo, L. Campoen, T. S
- Canto-Dorow, J. P. P. Carauta, J. M. Cardiel, D. B. O. S. Cardoso, L. J. T. Cardoso, C.
- 3554 R. Carneiro, C. E. Carneiro, D. S. Carneiro-Torres, T. T. Carrijo, M. B. R. Caruzo, M. L.
- 3555 S. Carvalho, M. Carvalho-Silva, A. C. D. Castello, L. Cavalheiro, A. C. Cervi, R. G.
- 3556 Chacon, A. Chautems, B. Chiavegatto, N. S. Chukr, A. A. O. P. Coelho, M. A. N. Coelho,
- R. L. G. Coelho, I. Cordeiro, E. Cordula, X. Cornejo, A. L. A. Côrtes, A. F. Costa, F. N.
- 3558 Costa, J. A. S. Costa, L. C. Costa, M. B. Costa-e-Silva, J. L. Costa-Lima, M. R. C. Cota,
- R. S. Couto, D. C. Daly, R. D. De Stefano, K. De Toni, M. Dematteis, G. A. Dettke, F.
- 3560 R. Di Maio, M. C. Dórea, M. C. Duarte, J. H. A. Dutilh, V. F. Dutra, L. Echternacht, L.
- Eggers, G. Esteves, C. Ezcurra, M. J. A. Falcão Junior, F. Feres, J. M. Fernandes, D. M.
- 3562 C. Ferreira, F. M. Ferreira, G. E. Ferreira, P. P. A. Ferreira, S. C. Ferreira, M. S. Ferrucci,
- P. Fiaschi, T. S. Filgueiras, M. Firens, A. S. Flores, E. Forero, W. Forster, A. P. Fortuna-
- Perez, R. H. Fortunato, C. N. Fraga, F. França, A. Francener, J. Freitas, M. F. Freitas, P.
- W. Fritsch, S. G. Furtado, A. L. Gaglioti, F. C. P. Garcia, P. Germano Filho, L. Giacomin,
- 3566 A. S. B. Gil, A. M. Giulietti, S. A P Godoy, R. Goldenberg, G. A. Gomes da Costa, M.
- Gomes, V. L. Gomes-Klein, E. G. Gonçalves, S. Graham, M. Groppo, J. S. Guedes, L. R.
- 3568 S. Guimarães, P. J. F. Guimarães, E. F. Guimarães, R. Gutierrez, R. Harley, G. Hassemer,
- 3569 E. K. O. Hattori, S. M. Hefler, G. Heiden, A. Henderson, N. Hensold, P. Hiepko, A. S. S.
- 3570 Holanda, J. R. V. Iganci, D. C. Imig, A. Indriunas, E. L. Jacques, J. G. Jardim, H. M.
- 3571 Kamer, C. Kameyama, L. S. Kinoshita, M. Kirizawa, B. B. Klitgaard, I. Koch, C.
- 3572 Koschnitzke, N. P. Krauss, R. Kriebel, J. Kuntz, J. Larocca, E. S. Leal, G. P. Lewis, C.
- 3573 T. Lima, H. C. Lima, I. B. Lima, L. F. G. Lima, L. C. P. Lima, L. R. Lima, L. F. P. Lima,
- 3574 R. B. Lima, E. J. Lírio, R. M. Liro, E. Lleras, A. Lobão, B. Loeuille, L. G. Lohmann, M.
- 3575 I. B. Loiola, J. A. Lombardi, H. M. Longhi-Wagner, R. C. Lopes, T. S. Lorencini, R. B.
- 3576 Louzada, J. Lovo, E. D. Lozano, E. Lucas, R. Ludtke, C. L. Luz, P. Maas, A. F. P.
- Machado, L. Macias, J. R. Maciel, M. A. G. Magenta, M. C. H. Mamede, E. A. Manoel,
- 3578 M. S. Marchioretto, J. S. Marques, N. Marquete, R. Marquete, G. Martinelli, R. C. V.
- 3579 Martins da Silva, Â. B. Martins, E. R. Martins, M. L. L. Martins, M. V. Martins, R. C.
- 3580 Martins, L. Q. Matias, C. A. Maya-L, S. Mayo, F. Mazine, D. Medeiros, E. S. Medeiros,

H. Medeiros, J. D. Medeiros, J. E. Meireles, R. Mello-Silva, A. Melo, A. L. Melo, E. 3581 3582 Melo, J. I. M. Melo, C. G. Menezes, L. Menini Neto, L. A. Mentz, A. C. Mezzonato, F. 3583 A. Michelangeli, M. A. Milward-de-Azevedo, S. T. S. Miotto, V. F. O. Miranda, C. A. 3584 Mondin, M. Monge, D. Monteiro, R. F. Monteiro, M. D. Moraes, P. L. R. Moraes, S. A. Mori, A. C. Mota, N. F. O. Mota, T. M. Moura, M. Mulgura, J. N. Nakajima, C. Nardy, 3585 3586 J. E. Nascimento Júnior, L. Noblick, T. S. Nunes, N. O' Leary, A. S. Oliveira, C. 3587 T. Oliveira, J. A. Oliveira, L. S. D. Oliveira, M. L. A. A. Oliveira, R. C. Oliveira, R. S. Oliveira, R. P. Oliveira, B. Paixão-Souza, L. R. Parra, E. Pasini, J. F. B. Pastore, M. 3588 Pastore, J. Paula-Souza, L. C. Pederneiras, A. L. Peixoto, G. Pelissari, M. O. O. Pellegrini, 3589 3590 T. Pennington, R. O. Perdiz, A. C. M. Pereira, M. S. Pereira, R. A. S. Pereira, C. Pessoa, 3591 E. M. Pessoa, M. C. R. Pessoa, L. J. S. Pinto, R. B. Pinto, T. A. Pontes, G. T. Prance, C. Proença, S. R. Profice, A. C. Pscheidt, G. A. Queiroz, R. T. Queiroz, A. Quinet, H. Rainer, 3592 E. Ramos, J. G. Rando, A. Rapini, M. Reginato, I. P. Reis, P. A. Reis, A. R. O. Ribeiro, 3593 3594 J. E. L. S. Ribeiro, R. Riina, M. R. Ritter, F. Rivadavia, A. E. S. Rocha, M. J. R. Rocha, 3595 I. M. C. Rodrigues, K. F. Rodrigues, R. S. Rodrigues, R. S. Rodrigues, V. T. Rodrigues, 3596 W. Rodrigues, S. Romaniuc Neto, G. O. Romão, R. Romero, N. Roque, P. Rosa, L. Rossi, 3597 C. F. C. Sá, M. M. Saavedra, M. Saka, C. M. Sakuragui, R. M. Salas, M. F. Sales, F. R. G. Salimena, D. Sampaio, G. Sancho, P. T. Sano, A. Santos, É. P. Santos, J. S. Santos, 3598 3599 M. R. Santos, A. P. Santos-Gonçalves, F. Santos-Silva, W. São-Mateus, D. P. Saraiva, D. 3600 P. Saridakis, Â. L. B. Sartori, V. R. Scalon, Â. Schneider, R. Sebastiani, R. S. Secco, L. Senna, L. Senna-Valle, R. T. Shirasuna, P. J. S. Silva Filho, A. S. Silva, C. Silva, G. A. 3601 3602 R. Silva, G. O. Silva, M. C. R. Silva, M. J. Silva, M. J. Silva, O. L. M. Silva, R. A. P. 3603 Silva, S. R. Silva, T. R. S. Silva, K. C. Silva-Gonçalves, C. L. Silva-Luz, R. Simão-3604 Bianchini, A. O. Simões, B. Simpson, C. M. Siniscalchi, J. A. Siqueira Filho, C. E. 3605 Siqueira, J. C. Siqueira, N. P. Smith, C. Snak, R. L. Soares Neto, K. P. Soares, M. V. B. Soares, M. L. Soares, P. N. Soares, M. Sobral, R. C. Sodré, G. V. Somner, C. A. Sothers, 3606 D. J. L. Sousa, E. B. Souza, É. R. Souza, M. Souza, M. L. D. R. Souza, F. O. Souza-3607 3608 Buturi, A. P. Spina, M. N. S. Stapf, M. V. Stefano, J. R. Stehmann, V. Steinmann, C. Takeuchi, C. M. Taylor, N. P. Taylor, A. M. Teles, L. G. Temponi, M. H. Terra-Araujo, 3609 V. Thode, W. W. Thomas, M. L. Tissot-Squalli, B. M. Torke, R. B. Torres, A. M. G. A. 3610 3611 Tozzi, R. J. Trad, R. Trevisan, M. Trovó, J. F. M. Valls, A. M. S. F. Vaz, L. Versieux, P. 3612 L. Viana, M. D. M. Vianna Filho, A. O. S. Vieira, D. D. Vieira, M. Vignoli-Silva, T. 3613 Vilar, F. Vinhos, B. Wallnöfer, M. G. L. Wanderley, D. Wasshausen, M. T. C. Watanabe, 3614 M. Weigend, C. A. D. Welker, E. Woodgyer, C. C. Xifreda, K. Yamamoto, A. Zanin, R. D. Zenni, C. S. Zickel, D. C. Zappi, F. L. R. Filardi, P. Leitman, V. C. Souza, B. M. T. 3615 Walter, J. R. Pirani, M. P. Morim, L. P. Queiroz, T. B. Cavalcanti, V. F. Mansano, R. C. 3616 Forzza, M. C. Abreu, P. Acevedo-Rodríguez, M. F. Agra, E. B. Almeida Jr, G. S. S. 3617 3618 Almeida, R. F. Almeida, F. M. Alves, A. Alves-Araujo, M. C. E. Amaral, A. M. Amorim, 3619 B. Amorim, I. M. Andrade, R. H. P. Andreata, C. O. Andrino, E. A. Anunciação, L. Y. 3620 S. Aona, Y. Aranguren, J. L. M. Aranha Filho, A. O. Araújo, A. A. M. Araújo, M. M. 3621 Arbo, L. Assis, M. C. Assis, V. A. Assunção, S. M. Athiê-Souza, C. O. Azevedo, J. B. 3622 Baitello, F. F. V. A. Barberena, M. R. V. Barbosa, F. Barros, L. A. V. Barros, M. J. F. 3623 Barros, J. F. A. Baumgratz, L. C. Bernacci, P. E. Berry, N. C. Bigio, L. Biral, V. Bittrich,

R. A. X. Borges, R. L. C. Bortoluzzi, C. P. Bove, M. G. Bovini, J. M. A. Braga, D. M.

3624

```
Braz, J. B. A. Bringel Jr, C. P. Bruniera, C. V. Buturi, E. Cabral, F. N. Cabral, M. K.
3625
3626
        Caddah, C. S. Caires, L. S. B. Calazans, M. F. Calió, R. A. Camargo, L. Campbell, T. S.
3627
        Canto-Dorow, J. P. P. Carauta, J. M. Cardiel, D. B. O. S. Cardoso, L. J. T. Cardoso, C.
```

- R. Carneiro, C. E. Carneiro, D. S. Carneiro-Torres, T. T. Carrijo, M. B. R. Caruzo, M. L. 3628
- 3629 S. Carvalho, M. Carvalho-Silva, A. C. D. Castello, L. Cavalheiro, A. C. Cervi, R. G.
- 3630 Chacon, A. Chautems, B. Chiavegatto, N. S. Chukr, A. A. O. P. Coelho, M. A. N. Coelho,
- 3631 R. L. G. Coelho, I. Cordeiro, E. Cordula, X. Cornejo, A. L. A. Côrtes, A. F. Costa, F. N.
- 3632 Costa, J. A. S. Costa, L. C. Costa, M. B. Costa-e-Silva, J. L. Costa-Lima, M. R. C. Cota,
- R. S. Couto, R. D. De Stefano, K. De Toni, M. Dematteis, G. A. Dettke, F. R. Di Maio, 3633
- 3634 M. C. Dórea, M. C. Duarte, J. H. A. Dutilh, V. F. Dutra, L. Echternacht, L. Eggers, G.
- 3635 Esteves, C. Ezcurra, M. J. A. Falcão Junior, F. Feres, J. M. Fernandes, D. M. C. Ferreira,
- F. M. Ferreira, G. E. Ferreira, P. P. A. Ferreira, S. C. Ferreira, M. S. Ferrucci, P. Fiaschi, 3636
- 3637 T. S. Filgueiras, M. Firens, A. S. Flores, E. Forero, W. Forster, A. P. Fortuna-Perez, R.
- H. Fortunato, C. N. Fraga, F. França, A. Francener, J. Freitas, M. F. Freitas, P. W. Fritsch, 3638
- 3639 S. G. Furtado, A. L. Gaglioti, F. C. P. Garcia, P. Germano Filho, L. Giacomin, A. S. B.
- Gil, A. M. Giulietti, S. A P Godoy, R. Goldenberg, G. A. Gomes da Costa, M. Gomes, 3640
- 3641 V. L. Gomes-Klein, E. G. Gonçalves, S. Graham, M. Groppo, J. S. Guedes, L. R. S.
- Guimarães, P. J. F. Guimarães, E. F. Guimarães, R. Gutierrez, R. Harley, G. Hassemer, 3642
- 3643 E. K. O. Hattori, S. M. Hefler, G. Heiden, A. Henderson, N. Hensold, P. Hiepko, A. S. S.
- 3644 Holanda, J. R. V. Iganci, D. C. Imig, A. Indriunas, E. L. Jacques, J. G. Jardim, H. M.
- 3645 Kamer, C. Kameyama, L. S. Kinoshita, M. Kirizawa, B. B. Klitgaard, I. Koch, C.
- 3646 Koschnitzke, N. P. Krauss, R. Kriebel, J. Kuntz, J. Larocca, E. S. Leal, G. P. Lewis, C.
- 3647 T. Lima, H. C. Lima, I. B. Lima, L. F. G. Lima, L. C. P. Lima, L. R. Lima, L. F. P. Lima,
- 3648 R. B. Lima, E. J. Lírio, R. M. Liro, E. Lleras, A. Lobão, B. Loeuille, L. G. Lohmann, M.
- 3649 I. B. Loiola, J. A. Lombardi, H. M. Longhi-Wagner, R. C. Lopes, T. S. Lorencini, R. B.
- 3650 Louzada, J. Lovo, E. D. Lozano, E. Lucas, R. Ludtke, C. L. Luz, P. Maas, A. F. P.
- Machado, L. Macias, J. R. Maciel, M. A. G. Magenta, M. C. H. Mamede, E. A. Manoel, 3651
- 3652 M. S. Marchioretto, J. S. Marques, N. Marquete, R. Marquete, G. Martinelli, R. C. V.
- 3653 Martins da Silva, Â. B. Martins, E. R. Martins, M. L. L. Martins, M. V. Martins, R. C.
- Martins, L. Q. Matias, C. A. Maya-L, S. Mayo, F. Mazine, D. Medeiros, E. S. Medeiros, 3654
- 3655 H. Medeiros, J. D. Medeiros, J. E. Meireles, R. Mello-Silva, A. Melo, A. L. Melo, E.
- 3656 Melo, J. I. M. Melo, C. G. Menezes, L. Menini Neto, L. A. Mentz, A. C. Mezzonato, F.
- 3657 A. Michelangeli, M. A. Milward-de-Azevedo, S. T. S. Miotto, V. F. O. Miranda, C. A.
- 3658 Mondin, M. Monge, D. Monteiro, R. F. Monteiro, M. D. Moraes, P. L. R. Moraes, S. A.
- Mori, A. C. Mota, N. F. O. Mota, T. M. Moura, M. Mulgura, J. N. Nakajima, C. Nardy, 3659
- 3660 J. E. Nascimento Júnior, L. Noblick, T. S. Nunes, N. O' Leary, A. S. Oliveira, C.
- 3661 T. Oliveira, J. A. Oliveira, L. S. D. Oliveira, M. L. A. A. Oliveira, R. C. Oliveira, R. S.
- Oliveira, R. P. Oliveira, B. Paixão-Souza, L. R. Parra, E. Pasini, J. F. B. Pastore, M. 3662
- Pastore, J. Paula-Souza, L. C. Pederneiras, A. L. Peixoto, G. Pelissari, M. O. O. Pellegrini, 3663 T. Pennington, R. O. Perdiz, A. C. M. Pereira, M. S. Pereira, R. A. S. Pereira, C. Pessoa, 3664
- 3665 E. M. Pessoa, M. C. R. Pessoa, L. J. S. Pinto, R. B. Pinto, T. A. Pontes, G. T. Prance, C.
- 3666 Proenca, S. R. Profice, A. C. Pscheidt, G. A. Queiroz, R. T. Queiroz, A. Quinet, H. Rainer,
- E. Ramos, J. G. Rando, M. Reginato, I. P. Reis, P. A. Reis, A. R. O. Ribeiro, J. E. L. S. 3667
- 3668 Ribeiro, R. Riina, M. R. Ritter, F. Rivadavia, A. E. S. Rocha, M. J. R. Rocha, I. M. C.

- Rodrigues, K. F. Rodrigues, R. S. Rodrigues, R. S. Rodrigues, V. T. Rodrigues, W.
- Rodrigues, S. Romaniuc Neto, G. O. Romão, R. Romero, N. Roque, P. Rosa, L. Rossi, C.
- 3671 F. C. Sá, M. M. Saavedra, M. Saka, C. M. Sakuragui, R. M. Salas, M. F. Sales, F. R. G.
- 3672 Salimena, D. Sampaio, G. Sancho, P. T. Sano, A. Santos, É. P. Santos, J. S. Santos, M.
- R. Santos, A. P. Santos-Gonçalves, F. Santos-Silva, W. São-Mateus, D. P. Saraiva, D. P.
- 3674 Saridakis, Â. L. B. Sartori, V. R. Scalon, Â. Schneider, R. Sebastiani, R. S. Secco, L.
- 3675 Senna, L. Senna-Valle, R. T. Shirasuna, P. J. S. Silva Filho, A. S. Silva, C. Silva, G. A.
- 3676 R. Silva, G. O. Silva, M. C. R. Silva, M. J. Silva, M. J. Silva, O. L. M. Silva, R. A. P.
- 3677 Silva, S. R. Silva, T. R. S. Silva, K. C. Silva-Gonçalves, C. L. Silva-Luz, R. Simão-
- 3678 Bianchini, A. O. Simões, B. Simpson, C. M. Siniscalchi, J. A. Siqueira Filho, C. E.
- 3679 Siqueira, J. C. Siqueira, N. P. Smith, C. Snak, R. L. Soares Neto, K. P. Soares, M. V. B.
- 3680 Soares, M. L. Soares, P. N. Soares, M. Sobral, R. C. Sodré, G. V. Somner, C. A. Sothers,
- 3681 D. J. L. Sousa, E. B. Souza, É. R. Souza, M. Souza, M. L. D. R. Souza, F. O. Souza-
- Buturi, A. P. Spina, M. N. S. Stapf, M. V. Stefano, J. R. Stehmann, V. Steinmann, C.
- Takeuchi, C. M. Taylor, N. P. Taylor, A. M. Teles, L. G. Temponi, M. H. Terra-Araujo,
- V. Thode, W. W. Thomas, M. L. Tissot-Squalli, B. M. Torke, R. B. Torres, A. M. G. A.
- Tozzi, R. J. Trad, R. Trevisan, M. Trovó, J. F. M. Valls, A. M. S. F. Vaz, L. Versieux, P.
- 3686 L. Viana, M. D. M. Vianna Filho, A. O. S. Vieira, D. D. Vieira, M. Vignoli-Silva, T.
- Vilar, F. Vinhos, B. Wallnöfer, M. G. L. Wanderley, D. Wasshausen, M. T. C. Watanabe,
- 3688 M. Weigend, C. A. D. Welker, E. Woodgyer, C. C. Xifreda, K. Yamamoto, A. Zanin, R.
- 3689 D. Zenni, and C. S. Zickel. 2015. Growing knowledge: an overview of Seed Plant
- 3690 diversity in Brazil. Rodriguésia 66:1085-1113.
- 3691 Zeller, H. R. 2010. Plano de Manejo: Reserva Particular do Patrimônio Natural Emilio
- 3692 Einsfeld Filho, Santa Catarina.
- 3693 zu Wied-Neuwied, M. P. 1820. Reise nach Brasilien in den Jahren 1815 bis 1817. 2 Bde.
- 3694 Brönner, H. L., Frankfurt am Main.
- 3695 Zunino, G. E., M. M. Kowalewski, L. I. Oklander, and V. Gonzalez. 2007. Habitat
- fragmentation and population size of the black and gold howler monkey (Alouatta caraya)
- 3697 in a semideciduous forest in northern Argentina. American Journal of Primatology
- 3698 69:966–975.

3699