

LATERAL ENGINEERING LIMITED

WORKSHOP CUTTING INSTRUCTIONS

SIMULATION ID: SIM-1748147969674

Generated: 25/05/2025, 4:39:29 pm

EFFICIENCY: 97.4% | WASTE: 1.9% | TIME: 32h 38m

STOCK LENGTH: 8000mm

REPEAT 5x - Mixed Materials

Efficiency: 97.5% | Waste per stock: 165mm

CUTTING SEQUENCE (apply to each stock):

- ☐ Stock 1 of 5 completed
- ☐ Stock 2 of 5 completed
- ☐ Stock 3 of 5 completed
- ☐ Stock 4 of 5 completed
- ☐ Stock 5 of 5 completed

- 1. 650mm (x1) -> Position: 0mm
- 2. 650mm (x1) -> Position: 653mm
- 3. 650mm (x1) -> Position: 1306mm
- 4. 650mm (x1) -> Position: 1959mm
- 5. 650mm (x1) -> Position: 2612mm
- 6. 650mm (x1) -> Position: 3265mm
- 7. 650mm (x1) -> Position: 3917mm
- 8. 650mm (x1) -> Position: 4570mm
- 9. 650mm (x1) -> Position: 5223mm
- 10. 650mm (x1) -> Position: 5876mm

11. 650mm (x1) -> Position: 6529mm

12. 650mm (x1) -> Position: 7182mm

Mixed Materials

Efficiency: 98.4% | Waste: 69mm

CUTTING SEQUENCE:

☐ Stock completed

1. 650mm (x1) -> Position: 0mm

2. 650mm (x1) -> Position: 653mm

3. 650mm (x1) -> Position: 1306mm

4. 650mm (x1) -> Position: 1959mm

5. 310mm (x1) -> Position: 2612mm [45 DEGREE ANGLE]

6. 310mm (x1) -> Position: 2925mm [45 DEGREE ANGLE]

7. 310mm (x1) -> Position: 3237mm [45 DEGREE ANGLE]

8. 310mm (x1) -> Position: 3550mm [45 DEGREE ANGLE]

9. 310mm (x1) -> Position: 3863mm [45 DEGREE ANGLE]

10. 310mm (x1) -> Position: 4176mm [45 DEGREE ANGLE]

11. 310mm (x1) -> Position: 4489mm [45 DEGREE ANGLE]

12. 310mm (x1) -> Position: 4802mm [45 DEGREE ANGLE]

13. 310mm (x1) -> Position: 5115mm [45 DEGREE ANGLE]

14. 310mm (x1) -> Position: 5428mm [45 DEGREE ANGLE]

15. 310mm (x1) -> Position: 5741mm [45 DEGREE ANGLE]

16. 310mm (x1) -> Position: 6054mm [45 DEGREE ANGLE]

17. 310mm (x1) -> Position: 6366mm [45 DEGREE ANGLE]

18. 310mm (x1) -> Position: 6679mm [45 DEGREE ANGLE]

19. 310mm (x1) -> Position: 6992mm [45 DEGREE ANGLE]

20. 310mm (x1) -> Position: 7305mm [45 DEGREE ANGLE]

21. 310mm (x1) -> Position: 7618mm [45 DEGREE ANGLE]

Mixed Materials

Efficiency: 96.9% | Waste: 178mm

CUTTING SEQUENCE:

☐ Stock completed

1. 310mm (x1) -> Position: 0mm [45 DEGREE ANGLE]
2. 310mm (x1) -> Position: 313mm [45 DEGREE ANGLE]
3. 310mm (x1) -> Position: 626mm [45 DEGREE ANGLE]
4. 310mm (x1) -> Position: 939mm [45 DEGREE ANGLE]
5. 310mm (x1) -> Position: 1252mm [45 DEGREE ANGLE]
6. 310mm (x1) -> Position: 1565mm [45 DEGREE ANGLE]
7. 310mm (x1) -> Position: 1877mm [45 DEGREE ANGLE]
8. 310mm (x1) -> Position: 2190mm [45 DEGREE ANGLE]
9. 310mm (x1) -> Position: 2503mm [45 DEGREE ANGLE]
10. 310mm (x1) -> Position: 2816mm [45 DEGREE ANGLE]
11. 310mm (x1) -> Position: 3129mm [45 DEGREE ANGLE]
12. 310mm (x1) -> Position: 3442mm [45 DEGREE ANGLE]
13. 310mm (x1) -> Position: 3755mm [45 DEGREE ANGLE]
14. 310mm (x1) -> Position: 4068mm [45 DEGREE ANGLE]
15. 310mm (x1) -> Position: 4381mm [45 DEGREE ANGLE]
16. 310mm (x1) -> Position: 4694mm [45 DEGREE ANGLE]
17. 310mm (x1) -> Position: 5006mm [45 DEGREE ANGLE]
18. 310mm (x1) -> Position: 5319mm [45 DEGREE ANGLE]
19. 310mm (x1) -> Position: 5632mm [45 DEGREE ANGLE]
20. 310mm (x1) -> Position: 5945mm [45 DEGREE ANGLE]
21. 310mm (x1) -> Position: 6258mm [45 DEGREE ANGLE]

- 22. 310mm (x1) -> Position: 6571mm [45 DEGREE ANGLE]
- 23. 310mm (x1) -> Position: 6884mm [45 DEGREE ANGLE]
- 24. 310mm (x1) -> Position: 7197mm [45 DEGREE ANGLE]
- 25. 310mm (x1) -> Position: 7510mm [45 DEGREE ANGLE]

Mixed Materials

Efficiency: 96.5% | Waste: 208mm

CUTTING SEQUENCE:

☐ Stock completed

- 1. 310mm (x1) -> Position: 0mm [45 DEGREE ANGLE]
- 2. 310mm (x1) -> Position: 313mm [45 DEGREE ANGLE]
- 3. 310mm (x1) -> Position: 626mm [45 DEGREE ANGLE]
- 4. 310mm (x1) -> Position: 939mm [45 DEGREE ANGLE]
- 5. 310mm (x1) -> Position: 1252mm [45 DEGREE ANGLE]
- 6. 310mm (x1) -> Position: 1565mm [45 DEGREE ANGLE]
- 7. 310mm (x1) -> Position: 1877mm [45 DEGREE ANGLE]
- 8. 310mm (x1) -> Position: 2190mm [45 DEGREE ANGLE]
- 9. 310mm (x1) -> Position: 2503mm [45 DEGREE ANGLE]
- 10. 310mm (x1) -> Position: 2816mm [45 DEGREE ANGLE]
- 11. 310mm (x1) -> Position: 3129mm [45 DEGREE ANGLE]
- 12. 310mm (x1) -> Position: 3442mm [45 DEGREE ANGLE]
- 13. 310mm (x1) -> Position: 3755mm [45 DEGREE ANGLE]
- 14. 310mm (x1) -> Position: 4068mm [45 DEGREE ANGLE]
- 15. 310mm (x1) -> Position: 4381mm [45 DEGREE ANGLE]
- 16. 310mm (x1) -> Position: 4694mm [45 DEGREE ANGLE]
- 17. 310mm (x1) -> Position: 5006mm [45 DEGREE ANGLE]
- 18. 310mm (x1) -> Position: 5319mm [45 DEGREE ANGLE]

19. 310mm (x1) -> Position: 5632mm [45 DEGREE ANGLE]
20. 310mm (x1) -> Position: 5945mm [45 DEGREE ANGLE]
21. 310mm (x1) -> Position: 6258mm [45 DEGREE ANGLE]
22. 310mm (x1) -> Position: 6571mm [45 DEGREE ANGLE]
23. 300mm (x1) -> Position: 6884mm
24. 300mm (x1) -> Position: 7187mm
25. 300mm (x1) -> Position: 7490mm

REPEAT 2x - Mixed Materials

Efficiency: 97.5% | Waste per stock: 125mm

CUTTING SEQUENCE (apply to each stock):

- ☐ Stock 1 of 2 completed
- ☐ Stock 2 of 2 completed

1. 300mm (x1) -> Position: 0mm
2. 300mm (x1) -> Position: 303mm
3. 300mm (x1) -> Position: 606mm
4. 300mm (x1) -> Position: 909mm
5. 300mm (x1) -> Position: 1212mm
6. 300mm (x1) -> Position: 1515mm
7. 300mm (x1) -> Position: 1817mm
8. 300mm (x1) -> Position: 2120mm
9. 300mm (x1) -> Position: 2423mm
10. 300mm (x1) -> Position: 2726mm
11. 300mm (x1) -> Position: 3029mm
12. 300mm (x1) -> Position: 3332mm
13. 300mm (x1) -> Position: 3635mm
14. 300mm (x1) -> Position: 3938mm

15. 300mm (x1) -> Position: 4241mm

16. 300mm (x1) -> Position: 4544mm

17. 300mm (x1) -> Position: 4846mm

18. 300mm (x1) -> Position: 5149mm

19. 300mm (x1) -> Position: 5452mm

20. 300mm (x1) -> Position: 5755mm

21. 300mm (x1) -> Position: 6058mm

22. 300mm (x1) -> Position: 6361mm

23. 300mm (x1) -> Position: 6664mm

24. 300mm (x1) -> Position: 6967mm

25. 300mm (x1) -> Position: 7270mm

26. 300mm (x1) -> Position: 7573mm