		ol	d	ne	w
Class	Coefficients	Fitted	Fixed	Fitted	Fixed
2FB	$c_{tG}$	✓		✓	
	$c_{Qq}^{1,8}$	✓		✓	
	$c_{Qq}^{1,1}$	✓		✓	
	$c_{Qq}^{3,8}$	✓		✓	
	$c_{Qq}^{3,1}$	✓		✓	
	$c_{tq}^{87}$	<b>√</b>		<b>√</b>	
	$c_{tq}^1 \\ c_{tu}^8$	<b>√</b>		<b>√</b>	
2L2H	$c_{tu}^8$	✓		✓	
	$c_{tu}^1$	✓		✓	
	$c_{Qu}^8$	✓		✓	
	$c_{Qu}^1$	<b>√</b>		<b>√</b>	
	$c_{Qu}^{c}$	<b>√</b>		<b>√</b>	
	$c_{td}^1$	<b>√</b>		<b>√</b>	
	$c_{Od}^8$	<b>√</b>		<b>√</b>	
	$c_{Qd}^{ m I}$	<b>√</b>		<b>√</b>	
	Number fitted coefficients	15		15	

Table 1: Coefficient comparison

	Type	Datasets	old	new
Ī	tt	CMS_tt_13TeV_ljets_2016_Mtt	<b>√</b>	<b>√</b>

Table 1: Dataset comparison

 $\chi^2$  table. Blue color text represents a value that is lower than the SM  $\chi^2$  by more than one standard deviation of the  $\chi^2$  distribution. Similarly, red color text represents values that are higher than the SM  $\chi^2$  by more than one standard deviation. In parenthesis is the total SM  $\chi^2$  for the dataset included in the fit.

		SM	old	new
Process	$N_{ m data}$	$\chi^2/N_{\rm data}$	$\chi^2/N_{data}$	$\chi^2/N_{data}$
CMS_tt_13TeV_ljets_2016_Mtt	10	1.992	2.209	3.564
Total			2.209 (1.992)	3.564 (1.992)

Table 1:  $\chi^2$  table for tt data

		old	new		
Process	$N_{ m data}$	$\chi^2/N_{ m data}$	$N_{ m data}$	$\chi^2/N_{\rm data}$	
tt	10.0	2.209 (1.992)	10.0	3.564 (1.992)	
Total	10.0	2.209 (1.992)	10.0	3.564 (1.992)	

Table 2:  $\chi^2$  table for grouped data. In parenthesis is the total SM  $\chi^2$  for the dataset included in the fit. The SM column refers to all the datasets available in the group





