 Congratulations! You passed!

Grade received 100% Latest Submission Grade 100% To pass 80% or higher

Go to next item

Quiz

Collaborative Filtering

 Submit your assignment

Due: Mar 3, 11:59 PM CET

1. You have the following table of movie ratings:

1 / 1 point

Movie	Elissa	Zach	Barry	Terry
Football Forever	5	4	3	?
Pies, Pies, Pies	1	?	5	4
Linear Algebra Live	4	5	?	1


To Pass 80% or higher

Refer to the table above for question 1 and 2. Assume numbering starts at 1 for this quiz, so the rating for Football Forever by Elissa is at (1,1)

What is the value of n_u

Your grade

4100%

 Correct

View Feedback


This is the number of users. n_m is the number of movies/items and is 3 in this table.
We keep your highest score

2. What is the value of $r(2, 2)$

 Like  Dislike  Report an issue

1 / 1 point


0

 Correct

$r(i, j)$ is a 1 if the movie has a rating and 0 if it does not. In the table above, a question mark indicates there is no rating.



3. In which of the following situations will a collaborative filtering system be the most appropriate learning algorithm (compared to linear or logistic regression)?

1 / 1 point

- ☐ You're an artist and hand-paint portraits for your clients. Each client gets a different portrait (of themselves) and gives you 1-5 star rating feedback, and each client purchases at most 1 portrait. You'd like to predict what rating your next customer will give you.
- ☐ You manage an online bookstore and you have the book ratings from many users. You want to learn to predict the expected sales volume (number of books sold) as a function of the average rating of a book.
- ☒ You run an online bookstore and collect the ratings of many users. You want to use this to identify what books are "similar" to each other (i.e., if a user likes a certain book, what are other books that they might also like?)
- ☐ You subscribe to an online video streaming service, and are not satisfied with their movie suggestions. You download all your viewing for the last 10 years and rate each item. You assign each item a genre. Using your ratings and genre assignment, you learn to predict how you will rate new movies based on the genre.
-  Correct
- You can find "similar" books by learning feature values using collaborative filtering.

4. For recommender systems with binary labels y , which of these are reasonable ways for defining when y should be 1 for a given user j and item i ? (Check all that apply.)

1 / 1 point

- ☐ y is 1 if user j has not yet been shown item i by the recommendation engine
- ☒ y is 1 if user j fav/likes/clicks on item i (after being shown the item)
-  Correct
- fav/likes/clicks on an item shows a user's interest in that item. It also shows that an item is interesting to a user.
- ☒ y is 1 if user j purchases item i (after being shown the item)
-  Correct
- Purchasing an item shows a user's preference for that item. It also shows that an item is preferred by a user.
- ☐ y is 1 if user j has been shown item i by the recommendation engine

