Congratulations! You passed!

Grade received 100% **Latest Submission Grade** 100% **To pass** 80% or higher

Go to next item

Quiz

Content-based filtering

Submit your assignment

Due Mar 3, 11:59 PM CET

Try again

Receive grade

To Pass 80% or higher

Your grade
100%

View Feedback

We keep your highest score

Like Dislike Report an issue

1. Vector x_u and vector x_m must be of the same dimension, where x_u is the input features vector for a user (age, gender, etc.) x_m is the input features vector for a movie (year, genre, etc.) True or false? 1 / 1 point

- True
- False

Correct
These vectors can be different dimensions.

2. If we find that two movies, i and k, have vectors $v_m^{(i)}$ and $v_m^{(k)}$ that are similar to each other (i.e., $||v_m^{(i)} - v_m^{(k)}||^2$ is small), then which of the following is likely to be true? Pick the best answer. 1 / 1 point

- The two movies are similar to each other and will be liked by similar users.
- The two movies are very dissimilar.
- A user that has watched one of these two movies has probably watched the other as well.
- We should recommend to users one of these two movies, but not both.

Correct
Similar movies generate similar v_m's.

3. Which of the following neural network configurations are valid for a content based filtering application? Please note carefully the dimensions of the neural network indicated in the diagram. Check all the options that apply: 1 / 1 point



Both the user and the item networks have the same architecture

Correct
User and item networks can be the same or different sizes.



The user and item networks have 64 dimensional v_u and v_m vector respectively

Correct
Feature vectors can be any size so long as v_u and v_m are the same size.



The user and the item networks have different architectures

Correct
User and item networks can be the same or different sizes.