

Myriam Lilia Reyes Sánchez
Bootcamp Desarrollo Web
API Node con JS, para MySQL [FIGMA-Restaurante](#)

Código de Js

```
const express = require("express");  
  
const mysql = require("mysql2");  
  
const cors = require("cors");  
  
  
const app = express();  
  
const PORT = 3000;  
  
  
app.use(cors());  
app.use(express.json());  
  
  
const connection = mysql.createConnection({  
  host: "localhost",  
  user: "root",  
  password: "Amandome.2020",  
  database: "compras",  
  port: 3306  
});
```

Myriam Lilia Reyes Sánchez

Bootcamp Desarrollo Web

API Node con JS, para MySQL [FIGMA-Restaurante](#)

```
connection.connect((error) => {
```

```
  if (error) {
```

```
    console.error("Error al conectar a MySQL:", error);
```

```
    process.exit(1);
```

```
  }
```

```
  console.log("Conexión a MySQL establecida");
```

```
});
```

```
app.get("/", (req, res) => {
```

```
  res.send("API de Categorías funcionando");
```

```
});
```

```
app.get("/categorias", (req, res) => {
```

```
  connection.query("CALL sp_s_obtenerCategorias()", (err, results) => {
```

```
    if (err) {
```

```
      console.error("Error al obtener categorías:", err);
```

```
      return res.status(500).json({ error: "Error al obtener categorías" });
```

```
    }
```

```
    if (!results || !results[0]) {
```

Myriam Lilia Reyes Sánchez

Bootcamp Desarrollo Web

API Node con JS, para MySQL [FIGMA-Restaurante](#)

```
return res.status(500).json({ error: "No se encontraron resultados" });
```

```
}
```

```
res.json(results[0]);
```

```
});
```

```
});
```

```
app.listen(PORT, () => console.log(` Servidor activo en el puerto ${PORT} `));
```

Package JSON

```
{
```

```
  "name": "ApiJsMysql",
```

```
  "version": "1.0.0",
```

```
  "main": "index.js",
```

```
  "scripts": {
```

```
    "test": "echo `Error: no test specified` && exit 1"
```

```
  },
```

```
  "keywords": [],
```

```
  "author": "",
```

```
  "license": "ISC",
```

Myriam Lilia Reyes Sánchez

Bootcamp Desarrollo Web

API Node con JS, para MySQL [FIGMA-Restaurante](#)

```
"description": "",  
  
"dependencies": {  
  
  "cors": "^2.8.5",  
  
  "express": "^5.1.0",  
  
  "mysql2": "^3.14.3"  
}  
}
```

```
import { useState } from "react";  
  
import { Search, MapPin, Clock, Star, ChefHat, Truck, CreditCard, Shield, ArrowLeft, Filter, SlidersHorizontal } from "lucide-react";  
  
import { Button } from "../components/ui/button";  
  
import { Input } from "../components/ui/input";  
  
import { Card, CardContent } from "../components/ui/card";  
  
import { Badge } from "../components/ui/badge";  
  
import { ImageWithFallback } from "../components/figma/ImageWithFallback";  
  
import { CategoryPage } from "../components/CategoryPage";  
  
  
export default function App() {  
  
  const [currentPage, setCurrentPage] = useState<"home" | "pizza" | "hamburguesas">("home");
```

Myriam Lilia Reyes Sánchez

Bootcamp Desarrollo Web

API Node con JS, para MySQL [FIGMA-Restaurante](#)

```
const categories = [  
  { name: "Pizza", icon: "🍕", color: "bg-red-100" },  
  { name: "Hamburguesas", icon: "🍔", color: "bg-yellow-100" },  
  { name: "Sushi", icon: "🍣", color: "bg-blue-100" },  
  { name: "Tacos", icon: "🌮", color: "bg-green-100" },  
  { name: "Postres", icon: "🍰", color: "bg-pink-100" },  
  { name: "Bebidas", icon: "🥤", color: "bg-purple-100" },  
];  
  
const featuredRestaurants = [  
  {  
    id: 1,  
    name: "Pizzería Italiana",  
    cuisine: "Pizza, Italiana",  
    rating: 4.8,  
    deliveryTime: "25-35 min",  
    deliveryFee: "Gratis",  
    image: "https://images.unsplash.com/photo-1565299624946-b28f40a0ca4b?w=400&h=300&fit=crop"
```

Myriam Lilia Reyes Sánchez

Bootcamp Desarrollo Web

API Node con JS, para MySQL [FIGMA-Restaurante](#)

```
|  
  },  
  {  
    id: 2,  
    name: "Burger King",  
    cuisine: "Hamburguesas, Comida Rápida",  
    rating: 4.6,  
    deliveryTime: "20-30 min",  
    deliveryFee: "$2.50",  
    image: "https://images.unsplash.com/photo-1568901346375-23c9450c58cd?w=400&h=300&fit=crop"  
  },  
  {  
    id: 3,  
    name: "Sushi Express",  
    cuisine: "Sushi, Japonesa",  
    rating: 4.9,  
    deliveryTime: "30-40 min",  
    deliveryFee: "Gratis",  
    image: "https://images.unsplash.com/photo-1579584425555-c3ce17fd4351?w=400&h=300&fit=crop"  
  }  
];
```

Myriam Lilia Reyes Sánchez
Bootcamp Desarrollo Web
API Node con JS, para MySQL [FIGMA-Restaurante](#)

```
const specialOffers = [  
  {  
    title: "50% OFF en tu primer pedido",  
    description: "Aplica en pedidos mayores a $20",  
    code: "FIRST50"  
  },  
  {  
    title: "Envío gratis",  
    description: "En pedidos mayores a $25",  
    code: "FREESHIP"  
  }  
];  
  
const handleCategoryClick = (categoryName: string) => {  
  if (categoryName === "Pizza") {  
    setCurrentPage("pizza");  
  } else if (categoryName === "Hamburguesas") {  
    setCurrentPage("hamburguesas");  
  }  
}
```

Myriam Lilia Reyes Sánchez

Bootcamp Desarrollo Web

API Node con JS, para MySQL [FIGMA-Restaurante](#)

```
};
```

```
const handleBackToHome = () => {
```

```
  setCurrentPage("home");
```

```
};
```

```
if (currentPage === "pizza") {
```

```
  return <CategoryPage category="pizza" onBack={handleBackToHome} />;
```

```
}
```

```
if (currentPage === "hamburguesas") {
```

```
  return <CategoryPage category="hamburguesas" onBack={handleBackToHome} />;
```

```
}
```

```
return (
```

```
  <div className="min-h-screen bg-background">
```

```
    {/* Header */}
```

```
    <header className="bg-white border-b border-gray-100 px-4 py-3 sticky top-0 z-50">
```

```
      <div className="flex items-center justify-between">
```

```
        <div className="flex items-center space-x-2">
```


Myriam Lilia Reyes Sánchez

Bootcamp Desarrollo Web

API Node con JS, para MySQL [FIGMA-Restaurante](#)

```
<div className="w-8 h-8 bg-red-500 rounded-lg flex items-center justify-center">

  <Truck className="w-5 h-5 text-white" />

</div>

<span className="text-xl font-bold text-red-500">FoodExpress</span>

</div>

<div className="flex space-x-2">

  <Button variant="ghost" size="sm">Iniciar Sesión</Button>

  <Button size="sm">Registrarse</Button>

</div>

</div>

</header>
```

```
{/* Hero Section */}
```

```
<section className="px-4 py-6 bg-gradient-to-br from-red-50 to-orange-50">

  <div className="text-center mb-6">

    <h1 className="text-2xl font-bold text-gray-900 mb-2">

      Tu comida favorita, directo a tu puerta

    </h1>

    <p className="text-gray-600">

      Descubre los mejores restaurantes de tu zona
```

Myriam Lilia Reyes Sánchez

Bootcamp Desarrollo Web

API Node con JS, para MySQL [FIGMA-Restaurante](#)

</p>

</div>

{/* Search Bar */}

<div className="relative mb-4">

<MapPin className="absolute left-3 top-3 w-5 h-5 text-gray-400" />

<Input

placeholder="Ingresa tu dirección"

className="pl-10 pr-12 py-3 border-2 border-gray-200"

/>

<Button size="sm" className="absolute right-1 top-1 bottom-1">

<Search className="w-4 h-4" />

</Button>

</div>

</section>

{/* Categories */}

<section className="px-4 py-6">

<h2 className="text-xl font-bold mb-4">Categorías Populares</h2>

<div className="grid grid-cols-3 gap-3">

Myriam Lilia Reyes Sánchez

Bootcamp Desarrollo Web

API Node con JS, para MySQL [FIGMA-Restaurante](#)

```
{categories.map((category, index) => (
  <Card
    key={index}
    className="cursor-pointer hover:shadow-md transition-shadow"
    onClick={() => handleCategoryClick(category.name)}
  >
    <CardContent className="p-3 text-center">
      <div className={`w-12 h-12 ${category.color} rounded-full flex items-center justify-center mx-auto mb-2`} >
        <span className="text-2xl">{category.icon}</span>
      </div>
      <p className="text-sm font-medium">{category.name}</p>
    </CardContent>
  </Card>
)}}
</div>
</section>

{/* Special Offers */}
<section className="px-4 py-6 bg-yellow-50">
  <h2 className="text-xl font-bold mb-4">Ofertas Especiales</h2>
```

Myriam Lilia Reyes Sánchez

Bootcamp Desarrollo Web

API Node con JS, para MySQL [FIGMA-Restaurante](#)

```

<div className="space-y-3">

  {specialOffers.map((offer, index) => (

    <Card key={index} className="bg-white">

      <CardContent className="p-4">

        <div className="flex items-center justify-between">

          <div>

            <h3 className="font-bold text-red-600">{offer.title}</h3>

            <p className="text-sm text-gray-600">{offer.description}</p>

          </div>

          <Badge variant="secondary">{offer.code}</Badge>

        </div>

      </CardContent>

    </Card>

  )))

</div>

</section>

{/* Featured Restaurants */}

<section className="px-4 py-6">

  <h2 className="text-xl font-bold mb-4">Restaurantes Destacados</h2>

```

Myriam Lilia Reyes Sánchez

Bootcamp Desarrollo Web

API Node con JS, para MySQL [FIGMA-Restaurante](#)

```
<div className="space-y-4">

  {featuredRestaurants.map((restaurant) => (

    <Card key={restaurant.id} className="cursor-pointer hover:shadow-md transition-shadow">

      <CardContent className="p-0">

        <div className="relative">

          <ImageWithFallback

            src={restaurant.image}

            alt={restaurant.name}

            className="w-full h-32 object-cover rounded-t-lg"

          />

          <Badge

            className="absolute top-2 right-2 bg-white text-gray-900"

            variant="secondary"

          >

            {restaurant.deliveryFee}

          </Badge>

        </div>

        <div className="p-4">

          <h3 className="font-bold mb-1">{restaurant.name}</h3>

          <p className="text-sm text-gray-600 mb-2">{restaurant.cuisine}</p>

        </div>

      </CardContent>

    </Card>

  )

}</div>
```

Myriam Lilia Reyes Sánchez

Bootcamp Desarrollo Web

API Node con JS, para MySQL [FIGMA-Restaurante](#)

```

    <div className="flex items-center justify-between">

      <div className="flex items-center space-x-1">

        <Star className="w-4 h-4 text-yellow-400 fill-current" />

        <span className="text-sm font-medium">{restaurant.rating}</span>

      </div>

      <div className="flex items-center space-x-1">

        <Clock className="w-4 h-4 text-gray-400" />

        <span className="text-sm text-gray-600">{restaurant.deliveryTime}</span>

      </div>

    </div>

  </div>

</CardContent>

</Card>

  )}

</div>

</section>

{ /* How it works */ }

<section className="px-4 py-6 bg-gray-50">

  <h2 className="text-xl font-bold mb-4 text-center">¿Cómo funciona?</h2>

```

Myriam Lilia Reyes Sánchez

Bootcamp Desarrollo Web

API Node con JS, para MySQL [FIGMA-Restaurante](#)

```
<div className="space-y-4">

  <div className="flex items-center space-x-3">

    <div className="w-10 h-10 bg-red-500 rounded-full flex items-center justify-center">

      <Search className="w-5 h-5 text-white" />

    </div>

    <div>

      <h3 className="font-medium">1. Busca</h3>

      <p className="text-sm text-gray-600">Encuentra tu restaurante favorito</p>

    </div>

  </div>

  <div className="flex items-center space-x-3">

    <div className="w-10 h-10 bg-red-500 rounded-full flex items-center justify-center">

      <ChefHat className="w-5 h-5 text-white" />

    </div>

    <div>

      <h3 className="font-medium">2. Ordena</h3>

      <p className="text-sm text-gray-600">Elige tus platos favoritos</p>

    </div>

  </div>

  <div className="flex items-center space-x-3">
```

Myriam Lilia Reyes Sánchez

Bootcamp Desarrollo Web

API Node con JS, para MySQL [FIGMA-Restaurante](#)

```
<div className="w-10 h-10 bg-red-500 rounded-full flex items-center justify-center">
```

```
  <CreditCard className="w-5 h-5 text-white" />
```

```
</div>
```

```
<div>
```

```
  <h3 className="font-medium">3. Paga</h3>
```

```
  <p className="text-sm text-gray-600">Pago seguro y fácil</p>
```

```
</div>
```

```
</div>
```

```
<div className="flex items-center space-x-3">
```

```
  <div className="w-10 h-10 bg-red-500 rounded-full flex items-center justify-center">
```

```
    <Truck className="w-5 h-5 text-white" />
```

```
  </div>
```

```
<div>
```

```
  <h3 className="font-medium">4. Disfruta</h3>
```

```
  <p className="text-sm text-gray-600">Recibe tu comida en minutos</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```


Myriam Lilia Reyes Sánchez

Bootcamp Desarrollo Web

API Node con JS, para MySQL [FIGMA-Restaurante](#)

```
{/* Footer */}
```

```
<footer className="bg-gray-900 text-white px-4 py-8">
```

```
<div className="text-center">
```

```
<div className="flex items-center justify-center space-x-2 mb-4">
```

```
<div className="w-8 h-8 bg-red-500 rounded-lg flex items-center justify-center">
```

```
<Truck className="w-5 h-5 text-white" />
```

```
</div>
```

```
<span className="text-xl font-bold">FoodExpress</span>
```

```
</div>
```

```
<p className="text-gray-400 mb-4">
```

```
La mejor comida, entregada rápido y seguro
```

```
</p>
```

```
<div className="flex items-center justify-center space-x-1 text-sm text-gray-400 mb-4">
```

```
<Shield className="w-4 h-4" />
```

```
<span>Pago 100% seguro</span>
```

```
</div>
```

```
<div className="space-y-2 text-sm">
```

```
<p>📞 +1 (442) 790-6716</p>
```

```
<p>✉️ soportecon@foodexpress.com</p>
```

```
<p className="text-gray-500">© 2025 FoodExpress. Todos los derechos reservados.</p>
```

Myriam Lilia Reyes Sánchez

Bootcamp Desarrollo Web

API Node con JS, para MySQL [FIGMA-Restaurante](#)

</div>

</div>

</footer>

</div>

);

}