# LM-Infinite: Simple On-the-Fly Length Generalization for Large Language Models

Chi Han<sup>1</sup> \*Qifan Wang<sup>2</sup>, Wenhan Xiong<sup>3</sup>, Yu Chen<sup>2</sup>, Heng Ji<sup>1</sup>, Sinong Wang<sup>3</sup>

#### **ABSTRACT**

In recent years, there have been remarkable advancements in the performance of Transformer-based Large Language Models (LLMs) across various domains. As these LLMs are deployed for increasingly complex domains, they often face the need to follow longer user prompts or generate longer texts. In these situations, the length generalization failure of LLMs on long sequences becomes more prominent. Most pre-training schemes truncate training sequences to a fixed length. LLMs often struggle to generate fluent and coherent texts after longer contexts, even with relative positional encoding specifically designed to cope with this problem. Common solutions such as finetuning on longer corpora often involve daunting hardware and time costs and require careful training process design. To more efficiently extrapolate existing LLMs' generation quality to longer texts, we theoretically and empirically investigate the main out-of-distribution (OOD) factors contributing to this problem. Inspired by this diagnosis, we propose a simple yet effective solution for on-the-fly length generalization, LM-Infinite. It involves only a  $\Lambda$ -shaped attention mask (to avoid excessive attended tokens) and a distance limit (to avoid unseen distances) while requiring no parameter updates or learning. We find it applicable to a variety of LLMs using relative-position encoding methods. LM-Infinite is computationally efficient with O(n) time and space, and demonstrates consistent text generation fluency and quality to as long as 128k tokens on ArXiv and OpenWebText2 datasets, with 2.72x decoding speedup. We will make the codes publicly available following publication.

# 1 Introduction

The evolution of Natural Language Generation (NLG) in recent years has been significantly driven by the progress of Large Language Models (LLMs) (Wei et al., 2022a; Kojima et al.; Wei et al., 2022b; Brown et al., 2020; Li et al., 2023b). LLMs have been successfully applied to a wide variety of tasks, demonstrating an impressive ability to understand and generate natural language across different contexts, such as Document Understanding, Information Extraction, and Cross-document Question Answering, Bai et al. (2023)

However, as LLMs are increasingly used in complete scenarios such as long document generation and long dialogue systems, LLMs face the challenge of *length generalization failures* on long text sequences. Despite extensive explorations in smaller-scale models Press et al. (2021); Sun et al. (2022); Chi et al. (2023), current state-of-the-art (SoTA) LLMs still struggle to directly generalize to sequences of unseen lengths. When forced to generate after too long contexts, they usually compromise the generation fluency. In most pre-training schemes, to control the exploding time and economic costs of long text lengths, practitioners have to bound training lengths, such as 2048 tokens for LLaMA (Touvron et al., 2023a). When there is a gap between training and inference lengths, LLMs fail to recognize the input and start to generate gibberish, despite the use of advanced techniques such as relative position encoding which were proposed to deal with this problem. Numerous relative position encoding techniques such as RoPE(Su et al., 2021) and Alibi(Press et al.,

<sup>&</sup>lt;sup>1</sup> University of Illinois Urbana-Champaign, <sup>2</sup> Meta, <sup>3</sup> GenAI Meta

¹{chihan3,hengji}@illinois.edu,

<sup>&</sup>lt;sup>23</sup>{wqfcr,xwhan,hugochen,sinongwang}@meta.com

<sup>\*</sup>Work performed as an intern in Meta GenAI.

2021) have been widely adopted by state-of-the-art LLMs. The main idea behind relative position encoding is that, instead of using absolute position information of tokens, the attention weight between two tokens relies on their distance in sequence. These designs are theoretically capable of running on unseen lengths, but on LLMs, we still observe generalization failures or Not-a-Number (NaN) values on inputs longer than training time (Kaiokendev, 2023) (see also Sections 3 and 5). Besides, the  $O(n^2)$  computational complexity of the prevailing Transformer-based LLMs also means overwhelming hardware and financial demand.

Inspired by the length generalization mystery, we undertake an empirical investigation of the main factors contributing to this generalization failure problem. In Section 3 through theoretical and empirical analyses, we identify three out-of-distribution (OOD) factors: unseen distances, unseen number of tokens under attention, and implicitly encoded positional information. Building upon these findings, we propose LM-Infinite, a surprisingly simple yet efficient solution compatible with various LLMs that use relative position encodings. LM-Infinite introduces two innovative elements: a  $\Lambda$ -shaped attention mask and a distance bound during attention. As important advantages, it does not require any parameter updates for pre-trained LLMs and only involves O(n) computational complexity. LM-Infinite also provides a 3.16x speedup on encoding and 2.72x speedup on decoding.

Empirically, LM-Infinite demonstrates generalizability to sequences of much longer lengths, capable of maintaining consistent fluency and generation quality on documents with as many as 128k tokens in ArXiv (academic preprints) and OpenWebText2 (Reddit submissions) for a wide range of SoTA LLMs: LLaMA (Touvron et al., 2023a), Llama-2 (Touvron et al., 2023b), MPT-7B (Team, 2023) and GPT-J (Wang & Komatsuzaki, 2021). It achieves performance superior or comparable to LLMs explicitly fine-tuned on long sequences, despite requiring no extra learning or parameter updates. In summary, our contributions in this work include:

- We analyze a behavioral model of LLMs regarding sequences longer than training time through theoretical and empirical diagnoses and explain multiple factors that contribute to LLMs' generalization failures.
- We propose a simple on-the-fly decoding method, LM-Infinite, which brings computational efficiency as well as generalizability to unseen lengths. This saves researchers from the cost of fine-tuning or even training from scratch.
- We conduct experimental evaluations of LM-Infinite. LLMs' fluency and generation quality are consistently maintained over 32k-length sequences on the ArXiv dataset, much longer than training time.

# 2 RELATED WORK

## 2.1 Positional Encodings in Transformers

Since the advent of the Transformer (Vaswani et al., 2017), along with its variants (generally named Transformers), has become the most widely used architecture of modern LLMs, thanks to its performance and ability for parallel training. As the attention mechanism (the core component in Transformers) operates on a bag of token features regardless of their positions, Transformers usually rely on explicit designs to incorporate position information. These designs are called positional encodings, and can generally be categorized into two classes. The absolute positional encodings are those providing the absolute positions, usually with the help of a sequence of vectors called *position* embeddings. Examples of such include sinusoidal position embeddings added to the input token embeddings (Vaswani et al., 2017), or learned position embeddings in BERT (Kenton & Toutanova, 2019), or adding the dot product between two tokens' position embeddings on the attention logit (Ke et al., 2020). Recently, to overcome the drawback that Transformers become unfamiliar with unseen positions, relative positional encodings are proposed to use distance information between tokens instead. Such information is usually incorporated into attention layers. Examples include a learnable attention logit bias in T5 (Raffel et al., 2020), Transformer-XL Dai et al. (2019) and Sandwich (Chi et al., 2023), a fixed linear attention decay called Alibi Press et al. (2021), and rotating query and key sequences based on distances such as RoPE (Su et al., 2021; Li et al., 2023a), CAPE Likhomanenko et al. (2021) and XPos (Sun et al., 2022; Ding et al., 2023). XPos and Longformer (Beltagy et al., 2020) also propose a block-diagonal attention mask, which however relies on explicit training to familiarize LLMs with it, and is not a plug-and-play tool like ours. As an extreme example,

NoPE (Kazemnejad et al., 2023) claims that the Transformer can implicitly encode positional information, so no positional encoding is needed. Despite theoretical promises and experimental verification on smaller scale experiments in these papers, length generalization failures are still widely observed when directly applied to large language models (Kaiokendev, 2023). This gap motivates us to hypothesize that there still exist OOD factors in relative positional encoding. In Section 3 we identify such factors and demonstrate that removing them allows relative positional encoding to have perfect length generalization on extremely long sequences.

#### 2.2 Fine-Tuning on Longer Texts

In light of generalization failures observed in LLMs, one straightforward solution is to finetune LLMs on longer text sequences, so that unseen positions can be exposed to LLMs for familiarity. Chen et al. (2023) interpolate positional encoding on longer sequences for finetuning. Tworkowski et al. (2023) adopt contrastive learning while finetuning on longer texts. Tao et al. (2023) and Kiyono et al. (2021) use padding and shifting for synthesizing long texts, respectively. These temporary remedies push the context length limit further but do not address the root causes of length generalization failures. They also require massive training resources due to the large sizes of LLMs. In contrast, our work aims at an on-the-fly solution by diagnosing the OOD factors preventing length generalization, and greatly saving resource costs.

#### 2.3 OTHER EFFORTS TOWARDS LONG-CONTEXT LLMS

Besides directly addressing the length generalization problem, other solutions are proposed to grant LLMs access to longer contexts without really reading them in full. For example, Recurrent-GPT (Zhou et al., 2023) prompts an LLM to recurrently generate texts, while at each iteration only reading the most recent context and a summary of longer histories. Some other work introduces special mark-up tokens (Bueno et al., 2022) or landmark tokens (Mohtashami & Jaggi, 2023) that allow LLMs to access a subset of most informative tokens. Anil et al. (2022) propose a prompting strategy that, when combined with pre-training and fine-tuning, is able to generalize to unseen lengths. Besides, Yang et al. (2023) use an outliner and a controller for two-staged long story generation. Finally, augmenting LLMs with retrieval-based memories Wu et al. (2021); Guu et al. (2020); Borgeaud et al. (2022); Khandelwal et al. (2019); Kaiser et al. (2016); Yogatama et al. (2021) lets LLMs only read retrieved information from a large database. These designs, however, usually need explicit finetuning and are not directly compatible with the existing state-of-the-art LLMs. Our work, in contrast, aims at extending *existing* LLMs to longer texts on the fly, which better leverages their impressive generalization power.

#### 3 DIAGNOSING OOD FACTORS IN LLMS

In this section, we diagnose the out-of-distribution (OOD) factors contributing to the length generalization failure. We analyze with both theoretical analysis and experimental verification.

We are mainly inspired by the hypothesis that relative positional encodings in pre-trained LLMs already capture the ability to deal with relative positions. However, when applied to longer sequences, the internal features (such as attention weights and hidden states) become "unfamiliar " to LLMs, i.e., out of the training distribution. Upon removal of these factors, we might shift internal features back to the training distribution, which are "comfort zones" to LLMs. Therefore LLMs will be able to generate with their original quality. In this section, we search for such factors. The intuition is to look for internal features that might be OOD and verify their existence.

# 3.1 OOD FACTOR 1: UNSEEN DISTANCES

Recall that, in relative positional encoding, the attention weight between two tokens depends on their distance. It is intuitive to realize that, if texts become too long, some distance values will increase to an unseen large number, eventually exceeding those seen in pre-training. In the following, we will demonstrate formally and empirically that, as length increases, the attention logits will have to explode to infinity for the attention functions to distinguish new distance values.




Figure 1: Diagnosis of three OOD factors in LLMs.

Let us denote the attention function in a relative position encoding as  $w(\mathbf{q}, \mathbf{k}, d) \in \mathbb{R}$ . Here  $w(\cdot, \cdot, \cdot)$  takes the query vector  $\mathbf{q}$ , the key vector  $\mathbf{k}$  and their distance d, and returns a scalar as attention logit. The final attention weights are usually calculated by a softmax operation. Specifically, if there are n tokens with indices  $(1, \cdots, n)$ , the attention paid by the last token on a preceding token i is calculated as

$$Attn(token_n, token_i) = \frac{e^{w(\mathbf{q}_n, \mathbf{k}_i, n-i)}}{\sum_{j=1}^n e^{w(\mathbf{q}_n, \mathbf{k}_j, n-j)}}$$
(1)

**Theorem 1.** (Long-Distance Attention Logit Explosion) Let  $\mathbf{q}$  and  $\mathbf{k}$  be random vectors from distributions  $\mathcal{D}_{\mathbf{q}}$  and  $\mathcal{D}_{\mathbf{k}}$ , respectively. We use the pseudo-dimension  $\dim_P(\cdot)$  defined in Pollard (1990), which measures the representation capacity of a function family. Assume that the set of distance-based logit functions  $\mathcal{H} = \{w(\cdot,\cdot,d)|d\in\mathbb{N}\}$  has bounded pseudo-dimension  $\dim_P(\mathcal{H}) = r^1$ . Let us also define the distinguish-ability of two distances d and d' under w as their expected squared difference:  $\mu_w(d,d') = \mathbb{E}_{\mathbf{q}\sim\mathcal{D}_{\mathbf{q}},\mathbf{k}\sim\mathcal{D}_{\mathbf{k}}}(w(\mathbf{q},\mathbf{k},d)-w(\mathbf{q},\mathbf{k},d'))^2$ . We assume that w will not recognize only a finite group of distances, otherwise, all distances longer than a threshold will become almost the same as shorter distances. Formally, for any n, there is a partition of [0..n] into  $\alpha(n)$  groups so that,  $\mu_w(d,d') \leq \epsilon$  for any d,d' from the same group.  $\alpha(n) \in \mathbb{N}$  is non-decreasing and unbounded function. Then we have:

$$\sup_{\mathbf{q},\mathbf{k},d\leq n} |w(\mathbf{q},\mathbf{k},d)| \geq \left(\frac{\alpha(n)}{2}\right)^{\frac{1}{2r}} \frac{\epsilon}{4e}.$$

The proof can be found in Appendix A. We also empirically verify this on LLaMA on 32 sequences in the ArXiv dataset, truncated down to 32k tokens. We select the 0-th attention head in each Transformer layer for clarity of visualization, and plot the attention weights paid by the last token to all preceding tokens in Figure 1(a). We can see that at long distances, the attention logits oscillate to significantly larger absolute values than those within the training length of 4k.

The takeaway message is that either the attention logit functions  $w(\cdot,\cdot,d)$  fail to recognize the unseen distances, or their values will increase to infinity. The latter case will lead to OOD logits, which are "unfamiliar" to LLMs, and potentially result in irregular results. Even if the former case is true, in the next Section we show that it will cause another type of OOD factor. To alleviate the current factor, we conjecture that *one needs to limit the distance values during attention computation*.

### 3.2 OOD FACTOR 2: UNSEEN NUMBER OF TOKENS

Another factor that potentially causes out-of-distribution is the number of tokens to attend to. When texts become longer, later tokens will need to attend to more tokens. This might dilute the attention weights and make the attention distribution more flattened, causing a loss of information in the attention. Here we study the entropy values, which is a theoretical metric for measuring the informativeness of a distribution. In the next proposition we formally demonstrate that, unless the logits explode, the entropy of attention weights will increase to infinity. In other words, there is a dilemma between the OOD factors 1 and 2.

<sup>&</sup>lt;sup>1</sup>This is true for most current techniques. See discussions in Appendix C

**Proposition 1.** (Attention Entropy Explosion) Let  $w_1, w_2, \dots, w_n \in [-B, B]$  be a sequence of attention logits. Then the entropy of the attention distribution will increase to infinity:

Entropy 
$$\left( \left( \frac{e^{w_i}}{\sum_{j=1}^n e^{w_j}} \middle| 1 \le i \le n \right) \right) = \Omega(\ln n)$$

The proof is provided in Section B. We go on to empirically verify it in practice. We follow the setting in Section 3.1 and plot the attention entropy against context lengths in Figure 1(b). The curve indeed shows an ever-increasing attention entropy.

This finding suggests a limit on the number of tokens to be attended to so that LLMs can operate on familiar attention distributions. After analyses of these two factors, one might be tempted to propose an easy solution: forcing each token only to attend to the nearest few tokens, ignoring all farther tokens during attention. This is similar to the block-diagonal attention mask used in XPos (Sun et al., 2022) and Longformer (Beltagy et al., 2020). However, we find that this does not work and LLMs' performance actually degrades on shorter texts. It means that XPos' extrapolation ability heavily relies on explicit training, and is not directly applicable to other LLMs. This phenomenon indicates the existence of another OOD factor, which we analyze in the following section.

#### 3.3 OOD FACTOR 3: IMPLICITLY-ENCODED ABSOLUTE POSITION

In this section, we are going to demonstrate a counter-intuitive phenomenon. Even if absolute position information is not explicitly encoded in the computation graph, the attention mechanism is still able to implicitly encode it. We conjecture that this happens in Transformers with relative positional encodings. The following theorem from Kazemnejad et al. (2023) proves this fact:

**Theorem 2.** (Implicitly Encoded Position) Let x be an input sequence of length T+1 without positional encoding. Then there exists a parameterization for a vanilla self-attention layer such that its output features are able to recover absolute positions [1, ..., T+1].

In the construction provided in Kazemnejad et al. (2023), the starting tokens' signals are stronger and easier to distinguish than tailing tokens. If this is true, then it suggests another potential OOD factor. When the length is short, the LLM can implicitly encode positional information of initial tokens. However when the length exceeds those seen in the training corpus, initial tokens are mishandled due to OOD factors 1 and 2, and their absolute position information might become distorted or missing. However, the theorem is existential: it only proves that implicitly encoding absolute positions is possible, but does not guarantee that this is actually happening in real LLMs. As an empirical verification, we take the hidden states output by the first layer of LLaMA and plot a Principal Component Analysis (PCA) projection into a 2-d plane in Figure 1(c). The dots correspond to the first 4096 tokens in 32 sequences, with blue ones corresponding to the initial tokens and red tokens being the tail ones. In the plot, we see that tokens at different positions do occupy distinct sub-spaces in the features space, even without explicit implementation to encode absolute position information. This provides an explanation of why the simple solution mentioned at the end of Section 3.2 fails: when the sequence becomes long, directly limiting the attention window will eliminate initial tokens so that the feature sub-space they occupy will become invisible for attention. We conjecture that keeping these starting few tokens is important for LLMs to normally function.

After identifying these OOD factors, we claim that we have found missing pieces behind the length generalization problem. In the following, we propose our solution LM-Infinite in Section 4, and picture a conceptual model depicting how the relative position encoding works.

# 4 LM-Infinite

#### 4.1 GENERAL PRINCIPLES

Based on the analysis above, we propose our solution, LM-Infinite, which is a simple on-the-fly technique for length generalization on Transformer-based LLMs with relative positional encodings. LM-Infinite provides a set of high-level principles which is not limited to one single LLM.

An overview of LM-Infinite is illustrated in Figure2(a). This simple solution consists of two components: a  $\Lambda$ -shaped attention mask and a distance limit. As visualized in the figure, the  $\Lambda$ -shaped




Figure 2: (a) LM-Infinite is a plug-and-play solution for various LLMs, consisting of a  $\Lambda$ -shaped mask and a distance constraint during attention. (b) We also provide a conceptual model for understanding how relative position encoding works.

attention mask has two branches: a global branch on the left and a local branch on the right. The global branch allows each token to attend to the starting  $n_{\rm global}$  tokens if they appear before the current token. The local branch allows each token to attend to preceding tokens within  $n_{\rm local}$  distance. Any other tokens outside these two branches are ignored during attention. Here we heuristically set  $n_{\rm local} = L_{\rm pretrain}$  as equal to the training length limit. This choice includes the "comfort zone" of LLMs in attention. The selection of  $n_{\rm global}$  has less effect on model performance, and we find that the range [10,100] is generally okay. Note that  $n_{\rm global} = 0$  will lead to immediate quality degradation. This design is based on the OOD factors 2 and 3 above, where we aim to control the number of tokens to be attended to, while also ensuring the inclusion of starting tokens. Theoretically, LM-Infinite can access information from a context as long as  $n_{\rm layer}L_{\rm pretrain}$ , because each deeper layer allows the attention to span  $L_{\rm pretrain}$  farther than the layer above.

The **distance limit** involves bounding the "effective distance" d within  $L_{\rm pretrain}$ . This only affects tokens that are in the global branch. In specific, recall that in relative positional encoding, the attention logit is originally calculated as  $w(\mathbf{q},\mathbf{k},d)$ , where d is the distance between two tokens. Now we modify it as  $w(\mathbf{q},\mathbf{k},\min(d,L_{\rm pretrain}))$ . This design is motivated by the OOD factor 1 and ensures that LLMs are not exposed to distances unseen during pre-training.

#### 4.2 IMPLEMENTATION DETAILS

The principles in LM-Infinite are applicable to most relative positional encodings. As this work is focused on addressing the length generalization failure of LLMs, we will evaluate LM-Infinite on 3 families of SoTA open-sourced LLMs in Section 5: LLaMA series (LLaMA and Llama-2), MPT-7B series and GPT-J series. Both LLaMA and GPT-J use RoPE encoding, and MPT-7B uses Alibi encoding. The principles can be easily generalized to other relative positional encoding methods.

**RoPE** (Rotary Position Embedding) Su et al. (2021) proposes to rotate the key and query vectors based on positions before computing the inner product. Specifically, each vector  $\mathbf{x}$  (either key or query) is split into pairs of elements  $\{(x_0,x_1),(x_2,x_3),\cdots\}$ , with each pair interpreted as a 2-d vector. RoPE then rotates the vector  $(x_a,x_{a+1})$  of token i with angle  $\theta_{a,i}=i\omega_a$ , where  $\omega_a$  is the rotating speed associated with dimension pair (a,a+1). After rotation, the 2-d vector becomes  $\begin{pmatrix} \cos i\omega_a & -\sin i\omega_a \\ \sin i\omega_a & \cos i\omega_a \end{pmatrix} \begin{pmatrix} x_i \\ x_{i+1} \end{pmatrix}$ . They show that the inner product between rotated  $\mathbf{q}_i$  and rotated

 $\langle \sin i\omega_a - \cos i\omega_a \rangle / \langle x_{i+1} \rangle$ . They show that the inner product between rotated  $\mathbf{q}_i$  and rotated  $\mathbf{k}_j$  is solely determined by values of  $\mathbf{q}_i$ ,  $\mathbf{k}_j$  and distance |i-j|. In LM-Infinite, the  $\Lambda$ -shaped mask is straightforward to implement on RoPE. For the limited distance principle, the local branch follows the original calculation. On the global branch (excluding the overlap with the local branch), we keep all  $\mathbf{k}$  vectors unrotated and rotate all  $\mathbf{q}$  vectors to a fixed distance  $L_{\text{pretrain}}$ . Then the two branches are composed together before attention masking.




Figure 3: LM-Infinite flattens the NLL (negative log-likelihood, the logarithm of perplexity) curve of various LLMs on ArXiv dataset without any paramter updates. The trends are similar to MPT-7B-Storywriter, an explicitly fine-tuned LLM. Llama-2 outputs NaN values on long sequences so the curve is relatively shorter.

**AliBi** (Press et al., 2021) proposes to offset all attention logits between tokens i,j by a linear term -|m(i-j)| and become  $\mathbf{q}_i^{\top}\mathbf{k}_j - |m(i-j)|$ . To this end, the MPT-7B codes implement an offset matrix as an additive term in attention logits. To augment with LM-Infinite, we simply clip the offset matrix with a minimum value of  $-|mL_{\text{pretrain}}|$ .

#### 4.3 A CONCEPTUAL MODEL FOR RELATIVE POSITION ATTENTION

In this section, we describe a conceptual model of how relative positional encoding functions in Figure 2(b), based on the OOD factor diagnoses and LM-Infinite designing principles. The figure illustrates the view when *generating one next token*, that is, the last token paying attention to all preceding tokens. In our conceptual model, a long context can be roughly partitioned into 3 parts:

- 1. The **starting tokens** encode predominantly their absolute position information as explained in Section 3.3. They are essential components for attention layers because their features occupy a specific region in the feature space (e.g., upper-right in Figure 1(c)). If this region is missing or attended to using an unseen large distance, this will create the OOD factor 3.
- 2. The **rear tokens** which are closest to the final token. Here the relative positions are more important. Rear tokens are essential for the attention layer to correctly function.
- 3. The **middle tokens** encode less position-sensitive information. As analyzed in Section 3.1 and 3.2, this region will either have exploding attention logits or too high attention entropy (OOD factor 1 and 2). Thus it does more harm than good for length generalization, so we remove them in LM-Infinite on sequences longer than training.

## 5 EVALUATION

In this section, we empirically evaluate LM-Infinite's performance. We select ArXiv and Open-WebText2 corpora from the Pile dataset (Gao et al., 2020), which consists of preprint papers from ArXiv and Reddit submissions, respectively. For LLMs to evaluate, we use LLaMA-7B, Llama-2-7b, MPT-7B, and GPT-J-6B. MPT-7B-Storywriter (fine-tuned on long sequences) is used as one of the baselines.

#### 5.1 FLUENCY

We first evaluate the fluency of LM-Infinite using the widely adopted perplexity metric. Formally, when evaluating the quality of a probabilistic model M on modeling a distribution  $\mathcal{D}$ , perplexity is defined as the exponentiation of average negative log-likelihood (NLL):  $PPL(\mathcal{D}, M) = \exp(-\mathbb{E}_{x\in\mathcal{D}}\ln M(x))$ . We plot the NLL curve in Figure 3 on the ArXiv dataset. Note that Llama-2 outputs NaN on too long sequences so the curve is relatively shorter. All vanilla models run out

Table 1: Perplexity scores on ArXiv and OpenWebText2 dataset. LLMs with LM-Infinite achieve
SoTA perplexity on 7 out of 9 columns while requiring no parameter updates.

		ArXiv					OpenWebText2			
Model	Setting	2k	4k	8k	16k	32k	2k	4k	8k	16k
Sandwich	Train	5.02	5.15	5.28	-	-	23.3	23.8	24.7	-
XPos	Train	21.6	20.73	-	-	-	-	-	-	-
LongLLaMA	Fine-tune	8.17	7.44	-	6.94	-	-	-	-	-
MPT-7B-SW	Fine-tune	6.46	5.43	4.31	4.36	3.61	9.77	10.92	6.59	5.12
MPT-7B	Vanilla	5.49	247.6	1122	1672	1601	8.26	128.9	190.6	132.5
LLaMA	Vanilla	3.84	10k	60k	68k	49k	6.16	6636	456k	44k
GPT-J-6B	Vanilla	3.90	1285	1011	1617	278	8.83	746	1348	1803
Llama-2	Vanilla	3.37	3.76	8461	NaN	NaN	6.18	5.76	6507	NaN
MPT-7B	LM-Infinite	5.69	6.76	5.79	5.98	4.60	8.46	12.25	8.54	8.93
LLaMA	LM-Infinite	4.38	4.54	3.68	4.20	1.02	6.33	6.08	9.53	7.03
GPT-J-6B	LM-Infinite	3.84	3.13	3.00	3.06	2.14	8.83	8.49	6.49	7.39
Llama-2	LM-Infinite	4.33	3.63	3.33	4.18	6.49	6.13	5.32	8.28	8.15

of memory at  $\sim$ 32k lengths. We see that LM-Infinite successfully flattens the perplexity curve to lengths much longer than their training input lengths. This suggests a consistent and unharmed fluency in long sequences. The longer ends of curves have larger variances because of fewer documents with those lengths.

We also numerically log the perplexity scores at a few milestone lengths (2k, 4k, 8k, 16k, and 32k) on ArXiv and OpenWebText2 in Table 1, which shows a similar trend. Open-WebText2 has very few data over length 32k so we omit the column. Note that with the help of LM-Infinite, LLMs successfully accomplish length generalization and achieve SoTA perplexity scores in 7 out of 9 columns. This is an encouraging result considering that LM-Infinite does not require any parameter updates in contrast to numerous strong baselines. As a direct comparison, MPT-7B+LM-Infinite achieves only slightly inferior scores than its fine-tuned cousin, MPT-7B-Storywriter. This suggests that LM-Infinite is an efficient counterpart to resource-consuming fine-tuning.




Figure 4: LM-Infinite achieves better balance between computation complexity with generation quality than simple tuncation.

## 5.2 GENERATION PERFORMANCE

As perplexity is an internal metric for LLMs, we evaluate LM-Infinite's generation quality on ArXiv and OpenWebText2 test sets, with BLEU (Papineni et al., 2002) and ROUGE (Lin, 2004) (ROUGE-LSum to be specific) as metrics. In simple words, both metrics evaluate the overlap on n-grams between the generated texts and the reference texts, while BLEU emphasizes on precision and ROUGE focuses on recall. We let the LLMs generate 100 tokens after each milestone length, and use the following 100 tokens in original texts as reference. As the generation takes a long time we sample 100 long sequences for evaluation in each dataset. The results are listed in Table 2. With a similar trend as the last section, LM-Infinite successfully allows LLMs to extend their generation quality to lengths longer than training, comparable to the effect of fine-tuning without parameter updates. Note that LM-Infinite has slightly different effects on different LLMs. On LLaMA and GPT-J-6B, the quality is better maintained at longer positions, while on Llama-2 the quality is better at nearer positions. We also evaluate the computation efficiency on a length of 32k in Appendix D, where LM-Infinite demonstrates a 3.16x speedup on encoding and a 2.72x speedup on decoding. As a generation example, after a long context of length 8k:

Table 2: Evaluation on text generation on ArXiv and OpenWebText2 corpora. LM-Infinite consistently generalizes the generation quality to extreme lengths, outperforming or similar to the fine-tuned LLM, MPT-7B-Storywriter.

	4	4k	8k		12k		16k		32k	
ArXiv	bleu	rouge								
MPT-7B-SW	16.6	26.5	21.5	30.1	15.2	26.6	18.9	27.4	14.8	27.0
MPT-7B	0.0	5.6	0.2	3.6	0.0	5.9	0.0	1.7	0.4	1.4
MPT-7B + LM-Infinite	16.1	23.8	20.2	24.9	12.6	24.1	23.9	29.0	19.7	26.6
Llama-2	26.6	31.4	0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
Llama-2 + LM-Infinite	26.9	31.8	23.6	30.9	23.9	28.2	24.8	29.2	18.4	20.4
OpenWebText2	bleu	rouge	bleu	rouge	bleu	rouge	bleu	rouge		
MPT-7B-SW	8.4	21.0	6.1	19.3	7.5	18.5	8.4	22.0		
MPT-7B	0.9	7.5	0.9	6.6	1.0	6.4	1.0	6.8		
MPT-7B + LM-Infinite	5.0	16.6	4.1	15.4	5.1	16.2	2.8	16.0		
Llama-2	8.8	22.4	0.0	0.2	0.0	0.0	0.0	0.0		
Llama-2 + LM-Infinite	9.0	21.9	7.2	21.2	9.7	19.6	9.6	19.6		

Previously, Kottwitz [@Kottwitz92] proved the formula in PEL-type cases (of simple Lie type A or C) by a method that is based on the Honda-Tate theory. This method however cannot be applied in general Hodge-type situations, and indeed

the vanilla Llama-2 model generates the following gibberish texts:

of this (of over-equary-her, and [( and, in the...cister '- and an of the model to by. by ..., this, by the. It, and it, 7. –(of an equist (of the. to the [[[WNE (to. and for the (((de in the (for the andistile–c.-[de (for in an inc ort, ort (betness in ; with (with, based (and (; such ((c of a or for the abstract as. ...

## while Llama-2 + LM-Infinite fluently generates:

Kottwitz [@Kottwitz84a] had formulated the conjecture, but at the time no idea had yet been established on how to prove it. This conjecture involves some algebraic statements of automorphic forms which have an algebraic nature, but are only valid for automorphic forms (which are not holomorphic automorphic forms [@Kaplansky1966]), whose (abstract) objects are Galois extensions of F and F ...

A few more example generations are displayed in Appendix E. We also compare LM-Infinite with a simple baseline of truncating excessive contexts. If one wants to generate texts much longer than the training limit with truncation, frequent truncations and re-encoding of truncated contexts are required. The larger the truncation window w is, the more contextual information is maintained but the larger computation complexity is also incurred. We let the models generate 10k tokens continuously on ArXiv dataset. In Figure 4, it is clear that, with similar computations, LM-Infinite has  $\sim$ 5 BLEU scores advantage. To achieve similar BLEU scores, LM-Infinite requires only 25% computations than the truncation baseline while still being slightly higher.

## 6 CONCLUSIONS AND FUTURE WORK

In this paper, we provide an explanation and a simple on-the-fly solution to enable Transformer-based LLMs to generate fluently on extreme lengths with relative positional encodings. We start with theoretical and empirical analyses of OOD (out-of-distribution) factors that might contribute to the length of generalization failures. Based on these intuitions we propose LM-Infinite, a plug-and-play mechanism without any parameter updates. Our empirical evaluations show that we can let multiple open-source SoTA LLMs maintain their original generation quality, similar to performance after explicit fine-tuning. LM-Infinite also extends task-solving ability to sequences much longer than training samples. Future work can explore how to let LM-Infinite better perceive information in the masked-out attention region. We hope that LM-Infinite's computational efficiency and ease of use allow researchers without enormous computational resources to also use LLMs on long sequences.

## ACKNOWLEDGEMENT

This research is partially supported by U.S. DARPA KAIROS Program No. FA8750-19-2-1004, and DARPA INCAS Program No. HR001121C0165. The views and conclusions contained herein are those of the authors and should not be interpreted as necessarily representing the official policies, either expressed or implied, of DARPA, or the U.S. Government. The U.S. Government is authorized to reproduce and distribute reprints for governmental purposes notwithstanding any copyright annotation therein.

## REFERENCES

- Cem Anil, Yuhuai Wu, Anders Andreassen, Aitor Lewkowycz, Vedant Misra, Vinay Ramasesh, Ambrose Slone, Guy Gur-Ari, Ethan Dyer, and Behnam Neyshabur. Exploring length generalization in large language models. *Advances in Neural Information Processing Systems*, 35:38546–38556, 2022.
- Yushi Bai, Xin Lv, Jiajie Zhang, Hongchang Lyu, Jiankai Tang, Zhidian Huang, Zhengxiao Du, Xiao Liu, Aohan Zeng, Lei Hou, Yuxiao Dong, Jie Tang, and Juanzi Li. Longbench: A bilingual, multitask benchmark for long context understanding, 2023.
- Iz Beltagy, Matthew E Peters, and Arman Cohan. Longformer: The long-document transformer. *arXiv preprint arXiv:2004.05150*, 2020.
- Sebastian Borgeaud, Arthur Mensch, Jordan Hoffmann, Trevor Cai, Eliza Rutherford, Katie Millican, George Bm Van Den Driessche, Jean-Baptiste Lespiau, Bogdan Damoc, Aidan Clark, et al. Improving language models by retrieving from trillions of tokens. In *International conference on machine learning*, pp. 2206–2240. PMLR, 2022.
- Tom Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared D Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, et al. Language models are few-shot learners. *Advances in neural information processing systems*, 33:1877–1901, 2020.
- Mirelle Candida Bueno, Carlos Gemmell, Jeff Dalton, Roberto Lotufo, and Rodrigo Nogueira. Induced natural language rationales and interleaved markup tokens enable extrapolation in large language models. In *Proceedings of the 1st Workshop on Mathematical Natural Language Processing (MathNLP)*, pp. 17–24, 2022.
- Shouyuan Chen, Sherman Wong, Liangjian Chen, and Yuandong Tian. Extending context window of large language models via positional interpolation. *arXiv preprint arXiv:2306.15595*, 2023.
- Ta-Chung Chi, Ting-Han Fan, Alexander Rudnicky, and Peter Ramadge. Dissecting transformer length extrapolation via the lens of receptive field analysis. In *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pp. 13522–13537, 2023.
- Zihang Dai, Zhilin Yang, Yiming Yang, Jaime G Carbonell, Quoc Le, and Ruslan Salakhutdinov. Transformer-xl: Attentive language models beyond a fixed-length context. In *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*, pp. 2978–2988, 2019.
- Jiayu Ding, Shuming Ma, Li Dong, Xingxing Zhang, Shaohan Huang, Wenhui Wang, and Furu Wei. Longnet: Scaling transformers to 1,000,000,000 tokens. *arXiv preprint arXiv:2307.02486*, 2023.
- Leo Gao, Stella Biderman, Sid Black, Laurence Golding, Travis Hoppe, Charles Foster, Jason Phang, Horace He, Anish Thite, Noa Nabeshima, Shawn Presser, and Connor Leahy. The Pile: An 800gb dataset of diverse text for language modeling. *arXiv preprint arXiv:2101.00027*, 2020.
- Kelvin Guu, Kenton Lee, Zora Tung, Panupong Pasupat, and Mingwei Chang. Retrieval augmented language model pre-training. In *International conference on machine learning*, pp. 3929–3938. PMLR, 2020.
- David Haussler. Decision theoretic generalizations of the pac model for neural net and other learning applications. In *The Mathematics of Generalization*, pp. 37–116. CRC Press, 2018.

- Kaiokendev. Things im learning while training superhot. https://kaiokendev.github.io/til#extending-context-to-8k, 2023.
- Lukasz Kaiser, Ofir Nachum, Aurko Roy, and Samy Bengio. Learning to remember rare events. In *International Conference on Learning Representations*, 2016.
- Amirhossein Kazemnejad, Inkit Padhi, Karthikeyan Natesan Ramamurthy, Payel Das, and Siva Reddy. The impact of positional encoding on length generalization in transformers. *arXiv* preprint arXiv:2305.19466, 2023.
- Guolin Ke, Di He, and Tie-Yan Liu. Rethinking positional encoding in language pre-training. In *International Conference on Learning Representations*, 2020.
- Jacob Devlin Ming-Wei Chang Kenton and Lee Kristina Toutanova. Bert: Pre-training of deep bidirectional transformers for language understanding. In *Proceedings of NAACL-HLT*, pp. 4171– 4186, 2019.
- Urvashi Khandelwal, Omer Levy, Dan Jurafsky, Luke Zettlemoyer, and Mike Lewis. Generalization through memorization: Nearest neighbor language models. In *International Conference on Learning Representations*, 2019.
- Shun Kiyono, Sosuke Kobayashi, Jun Suzuki, and Kentaro Inui. Shape: Shifted absolute position embedding for transformers. In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*, pp. 3309–3321, 2021.
- Takeshi Kojima, Shixiang Shane Gu, Machel Reid, Yutaka Matsuo, and Yusuke Iwasawa. Large language models are zero-shot reasoners. In *Advances in Neural Information Processing Systems*.
- Dacheng Li, Rulin Shao, Anze Xie, Ying Sheng, Lianmin Zheng, Joseph E. Gonzalez, Ion Stoica, Xuezhe Ma, and Hao Zhang. How long can open-source llms truly promise on context length?, June 2023a. URL https://lmsys.org/blog/2023-06-29-longchat.
- Sha Li, Ruining Zhao, Manling Li, Heng Ji, Chris Callison-Burch, and Jiawei Han. Open-domain hierarchical event schema induction by incremental prompting and verification. In *Proc. The 61st Annual Meeting of the Association for Computational Linguistics (ACL2023)*, 2023b.
- Tatiana Likhomanenko, Qiantong Xu, Gabriel Synnaeve, Ronan Collobert, and Alex Rogozhnikov. Cape: Encoding relative positions with continuous augmented positional embeddings. Advances in Neural Information Processing Systems, 34:16079–16092, 2021.
- Chin-Yew Lin. Rouge: A package for automatic evaluation of summaries. In *Text summarization branches out*, pp. 74–81, 2004.
- Amirkeivan Mohtashami and Martin Jaggi. Landmark attention: Random-access infinite context length for transformers. *arXiv preprint arXiv:2305.16300*, 2023.
- Kishore Papineni, Salim Roukos, Todd Ward, and Wei-Jing Zhu. Bleu: a method for automatic evaluation of machine translation. In *Proceedings of the 40th annual meeting of the Association for Computational Linguistics*, pp. 311–318, 2002.
- David Pollard. Empirical processes: Theory and applications. In NSF-CBMS Regional Conference Series in Probability and Statistics, pp. i–86. JSTOR, 1990.
- Ofir Press, Noah Smith, and Mike Lewis. Train short, test long: Attention with linear biases enables input length extrapolation. In *International Conference on Learning Representations*, 2021.
- Colin Raffel, Noam Shazeer, Adam Roberts, Katherine Lee, Sharan Narang, Michael Matena, Yanqi Zhou, Wei Li, and Peter J Liu. Exploring the limits of transfer learning with a unified text-to-text transformer. *The Journal of Machine Learning Research*, 21(1):5485–5551, 2020.
- Jeff Rasley, Samyam Rajbhandari, Olatunji Ruwase, and Yuxiong He. Deepspeed: System optimizations enable training deep learning models with over 100 billion parameters. In *Proceedings of the 26th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining*, pp. 3505–3506, 2020.

- Jianlin Su, Yu Lu, Shengfeng Pan, Ahmed Murtadha, Bo Wen, and Yunfeng Liu. Roformer: Enhanced transformer with rotary position embedding. *arXiv* preprint arXiv:2104.09864, 2021.
- Yutao Sun, Li Dong, Barun Patra, Shuming Ma, Shaohan Huang, Alon Benhaim, Vishrav Chaudhary, Xia Song, and Furu Wei. A length-extrapolatable transformer. arXiv preprint arXiv:2212.10554, 2022.
- Mingxu Tao, Yansong Feng, and Dongyan Zhao. A frustratingly easy improvement for position embeddings via random padding. *arXiv preprint arXiv:2305.04859*, 2023.
- MosaicML NLP Team. Introducing mpt-7b: A new standard for open-source, commercially usable llms, 2023. URL www.mosaicml.com/blog/mpt-7b. Accessed: 2023-05-05.
- Hugo Touvron, Thibaut Lavril, Gautier Izacard, Xavier Martinet, Marie-Anne Lachaux, Timothée Lacroix, Baptiste Rozière, Naman Goyal, Eric Hambro, Faisal Azhar, et al. Llama: Open and efficient foundation language models. *arXiv preprint arXiv:2302.13971*, 2023a.
- Hugo Touvron, Louis Martin, Kevin Stone, Peter Albert, Amjad Almahairi, Yasmine Babaei, Nikolay Bashlykov, Soumya Batra, Prajjwal Bhargava, Shruti Bhosale, et al. Llama 2: Open foundation and fine-tuned chat models. *arXiv preprint arXiv:2307.09288*, 2023b.
- Szymon Tworkowski, Konrad Staniszewski, Mikołaj Pacek, Yuhuai Wu, Henryk Michalewski, and Piotr Miłoś. Focused transformer: Contrastive training for context scaling. *arXiv preprint arXiv:2307.03170*, 2023.
- Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N Gomez, Łukasz Kaiser, and Illia Polosukhin. Attention is all you need. Advances in neural information processing systems, 30, 2017.
- Ben Wang and Aran Komatsuzaki. GPT-J-6B: A 6 Billion Parameter Autoregressive Language Model. https://github.com/kingoflolz/mesh-transformer-jax, May 2021.
- Jason Wei, Yi Tay, Rishi Bommasani, Colin Raffel, Barret Zoph, Sebastian Borgeaud, Dani Yogatama, Maarten Bosma, Denny Zhou, Donald Metzler, et al. Emergent abilities of large language models. Transactions on Machine Learning Research, 2022a.
- Jason Wei, Xuezhi Wang, Dale Schuurmans, Maarten Bosma, Fei Xia, Ed H Chi, Quoc V Le, Denny Zhou, et al. Chain-of-thought prompting elicits reasoning in large language models. In Advances in Neural Information Processing Systems, 2022b.
- Yuhuai Wu, Markus Norman Rabe, DeLesley Hutchins, and Christian Szegedy. Memorizing transformers. In *International Conference on Learning Representations*, 2021.
- Kevin Yang, Dan Klein, Nanyun Peng, and Yuandong Tian. DOC: Improving long story coherence with detailed outline control. In *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pp. 3378–3465, Toronto, Canada, July 2023. Association for Computational Linguistics. doi: 10.18653/v1/2023.acl-long.190. URL https://aclanthology.org/2023.acl-long.190.
- Dani Yogatama, Cyprien de Masson d'Autume, and Lingpeng Kong. Adaptive semiparametric language models. *Transactions of the Association for Computational Linguistics*, 9:362–373, 2021.
- Wangchunshu Zhou, Yuchen Eleanor Jiang, Peng Cui, Tiannan Wang, Zhenxin Xiao, Yifan Hou, Ryan Cotterell, and Mrinmaya Sachan. Recurrentgpt: Interactive generation of (arbitrarily) long text. arXiv preprint arXiv:2305.13304, 2023.

# A PROOF OF THEOREM 1

We first borrow a lemma from Haussler (2018), which we paste below. Note that a cover size  $\mathcal{N}(\epsilon, \mathcal{H}, \mu)$  is defined as the minimum cardinal of a cover-set  $\mathcal{H}'$  so that any element of  $h \in \mathcal{H}$  will be within  $\epsilon$  distance to at least one element  $h' \in \mathcal{H}'$ .

**Lemma 3.** Let  $\mathcal{H}$  be a function family mapping from space X to range [0,B], and its pseudo-dimension  $\dim_P(\mathcal{H}) = r$ . Then for any probabilistic measure P on X, and  $\epsilon \in [0,B]$ , we have that the  $\epsilon$  cover of  $\mathcal{H}$  under metric  $\mu(h_1,h_2) = \mathbb{E}_{x \sim P}(h_1(x) - h_2(x))^2$  is bounded by:

$$\mathcal{N}_P(\epsilon, \mathcal{H}, \mu) \le 2 \left(\frac{2eB}{\epsilon} \ln \frac{2eB}{\epsilon}\right)^r$$

With this lemma we can go on to prove Theorem 1 as follows.

*Proof.* We prove by contradiction. Assume that  $\sup_{\mathbf{q},\mathbf{k},d\leq n}|w(\mathbf{q},\mathbf{k},d)|< a=\left(\frac{\alpha(n)}{2}\right)^{\frac{1}{2r}}\frac{\epsilon}{4e}$ . Without loss of generality we can shift all the values to range [0,2a]. Then the function family  $\mathcal{H}=\{w(\cdot,\cdot,d)|d\in\mathbb{N}\}$  will have cover size  $\mathcal{N}_P(\epsilon,\mathcal{H},\mu)\leq 2\left(\frac{4ea}{\epsilon}\ln\frac{4ea}{\epsilon}\right)^r<\alpha(n)$ .

However, this is smaller than the number of different distances and relative weight attentions  $\mathcal{H}$ , which means that at least 2 functions will be close to each other  $(w(\cdot,\cdot,d),w(\cdot,\cdot,d'))^2 < \epsilon$ . This constitutes a contradiction with the distinguish-ability condition.

# B PROOF OF PROPOSITION 1

*Proof.* Note that entropy on a discrete distribution is defined as  $\text{Entropy}(P) = -\sum_i p_i \ln p_i$ . Then the attention entropy determined by attention logits  $\{w_i | 1 \le i \le n\}$  is

$$\begin{split} \text{Entropy}(\text{Attention}) &= -\sum_i \frac{e^{w_i}}{\sum_j e^{w_j}} \ln \frac{e^{w_i}}{\sum_j e^{w_j}} \\ &= -\sum_i \frac{e^{w_i}}{\sum_j e^{w_j}} \left( w_i - \ln \sum_j e^{w_j} \right) \\ &= -\sum_i \frac{e^{w_i}}{\sum_j e^{w_j}} w_i + \ln \sum_j e^{w_j} \\ &\geq -\max_i w_i + \ln(ne^{-B}) \\ &\geq \ln n - 2B \\ &= \Omega(\ln n) \end{split}$$

# C PSEUDO-DIMENSION ASSUMPTION ON ATTENTION LOGIT FUNCTIONS

In Theorem 1, we assumed that the family of distance-based logit functions  $\mathcal{H} = \{w(\cdot,\cdot,d)|d\in\mathbb{N}\}$  has a finite pseud-dimension. In this section, we demonstrate that most current implementations of relative positional encodings do have a finite pseudo-dimension. Let us discuss a few examples in the following:

**T5-Bias and Alibi** It is easy to see that, the difference between any two logit functions is uniform:  $w(\cdot,\cdot,d_1)-w(\cdot,\cdot,d_2)=\mathrm{bias}(d_1)-\mathrm{bias}(d_2)$  regardless of the input. Therefore this family cannot shatter any set larger than 2, so the pseudo-dimension is 1.

**Windowed Attention** This operation is equivalent to limiting the family to a finite size  $|\mathcal{H}| = d_{\text{max}} + 1$ , where  $d_{\text{max}}$  is the size of the window. Therefore  $\dim_P(\mathcal{H}) \leq d_{\text{max}} + 1$ .

**NoPE** As there is no explicit positional encoding implemented, all distances are equivalent. The pseudo-dimension is 1.

**RoPE, CAPE and XPos** For RoPE, the logit function  $w(\mathbf{q}, \mathbf{k}, d)$  is the weighted sum of finite fixed sinusoidal functions  $\{\sin(\omega_i d), \cos(\omega_i d)\}$ . The size of this set is equivalent to the feature dimension number k. We know that  $\dim_P(\mathcal{H}_1 + \mathcal{H}_1) \leq \dim_P(\mathcal{H}_1) + \dim_P(\mathcal{H}_2)$ . Also, the scaling of a single function can only have pseudo-dimension of 2. Therefore, the whole family has a bounded pseudo-dimension  $\dim_P(\mathcal{H}) \leq 2k$ . The analysis on CAPE and XPos is similar.

## D COMPUTATIONAL EFFICIENCY EVALUATION

To evaluate the computational efficiency of LM-Infinite, we run Llama-2-7B model on 100 sequences of 32k length in ArXiv dataset. The hardware is a single A100 GPU with 80GB GPU memory. As the memory is not enough for hosting the whole computation graph during decoding, we use DeepSpeed (Rasley et al., 2020) with Zero3 optimization. We also have to modify the computation code in order to further reduce GPU memory usages and prevent out-of-memory error. With that in mind, the vanilla Llama-2-7B model encodes with an average speed of 48.19s per sequence, while LM-Infinite encodes with average 15.26s per sequences, a 3.16x speedup. The vanilla Llama-2-7B model decodes with 7.34s per token, while LM-Infinite decodes with 2.70s per token, a 2.72x speedup.

## E EXAMPLE GENERATION

Table 3: Example text generations on ArXiv and OpenWebText2 corpora after 8k context lengths.

	ArXiv Dataset							
Context	Our proof of the Kottwitz formula imitates these arguments of Langlands and Rapoport of deriving the Kottwitz formula from their conjecture. As such, their theory of Galois gerbs is a major ingredient in this work. Another essential ingredient is a recent work of Kisin [@Kisin17] on the aforementioned conjecture of Langlands and Rapoport. Previously, Kottwitz [@Kottwitz92] proved the formula in PEL-type cases (of simple Lie type A or C) by a method which is based on the Honda-Tate theory. This method however cannot be applied in general Hodge-type situations, and indeed							
Vanilla Llama-2	of this (of over-equary-her, and [( and, in thecister '- and an of the model to by. by, this, by the. It, and it, 7. —(of an equist (of the. to the [[[WNE (to. and for the (((de in the (for the andistile—c[de (for in an inc ort, ort (betness in ¿with (with, based (and (¿ such ((c of a or for the abstract as. of *. (up. W in the, of the or an. and of a.0 in (and of (over in such [near (—of (([her (pro — [p for [with the of a: their in the in of '[alism in the, [(du of that of the ((both [equ of the of [for ([of as of and of the d. and of of the of the of the of [for of a per of a of its of a (for of the and of the							
LM-Infinite	Kottwitz [@Kottwitz84a] had formulated the conjecture, but at the time no idea had yet been established on how to prove it. This conjecture involves some algebraic statements of automorphic forms which have an algebraic nature, but are only valid for automorphic forms (which are not holomorphic automorphic forms [@Kaplansky1966]), whose (abstract) objects are Galois extensions of $F$ and $\bar{F}$ (which in general are not necessarily finite extensions), in other words a $p$ -valued Hodge-type structure (in $n$ -dimension). The Langlands-Rapoport conjecture is now established [@ScholzeShin13] whose formulation is in terms of (a more explicit class of) Hodge-type structures rather than these abstract Galois objects, and the automorphic side for $p$ -adic $L$ -functions are due to Kisin [@Kisin15].							
	OpenWebText2							
Context	This auto-structuration of a complete whole is defined as "auto-regulation". In the individual, the latter is established by biological rhythms, biological & mental regulations and mental operations. These can be theoretically formalized. Piaget refuses to accept that "real" dialectical tensions between physical objects are the true foundations of thought and cognition (its possibility, genesis & progressive development). Piaget never fills in what reality is. He maintains no ontological view on reality-assuch, considered to be the borderline of both the developing subject and its objective world, stage after stage. The cognitive is approached as a process, for rationality grows in developmental stages, each calling for a particular cognitive structure on the side of							
Vanilla Llama-2	the in that, of it and and; " of the. of " of " of the pr of of of the of the [. of " - s (1 ( of s of the " of quends of it &nd of trail of the, the &, 1. – a and at-and and and the " for on the is, core by " ( as (:: a ( on its to " is a, ( on, th is of all but". " in the in the the and in the for the., and of of the or of the :! of " A. of the of the, of the of the of [of the of the: of a th, and s of the of the the as of the, B of h. the —. the : a, and in a: & (se and [ ( (t, d of the and:), of the (,. ( A. A. Pro: T. I " (b in the of the, of of of " of, of the of the [ of, (: - " of the, of s of all ma of the [ and of the of the of [ of the of the of the ( the & ( w [ (:, and ad and and [ " of a in. for the, of in (							
LM-Infinite	cognition. It develops gradually. For Piaget, the cognitive originates in experience as it is subjected to structure: i.e. as it is structured, ordered and transformed. In the first stage, the "sensorial stage", structures are formed and integrated based on perception. These structures are built by organic, biological and psychic transformations, which lead to experience. The "concrete operational stage" of intellectual development refers to a stage when the mind of the child starts to use the logic of the general rule and the rule of the general case. There is now a logical, conceptual and operational distinction of concepts. Reasoning is made explicit by applying logical operations, such as subtraction, addition and multiplication to the "mental" object as well as to the "perceived" world of reality. The child's logic can now make use of the logical operations, though for him (her) it is a conceptual understanding of abstract operations. This is Piaget's concept of "genetic development". In the "formal operational stage", logical operations are combined using logical or conceptual structures.							