物聯網實務

(九)

廖裕評

Building a weather station

- Weather APIs give detailed information beyond just temperature, precipitation and humidity, but also UV index and pollution levels. Time series data lets you discover trends and patterns, and plan events based on weather conditions. APIs can also be a useful resource for disaster management as some come with built-in alerting and notification mechanisms on a global scale.



8 Best Free and Paid Weather APIs



https://nordicapis.com/6-best-free-and-paid-weather-apis/

Weather API



https://www.weatherapi.com/

Sign Up

On sign up you will be subscribed to Pro Plus plan for free, no obligation 14 day trial. After trial has ended you will be automatically switched to Free plan.

Note: All the fields are required!

Email (*Your email is your username*)

lyp@cycu.org.tw

Retype Email

lyp@cycu.org.tw

Password

••••••••••

Retype Password

••••••••••

Passwords do not match

Are you human?

I'm not a robot

reCAPTCHA

Privacy - Terms

The verification has failed. Please try again!

I have read and agree to T&C's and Privacy Policy.

Sign up

Account Activation - WeatherAPI.com

外部 收件匣 ×

WeatherAPI.com Support <support@weatherapi.com>
寄給 我

下午6:27 (28 分鐘前)

英文 > 中文（繁體） 翻譯郵件 關閉下列語言的翻譯功能：英文 ×

Hello,

Thanks for signing up.

You will only need to visit the link once to verify and activate your account.

To complete your account verification, please click the link given below:-

https://www.weatherapi.com/confirm.aspx?code=3191bfab-dc3f-4c89-9e0d-fe401c3e1db0

If the above link does not work, please copy and paste link into your web browser.

If you are still having problems signing up then please do get in touch.

Thanks,

Sana


weatherapi.com/my/
weather api
Dashboards
API Response Fields
Analytics
Accounts
Change Plan
Payment Method
Billing
Support
API Explorer
Swagger Tool
Change Password
Log out
Welcome Back
API Key: 3191 411
Copy
LIVE
TRIAL Ends on 28/Nov/2023
Pro Plus
Plan
5,000,000
Calls per Month
0
Calls Made
28/Nov/23
Trial End Date
Note: If you are on a trial plan then after the trial plan ends your API key will be automatically moved to Free plan if you do not wish to upgrade to a paid plan.
Get Started
Learn how to form HTTP request to get weather from API Explorer or use our NEW Swagger


weatherapi.com/my/fields.aspx
weather api
1
Dashboards
API Response Fields
Analytics
Accounts
Change Plan
Payment Method
Billing
Support
API Explorer
Swagger Tool
Change Password
Log out
Welcome Back
Change Fields
By default we return all weather fields in response and that may not be ideal for your application. So provided below you could enable or disable th ke to remove from your response.
If you wish any fields to not appear in the json response then fields below and click on Save button at the bottom of screen.
2.copy
API Key: 31 411
Current Weather
last_updated_epoch
last_updated
temp_c
temp_f
is_day
text
icon
code


Marine Weather
tides
tide_time
tide_height_mt
tide_type
Hour
sig_ht_mt
swell_ht_mt
swell_ht_ft
swell_dir
swell_dir_16_point
swell_period_secs
water_temp_c
water_temp_f
Save


weatherapi.com/my/fields.aspx
weather api
Dashboards
API Response Fields
Analytics
Accounts
Change Plan
Payment Method
Billing
Support
API Explorer
Swagger Tool
Change Password
Log out
Welcome Back
Change Fields
By default we return all weather fields in response and that may not be ideal for your application. So provided below you could enable or disable the fields you would like to remove from your response.
you wish any fields to not appear in the json response then simply uncheck that fields below d click on Save button at the bottom of screen.
PI Key: 3191bfabdc3f4c899e0102706231411
Current Weather
last_updated_epoch
last_updated
temp_c
temp_f
is_day
text
icon
code
3

Interactive API Explorer

WeatherAPI.com interactive API explorer or IO Docs allows you to test our APIs and methods. It returns response headers, response code and response body.

For complete documentation please visit our Weather API Documentation section.

You can also now use our Swagger t s to how to form weather Request. Visit Swagger Tool

1.Paste

Your API Key

3191bfabdc3f4c899e 231411

2.HTTPS

Protocol

HTTPS

3.JSON

Format

JSON

Parameter	Value	Type	Location	Description
q	London	string	query	Pass US Zipcode, UK Postcode, Canada Postalcode, IP address, Latitude/Longitude (decimal degree) or city name. Visit request parameter section to learn more.

Current | Forecast | Search/Autocomplete | History | Future | Marine | Astronomy | Time Zone | Sports

4.yes

Parameter	Value	pe	Location	Description
aqi	yes	string	query	Get air quality data

5

Show Response

Call

Copy

```
https://api.weatherapi.com/v1/current.json?key=3191bfabdc3f4c899e0102706231411&q=London&aqi=yes
```

Response Code

```
200
```

Response Headers


```
{
  "Transfer-Encoding": "chunked",
  "Connection": "keep-alive",
  "Vary": "Accept-Encoding",
  "CDN-PullZone": "93447",
  "CDN-Uid": "8fa3a04a-75d9-4707-8056-b7b33c8ac7fe",
  "CDN-RequestCountryCode": "GB",
  "Age": "0",
  "x-weatherapi-qpm-left": "5000001",
  "CDN-ProxyVer": "1.04",
  "CDN-RequestPullSuccess": "True",
  "CDN-RequestPullCode": "200",
  "CDN-CachedAt": "11/14/2023 11:19:56",
  "CDN-EdgeStorageId": "863",
  "CDN-Status": "200",
  "CDN-RequestId": "54e184433660245ea4695dfe17316888",
  "CDN-Cache": "MISS",
  "Cache-Control": "public, max-age=180",
  "Content-Type": "application/json",
  "Date": "Tue, 14 Nov 2023 11:19:56 GMT",
  "Server": "BunnyCDN-DE1-1079",
  "Via": "1.1 varnish (Varnish/6.0)"
}
```


Response Body


```
{
    "location": {
        "name": "London",
        "region": "City of London, Greater London",
        "country": "United Kingdom",
        "lat": 51.52,
        "lon": -0.11,
        "tz_id": "Europe/London",
        "localtime_epoch": 1699960755,
        "localtime": "2023-11-14 11:19"
    },
    "current": {
        "last_updated_epoch": 1699960500,
        "last_updated": "2023-11-14 11:15",
        "temp_c": 12.0,
        "temp_f": 53.6,
        "is_day": 1,
        "condition": {
            "text": "Moderate rain",
            "icon": "//cdn.weatherapi.com/weather/64x64/day/302.png",
            "code": 1189
        },
        "wind_mph": 6.9,
        "wind_kph": 11.2,
        "wind_degree": 230,
        "wind_dir": "SW",
        "pressure_mb": 1001.0,
        "pressure_in": 29.56,
        "precip_mm": 0.12,
        "precip_in": 0.0,
        "humidity": 88,
        "cloud": 50,
```

Paste the Link into a Browser Address Bar

Select All & Copy




jsoneditoronline.org/#left=local.nepelu&right=local.niruda
JSON Editor Online
Theme
Features
Help
New document 1
text
tree
table
1.Patse
{"location":
{"name":"London","region"
London, Greater
London","country":"United
Kingdom","lat":51.52,"lon":-0.11,"tz_id
":"Europe/London","localtime_epoch":169
9960779,"localtime":"2023-11-14
11:19"},"current":
{"last_updated_epoch":1699960500,"last_
updated":"2023-11-14
11:15","temp_c":12.0,"temp_f":53.6,"is_
day":1,"condition":{"text":"Moderate
rain","icon":"//cdn.weatherapi.com/weat
her/64x64/day/302.png","code":1189},"wi
nd_mph":6.9,"wind_kph":11.2,"wind_degre
e":230,"wind_dir":"SW","pressure_mb":10
01.0,"pressure_in":29.56,"precip_mm":0.
12,"precip_in":0.0,"humidity":88,"cloud
":50,"feelslike_c":10.5,"feelslike_f":5
Line: 1 Column: 819
Do you want to format the JSON?
Format
No thanks
Copy
2
Transform
Differences
Compare
New document 2
text
tree
table
{
location : {
name : London
region : City of London, Greater London
country : United Kingdom
lat : 51.52
lon : -0.11
tz_id : Europe/London
localtime_epoch : 1699960779
localtime : 2023-11-14 11:19
}
current : {
last_updated_epoch : 1699960500
last_updated : 2023-11-14 11:15
temp_c : 12.0
temp_f : 53.6
is_day : 1
condition : {
text : Moderate rain
Waiting for thrtle.com...


JSON Editor Online
Theme
Features
Help
New document 1
text
tree
table
{"location":
{"name":"London","region":"City of
London, Greater
London","country":"United
Kingdom","lat":51.52,"lon":-0.11,"tz_id
":"Europe/London","localtime_epoch":169
9960779,"localtime":"2023-11-14
11:19"},"current":
{"last_updated_epoch":1699960500,"last_
updated":"2023-11-14
11:15","temp_c":12.0,"temp_f":53.6,"is_
day":1,"condition":{"text":"Moderate
rain","icon":"//cdn.weatherapi.com/weat
her/64x64/day/302.png","code":1189},"wi
nd_mph":6.9,"wind_kph":11.2,"wind_degre
e":230,"wind_dir":"SW","pressure_mb":10
01.0,"pressure_in":29.56,"precip_mm":0.
12,"precip_in":0.0,"humidity":88,"cloud
":50,"feelslike_c":10.5,"feelslike_f":5
Line: 1 Column: 819
Do you want to format the JSON?
Format
No thanks
Copy
Transform
Differences
Compare
New document 2
text
tree
table
feelslike_c : 10.5
feelslike_f : 50.9
vis_km : 6.0
vis_miles : 3.0
uv : 3.0
gust_mph : 12.4
gust_kph : 19.9
air_quality : {
co : 230.3
no2 : 12.2
o3 : 57.2
so2 : 5.3
pm2_5 : 1.1
pm10 : 1.7
us-epa-index : 1
gb-defra-index : 1

Exercise 9-1

- Get the weather information form weather API and show them on the debug window in Node-RED.

http request





Triger


Click
timestamp
http request
debug 20


debug
all nodes
all
11/14/2023, 8:41:37 PM node: debug 20
msg.payload : Object
{ location: object, current: object }

Expand


debug
all nodes
all
Hit
4/2023, 8:41:37 PM node: debug 20
g.payload : Object
{ location: object, current: object }


debug
all nodes
all
11/14/2023, 8:41:37 PM node: debug 20
msg.payload : Object
object
location: object
name: "London"
region: "City of London, Greater London"
country: "United Kingdom"
lat: 51.52
lon: -0.11
tz_id: "Europe/London"
localtime_epoch: 1699965635
localtime: "2023-11-14 12:40"
current: object
last_updated_epoch: 1699965000
last_updated: "2023-11-14 12:30"
temp_c: 10
temp_f: 50
is_day: 1
condition: object
wind_mph: 10.5
wind_kph: 16.9

Homework 1

- Test the weather API for seven different cities.
- **Taipei**
- **London**
- **Singapur**
- **Paris**
- **Taichung**
- **Taoyuan**
- **New York**

Exercise 9-2

- Build a weather station.

Step 1


dashboard
button
dropdown
switch
slider
numeric
text input
date picker
colour picker
form
text
dropdown
1.Double Click
Edit dropdown node
Delete
Cancel
Done
Properties
Group
Add new dashboard group...
Size
auto
Label
Tooltip
optional tooltip
Placeholder
Select option
Options
Value
Label
2
3


Edit dropdown node > Add new dashboard group config node
Cancel
Add
Properties
Name
Default
Tab
Add new dashboard tab...
Class
Optional CSS class name(s) for widget
Width
6
1
2
Edit dropdown node > Add new dashboard group config node > Add new dashboard tab config node
Cancel
Add
Properties
Name
Home 9-2
Icon
dashboard
State
Enabled
3
4
Edit dropdown node > Add new dashboard group config node
Cancel
Add
Properties
Name
Default
Tab
Home 9-2
Class
Optional CSS class name(s) for widget
Width
6
5


Flow 6
timestamp
dropdown
Edit dropdown node > Add new dashboard group config node
Cancel
Add
Properties
Add
Name
Default
Tab
Home 9-2
Class
Optional CSS class name(s) for widget
Width
6
Display group name
Allow group to be collapsed


Edit dropdown node
10
Delete
Cancel
Done
Properties
Tooltip
optional tooltip
Placeholder
Select option
Options
1
Taipei
Taipei
3
London
London
5
Singapur
Singapur
7
Paris
Paris
9
Taichung
Taichung
+ option
2,4,6,8
ultiple selections from list:
If msg arrives on input, pass through to output:

Add a debug node and Deploy



Go to Dashboard






Node-RED Dashboard
localhost:1880/ui/#!/2?socketid...
Home 9-2
Default
Select option
1
Node-RED Dashboard
localhost:1880/ui/#!/2?socketid...
Home 9-2
Default
Taipei
London
Singapur
Paris
Taichung
Choose Taipei





Choose London


Node-RED Dashboard
localhost:1880/ui/#!/2?socketid...
Home 9-2
Default
Taichung
Choose Taichung
all nodes
all
11/15/2023, 1:01:08 AM node: debug 21
msg.payload : string[6]
"Taipei"
11/15/2023, 1:03:45 AM node: debug 21
msg.payload : string[6]
"London"
11/15/2023, 1:05:45 AM node: debug 21
msg.payload : string[8]
"Singapur"
11/15/2023, 1:05:49 AM node: debug 21
msg.payload : string[5]
"Paris"
11/15/2023, 1:05:52 AM node: debug 21
msg.payload : string[8]
"Taichung"

Add nodes




```
var city=msg.payload;
msg.url="https://api.weatherapi.com/v1/current.json?key=3xxx11&q="+city+"&aqi=yes";
return msg;
```

Test with choosing London



Add a function node and a debug node




```
var obj = msg.payload;
var current = obj.current;
msg.payload = current;
return msg;
```

Choose Taipei




object
last_updated_epoch: 1699983000
last_updated: "2023-11-15 01:30"
temp_c: 19
temp_f: 66.2
is_day: 0
condition: object
wind_mph: 11.9
wind_kph: 19.1
wind_degree: 100
wind_dir: "E"
pressure_mb: 1023
pressure_in: 30.21
precip_mm: 0.15
precip_in: 0.01
humidity: 88
cloud: 75
feelslike_c: 19
feelslike_f: 66.2


precip_in: 0.01
humidity: 88
cloud: 75
feelslike_c: 19
feelslike_f: 66.2
vis_km: 10
vis_miles: 6
uv: 1
gust_mph: 13.2
gust_kph: 21.3
air_quality: object
co: 270.4
no2: 5.7
o3: 88
so2: 7
pm2_5: 2.1
pm10: 3.6
us-epa-index: 1
gb-defra-index: 1

Edit function



Setup | On Start | **On Message**

```
1   var obj = msg.payload;
2   var current = obj.current;
3   var temp_c = current.temp_c;
4   var humidity = current.humidity;
5   var uv = current.uv;
6   msg={};
7   let msg1={};
8   let msg2={};
9   msg.topic = "temperature";
10  msg.payload = temp_c;
11  msg1.topic = "humidity";
12  msg1.payload = humidity;
13  msg2.topic = "uv";
14  msg2.payload = uv;
15  return [msg, msg1, msg2];
```



Deploy

Add

Add

Properties

Name

function 15

Setup

On Start

On Message

On Stop

Outputs

3

Timeout

0

3

Import as


Node-RED Dashboard
localhost:1880/ui/#!/2?socketid...
Home 9-2
Default
Taichung
Choose Taichung
Deploy
debug
all nodes
all
11/15/2023, 2:24:07 AM node: debug 21
msg.payload : string[8]
"Taichung"
11/15/2023, 2:24:08 AM node: debug 22
msg.payload : Object
{ location: object, current: object }
11/15/2023, 2:24:08 AM node: debug 23
temperature : msg.payload : number
18
11/15/2023, 2:24:08 AM node: debug 24
humidity : msg.payload : number
94
11/15/2023, 2:24:08 AM node: debug 25
uv : msg.payload : number
1
dropdown
Taichung
debug 21
function 14
http request
debug 22
function 15
debug 23
debug 24
debug 25

Add a gauge


dropdown
Taichung
debug 21
function 14
http request
debug 22
function 15
debug 23
debug 24
debug 25
UV


Edit gauge node
Delete
Cancel
Done
Properties
Group
[Home 9-2] Default
Size
auto
Type
Gauge
Label
UV
Value format
{{value}}
Units
units
Range
min
0
max
10
Home 9-2
UV



Edit gauge node

Delete | Cancel | Done

Properties

Group	[Home 9-2] Default
Size	auto
Type	Gauge
Label	Humidity
Value format	{{value}}
Units	units
Range	min 0 max 100
Colour gradient	
Sectors	0 ... optional ... optional ... 100

Enabled



Edit gauge node

Delete | Cancel | Done

Properties

Group	[Home 9-2] Default
Size	auto
Type	Gauge
Label	Temperature
Value format	{{value}}
Units	units
Range	min -20 max 50
Colour gradient	
Sectors	-20 ... optional ... optional ... 50



Move to the top

Node-RED Dashboard

localhost:1880/ui/#!/2?sock...

Home 9-2

Default

Paris

Temperature



Humidity



UV



Node-RED Dashboard

localhost:1880/ui/#!/2?sock...

Home 9-2

Default

Taipei

Temperature



Humidity



UV



Homework 2: Design ten cities weather station

- London
- Singapur
- Shanghai
- Taipei
- Taichung
- Taoyuan
- New York
- ??
- ??
- ??