

# Cucumber Report

Oct 8, 2025, 4:00:26 PM

Start : Oct 08, 4:00:09.734 PM

End : Oct 08, 4:00:25.906 PM

Duration : 16.172 s

Features



Scenarios

Steps

PASSED - 4  
FAILED - 5  
SKIPPED - 0

PASSED - 8  
FAILED - 15  
SKIPPED - 0

PASSED - 31  
FAILED - 15  
SKIPPED - 50




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>First Feature</u>	0.030 s	1	1	0	0	3	3	0	0
<u>Login Feature</u>	15.942 s	5	3	2	0	28	19	2	7
<u>Calucletor oprations</u>	0.003 s	1	1	0	0	4	4	0	0
<u>Parameterized Feature</u>	0.033 s	4	0	4	0	8	0	4	4
<u>Form Feature</u>	0.048 s	4	0	4	0	28	0	4	24
<u>Add Record</u>	0.006 s	1	0	1	0	4	0	1	3
<u>Data Table Test</u>	0.005 s	1	1	0	0	3	3	0	0
<u>valid_invalid_inputs</u>	0.003 s	2	2	0	0	2	2	0	0
<u>User Management Operations</u>	0.030 s	4	0	4	0	16	0	4	12

#	Feature Name	Scenario Name
1	<u>Login Feature</u>	<u>Empty username</u>
2		<u>Empty password</u>
3	<u>Parameterized Feature</u>	<u>Parameterized Scenario</u>
4		<u>Parameterized Scenario</u>
5		<u>Parameterized Scenario</u>
6		<u>Parameterized Scenario</u>
7	<u>Form Feature</u>	<u>Form Test</u>
8		<u>Form Test</u>
9		<u>Form Test</u>
10		<u>Form Test</u>
11	<u>Add Record</u>	<u>Add Record Scenario</u>
12	<u>User Management Operations</u>	<u>Create a new user</u>
13		<u>Update existing user</u>


#	Feature Name	Scenario Name
14	<u>User Management Operations</u>	<u>Delete a user</u>
15		<u>Search for a user</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@first_scenario	1	1	0	0	1	1	0	0
@first_feature	1	1	0	0	1	1	0	0
@LoginPositive	1	1	0	0	1	0	1	0
@Login	5	3	2	0	1	0	1	0
@InvalidUsername	1	1	0	0	1	0	1	0
@smoke	4	1	3	0	2	0	2	0
@InvalidPassword	1	1	0	0	1	0	1	0
@EmptyUsername	1	0	1	0	1	0	1	0
@EmptyPassword	1	0	1	0	1	0	1	0
@Calucletor	1	1	0	0	1	1	0	0
@DeleteChars	4	0	4	0	1	0	1	0
@Form	4	0	4	0	1	0	1	0
@AddRecord	1	0	1	0	1	0	1	0
@DataTable	1	1	0	0	1	1	0	0
@Validnnvalid	2	2	0	0	1	1	0	0
@create	1	0	1	0	1	0	1	0
@UserManagement	4	0	4	0	1	0	1	0

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@update	1	0	1	0	1	0	1	0
@delete	1	0	1	0	1	0	1	0
@critical	1	0	1	0	1	0	1	0
@search	1	0	1	0	1	0	1	0




#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>First Feature</u>	1	1	0	0	0.030 s
2	<u>Login Feature</u>	5	3	2	0	15.942 s
3	<u>Calucletor oprations</u>	1	1	0	0	0.003 s
4	<u>Parameterized Feature</u>	4	0	4	0	0.033 s
5	<u>Form Feature</u>	4	0	4	0	0.048 s
6	<u>Add Record</u>	1	0	1	0	0.006 s
7	<u>Data Table Test</u>	1	1	0	0	0.005 s
8	<u>valid_invalid_inputs</u>	2	2	0	0	0.003 s
9	<u>User Management Operations</u>	4	0	4	0	0.030 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>First Feature</u>	<u>First Scenario</u>	3	3	0	0	0.027 s
2	<u>Login Feature</u>	<u>Happy Path</u>	6	6	0	0	3.082 s
3		<u>Wrong username</u>	6	6	0	0	2.650 s
4		<u>Wrong password</u>	6	6	0	0	2.532 s
5		<u>Empty username</u>	5	1	1	3	7.614 s
6		<u>Empty password</u>	5	0	1	4	0.049 s
7	<u>Calucletor oprations</u>	<u>Add two numbers</u>	4	4	0	0	0.003 s
8	<u>Parameterized Feature</u>	<u>Parameterized Scenario</u>	2	0	1	1	0.008 s
9		<u>Parameterized Scenario</u>	2	0	1	1	0.006 s
10		<u>Parameterized Scenario</u>	2	0	1	1	0.006 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Parameterized Feature</u>	<u>Parameterized Scenario</u>	2	0	1	1	0.007 s
12	<u>Form Feature</u>	<u>Form Test</u>	7	0	1	6	0.009 s
13		<u>Form Test</u>	7	0	1	6	0.015 s
14		<u>Form Test</u>	7	0	1	6	0.006 s
15		<u>Form Test</u>	7	0	1	6	0.005 s
16	<u>Add Record</u>	<u>Add Record Scenario</u>	4	0	1	3	0.006 s
17	<u>Data Table Test</u>	<u>Data Table Scenario</u>	3	3	0	0	0.005 s
18	<u>valid_invalid_inputs</u>	<u>valid inputs</u>	1	1	0	0	0.000 s
19		<u>invalid inputs</u>	1	1	0	0	0.002 s
20	<u>User Management Operations</u>	<u>Create a new user</u>	6	0	1	5	0.008 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>User Management Operations</u>	<u>Update existing user</u>	4	0	1	3	0.004 s
22		<u>Delete a user</u>	3	0	1	2	0.008 s
23		<u>Search for a user</u>	3	0	1	2	0.005 s

## First Feature



<b>PASSED</b>	DURATION - 0.030 s	Scenarios		Steps	
/ 4:00:09.734 PM // 4:00:09.764 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## First Scenario


<div>PASSED</div> <div>DURATION - 0.027 s</div>		Steps	
/ 4:00:09.737 PM // 4:00:09.764 PM /		Total - 3	
First Feature		Pass - 3	
@first_scenario @first_feature		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given print Hello World on console	PASSED	0.003 s
2	When print from one to hundred on console	PASSED	0.002 s
3	Then assert if Cucumber contains C	PASSED	0.001 s


## Login Feature

<b>FAILED</b>	DURATION - 15.942 s	Scenarios		Steps	
/ 4:00:09.783 PM // 4:00:25.725 PM /		Total - 5		Total - 28	
		Pass - 3		Pass - 19	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 7	

## Happy Path





#	Step / Hook Details	Status	Duration
1	Given user is on the signin page	PASSED	1.676 s
2	When user enters valid username	PASSED	0.070 s
3	And user enters valid password	PASSED	0.040 s
4	And user click on submit button	PASSED	0.068 s
5	Then user validates the signin	PASSED	0.020 s
6	And close browser	PASSED	1.207 s

**Wrong username**



#	Step / Hook Details	Status	Duration
1	Given user is on the signin page	PASSED	1.252 s
2	When user enters invalid username	PASSED	0.060 s
3	And user enters valid password	PASSED	0.043 s
4	And user click on submit button	PASSED	0.072 s
5	Then assert alert message	PASSED	0.006 s
6	And close browser	PASSED	1.214 s

**Wrong password**

<div>PASSED</div> <div>DURATION - 2.532 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 4:00:15.520 PM // 4:00:18.052 PM /				
Login Feature				
@smoke @InvalidPassword @Login				

#	Step / Hook Details	Status	Duration
1	Given user is on the signin page	PASSED	1.227 s
2	When user enters valid username	PASSED	0.053 s
3	And user enters invalid password	PASSED	0.039 s
4	And user click on submit button	PASSED	0.049 s
5	Then assert alert message	PASSED	0.004 s
6	And close browser	PASSED	1.160 s



**Empty username**

<div>FAILED</div> <div>DURATION - 7.614 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 4:00:18.054 PM // 4:00:25.668 PM /				
Login Feature				
@EmptyUsername @Login				

#	Step / Hook Details	Status	Duration
1	Given user is on the signin page	PASSED	3.046 s
2	And user enters valid password	FAILED	4.564 s
	org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: unable to send message to renderer (Session info: chrome=140.0.7339.210) Build info: version: '4.36.0', revision: '6d115cfd87' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5d1fda56a26027667dcd543a8e3d990e, findElement {using=id, value=password}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.210, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir:		



#	Step / Hook Details	Status	Duration
	C:\Users\PCD\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49610}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49610/devtoo..., se:cdpVersion: 140.0.7339.210, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5d1fda56a26027667dcd543a8e3d990e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy2.sendKeys(Unknown Source) at pages.SignInPage.enterPassword(SignInPage.java:32) at stepdefinitions.LoginStepDefinitions.user_enters_valid_password(LoginStepDefinitions.java:34) at ?.user enters valid password(file:///C:/Users/PCD/IdeaProjects/MentoringCucumber/src/test/resources/features/02_login_test.feature:33) * Not displayable characters are replaced by '?'.		
3	And user click on submit button	SKIPPED	0.001 s
4	Then assert empty username message	SKIPPED	0.000 s
5	And close browser	SKIPPED	0.000 s

## Empty password



<div>FAILED</div> <div>DURATION - 0.049 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 4:00:25.676 PM // 4:00:25.725 PM /</div>				
<div>Login Feature</div>				
<div>@smoke @EmptyPassword @Login</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given user is on the signin page</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.36.0', revision: '6d115cfd87' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5d1fda56a26027667dcd543a8e3d990e, get {url=https://claruswaysda.github.io/signIn.html}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.210, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\PCD\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49610}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:49610/devtoo..., se.cdpVersion: 140.0.7339.210, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5d1fda56a26027667dcd543a8e3d990e</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:325)  at stepdefinitions.LoginStepDefinitions.user_is_on_the_signin_page(LoginStepDefinitions.java:22)  at ?.user is on the signin page(file:///C:/Users/PCD/IdeaProjects/MentoringCucumber/src/test/resources/features/02_login_test.feature:5)</p> <p>* Not displayable characters are replaced by '?'.  </p>	FAILED	0.048 s
2	And user enters valid username	SKIPPED	0.001 s
3	And user click on submit button	SKIPPED	0.000 s
4	Then assert empty password message	SKIPPED	0.000 s
5	And close browser	SKIPPED	0.000 s

## Calucletor oprations



<b>PASSED</b>	DURATION - 0.003 s	Scenarios		Steps	
/ 4:00:25.733 PM // 4:00:25.736 PM /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Add two numbers

<div>PASSED</div> <div>DURATION - 0.003 s</div>		Steps	
/ 4:00:25.733 PM // 4:00:25.736 PM /		Total - 4	
Calucletor oprations		Pass - 4	
@Calucletor		Fail - 0	
		Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given user enters number 30	PASSED	0.000 s
2	And user enters another number 30	PASSED	0.000 s
3	When user adds the numbers	PASSED	0.000 s
4	Then the result should be 60	PASSED	0.000 s

## Parameterized Feature

<b>FAILED</b>	DURATION - 0.033 s	Scenarios		Steps	
/ 4:00:25.741 PM // 4:00:25.774 PM /		Total - 4		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 4	



## Parameterized Scenario



<div>FAILED</div> <div>DURATION - 0.008 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 4:00:25.741 PM // 4:00:25.749 PM /				
Parameterized Feature				
@DeleteChars				



#	Step / Hook Details	Status	Duration
1	<p>Given user visits "https://claruswaysda.github.io/deleteChars.html"</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.36.0', revision: '6d115cfd87' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5d1fda56a26027667dcd543a8e3d990e, get {url=https://claruswaysda.github.io/deleteChars.html}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.210, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\PCD\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49610}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:49610/devtoo..., se.cdpVersion: 140.0.7339.210, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5d1fda56a26027667dcd543a8e3d990e</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:325)  at stepdefinitions.CommonStepDefinitions.userVisits(CommonStepDefinitions.java:18)  at ?.user visits "https://claruswaysda.github.io/deleteChars.html"(file:///C:/Users/PCD/IdeaProjects/MentoringCucumber/src/test/resources/features/03_parameterized_test.feature:5)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.005 s
2	When user enters "John" into input	SKIPPED	0.000 s

## Parameterized Scenario

<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 4:00:25.751 PM // 4:00:25.757 PM /				
Parameterized Feature				
@DeleteChars				



#	Step / Hook Details	Status	Duration
1	<p>Given user visits "https://claruswaysda.github.io/deleteChars.html"</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.36.0', revision: '6d115cfd87' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5d1fda56a26027667dcd543a8e3d990e, get {url=https://claruswaysda.github.io/deleteChars.html}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.210, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\PCD\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49610}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:49610/devtoo..., se.cdpVersion: 140.0.7339.210, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5d1fda56a26027667dcd543a8e3d990e</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:325)  at stepdefinitions.CommonStepDefinitions.userVisits(CommonStepDefinitions.java:18)  at ?.user visits "https://claruswaysda.github.io/deleteChars.html"(file:///C:/Users/PCD/IdeaProjects/MentoringCucumber/src/test/resources/features/03_parameterized_test.feature:5)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.003 s
2	When user enters "Mary" into input	SKIPPED	0.000 s

## Parameterized Scenario

<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 4:00:25.760 PM // 4:00:25.766 PM /				
Parameterized Feature				
@DeleteChars				



#	Step / Hook Details	Status	Duration
1	<p>Given user visits "https://claruswaysda.github.io/deleteChars.html"</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.36.0', revision: '6d115cfd87' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5d1fda56a26027667dcd543a8e3d990e, get {url=https://claruswaysda.github.io/deleteChars.html}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.210, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\PCD\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49610}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:49610/devtoo..., se.cdpVersion: 140.0.7339.210, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5d1fda56a26027667dcd543a8e3d990e</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:325)  at stepdefinitions.CommonStepDefinitions.userVisits(CommonStepDefinitions.java:18)  at ?.user visits "https://claruswaysda.github.io/deleteChars.html"(file:///C:/Users/PCD/IdeaProjects/MentoringCucumber/src/test/resources/features/03_parameterized_test.feature:5)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.004 s
2	When user enters "Tom" into input	SKIPPED	0.000 s

## Parameterized Scenario



<div>FAILED</div> <div>DURATION - 0.007 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 4:00:25.767 PM // 4:00:25.774 PM /				
Parameterized Feature				
@DeleteChars				

#	Step / Hook Details	Status	Duration
1	<p>Given user visits "https://claruswaysda.github.io/deleteChars.html"</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.36.0', revision: '6d115cfd87' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5d1fda56a26027667dcd543a8e3d990e, get {url=https://claruswaysda.github.io/deleteChars.html}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.210, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\PCD\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49610}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:49610/devtoo..., se.cdpVersion: 140.0.7339.210, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5d1fda56a26027667dcd543a8e3d990e</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:325)  at stepdefinitions.CommonStepDefinitions.userVisits(CommonStepDefinitions.java:18)  at ?.user visits "https://claruswaysda.github.io/deleteChars.html"(file:///C:/Users/PCD/IdeaProjects/MentoringCucumber/src/test/resources/features/03_parameterized_test.feature:5)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.005 s
2	When user enters "George" into input	SKIPPED	0.000 s

## Form Feature

<b>FAILED</b>	<b>DURATION - 0.048 s</b>	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 28 Pass - 0 Fail - 4 Skip - 24	
/ 4:00:25.787 PM // 4:00:25.835 PM /					



## Form Test

<div>FAILED</div> <div>DURATION - 0.009 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
/ 4:00:25.790 PM // 4:00:25.799 PM /				
Form Feature				
@Form				

#	Step / Hook Details	Status	Duration
1	<p>Given user visits "https://testpages.eviltester.com/styled/validation/input-validation.html"</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.36.0', revision: '6d115cfd87' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5d1fda56a26027667dcd543a8e3d990e, get {url=https://testpages.eviltester.com/styled/validation/input-validation.html}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.210, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\PCD\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49610}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49610/devtoo..., se:cdpVersion: 140.0.7339.210, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5d1fda56a26027667dcd543a8e3d990e</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557)</p>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:325) at stepdefinitions.CommonStepDefinitions.userVisits(CommonStepDefinitions.java:18) at ?.user visits "https://testpages.eviltester.com/styled/validation/input-validation.html"(file:///C:/Users/PCD/IdeaProjects/MentoringCucumber/src/test/resources/features/05_form_practice.feature:6) * Not displayable characters are replaced by '?'.		
2	When user enters first name "Kevin"	SKIPPED	0.000 s
3	And user enters last name "Black"	SKIPPED	0.000 s
4	And user enters age "60"	SKIPPED	0.000 s
5	And user enters country "Germany"	SKIPPED	0.000 s
6	And user enters notes "Kevin is from Germany!"	SKIPPED	0.002 s
7	Then close browser	SKIPPED	0.000 s



## Form Test

<div>FAILED</div> <div>DURATION - 0.015 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 4:00:25.801 PM // 4:00:25.816 PM /</div>				
<div>Form Feature</div>				
<div>@Form</div>				

#	Step / Hook Details	Status	Duration
1	Given user visits "https://testpages.eviltester.com/styled/validation/input-validation.html"  org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.36.0', revision: '6d115cfd87' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5d1fda56a26027667dcd543a8e3d990e, get {url=https://testpages.eviltester.com/styled/validation/input-validation.html}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.210, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\PCD\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49610}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49610/devtoo..., se:cdpVersion: 140.0.7339.210, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5d1fda56a26027667dcd543a8e3d990e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:325) at stepdefinitions.CommonStepDefinitions.userVisits(CommonStepDefinitions.java:18) at ?.user visits "https://testpages.eviltester.com/styled/validation/input-validation.html"(file:///C:/Users/PCD/IdeaProjects/MentoringCucumber/src/test/resources/features/05_form_practice.feature:6) * Not displayable characters are replaced by '?'. </pre>		
2	When user enters first name "Sean"	SKIPPED	0.000 s
3	And user enters last name "White"	SKIPPED	0.001 s
4	And user enters age "45"	SKIPPED	0.000 s
5	And user enters country "Yemen"	SKIPPED	0.000 s
6	And user enters notes "Hello from Sean"	SKIPPED	0.000 s
7	Then close browser	SKIPPED	0.000 s

## Form Test

<b>FAILED</b> DURATION - 0.006 s / 4:00:25.819 PM // 4:00:25.825 PM / Form Feature @Form		Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	
---	---	--	--

#	Step / Hook Details	Status	Duration
1	Given user visits "https://testpages.eviltester.com/styled/validation/input-validation.html" <pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.36.0', revision: '6d115cfd87' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5d1fda56a26027667dcd543a8e3d990e, get {url=https://testpages.eviltester.com/styled/validation/input-validation.html}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.210, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\PCD\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49610}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<p>ws://localhost:49610/devtoo..., se:cdpVersion: 140.0.7339.210, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5d1fda56a26027667dcd543a8e3d990e</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:325)  at stepdefinitions.CommonStepDefinitions.userVisits(CommonStepDefinitions.java:18)  at ?.user visits "https://testpages.eviltester.com/styled/validation/input-validation.html"(file:///C:/Users/PCD/IdeaProjects/MentoringCucumber/src/test/resources/features/05_form_practice.feature:6)  * Not displayable characters are replaced by '?'. </p>		
2	When user enters first name "John"	SKIPPED	0.000 s
3	And user enters last name "Doe"	SKIPPED	0.000 s
4	And user enters age "25"	SKIPPED	0.000 s
5	And user enters country "Saudi Arabia"	SKIPPED	0.000 s
6	And user enters notes "Hello from John"	SKIPPED	0.000 s
7	Then close browser	SKIPPED	0.000 s



## Form Test

<b>FAILED</b> DURATION - 0.005 s / 4:00:25.830 PM // 4:00:25.835 PM / Form Feature @Form		Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	
--	--	--	--





#	Step / Hook Details	Status	Duration
1	<p>Given user visits "https://testpages.eviltester.com/styled/validation/input-validation.html"</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.36.0', revision: '6d115cfd87' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5d1fda56a26027667dcd543a8e3d990e, get {url=https://testpages.eviltester.com/styled/validation/input-validation.html}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.210, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\PCD\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49610}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:49610/devtoo..., se.cdpVersion: 140.0.7339.210, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5d1fda56a26027667dcd543a8e3d990e</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:325)  at stepdefinitions.CommonStepDefinitions.userVisits(CommonStepDefinitions.java:18)  at ?.user visits "https://testpages.eviltester.com/styled/validation/input-validation.html"(file:///C:/Users/PCD/IdeaProjects/MentoringCucumber/src/test/resources/features/05_form_practice.feature:6)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.003 s
2	When user enters first name "Mary"	SKIPPED	0.000 s
3	And user enters last name "Terry"	SKIPPED	0.000 s
4	And user enters age "20"	SKIPPED	0.000 s
5	And user enters country "Singapore"	SKIPPED	0.000 s
6	And user enters notes "Hello from Mary"	SKIPPED	0.000 s
7	Then close browser	SKIPPED	0.000 s

Add Record

<b>FAILED</b>	<b>DURATION - 0.006 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 4:00:25.847 PM // 4:00:25.853 PM /					



### Add Record Scenario

<b>FAILED</b>	<b>DURATION - 0.006 s</b>		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 4:00:25.847 PM // 4:00:25.853 PM /				
Add Record				
@AddRecord				



#	Step / Hook Details	Status	Duration
1	<p>Given user visits "https://claruswaysda.github.io/addRecordWebTable.html"</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.36.0', revision: '6d115cfd87' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5d1fda56a26027667dcd543a8e3d990e, get {url=https://claruswaysda.github.io/addRecordWebTable.html}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.210, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\PCD\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49610}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49610/devtoo..., se:cdpVersion: 140.0.7339.210, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5d1fda56a26027667dcd543a8e3d990e</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557)</p>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration																		
	<div>at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:325)</div> <div>at stepdefinitions.CommonStepDefinitions.userVisits(CommonStepDefinitions.java:18)</div> <div>at ?.user visits "https://claruswaysda.github.io/addRecordWebTable.html"(file:///C:/Users/PCD/IdeaProjects/MentoringCucumber/src/test/resources/features/06_add_record.feature:5)</div> <div>* Not displayable characters are replaced by '?'. </div>																				
2	<div>When enter data</div> <table><tr><td>John</td><td>15</td><td>Germany</td></tr><tr><td>Mary</td><td>25</td><td>Canada</td></tr><tr><td>Tom</td><td>25</td><td>UK</td></tr><tr><td>Kevin</td><td>30</td><td>USA</td></tr><tr><td>Bob</td><td>10</td><td>Australia</td></tr><tr><td>Hans</td><td>40</td><td>Germany</td></tr></table>	John	15	Germany	Mary	25	Canada	Tom	25	UK	Kevin	30	USA	Bob	10	Australia	Hans	40	Germany	SKIPPED	0.002 s
John	15	Germany																			
Mary	25	Canada																			
Tom	25	UK																			
Kevin	30	USA																			
Bob	10	Australia																			
Hans	40	Germany																			
3	Then assert added records	SKIPPED	0.000 s																		
4	Then close browser	SKIPPED	0.000 s																		

## Data Table Test



PASSED	DURATION - 0.005 s	Scenarios		Steps	
/ 4:00:25.861 PM // 4:00:25.866 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Data Table Scenario

PASSED	DURATION - 0.005 s		Steps	
/ 4:00:25.861 PM // 4:00:25.866 PM /				
Data Table Test				
@DataTable				

#	Step / Hook Details	Status	Duration
1	Given use gets list of string <div> <div>John</div> <div>Mary</div> <div>Tom</div> <div>Bob</div> <div>Cedric</div> <div>Tim</div> <div>Kevin</div> </div>	PASSED	0.003 s
2	When user gets map of string <div> <div>John35</div> <div>Mary43</div> <div>Tom12</div> <div>Bob35</div> <div>Cedric15</div> <div>Tim6</div> <div>Kevin60</div> </div>	PASSED	0.002 s
3	And user gets list of list of string <div> <div>JohnDoe35New York</div> <div>MaryAllen43Berlin</div> <div>TomHawk12London</div> <div>BobJessie35Paris</div> <div>CedricMal15Rome</div> <div>TimCarter6Riyad</div> <div>KevinHook60Sydney</div> </div>	PASSED	0.000 s

## valid\_invalid\_inputs

PASSED	DURATION - 0.003 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 4:00:25.869 PM // 4:00:25.872 PM /					

## valid inputs

PASSED

DURATION - 0.000 s

/ 4:00:25.869 PM // 4:00:25.869 PM /

valid\_invalid\_inputs

@Validnnvalid



Steps

Total - 1

Pass - 1

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given user enters valid inputs	PASSED	0.000 s
	1234567		
	1234567		
	1234567		
	1234567		
	1234567		

invalid inputs


PASSED

DURATION - 0.002 s

/ 4:00:25.870 PM // 4:00:25.872 PM /

valid\_invalid\_inputs

@Validnnvalid




Steps

Total - 1

Pass - 1



Fail - 0

Skip - 0





#	Step / Hook Details	Status	Duration
1	Given user enters invalid inputs	PASSED	0.002 s
	()/&%+^'111		
	abc		
	aaaaaaaaaaaaaaaa		
	=)(&%+!		

User Management Operations

<b>FAILED</b>	<b>DURATION - 0.030 s</b>	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 16 Pass - 0 Fail - 4 Skip - 12	
/ 4:00:25.876 PM // 4:00:25.906 PM /					

### Create a new user

<b>FAILED</b>	<b>DURATION - 0.008 s</b>		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 4:00:25.876 PM // 4:00:25.884 PM /				
User Management Operations				
@create @smoke @UserManagement				

#	Step / Hook Details	Status	Duration
1	<p>Given user opens the browser and navigates to "https://claruswaysda.github.io/addRecordWebTable.html"</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.36.0', revision: '6d115cfd87' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5d1fda56a26027667dcd543a8e3d990e, get {url=https://claruswaysda.github.io/addRecordWebTable.html}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.210, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\PCD\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49610}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49610/devtoo..., se:cdpVersion: 140.0.7339.210, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5d1fda56a26027667dcd543a8e3d990e</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557)</p>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:325) at stepdefinitions.UserManagementSteps.user_opens_the_browser_and_navigates_to(UserManagementSteps.java:21) at ?.user opens the browser and navigates to "https://claruswaysda.github.io/addRecordWebTable.html"(file:///C:/Users/PCD/IdeaProjects/MentoringCucumber/src/test/resources/features/userManagement.feature:5) * Not displayable characters are replaced by '?'.		
2	When user enters "Lina" as firstname	SKIPPED	0.000 s
3	And user enters "25" as age	SKIPPED	0.001 s
4	And user selects "Germany" as country	SKIPPED	0.000 s
5	Then user clicks submit button	SKIPPED	0.000 s
6	And user verifies new user is added	SKIPPED	0.000 s



### Update existing user

<b>FAILED</b> DURATION - 0.004 s / 4:00:25.886 PM // 4:00:25.890 PM / User Management Operations @UserManagement @update		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given user opens the browser and navigates to "https://claruswaysda.github.io/addRecordWebTable.html" org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.36.0', revision: '6d115cfd87' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5d1fda56a26027667dcd543a8e3d990e, get {url=https://claruswaysda.github.io/addRecordWebTable.html}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.210, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\PCD\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49610}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49610/devtoo..., se:cdpVersion: 140.0.7339.210, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5d1fda56a26027667dcd543a8e3d990e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:325) at stepdefinitions.UserManagementSteps.user_opens_the_browser_and_navigates_to(UserManagementSteps.java:21) at ?.user opens the browser and navigates to "https://claruswaysda.github.io/addRecordWebTable.html"(file:///C:/Users/PCD/IdeaProjects/MentoringCucumber/src/test/resources/features/userManagement.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	When user edits the first record	SKIPPED	0.000 s
3	And user changes firstname to "LinaUpdated"	SKIPPED	0.000 s
4	Then user verifies the record is updated	SKIPPED	0.000 s

### Delete a user



<div>FAILED</div> <div>DURATION - 0.008 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 4:00:25.892 PM // 4:00:25.900 PM /				
User Management Operations				
@delete @UserManagement @critical				

#	Step / Hook Details	Status	Duration
1	<p>Given user opens the browser and navigates to "https://claruswaysda.github.io/addRecordWebTable.html"</p> <pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.36.0', revision: '6d115cfd87' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5d1fda56a26027667dcd543a8e3d990e, get {url=https://claruswaysda.github.io/addRecordWebTable.html}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.210, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\PCD\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49610}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49610/devtoo..., se:cdpVersion: 140.0.7339.210, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5d1fda56a26027667dcd543a8e3d990e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) </pre>	FAILED	0.005 s



#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:325) at stepdefinitions.UserManagementSteps.user_opens_the_browser_and_navigates_to(UserManagementSteps.java:21) at ?.user opens the browser and navigates to "https://claruswaysda.github.io/addRecordWebTable.html"(file:///C:/Users/PCD/IdeaProjects/MentoringCucumber/src/test/resources/features/userManagement.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	When user deletes the first record	SKIPPED	0.000 s
3	Then user verifies the record is deleted	SKIPPED	0.000 s

### Search for a user

<div>FAILED</div> <div>DURATION - 0.005 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 4:00:25.901 PM // 4:00:25.906 PM /				
User Management Operations				
@smoke @UserManagement @search				

#	Step / Hook Details	Status	Duration
1	<p>Given user opens the browser and navigates to "https://claruswaysda.github.io/addRecordWebTable.html"</p> <pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.36.0', revision: '6d115cfd87' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5d1fda56a26027667dcd543a8e3d990e, get {url=https://claruswaysda.github.io/addRecordWebTable.html}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.210, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\PCD\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49610}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49610/devtoo..., se:cdpVersion: 140.0.7339.210, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5d1fda56a26027667dcd543a8e3d990e </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:325) at stepdefinitions.UserManagementSteps.user_opens_the_browser_and_navigates_to(UserManagementSteps.java:21) at ?.user opens the browser and navigates to "https://claruswaysda.github.io/addRecordWebTable.html"(file:///C:/Users/PCD/IdeaProjects/MentoringCucumber/src/test/resources/features/userManagement.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	When user searches for "Lina"	SKIPPED	0.000 s
3	Then user verifies search result is displayed	SKIPPED	0.000 s