


CopyProgramming

[Home](#) [PHP](#) [AI](#) [Front-End](#) [Mobile](#) [Database](#) [Programming](#)
[languages](#) [CSS](#) [NodeJS](#) [Cheat sheet](#)



Treeview Example in C#.net

[Linux](#)

One possible solution is to utilize a Nautilus script instead of Nautilus Actions, as the former does not necessitate any additional installation. The code includes two lines of explanations. The first line specifies the language interpreter required. The second line pertains to the default command, where the "force to open in new window" option is available, along with other options such as "reuse the current window." If the software is not open, this option will be the same as the default.

...

Table of contents

[Add a custom option in Nautilus right click menu](#)

[Change Ubuntu 18.04 Nautilus context menu "Open in Terminal" from "Gnome-terminal" to "Tilix"](#)

[How to show Nautilus toolbar and file tree sidebar?](#)


[How do I modify the context menu in Nautilus or another file manager for Ubuntu 20.04.1?](#)

[How do I get rid of the Nautilus submenu?](#)

[How do I add Windows Explorer context menu options to Nautilus?](#)

[Do Nautilus actions work without Nautilus-actions-config-tool?](#)

[How do I open Nautilus in Ubuntu terminal?](#)



Add a custom option in Nautilus right click menu


Question:

In Gnome 3, upon right-clicking a folder in Nautilus, a menu is displayed and I aim to expand the options available in it.

Is it possible to modify the menu via the command line? Specifically, I am developing a Linux program and I would like these selections to be included during the installation process.

Solution 1:

Consider utilizing Nautilus script , as it eliminates the need for supplementary installation unlike Nautilus Actions.




In order to do that :


Place your script within the directory labeled as `~/.local/share/nautilus/scripts/` .

Ensure that the file can be executed.


After you right-click context menu , the script will be visible in the "Scripts" section.



Screenshot of Nautilus script context menu



Solution 2:



Although this response may be tardy, it could still potentially serve a purpose.

No any third party package(s) needed

Compose your own manuscript and place it under: `~/.local/share/nautilus/scripts/` .

An example might be more clear:

To insert a Context Menu such as Open By VSCode , it is possible to generate a document labeled `OpenByVScode.sh` and fill it with the desired information.

• • •

```
#!/bin/bash
```

```
code -n ${NAUTILUS_SCRIPT_SELECTED_FILE_PATHS}
```

then, make it executable;

```
chmod 744 OpenByVScode.sh
```

In the end, transfer/migrate this document to the designated folder labeled as `~/.local/share/nautilus/scripts/` .

The script submenu now includes a functional Context Menu that can be accessed.

Codes explanation:

To indicate the required language interpreter, use the MSDT code, which is: `#!/bin/bash` .

Second line: `code -n ${NAUTILUS_SCRIPT_SELECTED_FILE_PATHS}`

The default command for `code` is `VSCode` . To force it to open in a new window, use option `-n` . On the other hand, there is also another option which is `-r` that allows reuse of current window s. If the software is not open, this option will behave similarly to `-n` . For further information, please refer to `code --help` .

• • •

The variable `NAUTILUS_SCRIPT_SELECTED_FILE_PATHS` is designated by the program `nautilus` to represent the path of the chosen file or folder. Additionally, there exist three other types of variables.

1. `NAUTILUS_SCRIPT_SELECTED_URIS` : newline-delimited URIs for selected files
2. `NAUTILUS_SCRIPT_CURRENT_URI` : current location
3. `NAUTILUS_SCRIPT_WINDOW_GEOMETRY` : position and size of current window

For more info, please refer [HERE](#)

Solution 3:

Nautilus Actions

• • •

With the help of `nautilus-actions`, it is possible to create customized options for the context menu that appears when the right-click function is used. See

[Install nautilus-actions](#)

for reference.

• • •

Launch the Nautilus-Actions Configuration Tool using either the Dash or a terminal.
`nautilus-actions-config-tool`

Under the "Action" tab, assign an appropriate label to your action such as "Launch in Terminator" and select whether to display it in the context or selection menu.

Afterward, go to the Command section where you can input the necessary instructions to execute.

Provide the complete pathway for your command (`/usr/bin/command_to_run`) along with the necessary program preferences.

Upon logging out and then logging back in, you will be presented with the context menu for right-click.

Nautilus missing context-menu button (gear icon) in, In Nautilus 3.6, introduced in raring, the menu layout was changed from the traditional all-entries-in-one-menubar to: * an application menu called "Files" in the Unity menu bar * a view menu has moved to some toolbar buttons and a dropdown under an arrow in the upper right of a window * all other menu items have moved ...

Ta [add a custom option in nautilus right click menu](#)

g [nautilus context menu open in terminal from gnome terminal](#)

s: [menu in nautilus or another file manager for ubuntu](#)

Black Ops 3 Nautilus Mod Menu

Just a quick preview of my Black Ops 3 Mod **Menu** All Client Stats with GSC, Hope you enjoy and feel free to leave feedback in the comments. As always these pr

Black Ops 3 Nautilus Mod Menu

Just a quick preview of my Black Ops 3 Mod Menu , I will start uploading these show cases when I have worked on my menu and ready to share it ...

Black Ops 3 Nautilus Mod Menu

Just a quick preview of my Black Ops 3 Mod Menu All Client Stats with GSC, Hope you enjoy and feel free to leave feedback in the comments. As always these pr

Change Ubuntu 18.04 Nautilus context menu "Open in Terminal" from "Gnome-terminal" to "Tilix"

Question:

Is there a way to modify the context-menu in Ubuntu 18.04 Bionic Beaver from its default setting `gnome-terminal` to `tilix` ?

Despite attempting to rename `/usr/bin/gnome-terminal` to `/usr/bin/gnome-terminalbackup` and `/usr/bin/tilix` to `/usr/bin/gnome-terminal` , the context-menu persists in running the `'gnome-terminal'` command, leaving the attempts unsuccessful.

Solution 1:

a) Run `apt install filemanager-actions-nautilus-extension`

b) Run FileManager-Actions Configuration Tool

c) File => New Action

Within the D01 category, the code labeled MSDT_Code1 can be found under the Mark tab. Additionally, MSDT_Code2 is also included in this category.

FileManager Actions a

d02) Command tab:

Path: `/usr/bin/tilix`

Parameters: `--working-directory=%d/%b`

The directory in use is %d .

FileManager Actions b

e) restart nautilus

Solution 2:

Despite the ineffectiveness of the previous solutions, my issue was resolved by implementing `python-nautilus` , which is demonstrated in this example.

```
sudo apt update; sudo apt install python-nautilus
```

Generate a file named `~/.local/share/nautilus-python/extensions/open-alacritty.py` and add the subsequent content to it.

```
import os
```

```
from gi.repository import Nautilus, GObject
```

```
class ColumnExtension(GObject.GObject, Nautilus.MenuProvider):
```

```
    def __init__(self):
```

```
        pass
```

```
def menu_activate_cb(self, menu, file):
    os.system("/usr/bin/alacritty --working-directory " + file.get_location().get_path() + "&")
def get_background_items(self, window, file):
    item = Nautilus.MenuItem(name='NautilusOpenAlacritty',
                              label='Open in Alacritty',
                              tip='',
                              icon='')
    item.connect('activate', self.menu_activate_cb, file)
    return item,
```

After restarting Nautilus, a new option labeled "Open in Alacritty" will be visible above "Open in Terminal" when you right-click within a directory in Nautilus.

If you have a terminal emulator that you prefer, feel free to replace `tilix` with it or even use `alacritty` as an alternative.

Solution 3:

Borba88 suggested utilizing the FileManager-Action Configuration Tool to add a context label (i.e., the displayed entry/text in the menu) such as `Open in...` and `Entry I` in The Contextual to Nautilus. This tool enables you to bind any command to the label.

To achieve precision and make it as practical as the default option in Nautilus contextual menu, an additional step is needed. It is advisable to eliminate the "FileManager-Actions" root menu to avoid the need for an extra click to open the new terminal.

To accomplish this, navigate to "Edit" and then select "Preferences". Within the preferences, locate the Nautilus menu layout option and deselect the `Create a root 'FileManager-Actions' menu choice`.

You're done. Congrats. ;-)

By the way, if you want a high-performing terminal, consider giving Alacritty a try. Additionally, FileManager-Actions is available in Arch Linux's AUR.

Nautilus does not show the left bar, how do I turn it back, Just press F9 when you open nautilus. Click on 'view' then check the 'side pane' option. You can activate or deactivate the sidebar simply by pressing F9. You can also go up to the global menu, then select View → Sidebar → Show sidebar. Just press F9 or if you like it the 'mouse' way, just select 'Side Pane' from the 'View' menu.

How to show Nautilus toolbar and file tree sidebar?

Question:

After successfully installing the latest version 6 of Scientific Linux, I noticed that the file tree sidebar, toolbar, and status bar were missing from the included nautilus file manager. Can you guide me on how to activate them?

Solution 1:

To access the sidepane, you have two options. Firstly, you can click on F9. Alternatively, you can navigate to View and choose sidepane from there.

Likewise, pick the toolbar and status bars from the View list.

Solution 2:

There's another option:

To ensure that Nautilus (the file manager) always opens in a particular view (browser windows), follow these steps: Click on "edit", then select "preferences". In the "behaviour" section, choose "Always open in browser windows". After that, close the window and reopen it to see the changes.


Can't access Nautilus (File) settings/preferences on, The "preferences" option in any Files window (through the hamburger menu) leads to settings relative to the window itself, they don't apply to the whole filesystem: In GNOME Tweaks, there is no option relative to top menu that could help: Using `dconf` didn't help me, as it doesn't handle

e all Nautilus settings (and ...

How do I modify the context menu in Nautilus or another file manager for Ubuntu 20.04.1?

Question:

After consulting several other guides, I attempted to install nautilus-actions using the aforementioned guide.



Check out the Ubuntu Handbook website for a guide on how to take certain actions on Ubuntu 18.04.

At step 2 it says:

```
Reading package lists... Done
```

```
Building dependency tree
```

```
Reading state information... Done
```

```
E: Unable to locate package filemanager-actions-nautilus-extension
```

I'm open to suggestions for a different file manager, so any advice would be greatly appreciated. Thank you!

Solution:

To install filemanager-actions on Ubuntu 20.04 LTS, simply use the following command:

```
sudo apt-get install filemanager-actions
```

The second package, identified as nautilus-extension-fma , includes the necessary Nautilus support and can be installed using the following command:



```
sudo apt-get install nautilus-extension-fma
```

Gnome - Nautilus missing menubar in 12.10, This is completely normal. Since you've activated the gnome3-team PPA, you have the latest version of Nautilus which follows GNOME 3 human interface guidelines (more information [here](#) and [here](#)).. To access the application menu, click on the application name on the top bar.. You will see the same behaviour with other ...

Read other technology post: [Javascript retain event data when using replace with](#)

Related posts:

[List of applications for 'Open with' added to Nautilus context menu by Gnome](#)

[Adding a Mount ISO File Option to Nautilus' Right-Click Menu](#)

[Ubuntu 20.04 command line: Generating an empty file](#)

[Customizing the Context Menus in Nautilus File Manager: A Step-by-Step Guide](#)

[Ubuntu to feature new document context menu from Shell](#)

[Switching Nautilus Context Menu Open in Terminal in Ubuntu 18.04 from Gnome-terminal to Tilix](#)

[Techniques to grant nautilus root access for folder movement or copying](#)

[Nautilus emblem data storage mechanism in GNOME](#)

[Nautilus' right-click menu with subitems](#)

[A Guide on Developing Nautilus C Extensions](#)

[Creating Custom Shortcuts Such as SUPER + NUM for Your Favorite Apps in Ubuntu 19.04](#)

[Unable to Navigate to Parent Directory Level in Target Directory Hierarchy After Accessing Directory via Symlink in Nautilus](#)

[Customize the GNOME panel by adding text](#)

[Can Nautilus Utilize VCS Move Command for File Movement under Version Control?](#)

[Adding a 'Refresh' option to the right-click menu in Ubuntu: A Step-by-Step Guide](#)

[Beginner's Ubuntu Course: Learn in 4 Hours for Free](#)

[Methods for tagging files and conducting later searches using tags](#)

[Comprehensive Manual for Personalizing Ubuntu Desktop](#)

[Opening a directory in Guake using Nautilus](#)

[Establishing an Ubuntu web server with Shell](#)

[Changing default terminal in right-click menu to Terminator from gnome terminal \[duplicate\]](#)

[Ubuntu: A Guide to Installing VM Tools](#)

[Installing Android Studio on Ubuntu 20.04: A Step-by-Step Guide](#)

[Initiating Nautilus with Root Access: A Guide](#)

[Difficulty encountered by Shell in configuring phpMyAdmin on DigitalOcean](#)

[Establishing Ubuntu as a Platform for Web Development](#)

[Achieving Icon Centering on My Launcher: A Step-by-Step Guide](#)

[Making Nautilus Scripts Function on Nautilus: A Guide](#)

[Ubuntu code example for changing desktop using shell shortcut](#)

[A method to conceal a directory \(in Thunar and Nautilus\) without utilizing a dot in its name](#)

Write a comment:

Your name

Title

Message

Please login to Send



Hetzner offer

[Signs up and receive €30 in cloud credits with Hetzner](#), the best cloud hosting service in 2022. Register new account and receive 30 Euro free credit lifetime (Available for new customers only). This promotion is available for a limited time, so act fast before it's too late!



Search

Search

Related questions

How do I get rid of the Nautilus submenu?

To remove the submenu, access the Nautilus-Actions Configuration Tool window and deselect the option that says "Create a root 'Nautilus-Actions' menu" by clicking on the Preferences button. Restart Nautilus by running the command `nautilus -q`. The submenu will no longer be visible, and your new option will appear in Nautilus' main menu.

How do I add Windows Explorer context menu options to Nautilus?

Nautilus-Actions presents a user-friendly approach to adding Windows Explorer context menu options, which is much easier compared to the process of editing the Windows registry. All that is required is to assign a name to the option and identify the script or command to execute. The Nautilus-Actions Configuration Tool can be accessed from the Ubuntu Software Center or installed via a command.

Do Nautilus actions work without Nautilus-actions-config-tool?

Nautilus Actions work as intended in version 12.04, according to Takkat on February 21, 2012 at 20:44. One can still follow its logic even without the tool by adding a new context menu action for Nautilus and including 'Create launcher' without using `gnome-desktop-item-edit`, as stated by user47206 on March 25, 2017 at 11:26.

How do I open Nautilus in Ubuntu terminal?

Obtain the Nautilus-Actions Configuration Tool by either downloading it from the Ubuntu Software Center or installing it through a command. Once installed, restart the Nautilus file manager using a command in the terminal or by pressing `Alt+F2` and typing the command.

Latest posts

[Convert a particular color within an image to the color black](#)

[Resolving a Duplicate Java Error without an 'if' Condition](#)

[Creating Hebrew page numbers in Scribus: A step-by-step guide](#)

[Attaining convergence with coxph \(R\) when model convergence is achieved with proc phreg \(SAS\)](#)

[A method to evaluate the similarity between two arrays in Python, considering a specific value](#)

[Generating a text box alert or hover pop-up text in Ruby on Rails based on form selection](#)

[Implementing a Condition on Text Widget in Flutter When Data is Unavailable](#)

[Console throws 'underscore' module not found error for all Meteor commands](#)

[The Location of DNS Server's Search Domain Specification](#)

[The Property of CSS for border-radius](#)

• • •

• • •

• • •

• • •

PHP Tutorials

[How to use Socket Programming in PHP Programming](#)

[Mastering PHP Array Iteration: Different Methods to Iterate Through Arrays One at a Time](#)

[Efficient Methods to Change Array Keys with Values in PHP](#)

[How to Run PHP Files in Localhost Using Command Line: A Step-by-Step Guide](#)

[Mastering JSON Data in PHP: A Comprehensive Guide on Converting, Accessing, Returning, and Parsing JSON Data](#)

[Mastering PHP datetime formatting and timestamp functions: A comprehensive guide](#)

[PHP Date Comparison: Today, Yesterday, and Tomorrow - Methods and Examples](#)

[How to Change Timezone in Date Objects with PHP: A Comprehensive Guide](#)

[Efficient Methods for Passing Variables from PHP to JavaScript](#)

[Mastering Date Format in Laravel: A Comprehensive Guide](#)

Artificial Intelligence

[Artificial Intelligence](#)

[What's artificial intelligence?](#)

[Importance of Artificial Intelligence](#)

[What is artificial intelligence?](#)

[How Artificial Intelligence Works?](#)

[Uses of Artificial Intelligence](#)

[How Artificial Intelligence And Natural Intelligence Works](#)

[Applications of differential geometry in artificial intelligence](#)

[The Current State of Artificial Intelligence: Advancements and Applications](#)

[How long has artificial intelligence ai existed](#)

New tutorials

[Insert a string into other string at the specified position or after X paragraphs of a HTML content in PHP](#)

[Create gradient text with Tailwind CSS](#)

[Sticky Header, Footer and Fixed Sidebar with Tailwind CSS](#)

[How to Install Tailwind CSS in a Laravel Project](#)

[How to install Laravel?](#)

[Popular PHP Frameworks in 2022](#)

[4 tips to solve programming issues](#)

[How to Enable Remote Access To MySQL Database Server?](#)

[Install MySQL 8.0 on Ubuntu 20.04](#)

[New command "model:show" in Laravel 9](#)

Recommended posts

[Problem with validating an array of objects in Laravel](#)

[Closing a JQuery Dialog Using a Class](#)

[Using two distinct conditions to determine the minimum and maximum values for each of them](#)

[Enhancing Bootstrap5 Form Floating and Form Control input fields with 'X' icons for clearing input](#)

[Saving formData from a React class component: An effective approach](#)

[Transferring an Uri Image between Activities: A Guide](#)

[Starting a Coroutine in a Fragment through a Click Event](#)

[Preserving previous values while updating an array in React using useState: A guide](#)

[Is it possible to utilize NSOperationQueue as a LIFO stack?](#)

[Dynamic stackView in Swift renders button unresponsive](#)

[Choosing a Date and Time with React's DatePicker](#)

[Locating the Installation Path of Apt-Installed Packages on Ubuntu: A Guide](#)

[Looking for Style Guidelines for Writing Math: Where Can I Find Them?](#)

[Final interface in Java?](#)

[Combining data in Python: merging values from one DataFrame into select rows of another DataFrame](#)

[Can gradle utilize maven repository with a higher priority compared to jcenter?](#)

[Wordpress frontend unable to make Ajax call](#)

[Loading Static Images in a Django Template from a Function instead of a View: A Guide](#)

[Stop XMLHttpRequest Logging in Google Chrome](#)

[Encoding categorical features in sklearn: A guide](#)

[Is it possible to create an animation that rotates UIView infinitely by 360 degrees?](#)

[Reminiscing about Former Glory Days](#)

[Parent's view no longer displays Android](#)

[Extracting Parameter Values from a URL: A Guide](#)

[Vertical Control Alignment in Bootstrap](#)

[Angular: Disabling a Form Field from a Separate Component](#)

[Restricting the Number of Arguments Passed in a Ruby Method Signature: Is it Possible?](#)

[Discovering the total of values in an array](#)

[Creating a file compression tool with Node.js: My experience](#)

[Debugging RangeError: Maximum call stack size exceeded - Insights on Karma](#)

• • •



© CopyProgramming 2023 - All right reserved

[About us](#)

[Terms of Service](#)

[Privacy](#)

[Contact](#)